

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	232 00:00:00	31				VGR-31 OWLT IS 08H 50M 43S					1L
2	232 00:00:00	32				VGR-32 OWLT IS 06H 46M 20S					2L
3	232 00:34:32	31	60	SET		10 DEGREE SET DSC-60					1V
4	232 03:59:56	32	10	RISE		10 DEGREE RISE DSC-10					2V
5	232 04:04:37	32	40	RISE		10 DEGREE RISE DSC-40					2V
6	232 04:10:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6958 (D/L ONLY)					2DP
7	232 04:27:06	31	40	RISE		10 DEGREE RISE DSC-40					1V
8	232 06:25:43	32	10	SET		10 DEGREE SET DSC-10					2V
9	232 08:20:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6942					1DP
10	232 08:26:38	31	10	SET		10 DEGREE SET DSC-10					1V
11	232 12:00:00	31				VGR-31 OWLT IS 08H 50M 49S					1L
12	232 12:00:00	32				VGR-32 OWLT IS 06H 46M 25S					2L
13	232 13:22:36	31	60	RISE		10 DEGREE RISE DSC-60					1V
14	232 13:29:47	31	40	SET		10 DEGREE SET DSC-40					1V
15	232 17:15:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6942 (U/L PASS)					1DP
16	232 18:51:58	32	40	SET		10 DEGREE SET DSC-40					2V
17	232 19:05:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6958					2DP
18	232 20:55:21	31	10	RISE		10 DEGREE RISE DSC-10					1V
19	232 21:15:00	31	61	LOS	OPCH ACE	LOS DSS-61 PASS-6942					1DP
20	232 21:55:00	31	24	AOS	OPCH ACE	AOS DSS-24 PASS-6943 (D/L ONLY)					1DP
21	232 22:51:31	31				B- UVSLEW			28541:49:001F	232 14:00:35.945	1TB
22	232 22:51:31	31				SLEW TO HELIO-16B			28541:49:001F	232 14:00:35.945	1T
23	232 22:51:31	31				B- PLATPOA			28541:49:001F	232 14:00:35.945	1TB

SOE YEAR-DAY: 1996-232

PRINTED ON DAY: 195 PAGE 2

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	232 22:51:31	31			AC7SPK	(1 12 2 111 206) EL SLEW R=LOW	AACS		28541:49:003F	232 14:00:36.061	1ECa
25	232 22:55:50	31				B- SLEND			28541:54:318F	232 14:04:54.945	1TB
26	232 22:55:50	31			SLEWEND	AZ=125.000 EL=114.058 CO=109.523			28541:54:318F	232 14:04:54.945	1T
27	233 00:00:00	31				VGR-31 OWLT IS 08H 50M 55S					1L
28	233 00:00:00	32				VGR-32 OWLT IS 06H 46M 29S					2L
29	233 00:30:37	31	60 SET			10 DEGREE SET DSC-60					1V
30	233 03:55:59	32	10RISE			10 DEGREE RISE DSC-10					2V
31	233 04:00:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-6959 (D/L ONLY)					2DP
32	233 04:00:37	32	40RISE			10 DEGREE RISE DSC-40					2V
33	233 04:23:08	31	40RISE			10 DEGREE RISE DSC-40					1V
34	233 05:57:37	32			AC7SSB	(4 +182) SS BIAS CONTROL --- YAW	AACS		22408:18:002F	96-232/23:08:47	2ECa
35	233 06:21:40	32	10 SET			10 DEGREE SET DSC-10					2V
36	233 07:00:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6959 (D/L ONLY)					2DP
37	233 07:05:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-6959					2DP
38	233 08:20:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6943					1DP
39	233 08:22:40	31	10 SET			10 DEGREE SET DSC-10					1V
40	233 08:24:38	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
41	233 08:24:38	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
42	233 08:25:26	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
43	233 08:25:26	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
44	233 08:28:50	32				BEGIN PWSREC			22411:27:001F	96-233/01:39:59	2T
45	233 08:28:50	32				B- DRGS4B			22411:27:001F	96-233/01:39:59	2TB
46	233 08:28:50	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		22411:27:009F	96-233/01:40:00	2ECF
47	233 08:29:34	32				BEGIN RECORDING PWS DATA			22411:27:734F	96-233/01:40:43	2T
48	233 08:29:34	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		22411:27:734F	96-233/01:40:43	2ECd
49	233 08:29:34	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:2336	DTR		22411:27:734F	96-233/01:40:43	2ESd
50	233 08:29:38	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	22411:28:001F	96-233/01:40:47	2ESF
51	233 08:29:38	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		22411:28:002F	96-233/01:40:47	2ECs
52	233 08:29:39	32				B- DRCRUS			22411:28:018F	96-233/01:40:48	2TB
53	233 08:29:39	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		22411:28:025F	96-233/01:40:49	2ECf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
54	233 08:30:26	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	22411:29:001F	96-233/01:41:35	2ESf
55	233 08:30:26	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		22411:29:001F	96-233/01:41:35	2ECd
56	233 08:30:26	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:2626	DTR		22411:29:001F	96-233/01:41:35	2ESd
57	233 08:30:26	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		22411:29:002F	96-233/01:41:35	2ECs
58	233 08:30:27	32				END PWSREC			22411:29:018F	96-233/01:41:36	2T
59	233 09:04:12	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
60	233 09:04:12	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
61	233 09:05:00	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
62	233 09:05:00	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
63	233 09:07:36	31				BEGIN PWSREC.31			28554:39:001F	233 00:16:35.945	1T
64	233 09:07:36	31			SC32AJ	(10) PLS CONFIG CMD	FDS		28554:39:009F	233 00:16:36.419	1ECf
65	233 09:08:24	31				B- DRGS4B			28554:40:001F	233 00:17:23.945	1TB

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
66	233 09:08:24	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28554:40:009F	233 00:17:24.419	1ECf
67	233 09:09:08	31				BEGIN RECORDING PWS DATA			28554:40:734F	233 00:18:07.945	1T
68	233 09:09:08	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		28554:40:734F	233 00:18:07.966	1ECd
69	233 09:09:08	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:0250	DTR		28554:40:734F	233 00:18:07.966	1ESd
70	233 09:09:12	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	28554:41:001F	233 00:18:11.939	1ESf
71	233 09:09:12	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28554:41:001F	233 00:18:11.998	1ECs
72	233 09:09:13	31				B- DRCRUS			28554:41:018F	233 00:18:12.945	1TB
73	233 09:09:13	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		28554:41:025F	233 00:18:13.379	1ECf
74	233 09:10:00	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	28554:42:001F	233 00:18:59.939	1ESf
75	233 09:10:00	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		28554:42:001F	233 00:18:59.971	1ECd

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
76	233 09:10:00	31					DTR		28554:42:001F	233 00:18:59.971	1ESd
						DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:0542					
77	233 09:10:00	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		28554:42:002F	233 00:19:00.029	1ECs
78	233 09:10:48	31			SC32AJ	(11) PLS CONFIG CMD	FDS		28554:43:009F	233 00:19:48.419	1ECF
79	233 09:10:49	31				END PWSREC.31			28554:43:018F	233 00:19:48.945	1T
80	233 09:31:02	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESF
81	233 09:31:02	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
82	233 09:31:14	32				BEGIN PMPCALLR			22412:45:001F	96-233/02:42:23	2T
83	233 09:35:14	32				B- DRCR5T			22412:50:001F	96-233/02:46:23	2TB
84	233 09:35:14	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		22412:50:009F	96-233/02:46:24	2ECF
85	233 09:36:02	32		ACE	OPCH		FDS	CR-5T	22412:51:001F	96-233/02:47:11	2ESF
						FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11					
86	233 09:36:02	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		22412:51:001F	96-233/02:47:11	2ECs

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
87	233 09:42:26	32			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		22412:59:009F	96-233/02:53:36	2ECf
88	233 09:43:14	32				BEGIN PLS/MAG/PESCAL			22413:00:001F	96-233/02:54:23	2T
89	233 11:25:39	32				END PLSCAL			22415:08:001F	96-233/04:36:47	2T
90	233 12:00:00	31				VGR-31 OWLT IS 08H 51M 01S					1L
91	233 12:00:00	32				VGR-32 OWLT IS 06H 46M 34S					2L
92	233 12:45:39	32				END MAGCAL			22416:48:001F	96-233/05:56:47	2T
93	233 12:59:03	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
94	233 12:59:03	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
95	233 13:00:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6943 (D/L ONLY)					1DP
96	233 13:03:15	32				END PESCAL			22417:10:001F	96-233/06:14:23	2T
97	233 13:03:15	32				B- DRCRUS			22417:10:001F	96-233/06:14:23	2TB
98	233 13:03:15	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		22417:10:009F	96-233/06:14:24	2ECf
99	233 13:04:03	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	22417:11:001F	96-233/06:15:11	2ESf
100	233 13:04:03	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		22417:11:001F	96-233/06:15:11	2ECs

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
101	233 13:04:04	32				END PMPCALLR			22417:11:018F	96-233/06:15:12	2T
102	233 13:18:42	31	60RISE			10 DEGREE RISE DSC-60					1V
103	233 13:25:52	31	40 SET			10 DEGREE SET DSC-40					1V
104	233 15:40:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6943 (D/L ONLY)					1DP
105	233 15:55:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6943					1DP
106	233 18:10:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6959 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
107	233 18:15:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6959					2DP
108	233 18:47:58	32	40 SET			10 DEGREE SET DSC-40					2V
109	233 19:10:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6959					2DP
110	233 20:51:25	31	10RISE			10 DEGREE RISE DSC-10					1V
111	233 22:51:42	31				B- UVSLEW			28571:49:001F	233 14:00:35.945	1TB
112	233 22:51:42	31				SLEW TO HELIO-17B			28571:49:001F	233 14:00:35.945	1T
113	233 22:51:42	31				B- PLATPOA			28571:49:001F	233 14:00:35.945	1TB
114	233 22:51:42	31			AC7SPK	(1 12 1 127 093) EL SLEW R=LOW	AACS		28571:49:003F	233 14:00:36.061	1ECa
115	233 22:56:26	31				B- SLEND			28571:54:734F	233 14:05:19.945	1TB
116	233 22:56:26	31			SLEWEND	AZ=125.000 EL=91.051 CO=86.589			28571:54:734F	233 14:05:19.945	1T
117	233 23:00:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6944 (D/L ONLY)					1DP
118	233 23:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6943					1DP
119	234 00:00:00	31				VGR-31 OWLT IS 08H 51M 07S					1L
120	234 00:00:00	32				VGR-32 OWLT IS 06H 46M 39S					2L
121	234 00:26:43	31	60 SET			10 DEGREE SET DSC-60					1V
122	234 01:26:08	31			AC7SSB	(3 +018) SS BIAS CONTROL - PITCH	AACS		28575:02:002F	233 16:35:00.056	1ECa

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
123	234 03:00:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-6960 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
124	234 03:52:01	32	10RISE			10 DEGREE RISE DSC-10					2V
125	234 03:56:36	32	40RISE			10 DEGREE RISE DSC-40					2V
126	234 04:19:10	31	40RISE			10 DEGREE RISE DSC-40					1V
127	234 06:17:37	32	10 SET			10 DEGREE SET DSC-10					2V
128	234 07:05:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-6960					2DP
129	234 08:18:43	31	10 SET			10 DEGREE SET DSC-10					1V
130	234 08:20:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6944					1DP
131	234 12:00:00	31				VGR-31 OWLT IS 08H 51M 13S					1L
132	234 12:00:00	32				VGR-32 OWLT IS 06H 46M 44S					2L
133	234 13:14:47	31	60RISE			10 DEGREE RISE DSC-60					1V
134	234 13:21:58	31	40 SET			10 DEGREE SET DSC-40					1V
135	234 14:15:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6960 (D/L ONLY)					2DP
136	234 18:43:59	32	40 SET			10 DEGREE SET DSC-40					2V
137	234 19:00:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6960					2DP
138	234 20:47:30	31	10RISE			10 DEGREE RISE DSC-10					1V
139	234 22:10:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6945 (D/L ONLY)					1DP
140	234 22:51:54	31				B- UVSLEW			28601:49:001F	234 14:00:35.945	1TB
141	234 22:51:54	31				SLEW TO HELIO-18B			28601:49:001F	234 14:00:35.945	1T
142	234 22:51:54	31				B- PLATPOA			28601:49:001F	234 14:00:35.945	1TB
143	234 22:51:54	31			AC7SPK	(1 12 2 141 138) EL SLEW R=LOW	AACS		28601:49:003F	234 14:00:36.061	1ECa
144	234 22:56:02	31				B- SLEND			28601:54:134F	234 14:04:43.945	1TB
145	234 22:56:02	31			SLEWEND	AZ=125.000 EL=71.042 CO=66.691			28601:54:134F	234 14:04:43.945	1T

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
146	235 00:00:00	31				VGR-31 OWLT IS 08H 51M 19S					1L
147	235 00:00:00	32				VGR-32 OWLT IS 06H 46M 49S					2L
148	235 00:22:49	31	60	SET		10 DEGREE SET DSC-60					1V
149	235 03:48:03	32	10	RISE		10 DEGREE RISE DSC-10					2V
150	235 03:52:35	32	40	RISE		10 DEGREE RISE DSC-40					2V
151	235 04:15:12	31	40	RISE		10 DEGREE RISE DSC-40					1V
152	235 05:30:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6961 (D/L ONLY)					2DP
153	235 06:13:35	32	10	SET		10 DEGREE SET DSC-10					2V
154	235 08:14:45	31	10	SET		10 DEGREE SET DSC-10					1V
155	235 08:15:00	31	24	LOS	OPCH ACE	LOS DSS-24 PASS-6945					1DP
156	235 12:00:00	31				VGR-31 OWLT IS 08H 51M 25S					1L
157	235 12:00:00	32				VGR-32 OWLT IS 06H 46M 53S					2L
158	235 12:49:11	32			AC7SSB	(4 +183) SS BIAS CONTROL --- YAW	AACS		22476:52:002F	96-235/05:59:59	2ECa
159	235 13:10:52	31	60	RISE		10 DEGREE RISE DSC-60					1V
160	235 13:15:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6945 (D/L ONLY)					1DP
161	235 13:18:03	31	40	SET		10 DEGREE SET DSC-40					1V
162	235 18:05:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6961 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
163	235 18:10:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6961					2DP
164	235 18:39:59	32	40	SET		10 DEGREE SET DSC-40					2V
165	235 19:05:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6961					2DP
166	235 20:43:35	31	10	RISE		10 DEGREE RISE DSC-10					1V
167	235 21:45:00	31	15	AOS	OPCH ACE	AOS DSS-15 PASS-6946 (D/L ONLY)					1DP
168	235 22:00:00	31	65	LOS	OPCH ACE	LOS DSS-65 PASS-6945					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
169	235 22:52:06	31				B- UVSLEW			28631:49:001F	235 14:00:35.945	1TB
170	235 22:52:06	31				SLEW TO HELIO-19B			28631:49:001F	235 14:00:35.945	1T
171	235 22:52:06	31				B- PLATPOA			28631:49:001F	235 14:00:35.945	1TB
172	235 22:52:06	31			AC7SPK	(1 12 2 157 158) EL SLEW R=LOW	AACS		28631:49:003F	235 14:00:36.061	1ECa
173	235 22:56:50	31				B- SLEND			28631:54:734F	235 14:05:19.945	1TB
174	235 22:56:50	31			SLEWEND	AZ=125.000 EL=48.031 CO=43.791			28631:54:734F	235 14:05:19.945	1T
175	236 00:00:00	31				VGR-31 OWLT IS 08H 51M 31S					1L
176	236 00:00:00	32				VGR-32 OWLT IS 06H 46M 58S					2L
177	236 00:18:54	31	60	SET		10 DEGREE SET DSC-60					1V
178	236 03:30:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6962 (D/L ONLY)					2DP
179	236 03:44:05	32	10	RISE		10 DEGREE RISE DSC-10					2V
180	236 03:48:35	32	40	RISE		10 DEGREE RISE DSC-40					2V
181	236 04:11:14	31	40	RISE		10 DEGREE RISE DSC-40					1V
182	236 06:09:33	32	10	SET		10 DEGREE SET DSC-10					2V
183	236 07:55:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6946 (D/L ONLY)					1DP
184	236 08:10:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6946					1DP
185	236 08:10:47	31	10	SET		10 DEGREE SET DSC-10					1V
186	236 08:50:07	32			AC7SSB	(3 -022) SS BIAS CONTROL - PITCH	AACS		22501:53:003F	96-236/02:00:47	2ECa
187	236 12:00:00	31				VGR-31 OWLT IS 08H 51M 37S					1L
188	236 12:00:00	32				VGR-32 OWLT IS 06H 47M 03S					2L
189	236 12:05:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6946					1DP
190	236 12:55:00	31	63	AOS	OPCH ACE	AOS DSS-63 PASS-6946 (D/L ONLY)					1DP
191	236 13:06:57	31	60	RISE		10 DEGREE RISE DSC-60					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
192	236 13:14:08	31	40	SET		10 DEGREE SET DSC-40					1V
193	236 15:25:00	31	63	LOS	OPCH ACE	LOS DSS-63 PASS-6946					1DP
194	236 17:00:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6946 (U/L PASS)					1DP
195	236 18:00:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6962 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
196	236 18:05:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6962					2DP
197	236 18:36:00	32	40	SET		10 DEGREE SET DSC-40					2V
198	236 19:00:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6962					2DP
199	236 19:35:00	31	61		OPCH 61	== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
200	236 19:35:00	31	61		OPCH 61	== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
201	236 19:36:00	31	61		OPCH 61	== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
202	236 19:37:00	31	61		OPCH 61	== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
203	236 20:02:00	31	61		OPCH 61	== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
204	236 20:39:41	31	10	RISE		10 DEGREE RISE DSC-10					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
205	236 20:45:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6947 (D/L ONLY)					1DP
206	236 21:00:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6946					1DP
207	236 22:52:18	31				B- UVSLEW			28661:49:001F	236 14:00:35.945	1TB
208	236 22:52:18	31				SLEW TO HELIO-20B			28661:49:001F	236 14:00:35.945	1T
209	236 22:52:18	31				B- PLATPOA			28661:49:001F	236 14:00:35.945	1TB
210	236 22:52:18	31			AC7SPK	(1 12 2 173 176) EL SLEW R=LOW	AACS		28661:49:002F	236 14:00:36.058	1ECa
211	236 22:57:02	31				B- SLEND			28661:54:734F	236 14:05:19.945	1TB
212	236 22:57:02	31			SLEWEND	AZ=125.000 EL=25.026 CO=21.082			28661:54:734F	236 14:05:19.945	1T
213	237 00:00:00	31				VGR-31 OWLT IS 08H 51M 43S					1L
214	237 00:00:00	32				VGR-32 OWLT IS 06H 47M 08S					2L
215	237 00:15:02	31	60 SET			10 DEGREE SET DSC-60					1V
216	237 03:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6963 (D/L ONLY)					2DP
217	237 03:40:07	32	10RISE			10 DEGREE RISE DSC-10					2V
218	237 03:44:35	32	40RISE			10 DEGREE RISE DSC-40					2V
219	237 04:07:16	31	40RISE			10 DEGREE RISE DSC-40					1V
220	237 06:05:31	32	10 SET			10 DEGREE SET DSC-10					2V
221	237 07:45:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6947 (D/L ONLY)					1DP
222	237 08:00:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6947					1DP
223	237 08:06:50	31	10 SET			10 DEGREE SET DSC-10					1V
224	237 12:00:00	31				VGR-31 OWLT IS 08H 51M 49S					1L
225	237 12:00:00	32				VGR-32 OWLT IS 06H 47M 13S					2L
226	237 12:10:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6947					1DP
227	237 13:03:03	31	60RISE			10 DEGREE RISE DSC-60					1V

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
228	237 13:10:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6947 (D/L ONLY)					1DP
229	237 13:10:14	31	40 SET			10 DEGREE SET DSC-40					1V
230	237 13:42:01	31				B- RFSTLC			28680:21:001F	237 04:50:11.945	1TB
231	237 13:45:34	31	65	OPCH 65		== START TLC TEST DOWN-LINK ==					1TD
232	237 14:46:34	31	65	OPCH 65		== END TLC TEST DOWN-LINK ==					1TD
233	237 18:32:00	32	40 SET			10 DEGREE SET DSC-40					2V
234	237 18:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6963					2DP
235	237 20:35:46	31	10RISE			10 DEGREE RISE DSC-10					1V
236	237 20:40:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6948 (D/L ONLY)					1DP
237	237 20:55:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6947					1DP
238	237 23:20:47	32			AC7SSB	(4 +184) SS BIAS CONTROL --- YAW	AACS		22550:01:003F	96-237/16:31:11	2ECa
239	238 00:00:00	31				VGR-31 OWLT IS 08H 51M 55S					1L
240	238 00:00:00	32				VGR-32 OWLT IS 06H 47M 18S					2L
241	238 00:11:08	31	60 SET			10 DEGREE SET DSC-60					1V
242	238 02:45:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-6964 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
243	238 03:36:09	32	10RISE			10 DEGREE RISE DSC-10					2V
244	238 03:40:34	32	40RISE			10 DEGREE RISE DSC-40					2V
245	238 04:03:18	31	40RISE			10 DEGREE RISE DSC-40					1V
246	238 06:01:29	32	10 SET			10 DEGREE SET DSC-10					2V
247	238 06:35:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6964 (D/L ONLY)					2DP
248	238 06:50:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-6964					2DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
249	238 07:45:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6948 (D/L ONLY)					1DP
250	238 08:00:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6948					1DP
251	238 08:02:52	31	10 SET			10 DEGREE SET DSC-10					1V
252	238 10:50:28	32				B- UVSLEW			22564:23:001F	96-238/04:00:47	2TB
253	238 10:50:28	32				SLEW TO HELIO-17B			22564:23:001F	96-238/04:00:47	2T
254	238 10:50:28	32				B- PLATPOB			22564:23:001F	96-238/04:00:47	2TB
255	238 10:50:28	32			AC7SPK	(1 12 1 164 092) EL SLEW R=LOW	AACS		22564:23:003F	96-238/04:00:47	2ECa
256	238 10:50:28	32			AC7SPK	(2 12 2 177 055) AZ SLEW R=LOW	AACS		22564:23:004F	96-238/04:00:47	2ECa
257	238 10:59:15	32				B- SLEND			22564:33:784F	96-238/04:09:34	2TB
258	238 10:59:15	32			SLEWEND	AZ=236.548 EL=38.627 CO=34.699			22564:33:784F	96-238/04:09:34	2T
259	238 12:00:00	31				VGR-31 OWLT IS 08H 52M 01S					1L
260	238 12:00:00	32				VGR-32 OWLT IS 06H 47M 23S					2L
261	238 12:05:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6948					1DP
262	238 12:59:08	31	60RISE			10 DEGREE RISE DSC-60					1V
263	238 13:00:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6948 (D/L ONLY)					1DP
264	238 13:06:19	31	40 SET			10 DEGREE SET DSC-40					1V
265	238 18:28:01	32	40 SET			10 DEGREE SET DSC-40					2V
266	238 18:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6964					2DP
267	238 20:31:51	31	10RISE			10 DEGREE RISE DSC-10					1V
268	238 20:35:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6949 (D/L ONLY)					1DP
269	238 20:50:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6948					1DP
270	238 22:50:33	32				B- UVSLEW			22579:23:001F	96-238/16:00:47	2TB
271	238 22:50:33	32				SLEW TO HELIO-16B			22579:23:001F	96-238/16:00:47	2T

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 34 DOY 96-232/00:00 - 96-239/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
272	238 22:50:33	32				B- PLATPOB			22579:23:001F	96-238/16:00:47	2TB
273	238 22:50:33	32			AC7SPK	(1 12 2 156 086) EL SLEW R=LOW	AACS		22579:23:003F	96-238/16:00:47	2ECa
274	238 22:50:33	32			AC7SPK	(2 12 1 183 219) AZ SLEW R=LOW	AACS		22579:23:004F	96-238/16:00:47	2ECa
275	238 22:52:42	31				B- UVSLEW			28721:49:001F	238 14:00:35.945	1TB
276	238 22:52:42	31				SLEW TO HELIO-19A			28721:49:001F	238 14:00:35.945	1T
277	238 22:52:42	31				B- PLATPOA			28721:49:001F	238 14:00:35.945	1TB
278	238 22:52:42	31			AC7SPK	(1 12 1 157 028) EL SLEW R=LOW	AACS		28721:49:003F	238 14:00:36.061	1ECa
279	238 22:54:45	32				B- SLEND			22579:28:201F	96-238/16:04:59	2TB
280	238 22:54:45	32			SLEWEND	AZ=244.955 EL=50.043 CO=46.916			22579:28:201F	96-238/16:04:59	2T
281	238 22:57:31	31				B- SLEND			28721:55:018F	238 14:05:24.945	1TB
282	238 22:57:31	31			SLEWEND	AZ=125.000 EL=47.988 CO=43.789			28721:55:018F	238 14:05:24.945	1T
283	239 00:00:00	31				VGR-31 OWLT IS 08H 52M 07S					1L
284	239 00:00:00	32				VGR-32 OWLT IS 06H 47M 28S					2L