

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	243 00:00:00	31				VGR-31 OWLT IS 09H 52M 58S					1L
2	243 00:00:00	32				VGR-32 OWLT IS 07H 38M 26S					2L
3	243 03:11:09	32	40RISE			10 DEGREE RISE DSC-40					2V
4	243 03:46:12	31	40RISE			10 DEGREE RISE DSC-40					1V
5	243 07:15:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7686					1DP
6	243 07:45:46	31	10 SET			10 DEGREE SET DSC-10					1V
7	243 08:00:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7702 (D/L ONLY)					2DP
8	243 12:00:00	31				VGR-31 OWLT IS 09H 53M 04S					1L
9	243 12:00:00	32				VGR-32 OWLT IS 07H 38M 31S					2L
10	243 12:42:04	31	60RISE			10 DEGREE RISE DSC-60					1V
11	243 12:49:15	31	40 SET			10 DEGREE SET DSC-40					1V
12	243 16:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7686 (D/L ONLY)					1DP
13	243 18:25:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7702					2DP
14	243 18:27:20	32	40 SET			10 DEGREE SET DSC-40					2V
15	243 20:14:46	31	10RISE			10 DEGREE RISE DSC-10					1V
16	243 23:50:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7686					1DP
17	243 23:50:09	31	60 SET			10 DEGREE SET DSC-60					1V
18	244 00:00:00	31				VGR-31 OWLT IS 09H 53M 10S					1L
19	244 00:00:00	32				VGR-32 OWLT IS 07H 38M 37S					2L
20	244 02:40:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-7687 (D/L ONLY)					1DP
21	244 02:52:59	31			AC7SSB	(3 +018) SS BIAS CONTROL - PITCH	AACS		50805:33:003F	98-243/16:59:48	1ECa
22	244 03:07:10	32	40RISE			10 DEGREE RISE DSC-40					2V
23	244 03:42:15	31	40RISE			10 DEGREE RISE DSC-40					1V

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	244 07:10:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-7687					1DP
25	244 07:41:49	31	10 SET			10 DEGREE SET DSC-10					1V
26	244 08:10:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7703 (D/L ONLY)					2DP
27	244 08:50:29	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
28	244 08:50:29	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
29	244 08:51:17	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
30	244 08:51:17	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
31	244 08:54:41	32				BEGIN PWSREC			44670:57:001F	98-244/01:15:59	2T
32	244 08:54:41	32				B- DRGS4B			44670:57:001F	98-244/01:15:59	2TB
33	244 08:54:41	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B FDS PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY			44670:57:009F	98-244/01:16:00	2ECf
34	244 08:55:25	32				BEGIN RECORDING PWS DATA			44670:57:734F	98-244/01:16:43	2T
35	244 08:55:25	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		44670:57:734F	98-244/01:16:43	2ECd
36	244 08:55:25	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:2634	DTR		44670:57:734F	98-244/01:16:43	2ESd

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
37	244 08:55:29	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	44670:58:001F	98-244/01:16:47	2ESf
38	244 08:55:29	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		44670:58:001F	98-244/01:16:47	2ECs
39	244 08:55:30	32				B- DRCRUS			44670:58:018F	98-244/01:16:48	2TB
40	244 08:55:30	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		44670:58:025F	98-244/01:16:49	2ECf
41	244 08:56:17	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	44670:59:001F	98-244/01:17:35	2ESf
42	244 08:56:17	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		44670:59:001F	98-244/01:17:35	2ECs
43	244 08:56:17	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		44670:59:001F	98-244/01:17:35	2ECd
44	244 08:56:17	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:2925	DTR		44670:59:001F	98-244/01:17:35	2ESd
45	244 08:56:18	32				END PWSREC			44670:59:018F	98-244/01:17:36	2T
46	244 09:42:27	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf

SOE YEAR-DAY: 1998-244

PRINTED ON DAY: 238 PAGE 4

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
47	244 09:42:27	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
48	244 09:43:15	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESF
49	244 09:43:15	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
50	244 09:45:51	31				BEGIN PWSREC.31			50814:09:001F	98-243/23:52:35	1T
51	244 09:45:51	31			SC32AJ	(10) PLS CONFIG CMD	FDS		50814:09:010F	98-243/23:52:36	1ECF
52	244 09:46:39	31				B- DRGS4B			50814:10:001F	98-243/23:53:23	1TB
53	244 09:46:39	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50814:10:009F	98-243/23:53:24	1ECF
54	244 09:47:23	31				BEGIN RECORDING PWS DATA			50814:10:734F	98-243/23:54:07	1T
55	244 09:47:23	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		50814:10:735F	98-243/23:54:08	1ECd
56	244 09:47:23	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:0549	DTR		50814:10:735F	98-243/23:54:08	1ESd
57	244 09:47:27	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE -----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	50814:11:001F	98-243/23:54:11	1ESF

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
58	244 09:47:27	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50814:11:002F	98-243/23:54:12	1ECs
59	244 09:47:28	31				B- DRCRUS			50814:11:018F	98-243/23:54:12	1TB
60	244 09:47:28	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50814:11:026F	98-243/23:54:13	1ECF
61	244 09:48:15	31		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	50814:12:001F	98-243/23:54:59	1ESF
62	244 09:48:15	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		50814:12:002F	98-243/23:55:00	1ECD
63	244 09:48:15	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:0841	DTR		50814:12:002F	98-243/23:55:00	1ESd
64	244 09:48:15	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50814:12:002F	98-243/23:55:00	1ECs
65	244 09:49:03	31			SC32AJ	(11) PLS CONFIG CMD	FDS		50814:13:010F	98-243/23:55:48	1ECf
66	244 09:49:04	31				END PWSREC.31			50814:13:018F	98-243/23:55:48	1T
67	244 12:00:00	31				VGR-31 OWLT IS 09H 53M 16S					1L
68	244 12:00:00	32				VGR-32 OWLT IS 07H 38M 42S					2L
69	244 12:38:10	31	60RISE			10 DEGREE RISE DSC-60					1V
70	244 12:45:20	31	40 SET			10 DEGREE SET DSC-40					1V
71	244 16:00:00	31	65 AOS	OPCH	ACE	AOS DSS-65 PASS-7687 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
72	244 16:15:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7703 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
73	244 16:35:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7703					2DP
74	244 18:23:20	32	40 SET			10 DEGREE SET DSC-40					2V
75	244 18:45:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7703					2DP
76	244 19:43:56	31				B- RFSTLC			50841:24:001F	98-244/09:50:35	1TB
77	244 20:10:52	31	10RISE			10 DEGREE RISE DSC-10					1V
78	244 22:55:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7687					1DP
79	244 23:46:17	31	60 SET			10 DEGREE SET DSC-60					1V
80	245 00:00:00	31				VGR-31 OWLT IS 09H 53M 22S					1L
81	245 00:00:00	32				VGR-32 OWLT IS 07H 38M 47S					2L
82	245 02:55:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-7688 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
83	245 03:03:11	32	40RISE			10 DEGREE RISE DSC-40					2V
84	245 03:38:17	31	40RISE			10 DEGREE RISE DSC-40					1V
85	245 04:00:00	31	24	OPCH 24		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
86	245 04:00:00	31	24	OPCH 24		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
87	245 04:01:00	31	24	OPCH 24		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
88	245 04:02:00	31	24	OPCH 24		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
89	245 04:27:00	31	24	OPCH 24		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
90	245 04:45:13	32			AC7SSB	(4 +184) SS BIAS CONTROL --- YAW	AACS		44695:45:002F	98-244/21:06:23	2ECa
91	245 07:05:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-7688					1DP
92	245 07:37:52	31	10 SET			10 DEGREE SET DSC-10					1V
93	245 08:15:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7704 (D/L ONLY)					2DP
94	245 09:58:52	32			AC7SSB	(3 -021) SS BIAS CONTROL - PITCH	AACS		44702:17:002F	98-245/02:19:59	2ECa
95	245 12:00:00	31				VGR-31 OWLT IS 09H 53M 28S					1L
96	245 12:00:00	32				VGR-32 OWLT IS 07H 38M 52S					2L
97	245 12:34:15	31	60RISE			10 DEGREE RISE DSC-60					1V
98	245 12:41:26	31	40 SET			10 DEGREE SET DSC-40					1V
99	245 16:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7688 (D/L ONLY)					1DP
100	245 17:54:07	31				B- UVSLEW			50854:19:001F	98-245/08:00:35	1TB
101	245 17:54:07	31				SLEW TO MIDPT-C			50854:19:001F	98-245/08:00:35	1T
102	245 17:54:07	31				B- PLATPOB			50854:19:001F	98-245/08:00:35	1TB
103	245 17:54:07	31			AC7SPK	(1 12 2 093 083) EL SLEW R=LOW	AACS		50854:19:003F	98-245/08:00:36	1ECa
104	245 17:54:07	31			AC7SPK	(2 12 1 113 126) AZ SLEW R=LOW	AACS		50854:19:005F	98-245/08:00:36	1ECa
105	245 18:19:21	32	40 SET			10 DEGREE SET DSC-40					2V
106	245 18:26:30	31				B- SLEND			50854:59:384F	98-245/08:32:58	1TB

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
107	245 18:26:30	31			SLEWEND	AZ=145.039 EL=139.995 CO=134.317			50854:59:384F	98-245/08:32:58	1T
108	245 18:40:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7704					2DP
109	245 20:06:57	31	10RISE			10 DEGREE RISE DSC-10					1V
110	245 23:42:23	31	60 SET			10 DEGREE SET DSC-60					1V
110.1	245 23:45:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-7688					D---
111	246 00:00:00	31				VGR-31 OWLT IS 09H 53M 34S					1L
112	246 00:00:00	32				VGR-32 OWLT IS 07H 38M 58S					2L
113	246 00:14:02	31	65	OPCH 65		== START TLC TEST DOWN-LINK ==					1TD
114	246 01:15:02	31	65	OPCH 65		== END TLC TEST DOWN-LINK ==					1TD
115	246 01:30:00	31				DELETED ITEM					
116	246 02:59:12	32	40RISE			10 DEGREE RISE DSC-40					2V
117	246 03:34:20	31	40RISE			10 DEGREE RISE DSC-40					1V
118	246 07:33:55	31	10 SET			10 DEGREE SET DSC-10					1V
119	246 08:20:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7705 (D/L ONLY)					2DP
120	246 12:00:00	31				VGR-31 OWLT IS 09H 53M 40S					1L
121	246 12:00:00	32				VGR-32 OWLT IS 07H 39M 03S					2L
122	246 12:30:21	31	60RISE			10 DEGREE RISE DSC-60					1V
123	246 12:37:32	31	40 SET			10 DEGREE SET DSC-40					1V
124	246 16:40:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7689 (D/L ONLY)					1DP
125	246 18:15:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7705					2DP
126	246 18:15:22	32	40 SET			10 DEGREE SET DSC-40					2V

SOE YEAR-DAY: 1998-246

PRINTED ON DAY: 238 PAGE 8.1

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
127	246 20:03:03	31	10RISE			10 DEGREE RISE DSC-10					1V

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
128	246 22:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7689					1DP
129	246 23:38:31	31	60 SET			10 DEGREE SET DSC-60					1V
130	247 00:00:00	31				VGR-31 OWLT IS 09H 53M 46S					1L
131	247 00:00:00	32				VGR-32 OWLT IS 07H 39M 08S					2L
132	247 02:40:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-7690 (D/L ONLY)					1DP
133	247 02:55:13	32	40RISE			10 DEGREE RISE DSC-40					2V
134	247 03:30:23	31	40RISE			10 DEGREE RISE DSC-40					1V
135	247 07:00:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-7690					1DP
136	247 07:29:58	31	10 SET			10 DEGREE SET DSC-10					1V
137	247 08:40:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7706 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
138	247 12:00:00	31				VGR-31 OWLT IS 09H 53M 52S					1L
139	247 12:00:00	32				VGR-32 OWLT IS 07H 39M 14S					2L
140	247 12:26:27	31	60RISE			10 DEGREE RISE DSC-60					1V
141	247 12:33:38	31	40 SET			10 DEGREE SET DSC-40					1V
142	247 16:40:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7690 (D/L ONLY)					1DP
143	247 18:11:23	32	40 SET			10 DEGREE SET DSC-40					2V
144	247 18:15:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7706					2DP
145	247 19:59:08	31	10RISE			10 DEGREE RISE DSC-10					1V
146	247 22:38:30	32			AC7SSB	(4 +185) SS BIAS CONTROL --- YAW	AACS		44778:06:002F	98-247/14:59:11	2ECa
147	247 22:45:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7690					1DP
148	247 23:34:36	31	60 SET			10 DEGREE SET DSC-60					1V
149	248 00:00:00	31				VGR-31 OWLT IS 09H 53M 58S					1L
150	248 00:00:00	32				VGR-32 OWLT IS 07H 39M 19S					2L

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
151	248 02:45:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-7691 (D/L ONLY)					1DP
152	248 02:51:14	32	40RISE			10 DEGREE RISE DSC-40					2V
153	248 03:26:25	31	40RISE			10 DEGREE RISE DSC-40					1V
154	248 06:55:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-7691					1DP
155	248 07:26:01	31	10 SET			10 DEGREE SET DSC-10					1V
156	248 08:30:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7707 (D/L ONLY)					2DP
157	248 12:00:00	31				VGR-31 OWLT IS 09H 54M 04S					1L
158	248 12:00:00	32				VGR-32 OWLT IS 07H 39M 24S					2L
159	248 12:22:33	31	60RISE			10 DEGREE RISE DSC-60					1V
160	248 12:29:44	31	40 SET			10 DEGREE SET DSC-40					1V
161	248 12:41:52	31			AC7SSB	(4 +138) SS BIAS CONTROL --- YAW	AACS		50937:48:003F	98-248/02:47:48	1ECa
162	248 13:30:00	31	54 AOS	OPCH ACE		AOS DSS-54 PASS-7691 (D/L ONLY)					1DP
163	248 18:07:24	32	40 SET			10 DEGREE SET DSC-40					2V
164	248 18:10:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7707					2DP
165	248 19:55:14	31	10RISE			10 DEGREE RISE DSC-10					1V
166	248 20:20:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-7692 (D/L ONLY)					1DP
167	248 20:45:00	31	54 LOS	OPCH ACE		LOS DSS-54 PASS-7691					1DP
168	248 23:30:44	31	60 SET			10 DEGREE SET DSC-60					1V
169	249 00:00:00	31				VGR-31 OWLT IS 09H 54M 09S					1L
170	249 00:00:00	32				VGR-32 OWLT IS 07H 39M 30S					2L
171	249 01:50:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7692 (D/L ONLY)					1DP
172	249 02:10:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-7692					1DP
173	249 02:47:16	32	40RISE			10 DEGREE RISE DSC-40					2V

INTEGRATED SEQUENCE FOR JST A028F JSX B100F WEEK 36 DOY 98-243/00:00 - 98-250/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
174	249 03:22:28	31	40RISE			10 DEGREE RISE DSC-40					1V
175	249 06:50:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7692					1DP
176	249 07:22:04	31	10 SET			10 DEGREE SET DSC-10					1V
177	249 08:50:00	32	34 AOS	OPCH ACE		AOS DSS-34 PASS-7708 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
178	249 12:00:00	31				VGR-31 OWLT IS 09H 54M 15S					1L
179	249 12:00:00	32				VGR-32 OWLT IS 07H 39M 35S					2L
180	249 12:18:39	31	60RISE			10 DEGREE RISE DSC-60					1V
181	249 12:25:50	31	40 SET			10 DEGREE SET DSC-40					1V
182	249 13:30:00	31	54 AOS	OPCH ACE		AOS DSS-54 PASS-7692 (D/L ONLY)					1DP
183	249 16:37:18	31			AC7SSB	(3 +019) SS BIAS CONTROL - PITCH	AACS		50972:42:002F	98-249/06:43:00	1ECa
184	249 18:03:25	32	40 SET			10 DEGREE SET DSC-40					2V
185	249 18:05:00	32	34 LOS	OPCH ACE		LOS DSS-34 PASS-7708					2DP
186	249 19:51:20	31	10RISE			10 DEGREE RISE DSC-10					1V
187	249 20:00:00	31	54 LOS	OPCH ACE		LOS DSS-54 PASS-7692					1DP
188	249 23:26:50	31	60 SET			10 DEGREE SET DSC-60					1V
189	250 00:00:00	31				VGR-31 OWLT IS 09H 54M 21S					1L
190	250 00:00:00	32				VGR-32 OWLT IS 07H 39M 41S					2L