

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	251 00:15:26	31	14RISE			RISE DSS-14					---V
2	251 00:30:00	32	12 AOS	OPCH ACE		AOS DSS-12 PASS-5496 (D/L ONLY)					---A
3	251 00:47:33	31	14			STATION 10 DEG ELEVATION POINT					---V
4	251 02:40:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-5496 (D/L ONLY)					---A
5	251 02:47:38	31	45RISE			RISE DSS-45					---V
6	251 02:52:58	31	42RISE			RISE DSS-42					---V
7	251 03:00:00	32	12 LOS	OPCH ACE		LOS DSS-12 PASS-5496					---A
8	251 03:00:00	32	14 AOS	OPCH ACE		AOS DSS-14 PASS-5512 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					---A
9	251 05:13:14	32				VGR-32 OWLT IS 05H 13M 14S					32LT
10	251 06:32:30	31	14			STATION 10 DEG ELEVATION POINT					---V
11	251 06:40:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-5496					---A
12	251 06:54:18	32				VGR-31 OWLT IS 06H 54M 18S					31LT
13	251 07:00:00	32	14 LOS	OPCH ACE		LOS DSS-14 PASS-5512					---A
14	251 07:04:36	31	14 SET			SET DSS-14					---V
15	251 07:05:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-5496 (D/L ONLY)					---A
16	251 07:10:18	31	12 SET			SET DSS-12					---V
17	251 07:19:08	32	15 SET			SET DSS-15					---V
18	251 09:35:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-5512 (D/L ONLY)					---A
19	251 11:24:22	31	61RISE			RISE DSS-61					---V
20	251 12:05:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-5496					---A
21	251 12:34:30	31	42 SET			SET DSS-42					---V
22	251 15:40:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-5496 (D/L ONLY)					---A
23	251 16:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-5512					---A

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	251 17:03:24	32	45 SET			SET DSS-45					---V
25	251 17:13:20	32				VGR-32 OWLT IS 05H 13M 20S					32LT
26	251 17:24:13	31	65RISE			RISE DSS-65					---V
27	251 18:19:42	31			AC7SSB	(3 +025) SS BIAS CONTROL - PITCH	AACS		50814:35:003F	92-251/11:25:24	
28	251 18:54:24	32				VGR-31 OWLT IS 06H 54M 24S					31LT
29	251 18:55:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-5512 (D/L ONLY)					---A
30	251 19:07:32	31	14RISE			RISE DSS-14					---V
31	251 19:12:52	31	12RISE			RISE DSS-12					---V
32	251 19:28:34	31	14			STATION 10 DEG ELEVATION POINT					---V
33	251 19:40:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-5496					---A
34	251 20:15:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-5497 (D/L ONLY)					---A
35	251 22:23:00	32			AC7SSB	(4 +132) SS BIAS CONTROL --- YAW	AACS		50819:39:002F	92-251/15:28:36	
36	251 22:25:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-5512					---A
37	251 22:49:16	31	65 SET			SET DSS-65					---V
38	251 23:50:30	32	61 SET			SET DSS-61					---V
39	252 00:17:13	31	15RISE			RISE DSS-15					---V
40	252 02:35:00	31				B- UVSLEW			50824:54:001F	92-251/19:40:36	----
41	252 02:35:00	31				SLEW TO HD 155763			50824:54:001F	92-251/19:40:36	----
42	252 02:35:00	31				B- PLATPOB			50824:54:001F	92-251/19:40:36	----
43	252 02:35:00	31			AC7SPK	(1 12 2 099 146) EL SLEW R=LOW	AACS		50824:54:003F	92-251/19:40:36	
44	252 02:35:00	32			AC7SPK	(2 12 1 103 202) AZ SLEW R=LOW	AACS		50824:54:004F	92-251/19:40:36	
45	252 02:40:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-5513 (D/L ONLY)					---A
46	252 02:43:39	31	45RISE			RISE DSS-45					---V

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
63	252 07:06:23	31	12	SET		SET DSS-12					---V
64	252 07:10:00	31	14	LOS	OPCH ACE	LOS DSS-14 PASS-5497					---A
65	252 07:15:12	32	14	SET		SET DSS-14					---V
66	252 07:42:35	32			ACE OPCH	>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
67	252 07:42:35	32			ACE OPCH	>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
68	252 07:43:23	32			ACE OPCH	>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
69	252 07:43:23	32			ACE OPCH	>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
70	252 07:46:47	32				BEGIN PWSREC			44688:27:001F	92-252/02:28:00	----
71	252 07:46:47	32				B- DRGS4B			44688:27:001F	92-252/02:28:00	----
72	252 07:46:47	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B FDS PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY			44688:27:009F	92-252/02:28:00	
73	252 07:47:31	32				BEGIN RECORDING PWS DATA			44688:27:734F	92-252/02:28:44	----
74	252 07:47:31	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		44688:27:734F	92-252/02:28:44	
75	252 07:47:31	32				=====	DTR		44688:27:734F	92-252/02:28:44	
						DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:2931 =====					

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
76	252 07:47:35	32		ACE OPCH		===== FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION =====	FDS	GS-4B	44688:28:001F	92-252/02:28:48	
77	252 07:47:35	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		44688:28:001F	92-252/02:28:48	
78	252 07:47:36	32				B- DRCRUS			44688:28:018F	92-252/02:28:49	----
79	252 07:47:36	32			SC06BB	(50 0 07 0) FDS MODE TO: UV-5A PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		44688:28:025F	92-252/02:28:49	
80	252 07:48:23	32		ACE OPCH		===== FDS STATUS UV-5A/X600/S10 MEM:PB/FDS11 SA/FDS11 =====	FDS	UV-5A	44688:29:001F	92-252/02:29:36	
81	252 07:48:23	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		44688:29:001F	92-252/02:29:36	
82	252 07:48:23	32				===== DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:3222 =====	DTR		44688:29:001F	92-252/02:29:36	
83	252 07:48:23	32			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		44688:29:002F	92-252/02:29:36	
84	252 07:48:24	31				END PWSREC			44688:29:018F	92-252/02:29:37	----
85	252 07:54:54	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
86	252 07:54:55	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
87	252 07:55:42	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
88	252 07:55:42	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
89	252 07:59:06	31				BEGIN PWSREC			50831:39:001F	92-252/01:04:36	----
90	252 07:59:06	31				B- DRGS4B			50831:39:001F	92-252/01:04:36	----
91	252 07:59:06	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50831:39:009F	92-252/01:04:36	
92	252 07:59:50	31				BEGIN RECORDING PWS DATA			50831:39:734F	92-252/01:05:20	----
93	252 07:59:50	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		50831:39:734F	92-252/01:05:20	
94	252 07:59:50	31				===== DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:0848 =====	DTR	50831:39:734F	92-252/01:05:20		
95	252 07:59:54	31				B- DRCRUS			50831:40:001F	92-252/01:05:24	----
96	252 07:59:54	31		ACE OPCH		===== FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN UV-5A CONFIGURATION =====	FDS	GS-4B	50831:40:001F	92-252/01:05:24	

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
97	252 07:59:54	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50831:40:009F	92-252/01:05:24	
98	252 07:59:55	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50831:40:012F	92-252/01:05:25	
99	252 08:00:42	31		ACE OPCH		===== FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11 =====	FDS	CR-5T	50831:41:001F	92-252/01:06:12	
100	252 08:00:42	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		50831:41:001F	92-252/01:06:12	
101	252 08:00:42	31				===== DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:1140 =====	DTR		50831:41:001F	92-252/01:06:12	
102	252 08:00:42	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50831:41:002F	92-252/01:06:12	
103	252 08:00:43	32				END PWSREC			50831:41:018F	92-252/01:06:13	----
104	252 08:04:23	31			AC7SSB	(4 +141) SS BIAS CONTROL --- YAW	AACS		44688:49:002F	92-252/02:45:36	
105	252 08:38:54	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
106	252 08:38:54	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
107	252 08:43:06	31				B- DRCR5T			50832:34:001F	92-252/01:48:36	----

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
108	252 08:43:06	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50832:34:009F	92-252/01:48:36	
109	252 08:43:54	31		ACE OPCH		===== FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11 =====	FDS	CR-5T	50832:35:001F	92-252/01:49:24	
110	252 08:43:54	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50832:35:001F	92-252/01:49:24	
111	252 08:45:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-5497 (D/L ONLY)					---A
112	252 09:35:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-5513 (D/L ONLY)					---A
113	252 09:55:06	31				B- UVSLEW			50834:04:001F	92-252/03:00:36	----
114	252 09:55:06	31				SLEW TO HD 155763			50834:04:001F	92-252/03:00:36	----
115	252 09:55:06	31				B- PLATPOA			50834:04:001F	92-252/03:00:36	----
116	252 09:55:06	31			AC7SPL	(2 12 2 255 069) AZ SLEW R=LOW	AACS		50834:04:002F	92-252/03:00:36	
117	252 09:55:13	31				B- SLEND			50834:04:118F	92-252/03:00:43	----
118	252 09:55:13	31			SLEWEND	AZ=132.196 EL=130.706 CO=125.819			50834:04:118F	92-252/03:00:43	----
119	252 11:20:31	31	61RISE			RISE DSS-61					---V
120	252 12:05:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-5497					---A
121	252 12:30:36	32	42 SET			SET DSS-42					---V
122	252 15:19:35	32				B- UVSLEW			44697:53:001F	92-252/10:00:48	----
123	252 15:19:35	32				SLEW TO AG Dra			44697:53:001F	92-252/10:00:48	----
124	252 15:19:35	32				B- PLATPOB			44697:53:001F	92-252/10:00:48	----
125	252 15:19:35	32			AC7SPK	(1 12 2 136 125) EL SLEW R=LOW	AACS		44697:53:002F	92-252/10:00:48	

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
126	252 15:19:35	32			AC7SPK	(2 12 1 106 036) AZ SLEW R=LOW	AACS		44697:53:004F	92-252/10:00:48	
127	252 15:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-5513					---A
128	252 15:45:08	32				B- SLEND		44698:24:751F	92-252/10:26:21	----	
129	252 15:45:08	32			SLEWEND	AZ=134.926 EL=78.854 CO=73.867		44698:24:751F	92-252/10:26:21	----	
130	252 16:59:27	32	45 SET			SET DSS-45					---V
131	252 17:10:47	32	63RISE			RISE DSS-63					---V
132	252 17:13:31	32				VGR-32 OWLT IS 05H 13M 31S					32LT
133	252 17:15:00	32	63 AOS	OPCH ACE		AOS DSS-63 PASS-5513 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					---A
134	252 17:51:52	31	63			STATION 10 DEG ELEVATION POINT					---V
135	252 18:00:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-5497 (D/L ONLY)					---A
136	252 18:13:44	31		ACE ALL		>>>>>>> 1 HR WARNING <<<<<<<<< FOR S/C-32 COMMAND MORATORIUM					
137	252 18:54:36	31				VGR-31 OWLT IS 06H 54M 36S					31LT
138	252 19:08:57	32	12RISE			RISE DSS-12					---V
139	252 19:13:44	32		ACE ALL		===== BEGIN S/C-32 COMMAND MORATORIUM =====					
140	252 22:13:39	32	63			STATION 10 DEG ELEVATION POINT					---V
141	252 22:50:00	32	63 LOS	OPCH ACE		LOS DSS-63 PASS-5513					---A
142	252 22:54:43	31	63 SET			SET DSS-63					---V
143	252 23:35:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-5497					---A
144	252 23:46:33	32	61 SET			SET DSS-61					---V
145	253 00:13:19	32	15RISE			RISE DSS-15					---V
146	253 02:33:23	32	43RISE			RISE DSS-43					---V

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
147	253 02:39:39	32	45RISE			RISE DSS-45					---V
148	253 02:40:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-5514 (D/L ONLY)					---A
149	253 02:45:05	31	42RISE			RISE DSS-42					---V
150	253 02:50:00	32	12 AOS	OPCH ACE		AOS DSS-12 PASS-5498 (U/L PASS)					---A
151	253 02:57:53	32	43			STATION 10 DEG ELEVATION POINT					---V
152	253 03:26:52	32				TAPPOS-1705			44713:02:001F	92-252/22:08:00	----
153	253 03:26:52	32			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		44713:02:001F	92-252/22:08:00	
154	253 03:26:52	32				=====	DTR		44713:02:001F	92-252/22:08:00	
						DTR STATUS					
						MODE:SLEW RATE:007.2K					
						DIR:R TRK:1 TIC:3229					
						=====					
155	253 04:37:25	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		44714:30:154F	92-252/23:18:33	
156	253 04:37:25	32				=====	DTR		44714:30:154F	92-252/23:18:33	
						DTR STATUS					
						MODE:RDY RATE:000.0K					
						DIR:R TRK:1 TIC:1705					
						=====					
157	253 05:06:52	32				FWD/TRK 3			44715:07:001F	92-252/23:48:00	----
158	253 05:06:52	32			CC16C	(7013) DTR STATE SELECT: READY	DTR		44715:07:001F	92-252/23:48:00	
159	253 05:06:52	32				=====	DTR		44715:07:001F	92-252/23:48:00	
						DTR STATUS					
						MODE:RDY RATE:000.0K					
						DIR:F TRK:3 TIC:1705					
						=====					
160	253 05:09:52	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN D/L CARRIER SIG LEVEL					
161	253 05:10:52	32				B- PWSPB.32			44715:12:001F	92-252/23:52:00	----
162	253 05:10:52	32				BEGIN PWSPBA32			44715:12:001F	92-252/23:52:00	----
163	253 05:10:52	32				CHECK IF RFLOSS FAIL			44715:12:001F	92-252/23:52:00	----

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
164	253 05:10:52	32				IF FAIL SKIP HIGHPWR			44715:12:001F	92-252/23:52:00	----
165	253 05:10:52	32			CC1TR	BAY 1 HTR OFF	PWR		44715:12:002F	92-252/23:52:00	
166	253 05:13:37	32				VGR-32 OWLT IS 05H 13M 37S					32LT
167	253 05:14:52	32				X BAND HIGH POWER			44715:17:001F	92-252/23:56:00	----
168	253 05:14:52	31			DC2H	X-BAND TWT HIGH POWER	RFS		44715:17:001F	92-252/23:56:00	
169	253 06:00:00	31	12	OPCH 12		===== == START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS == =====					STLC
170	253 06:00:00	32	12	OPCH 12		===== == TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL) =====					-TLC
171	253 06:00:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-5514 (D/L ONLY)					---A
172	253 06:00:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-5514 (D/L ONLY)					---A
173	253 06:01:00	31	12	OPCH 12		===== == TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN =====					-TLC
174	253 06:02:00	32	12	OPCH 12		===== == TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) == =====					-TLC
175	253 06:10:58	32				B- YAW05			44716:27:001F	92-253/00:52:00	----
176	253 06:10:58	32				YAW05			44716:27:001F	92-253/00:52:00	----
177	253 06:10:58	32			AC7PAR	(6741 000740) +YAW DB=.05 DEG	AACS		44716:27:003F	92-253/00:52:00	
178	253 06:14:46	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
206	253 12:54:58	32			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		44724:52:001F	92-253/07:36:00	
207	253 12:54:58	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		44724:52:002F	92-253/07:36:00	
208	253 12:54:58	32				=====	DTR		44724:52:002F	92-253/07:36:00	
						DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:3375 =====					
209	253 12:54:58	32			CC6AD	(2 2 1 0) SVC-W4 FDS MEM B WRT PROTECT	FDS		44724:52:002F	92-253/07:36:00	
210	253 12:54:58	32		ACE OPCH		=====	FDS	UV-5A	44724:52:002F	92-253/07:36:00	
						FDS STATUS UV-5A/X600/S10 MEM:PB/FDS11 SA/FDS11 =====					
211	253 12:54:59	32				END PLAYBACK			44724:52:018F	92-253/07:36:01	----
212	253 13:00:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-5514					---A
213	253 13:00:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-5514					---A
214	253 13:09:22	32				B- YAWDB			44725:10:001F	92-253/07:50:24	----
215	253 13:09:22	32				YAWDB - .10			44725:10:001F	92-253/07:50:24	----
216	253 13:09:22	32			AC7PAR	(6741 001700) +YAW DB=.10 DEG	AACS		44725:10:003F	92-253/07:50:24	
217	253 16:37:14	31	43			STATION 10 DEG ELEVATION POINT					---V
218	253 16:45:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-5498 (D/L ONLY)					---A
219	253 16:54:21	32	43 SET			SET DSS-43					---V
220	253 16:55:29	32	45 SET			SET DSS-45					---V
221	253 17:13:43	32				VGR-32 OWLT IS 05H 13M 43S					32LT
222	253 17:16:21	32	65RISE			RISE DSS-65					---V

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
223	253 18:25:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-5514 (D/L ONLY)					---A
224	253 18:54:47	31				VGR-31 OWLT IS 06H 54M 47S					31LT
225	253 19:05:03	31	12RISE			RISE DSS-12					---V
226	253 20:16:28	31	61	OPCH 61		=====					-TLC
						== START TLC TEST DOWN-LINK ==					
						=====					
227	253 21:17:28	31	61	OPCH 61		=====					ETLC
						== END TLC TEST DOWN-LINK ==					
						=====					
228	253 22:00:00	32	12 AOS	OPCH ACE		AOS DSS-12 PASS-5499 (D/L ONLY)					---A
229	253 22:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-5514					---A
230	253 22:20:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-5498					---A
231	253 22:41:14	31	65 SET			SET DSS-65					---V
232	253 23:42:36	32	61 SET			SET DSS-61					---V
233	254 00:09:25	32	15RISE			RISE DSS-15					---V
234	254 02:35:40	32	45RISE			RISE DSS-45					---V
235	254 02:40:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-5515 (D/L ONLY)					---A
236	254 02:41:08	32	42RISE			RISE DSS-42					---V
237	254 04:43:04	32				TAPPOS-0550			44744:37:001F	92-253/23:24:00	----
238	254 04:43:04	32			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		44744:37:001F	92-253/23:24:00	
239	254 04:43:04	32				=====	DTR		44744:37:001F	92-253/23:24:00	
						DTR STATUS					
						MODE:SLEW RATE:007.2K					
						DIR:R TRK:1 TIC:3375					
						=====					
240	254 05:13:48	32				VGR-32 OWLT IS 05H 13M 48S					32LT
241	254 06:20:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-5515 (D/L ONLY)					---A

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
242	254 06:30:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-5515					---A
243	254 06:40:00	32	12 LOS	OPCH ACE		LOS DSS-12 PASS-5499					---A
244	254 06:52:37	32	15 SET			SET DSS-15					---V
245	254 06:53:54	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		44747:20:362F	92-254/01:34:45	
246	254 06:53:54	31				=====	DTR		44747:20:362F	92-254/01:34:45	
						DTR STATUS					
						MODE:RDY RATE:000.0K					
						DIR:R TRK:1 TIC:0550					
						=====					
247	254 06:54:53	31				VGR-31 OWLT IS 06H 54M 53S					31LT
248	254 06:58:34	32	12 SET			SET DSS-12					---V
249	254 07:31:09	32				FWD/TRK 1			44748:07:001F	92-254/02:12:00	----
250	254 07:31:09	32			CC16C	(7011) DTR STATE SELECT: READY	DTR		44748:07:001F	92-254/02:12:00	
251	254 07:31:09	32				=====	DTR		44748:07:001F	92-254/02:12:00	
						DTR STATUS					
						MODE:RDY RATE:000.0K					
						DIR:F TRK:1 TIC:0550					
						=====					
252	254 07:31:10	31				END DAIN32			44748:07:018F	92-254/02:12:01	----
253	254 08:05:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-5499 (D/L ONLY)					---A
254	254 08:50:00	31	45 LOS	OPCH ACE		LOS DSS-45 PASS-5515					---A
255	254 11:12:47	31	61RISE			RISE DSS-61					---V
256	254 12:05:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-5499					---A
257	254 12:22:46	31	42 SET			SET DSS-42					---V
258	254 14:45:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-5499 (U/L PASS)					---A
259	254 16:51:32	32	45 SET			SET DSS-45					---V
260	254 17:12:25	32	65RISE			RISE DSS-65					---V

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
261	254 17:12:25	32	65RISE			RISE DSS-65					---V
262	254 17:13:54	32				VGR-32 OWLT IS 05H 13M 54S					32LT
263	254 18:15:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-5515 (D/L ONLY)					---A
264	254 18:30:57	32		ACE ALL		>>>>>>>> 1 HR WARNING <<<<<<<<< FOR S/C-32 COMMAND MORATORIUM					
265	254 18:47:27	31		ACE ALL		===== END S/C-32 COMMAND MORATORIUM =====					
266	254 18:54:59	31				VGR-31 OWLT IS 06H 54M 59S					31LT
267	254 19:01:08	32	12RISE			RISE DSS-12					---V
268	254 19:30:57	31		ACE ALL		===== BEGIN S/C-32 COMMAND MORATORIUM =====					
269	254 20:30:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-5499					---A
270	254 22:15:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-5515					---A
271	254 22:37:14	31	65 SET			SET DSS-65					---V
272	254 23:38:39	31	61 SET			SET DSS-61					---V
273	255 00:25:00	32	12 AOS	OPCH ACE		AOS DSS-12 PASS-5500 (D/L ONLY)					---A
274	255 02:31:41	31	45RISE			RISE DSS-45					---V
275	255 02:37:11	32	42RISE			RISE DSS-42					---V
276	255 05:14:00	32				VGR-32 OWLT IS 05H 14M 00S					32LT
277	255 05:15:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-5516 (D/L ONLY)					---A
278	255 05:28:57	32				B- GYONBC.32			44775:34:001F	92-255/00:09:36	----
279	255 05:28:57	32				BEGIN GYONBC32			44775:34:001F	92-255/00:09:36	----
280	255 05:28:57	32			AC7GYP	(111) DRIRU PATTERN CONTROL GYRO/AXIS=B/PITCH C/YAW & ROLL	AACS		44775:34:003F	92-255/00:09:36	

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
281	255 05:28:57	32				===== AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: OFF =====	AACS		44775:34:003F	92-255/00:09:36	
282	255 05:28:57	32			CC7GARP	GYRO A OFF	PWR		44775:34:003F	92-255/00:09:36	
283	255 05:28:57	32			CC7GARP	GYRO A OFF	PWR		44775:34:005F	92-255/00:09:36	
284	255 05:28:57	32			CC7PC	(352) GYRO A OFF	AACS		44775:34:007F	92-255/00:09:36	
285	255 05:28:57	32				===== AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: ON =====	AACS		44775:34:007F	92-255/00:09:36	
286	255 05:28:57	32			CC7GCP	GYRO C ON	PWR		44775:34:008F	92-255/00:09:36	
287	255 05:28:57	32			CC7GCP	GYRO C ON	PWR		44775:34:010F	92-255/00:09:36	
288	255 05:28:57	32			CC7PC	(373) GYRO C ON	AACS		44775:34:012F	92-255/00:09:36	
289	255 05:28:57	32				===== AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: ON CST : ON GRYO C: ON =====	AACS		44775:34:012F	92-255/00:09:36	
290	255 05:28:58	32			CC7GBP	GYRO B ON	PWR		44775:34:013F	92-255/00:09:37	
291	255 05:28:58	32			CC7GBP	GYRO B ON	PWR		44775:34:015F	92-255/00:09:37	
292	255 05:28:58	32			CC7PC	(363) GYRO B ON	AACS		44775:34:017F	92-255/00:09:37	
293	255 05:29:26	32				DRIRU INITIALIZATION			44775:34:484F	92-255/00:10:05	----
294	255 05:29:27	32			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		44775:34:501F	92-255/00:10:06	
295	255 05:29:56	32				SET CALIB			44775:35:184F	92-255/00:10:35	----
296	255 05:29:57	32			AC7PAR	(7530 000001) PARAMETER LOAD	AACS		44775:35:203F	92-255/00:10:36	

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
297	255 05:38:56	32				START GYRO FAULT TEST			44775:46:384F	92-255/00:19:35	----
298	255 05:38:57	32				END GYONBC32			44775:46:401F	92-255/00:19:36	----
299	255 05:38:57	31			CC7GY	(4) DRIRU FAULT TEST START	AACS		44775:46:401F	92-255/00:19:36	
300	255 06:40:00	31	12 LOS	OPCH ACE		LOS DSS-12 PASS-5500					---A
301	255 06:54:40	31	12 SET			SET DSS-12					---V
302	255 06:55:05	31				VGR-31 OWLT IS 06H 55M 05S					31LT
303	255 07:45:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-5500 (D/L ONLY)					---A
304	255 10:55:41	31				B- UVSLEW			50925:19:001F	92-255/04:00:36	----
305	255 10:55:41	31				SLEW TO HD 142669			50925:19:001F	92-255/04:00:36	----
306	255 10:55:41	31				B- PLATPOB			50925:19:001F	92-255/04:00:36	----
307	255 10:55:41	31			AC7SPL	(1 12 2 255 089) EL SLEW R=LOW	AACS		50925:19:003F	92-255/04:00:36	
308	255 10:55:41	31			AC7SPK	(2 12 2 241 080) AZ SLEW R=LOW	AACS		50925:19:004F	92-255/04:00:36	
309	255 11:18:00	31	63RISE			RISE DSS-63					---V
310	255 11:35:34	31				B- SLEND			50926:08:684F	92-255/04:40:29	----
311	255 11:35:34	31			SLEWEND	AZ=327.189 EL=132.322 CO=137.825			50926:08:684F	92-255/04:40:29	----
312	255 11:40:31	31	63			STATION 10 DEG ELEVATION POINT					---V
313	255 11:55:06	31				B- TWNCMD.31			50926:33:218F	92-255/05:00:01	----
314	255 11:55:06	31				BEGIN TWNCMD31			50926:33:218F	92-255/05:00:01	----
315	255 11:55:06	31				TWNC OFF			50926:33:218F	92-255/05:00:01	----
316	255 11:55:06	31			DC2PR	TWO WAY NON-COHERENT OFF	RFS		50926:33:218F	92-255/05:00:01	
317	255 12:05:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-5500					---A
318	255 12:18:52	31	42 SET			SET DSS-42					---V
319	255 14:42:05	31			AC7SSB	(4 +133) SS BIAS CONTROL --- YAW	AACS		50930:02:002F	92-255/07:47:00	

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
320	255 15:45:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-5500 (D/L ONLY)					---A
321	255 15:53:05	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
322	255 15:53:05	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
323	255 15:57:17	31				B- DRUV5A			50931:36:001F	92-255/09:02:12	----
324	255 15:57:17	31			SC06BB	(50 0 07 0) FDS MODE TO: UV-5A PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50931:36:009F	92-255/09:02:12	
325	255 15:58:05	31		ACE OPCH		===== FDS STATUS UV-5A/X600/S10 MEM:PA/FDS11 =====	FDS	UV-5A	50931:37:001F	92-255/09:03:00	
326	255 15:58:05	32			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50931:37:001F	92-255/09:03:00	
327	255 16:25:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-5516					---A
328	255 16:47:35	32	45 SET			SET DSS-45					---V
329	255 17:14:06	32				VGR-32 OWLT IS 05H 14M 06S					32LT
330	255 17:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-5515 (D/L ONLY)					---A
331	255 18:55:11	31				VGR-31 OWLT IS 06H 55M 11S					31LT
332	255 18:57:14	32	12RISE			RISE DSS-12					---V
333	255 22:10:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-5515					---A
334	255 22:37:14	31	65 SET			SET DSS-65					---V
335	255 22:49:09	31	63			STATION 10 DEG ELEVATION POINT					---V

SOE YEAR-DAY: 1992-255

PRINTED ON DAY: 251 PAGE 21

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
336	255 23:30:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-5500					---A
337	255 23:34:46	32	63 SET			SET DSS-63					---V
338	256 00:01:38	31	15RISE			RISE DSS-15					---V
339	256 00:18:47	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					
340	256 00:18:47	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					
341	256 00:22:59	31				B- DRCR5T			50942:08:001F	92-255/17:27:48	----
342	256 00:22:59	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		50942:08:009F	92-255/17:27:48	
343	256 00:23:47	31		ACE OPCH		===== FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11 =====	FDS	CR-5T	50942:09:001F	92-255/17:28:36	
344	256 00:23:47	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		50942:09:001F	92-255/17:28:36	
345	256 00:25:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-5501 (D/L ONLY)					---A
346	256 00:55:47	31				B- UVSLEW			50942:49:001F	92-255/18:00:36	----
347	256 00:55:47	31				SLEW TO VW HYI			50942:49:001F	92-255/18:00:36	----
348	256 00:55:47	31				B- PLATPOB			50942:49:001F	92-255/18:00:36	----
349	256 00:55:47	31			AC7SPK	(1 12 2 152 161) EL SLEW R=LOW	AACS		50942:49:003F	92-255/18:00:36	
350	256 00:55:47	31			AC7SPK	(2 12 2 225 118) AZ SLEW R=LOW	AACS		50942:49:004F	92-255/18:00:36	
351	256 01:15:55	31				B- SLEND			50943:14:134F	92-255/18:20:44	----

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
352	256 01:15:55	31			SLEWEND	AZ=305.791 EL=55.431 CO=59.701			50943:14:134F	92-255/18:20:44	----
353	256 02:23:31	32	45RISE			RISE DSS-45					---V
354	256 02:30:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-5517 (D/L ONLY)					---A
355	256 02:52:37	32	42RISE			RISE DSS-42					---V
356	256 05:14:11	32				VGR-32 OWLT IS 05H 14M 11S					32LT
357	256 06:20:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-5517					---A
358	256 06:34:12	31				TWNC ON			50949:52:018F	92-255/23:39:01	----
359	256 06:34:12	31			DC2P	TWO WAY NON-COHERENT ON	RFS		50949:52:018F	92-255/23:39:01	
360	256 06:35:00	32	12 LOS	OPCH ACE		LOS DSS-12 PASS-5501					---A
361	256 06:44:38	31	15 SET			SET DSS-15					---V
362	256 06:50:46	31	12 SET			SET DSS-12					---V
363	256 06:55:17	32				VGR-31 OWLT IS 06H 55M 17S					31LT
364	256 07:13:56	32			AC7SSB	(4 +140) SS BIAS CONTROL --- YAW	AACS		44807:45:003F	92-256/01:54:24	
365	256 08:40:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-5517 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					---A
366	256 09:35:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-5501 (D/L ONLY)					---A
367	256 11:05:03	32	61RISE			RISE DSS-61					---V
368	256 11:40:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-5517					---A
369	256 12:00:00	31	45 LOS	OPCH ACE		LOS DSS-45 PASS-5501					---A
370	256 12:06:05	32	45 SET			SET DSS-45					---V
371	256 16:18:27	31	42 SET			SET DSS-42					---V
372	256 16:45:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-5501 (D/L ONLY)					---A
373	256 17:04:34	32	65RISE			RISE DSS-65					---V
374	256 17:14:17	32				VGR-32 OWLT IS 05H 14M 17S					32LT

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
375	256 18:00:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-5517 (D/L ONLY)					---A
376	256 18:53:19	31	12RISE			RISE DSS-12					---V
377	256 18:55:23	32				VGR-31 OWLT IS 06H 55M 23S					31LT
378	256 19:00:34	31		ACE ALL		=====					
						END S/C-32 COMMAND MORATORIUM					
						=====					
379	256 20:15:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-5502 (D/L ONLY)					---A
380	256 20:30:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-5501					---A
381	256 22:05:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-5517					---A
382	256 22:29:13	31	65 SET			SET DSS-65					---V
383	256 23:30:45	32	61 SET			SET DSS-61					---V
384	256 23:57:45	31	15RISE			RISE DSS-15					---V
385	257 01:00:00	32	12 LOS	OPCH ACE		LOS DSS-12 PASS-5502					---A
386	257 02:15:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-5518 (D/L ONLY)					---A
387	257 02:19:36	32	45RISE			RISE DSS-45					---V
388	257 02:48:39	32	42RISE			RISE DSS-42					---V
389	257 05:14:23	32				VGR-32 OWLT IS 05H 14M 23S					32LT
390	257 06:15:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-5518					---A
391	257 06:40:38	31	15 SET			SET DSS-15					---V
392	257 06:46:51	31	12 SET			SET DSS-12					---V
393	257 06:55:29	32				VGR-31 OWLT IS 06H 55M 29S					31LT
394	257 08:35:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-5518 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					---A
395	257 09:35:00	31	45 AOS	OPCH ACE		AOS DSS-45 PASS-5502 (D/L ONLY)					---A
396	257 11:01:12	32	61RISE			RISE DSS-61					---V

INTEGRATED SEQUENCE FOR JST A012 JSX B015 WEEK 37 DOY 92-251/00:00 - 92-258/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
397	257 11:35:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-5518					---A
398	257 11:55:00	31	45 LOS	OPCH ACE		LOS DSS-45 PASS-5502					---A
399	257 12:02:12	32	45 SET			SET DSS-45					---V
400	257 16:14:29	32	42 SET			SET DSS-42					---V
401	257 17:00:38	32	65RISE			RISE DSS-65					---V
402	257 17:14:29	31				VGR-32 OWLT IS 05H 14M 29S					32LT
403	257 17:50:00	32	61 AOS	OPCH ACE		AOS DSS-61 PASS-5502 (D/L ONLY)					---A
404	257 18:00:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-5518 (D/L ONLY)					---A
405	257 18:49:25	31	12RISE			RISE DSS-12					---V
406	257 18:55:35	31				VGR-31 OWLT IS 06H 55M 35S					31LT
407	257 21:50:00	32	61 LOS	OPCH ACE		LOS DSS-61 PASS-5502					---A
408	257 22:00:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-5518					---A
409	257 22:25:13	31	65 SET			SET DSS-65					---V
410	257 23:15:00	31	12 AOS	OPCH ACE		AOS DSS-12 PASS-5503 (D/L ONLY)					---A
411	257 23:26:48	31	61 SET			SET DSS-61					---V