

CONSOLIDATED CHECKLIST C5

Part 1 of 5 parts

Standards for Owners and Operators of Hazardous Waste Treatment,
Storage, and Disposal Facilities

40 CFR Part 264, Subparts A-G, as of **December 31, 2002**

Note: Consolidated Checklist C5 is divided into five separate documents/computer files solely for ease of handling its printed and electronic versions. Consolidated Checklist C5 remains one checklist; States must adopt all five portions simultaneously to correctly use this Consolidated Checklist. Note, the prenotes and end notes associated with each part have been placed with the part to which they apply.

Note: No final rules affecting 40 CFR Part 264, Subparts A-G were promulgated between June 30, 2002 and December 31, 2002, therefore, this Consolidated Checklist corresponds to 40 CFR Part 264, Subparts A-G as published on July 1, 2002.

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
SUBPART A - GENERAL							
PURPOSE, SCOPE AND APPLICABILITY							
purpose	*	264.1(a)					
applies to all owners and operators of TSDFs with exceptions	IV A	264.1(b)					
ocean disposal/permit by rule	IV A	264.1(c)					
UIC/permit by rule	IV A	264.1(d)					
POTW/permit by rule	IV A	264.1(e)					
post-authorization rulemaking	IV A	264.1(f)					
		264.1(f)(1)					
		264.1(f)(2)					
		264.1(f)(3)					
exceptions	IV A	264.1(g)					
wastes excluded by 261.5	IV A	264.1(g)(1)					
1 recyclable materials	IV A,13,111, 122	264.1(g)(2)					
generator accumulating waste in compliance with 262.34	IV A	264.1(g)(3)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
farmers	IV A,48	264.1(g)(4)					
enclosed treatment facilities as defined in 260.10	IV A	264.1(g)(5)					
elementary neutralization units as defined in 260.10; compliance with 264.17(b) if owner or operator is diluting hazardous ignitable wastes or reactive wastes to remove the characteristic before land disposal	IV A,124, 137	264.1(g)(6)					
reserved		264.1(g)(7)					
person involved in treatment or containment activities during an immediate response; list of situations	IV A	264.1(g)(8)(i)					
		264.1(g)(8)(i)(A)					
		264.1(g)(8)(i)(B)					
		264.1(g)(8)(i)(C)					
	156	264.1(g)(8)(i)(D)					
	IVA	264.1(g)(8)(ii)					
		264.1(g)(8)(iii)					
156	264.1(g)(8)(iv)						
transfer facilities	IV A	264.1(g)(9)					
addition of absorbent materials	IV A	264.1(g)(10)					
†,2,3 universal waste handlers and transporters handling the listed universal wastes are subject to Part 273 rather than Part 264	142 A	264.1(g)(11)					
	142 B	264.1(g)(11)(i)					
	142 C, †181	264.1(g)(11)(ii)					
	142 D, †181	264.1(g)(11)(iii)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
	† 181	264.1(g)(11)(iv)					
applies to all facilities that treat, store, or dispose of hazardous waste referred to in 268	34	264.1(h)					
requirements of storage of military munitions are in 266.205; treatment and disposal are subject to all standards in 40 CFR 260 through 270	156	264.1(i)					
† subparts B, C, and D of 264 and 264.101 do not apply to remediation waste management sites; owners/operators of remediation waste management sites must:	175	264.1(j)					
† obtain an EPA identification number;	175	264.1(j)(1)					
† obtain a detailed chemical and physical analysis of the hazardous remediation wastes; minimum requirements of analysis	175	264.1(j)(2)					
† prevent people who are unaware of danger from entering, and minimize entry of unauthorized people or livestock onto active portion of remediation waste management site; exceptions	175	264.1(j)(3)					
	175	264.1(j)(3)(i)					
	175	264.1(j)(3)(ii)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
† inspect remediation waste management site for problems that may cause or lead to release of hazardous waste; owner/operator must inspect often enough to correct problems before they harm or lead to hazards to human health or environment; where hazard is imminent or already occurred, owner/operator must take immediate remedial action	175	264.1(j)(4)					
† provide personnel with training	175	264.1(j)(5)					
† prevent ignition or reaction of ignitable or reactive waste	175	264.1(j)(6)					
† design, construct, operate, and maintain unit within 100-year floodplain to prevent washout of hazardous waste	175	264.1(j)(7)					
† not place any non-containerized or bulk liquid hazardous waste in any salt dome formation, salt bed formation, underground mine or cave;	175	264.1(j)(8)					
† develop and maintain construction quality assurance program	175	264.1(j)(9)					
† develop and maintain procedures to prevent accidents and contingency and	175	264.1(j)(10)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
emergency plans to control accidents; required procedures							
† designate at least one employee to coordinate all emergency response measures; emergency coordinator requirements	175	264.1(j)(11)					
† develop, maintain and implement plan to meet 264.1(j)(2)-(j)(6) & (j)(9)-(j)(10) requirements	175	264.1(j)(12)					
† maintain records documenting compliance with 264.1(j)(1)-(j)(12)	175	264.1(j)(13)					
reserved		264.2					

RELATIONSHIP TO INTERIM STATUS STANDARDS

4 compliance with 265 until final permit issued, except as provided under 40 CFR part 264 subpart S	*,†121	264.3					
---	--------	-------	--	--	--	--	--

IMMINENT HAZARD ACTION

enforcement actions under RCRA 7003	*	264.4					
-------------------------------------	---	-------	--	--	--	--	--

SUBPART B - GENERAL FACILITY STANDARDS

APPLICABILITY

subpart applies to hazardous waste facilities except as provided in 264.1	*	264.10(a)					
264.18(b) applies only to facilities regulated under Subparts I-O and X	*,45	264.10(b)					

IDENTIFICATION NUMBER

--	--	--	--	--	--	--	--

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
EPA identification number required	IV A	264.11					
REQUIRED NOTICES							
hazardous waste from foreign source	IV A, †152	264.12(a)(1)					
† owner/operator of facility receiving hazardous waste subject to part 262 subpart H tracking document requirements	152	264.12(a)(2)					
hazardous waste from off-site source	IV A	264.12(b)					
requirements under ownership transfer	IV A	264.12(c)					
GENERAL WASTE ANALYSIS							
5 analysis required prior to handling any hazardous waste or 264.113(d) non-hazardous waste; what information, at a minimum, the waste analysis must contain	IV A, 34, †64, 102	264.13(a)(1)					
data to be included in the analysis	IV A, 78	264.13(a)(2)					
when analysis must be repeated	IV A	264.13(a)(3)					
	IV A, †64	264.13(a)(3)(i)					
	IV A	264.13(a)(3)(ii)					
inspect each shipment	IV A	264.13(a)(4)					
develop and follow written waste analysis plan:	IV A	264.13(b)					
parameters which will be analyzed	IV A, †64	264.13(b)(1)					
test methods	IV A	264.13(b)(2)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
sampling method	IV A	264.13(b)(3)					
		264.13(b)(3)(i)					
		264.13(b)(3)(ii)					
frequency of reviewing or repeating analysis	IV A	264.13(b)(4)					
analyses from generators	IV A	264.13(b)(5)					
meeting of additional waste analysis requirements	IV A,16,34,79,154	264.13(b)(6)					
for surface impoundments exempted from land disposal restrictions under 268.4(a):	34	264.13(b)(7)					
sampling impoundment contents	34	264.13(b)(7)(i)					
analysis procedures	34	264.13(b)(7)(ii)					
annual removal of residues; criteria:	34,39,50	264.13(b)(7)(iii)					
do not meet 268, Subpart D, treatment standards	50	264.13(b)(7)(iii)(A)					
where no treatment standards established	50	264.13(b)(7)(iii)(B)					
		264.13(b)(7)(iii)(B)(1)					
		264.13(b)(7)(iii)(B)(2)					
for owners and operators seeking an exemption to the air emission standards of subpart CC in accordance with 264.1082	154	264.13(b)(8)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
for direct measurements the procedures and schedules for waste sampling and analysis, and results of the analysis of test data to verify the exemption	154	264.13(b)(8)(i)					
if knowledge of the waste is used for the determination, any information that is used as the basis for knowledge	154	264.13(b)(8)(ii)					
analysis plan for off-site facilities:	IV A	264.13(c)					
procedures for identifying each waste moved at facility	IV A	264.13(c)(1)					
sampling method used to obtain a representative sample	IV A	264.13(c)(2)					
procedures owner or operator will use to determine whether biodegradable sorbent has been added to waste in container	118	264.13(c)(3)					
SECURITY							
prevent unknowing entry and minimize unauthorized entry unless can demonstrate 264.14(a)(1) & (2)	IV A	264.14(a)					
		264.14(a)(1)					
		264.14(a)(2)					
if demonstration not successful:	*	264.14(b)					
24-hour surveillance	IV A	264.14(b)(1)					
barrier around active	IV A	264.14(b)(2)(i)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
portion and control of entry		264.14(b)(2)(ii)					
sign	IV A	264.14(c)					

GENERAL INSPECTION REQUIREMENTS

what must be inspected for	IV A	264.15(a)					
develop and follow written schedule	IV A	264.15(b)(1)					
keep schedule at facility	IV A	264.15(b)(2)					
identify items that are to be looked for	IV A	264.15(b)(3)					
frequency of inspection	IV A,28,45,79,100,154,163	264.15(b)(4)					
remedy of problems inspection uncovers	IV A	264.15(c)					
recordkeeping	IV A	264.15(d)					

PERSONNEL TRAINING

personnel complete training to ensure compliance with 264	IV A	264.16(a)(1)					
director of training program	IV A	264.16(a)(2)					
must be designed to respond effectively to emergencies	IV A	264.16(a)(3)					
		264.16(a)(3)(i)					
		264.16(a)(3)(ii)					
		264.16(a)(3)(iii)					
		264.16(a)(3)(iv)					
		264.16(a)(3)(v)					
		264.16(a)(3)(vi)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
timing of instruction	IV A	264.16(b)					
annual review of initial training required at 264.16(a)	IV A	264.16(c)					
recordkeeping	IV A	264.16(d)					
		264.16(d)(1)					
		264.16(d)(2)					
		264.16(d)(3)					
		264.16(d)(4)					
how long training records must be kept	IV A	264.16(e)					
GENERAL REQUIREMENTS FOR IGNITABLE, REACTIVE, OR INCOMPATIBLE WASTES							
precautions to prevent waste ignition or reaction	IV A	264.17(a)					
precautions to prevent specified reactions	IV A	264.17(b)					
		264.17(b)(1)					
		264.17(b)(2)					
		264.17(b)(3)					
		264.17(b)(4)					
		264.17(b)(5)					
documentation of compliance with 264.17(a) or (b)	IV A	264.17(c)					
LOCATION STANDARDS							
seismic considerations:	IV A	264.18(a)					
distance to faults	IV A	264.18(a)(1)					
definitions:	IV A	264.18(a)(2)					
"fault"	IV A	264.18(a)(2)(i)					
"displacement"	IV A	264.18(a)(2)(ii)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
"Holocene"	IV A	264.18(a)(2)(iii)					
floodplains:	IV A	264.18(b)					
if located in 100 year floodplain, special construction, unless:	IV A	264.18(b)(1)					
removal procedures in place	IV A	264.18(b)(1)(i)					
washout would not be hazardous considering specific factors	IV A,45	264.18(b)(1)(ii)					
	IV A	264.18(b)(1)(ii)(A)					
		264.18(b)(1)(ii)(B)					
		264.18(b)(1)(ii)(C)					
		264.18(b)(1)(ii)(D)					
definitions:	IV A	264.18(b)(2)					
"100-year floodplain"	IV A	264.18(b)(2)(i)					
"washout"	IV A	264.18(b)(2)(ii)					
"100-year flood"	IV A	264.18(b)(2)(iii)					
prohibition of waste in salt domes, salt bed formations, underground mines, and caves	17 E	264.18(c)					
6 CONSTRUCTION QUALITY ASSURANCE PROGRAM							
7 CQA program	100	264.19(a)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
required for all surface impoundment, waste pile and landfill units that must comply with 264.221(c)&(d), 264.251(c)&(d), and 264.301(c)&(d); program must ensure constructed unit meets or exceeds all permit design criteria and specifications; program must be developed and implemented under a CQA officer who is a registered professional engineer	100	264.19(a)(1)					
the physical components the CQA program must address	100	264.19(a)(2)					
		264.19(a)(2)(i)					
		264.19(a)(2)(ii)					
		264.19(a)(2)(iii)					
		264.19(a)(2)(iv)					
		264.19(a)(2)(v)					
		264.19(a)(2)(vi)					
before construction begins, owner/operator must develop a written CQA plan; must identify steps that will be used to monitor and document quality of materials and condition and manner of their installation; what the CQA plan must include:	100	264.19(b)					
identification of applicable units and how they will be constructed	100	264.19(b)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
identification of key CQA plan development and implementation personnel; CQA officer qualifications	100	264.19(b)(2)					
inspection and sampling activities' description; what must be described	100	264.19(b)(3)					
contents of program	100	264.19(c)					
must include observations, inspections, tests, and measurements sufficient to ensure:	100	264.19(c)(1)					
structural stability and integrity of 264.19(a)(2) units	100	264.19(c)(1)(i)					
proper construction according to permit specifications and good engineering practices, and proper installation according to design specifications	100	264.19(c)(1)(ii)					
material conformity with design and other material specifications	100	264.19(c)(1)(iii)					
test fills for compacted soils liners, using full scale compaction methods to ensure liners are constructed to meet specific hydraulic conductivity requirements; compliance verified by in-situ testing on constructed test fill; conditions under which alternate may be	100	264.19(c)(2)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
accepted							
certification to Regional Administrator before waste received; signed by CQA officer stating that approved CQA plan successfully carried out and units meet specific requirements; 270.30(I)(2)(ii) procedure complete; documentation furnished upon request	100	264.19(d)					

SUBPART C - PREPAREDNESS AND PREVENTION

APPLICABILITY

all HW facilities, except as 264.1 provides	*	264.30					
---	---	--------	--	--	--	--	--

DESIGN AND OPERATION OF FACILITY

requirements regarding design and operation	IV A	264.31					
---	------	--------	--	--	--	--	--

REQUIRED EQUIPMENT

what a facility must be equipped with	*	264.32					
internal communications or alarm	IV A	264.32(a)					
telephone or equivalent	IV A	264.32(b)					
fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment	IV A	264.32(c)					
water of adequate volume and pressure	IV A	264.32(d)					

TESTING AND MAINTENANCE OF EQUIPMENT

what equipment must be tested and maintained	IV A	264.33					
--	------	--------	--	--	--	--	--

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
ACCESS TO COMMUNICATIONS OR ALARM SYSTEM							
handling hazardous waste--what equipment personnel must have immediate access to	IV A	264.34(a)					
what equipment must be immediately available when one employee only	IV A	264.34(b)					
REQUIRED AISLE SPACE							
determination of space between aisles	IV A	264.35					
reserved		264.36					
ARRANGEMENTS WITH LOCAL AUTHORITIES							
specific arrangements which must be made	IV A	264.37(a)					
		264.37(a)(1)					
		264.37(a)(2)					
		264.37(a)(3)					
		264.37(a)(4)					
document refusals to enter into arrangement in operating record	IV A	264.37(b)					
SUBPART D - CONTINGENCY PLAN AND EMERGENCY PROCEDURES							
APPLICABILITY							
applies to all HW facilities, except as 264.1 provides	*	264.50					
PURPOSE AND IMPLEMENTATION OF CONTINGENCY PLAN							
contingency plan required; purpose	IV A	264.51(a)					
when to implement plan	IV A	264.51(b)					
CONTENT OF CONTINGENCY PLAN							

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
describes actions to take when emergency	IV A	264.52(a)					
relationship to SPCC or other plans	IV A	264.52(b)					
arrangements with local police, fire department, etc.	IV A	264.52(c)					
list names and addresses; keep up to date; listed in order to assume responsibility as alternates	IV A	264.52(d)					
list of emergency equipment at facility	IV A	264.52(e)					
evacuation plan	IV A	264.52(f)					
COPIES OF CONTINGENCY PLAN							
copies of plan and all revisions must be:	*	264.53					
maintained at facility	IV A	264.53(a)					
submitted to local police, fire department, hospitals, etc.	IV A	264.53(b)					
AMENDMENT OF CONTINGENCY PLAN							
when plan must be reviewed and, if necessary, immediately amended:	*	264.54					
facility permit revision	IV A	264.54(a)					
plan fails in an emergency	IV A	264.54(b)					
facility change	IV A	264.54(c)					
list of emergency coordinators changes	IV A	264.54(d)					
8 list of equipment	IV A,†54	264.54(e)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
changes							
EMERGENCY COORDINATOR							
responsibilities	IV A	264.55					
EMERGENCY PROCEDURES							
procedures for imminent or actual emergency	IV A	264.56(a)					
		264.56(a)(1)					
		264.56(a)(2)					
release, fire, explosion	IV A	264.56(b)					
hazard assessment	IV A	264.56(c)					
report of emergency coordinator's findings	IV A	264.56(d)					
notify local authorities	IV A	264.56(d)(1)					
report to on-scene coordinator or National Response Center coordinator; what the report must include	IV A	264.56(d)(2)					
		264.56(d)(2)(i)					
		264.56(d)(2)(ii)					
		264.56(d)(2)(iii)					
		264.56(d)(2)(iv)					
		264.56(d)(2)(v)					
measures during emergency	IV A	264.56(e)					
procedures if facility stops operation	IV A	264.56(f)					
treatment, storage, or disposal of material resulting from emergency	IV A	264.56(g)					
procedures after emergency	IV A	264.56(h)					
		264.56(h)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
		264.56(h)(2)					
notifications prior to resuming operations	IV A	264.56(i)					
operating record information; written report to Regional Administrator	IV A	264.56(j)					
what the report to Regional Administrator must include	IV A	264.56(j)(1)					
		264.56(j)(2)					
		264.56(j)(3)					
		264.56(j)(4)					
		264.56(j)(5)					
		264.56(j)(6)					
		264.56(j)(7)					

SUBPART E - MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING

APPLICABILITY

9 subpart applies to both on- and off-site facilities; exceptions	IV A, 17 D, 15 6	264.70					
---	------------------	--------	--	--	--	--	--

USE OF MANIFEST SYSTEM

duties of owner or operator when receiving waste accompanied by manifest	IV A	264.71(a)					
		264.71(a)(1)					
		264.71(a)(2)					
		264.71(a)(3)					
		264.71(a)(4)					
		264.71(a)(5)					
duties of owner or operator when receiving	IV A	264.71(b)					
		264.71(b)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
waste accompanied by shipping paper		264.71(b)(2)					
		264.71(b)(3)					
		264.71(b)(4)					
		264.71(b)(5)					
facility that initiates shipment must comply with 262	*	264.71(c)					
† shipment subject to part 262 subpart H	152	264.71(d)					
MANIFEST DISCREPANCIES							
definition of manifest discrepancies	IV A	264.72(a)					
		264.72(a)(1)					
		264.72(a)(2)					
actions on discovering a discrepancy	IV A	264.72(b)					
OPERATING RECORD							
written operating record at facility	IV A	264.73(a)					
information which must be recorded:	IV A	264.73(b)					
description and quantity of waste; dates of treatment, storage, or disposal	IV A	264.73(b)(1)					
location of waste and quantity at each location	IV A	264.73(b)(2)					
records and results of waste analyses	IV A,16,34,79,154	264.73(b)(3)					
reports of incidents which require implementing contingency plan	IV A	264.73(b)(4)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
records and results of inspections	IV A	264.73(b)(5)					
monitoring, testing, analytical data, and corrective action	IV A,28,45,79,100,154,163	264.73(b)(6)					
notices to generators	IV A	264.73(b)(7)					
closure and post-closure cost estimates	IV A	264.73(b)(8)					
annual certification regarding waste minimization	17 D	264.73(b)(9)					
records of hazardous waste placed in land disposal units under extension, petition, or certification; 268.7(a) notice by generator	34,50	264.73(b)(10)					
off-site treatment facility requirements	34,50	264.73(b)(11)					
on-site treatment facility requirements	34,50	264.73(b)(12)					
off-site land disposal facility requirements	34,50	264.73(b)(13)					
on-site land disposal facility requirements	34,50	264.73(b)(14)					
off-site storage facility requirements	50	264.73(b)(15)					
on-site storage facility requirements	50	264.73(b)(16)					
† any records required under 264.1(j)(13)	175	264.73(b)(17)					

AVAILABILITY, RETENTION, AND DISPOSITION OF RECORDS

all records available for inspection	IV A	264.74(a)					
--------------------------------------	------	-----------	--	--	--	--	--

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
retention period extension under unresolved enforcement action	IV A	264.74(b)					
copy of records to Regional Administrator and local authority at closure	IV A	264.74(c)					

BIENNIAL REPORT

when to submit, what form, and what must be reported:	IV A,†1	264.75					
EPA identification number	IV A	264.75(a)					
calendar year covered by report	IV A	264.75(b)					
EPA I.D.s of generators; name and address for foreign generators	IV A	264.75(c)					
description and quantity of wastes received	IV A	264.75(d)					
methods of handling	IV A	264.75(e)					
reserved	IV A	264.75(f)					
closure cost estimate; post-closure cost estimate	IV A	264.75(g)					
volume and toxicity reduction efforts	30	264.75(h)					
volume and toxicity reduction achieved	30	264.75(i)					
10 signed certification	IV A,30	264.75(j)					

UNMANIFESTED WASTE REPORT

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
when an unmanifested report is required; form which must be used; information it must include	IV A,1	264.76					
EPA identification number	IV A	264.76(a)					
date waste received	IV A	264.76(b)					
generator and transporter EPA identification numbers; address and name	IV A	264.76(c)					
description and quantity of unmanifested waste	IV A	264.76(d)					
handling method	IV A	264.76(e)					
signed certification	IV A	264.76(f)					
explanation of why unmanifested	IV A	264.76(g)					

ADDITIONAL REPORTS

what else must be reported to Regional Administrator	*,†1	264.77					
releases, fires, explosions	IV A	264.77(a)					
11 facility closures	IV A	264.77(b)					
as otherwise required by Subparts F, K through N, AA, and BB	*,79,154	264.77(c)					

SUBPART F - RELEASES FROM SOLID WASTE MANAGEMENT UNITS

APPLICABILITY

applies to all HW facilities; satisfy requirements of 264.90(a)(2)	IV A,17 L	264.90(a)(1)					
--	-----------	--------------	--	--	--	--	--

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
what each solid waste management unit must comply with	IV A,17 L	264.90(a)(2)					
exemptions from Subpart F's requirements:	IV A,†17 I	264.90(b)					
exempted by 264.1	IV A,†17 I	264.90(b)(1)					
12 operates a unit which Regional Administrator finds meets certain requirements	IV A,†17 I	264.90(b)(2)					
		264.90(b)(2)(i)					
		264.90(b)(2)(ii)					
		264.90(b)(2)(iii)					
		264.90(b)(2)(iv)					
		264.90(b)(2)(v)					
		264.90(b)(2)(vi)					
		264.90(b)(2)(vii)					
HW levels not statistically significantly above background levels; unsaturated zone monitoring meets 264.278; only for post-closure care period	IV A,†17 I	264.90(b)(3)					
no potential for migration; certification by qualified geologist or geotechnical engineer	IV A,†17 I	264.90(b)(4)					
13 designs and operates pile in compliance with 264.250(c)	IV A,†17 I	264.90(b)(5)					
requirements under Subpart F apply during active life; after closure:	IV A	264.90(c)					
requirements not apply if all wastes, etc. removed	IV A	264.90(c)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
or decontaminated							
requirements apply during post-closure if detection monitoring	IV A	264.90(c)(2)					
requirements apply during compliance period if compliance monitoring or corrective action	IV A	264.90(c)(3)					
Subpart F requirements apply to miscellaneous units when necessary to comply with 264.601 through 264.603	45	264.90(d)					
† 264 Subpart F regulations apply to all owners/operators subject to 270.1(c)(7) when either post-closure permit or enforceable document is issued	174	264.90(e)					
† Regional Administrator may replace requirements of 264.91--264.100 with alternative regulations for groundwater monitoring & corrective action for releases to groundwater contained in permit (or enforceable document) where Regional Administrator determines:	174	264.90(f) intro					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
† regulated unit is situated among solid waste management units, release has occurred, and both regulated unit and one or more solid waste management unit(s) are likely to have contributed to release; and	174	264.90(f)(1)					
† it is not necessary to apply 264.91 - 264.100 requirements because alternative requirements will protect human health and environment	174	264.90(f)(2)					

REQUIRED PROGRAMS

monitoring and response program	IV A	264.91(a)					
when hazardous constituents detected at compliance point; compliance monitoring; "detected" defined	IV A,55	264.91(a)(1)					
corrective action program when groundwater protection standard is exceeded; "exceeded" defined	IV A,55	264.91(a)(2)					
corrective action program when hazardous constituents exceed concentration limits	IV A	264.91(a)(3)					
in other cases detection monitoring instituted	IV A	264.91(a)(4)					
specific elements of monitoring and response program specified in permit	IV A	264.91(b)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
GROUND-WATER PROTECTION STANDARD							
owner must comply with permit conditions designed to ensure that 264.93 hazardous constituents entering ground water not exceed 264.94 concentration limits; ground-water protection standard	IV A,55	264.92					
HAZARDOUS CONSTITUENTS							
hazardous constituents specified in permit to which 264.92 ground-water protection standard applies; hazardous constituents are identified in 261, Appendix VIII and have been detected in uppermost aquifer	IV A	264.93(a)					
exclusion of Appendix VIII constituents from permit; what Regional Administrator must consider before granting an exemption	IV A	264.93(b)					
		264.93(b)(1)					
		264.93(b)(1)(i)					
		264.93(b)(1)(ii)					
		264.93(b)(1)(iii)					
		264.93(b)(1)(iv)					
		264.93(b)(1)(v)					
		264.93(b)(1)(vi)					
		264.93(b)(1)(vii)					
		264.93(b)(1)(viii)					
		264.93(b)(1)(ix)					
		264.93(b)(2)					
264.93(b)(2)(i)							

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
		264.93(b)(2)(ii)					
		264.93(b)(2)(iii)					
		264.93(b)(2)(iv)					
		264.93(b)(2)(v)					
		264.93(b)(2)(vi)					
		264.93(b)(2)(vii)					
		264.93(b)(2)(viii)					
		264.93(b)(2)(ix)					
		264.93(b)(2)(x)					
determination regarding use of ground water around facility; ID of drinking water sources and exempted aquifers under 144.8	IV A	264.93(c)					
CONCENTRATION LIMITS							
Regional Administrator will specify ground-water concentration limits for 264.93 hazardous constituents	IV A	264.94(a)					
not exceed background	IV A	264.94(a)(1)					
not exceed Table 1 constituents	IV A	264.94(a)(2)					
not exceed an alternate limit set by Regional Administrator	IV A	264.94(a)(3)					
factors Regional Administrator will consider for setting alternate limits	IV A	264.94(b)					
potential adverse effects on ground-water quality	IV A	264.94(b)(1)					
		264.94(b)(1)(i)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
considering specific factors		264.94(b)(1)(ii)					
		264.94(b)(1)(iii)					
		264.94(b)(1)(iv)					
		264.94(b)(1)(v)					
		264.94(b)(1)(vi)					
		264.94(b)(1)(vii)					
		264.94(b)(1)(viii)					
		264.94(b)(1)(ix)					
	potential adverse effects on hydraulically connected surface-water quality considering specific factors	IV A	264.94(b)(2)				
264.94(b)(2)(i)							
264.94(b)(2)(ii)							
264.94(b)(2)(iii)							
264.94(b)(2)(iv)							
264.94(b)(2)(v)							
264.94(b)(2)(vi)							
264.94(b)(2)(vii)							
264.94(b)(2)(viii)							
264.94(b)(2)(ix)							
264.94(b)(2)(x)							
in determining use of ground water around facility, Regional Administrator must consider any identification of underground sources of drinking water and exempted aquifers under 144.8	IV A	264.94(c)					

POINT OF COMPLIANCE

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
point of compliance specified in permit for 264.92 ground-water protection standard; point of compliance defined	IV A	264.95(a)					
definition of waste management area	IV A	264.95(b)					
		264.95(b)(1)					
		264.95(b)(2)					

COMPLIANCE PERIOD

compliance period specified in permit for 264.92 ground-water protection standard; definition of compliance period	IV A	264.96(a)					
when compliance period begins	IV A	264.96(b)					
end of period; extension until meet ground-water protection standard of 264.92	IV A	264.96(c)					

GENERAL GROUND-WATER MONITORING REQUIREMENTS

owner or operator must comply with the following ground-water monitoring program requirements:	*	264.97					
sufficient number of wells installed at appropriate locations and depths that:	IV A	264.97(a)					
represent background quality	IV A,55	264.97(a)(1)					
14 sample wells not hydraulically upgradient	IV A,55	264.97(a)(1)(i)					
		264.97(a)(1)(i)(A)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
where specific conditions are met		264.97(a)(1)(i)(B)					
represent ground-water quality passing point of compliance	IV A	264.97(a)(2)					
contamination detection when migration to uppermost aquifer	55	264.97(a)(3)					
separate ground-water monitoring units not needed for multiple units if meet certain requirements	IV A	264.97(b)					
well casing requirements	IV A	264.97(c)					
consistent sampling and analysis procedures that are reliable	IV A	264.97(d)					
		264.97(d)(1)					
		264.97(d)(2)					
		264.97(d)(3)					
		264.97(d)(4)					
appropriate and accurate sampling and analysis methods	IV A	264.97(e)					
ground-water surface elevation determination for each sample	IV A	264.97(f)					
detection monitoring, sampling procedures; number and kinds of samples, sample size	IV A,55	264.97(g)					
sequencing of at least four samples; requirements to determine interval between	IV A,55	264.97(g)(1)					
alternate sampling procedure	IV A,55	264.97(g)(2)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
14 removed	IV A,55	264.97(g)(3)					
		264.97(g)(3)(i)					
		264.97(g)(3)(ii)					
removed	IV A,55	264.97(g)(4)					
specify statistical evaluation methods for ground-water data and specify in permit; requirements for use of listed methods	IV A,55	264.97(h)					
parametric ANOVA followed by multiple comparisons procedures	IV A,55	264.97(h)(1)					
ANOVA based on ranks followed by multiple comparisons procedures	IV A,55	264.97(h)(2)					
tolerance or prediction interval procedure	55	264.97(h)(3)					
control chart approach	55	264.97(h)(4)					
another statistical method approved by Regional Administrator	55	264.97(h)(5)					
performance standards for statistical methods chosen under 264.97(h):	55	264.97(i)					
appropriate for distribution of chemical parameters or hazardous constituents; transformed or distribution-free test	55	264.97(i)(1)					
individual well comparison - 0.01 Type I error; multiple comparisons - 0.05 Type I error, but maintain 0.01 Type I error for	55	264.97(i)(2)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
individual wells							
for control chart approach, what must be approved by Regional Administrator	55	264.97(i)(3)					
for tolerance or prediction interval, what must be approved by Regional Administrator	55	264.97(i)(4)					
account for data below detection limit and requirements	55	264.97(i)(5)					
procedures to correct or control for seasonal and spatial variability	55	264.97(i)(6)					
maintenance of ground-water monitoring data in facility operating record; when data must be reviewed	55	264.97(j)					
DETECTION MONITORING PROGRAM							
owner's responsibilities	*	264.98					
owner or operator must monitor for indicator parameters; Regional Administrator will specify parameters in permit	IV A	264.98(a)					
		264.98(a)(1)					
		264.98(a)(2)					
		264.98(a)(3)					
		264.98(a)(4)					
owner or operator must have ground-water monitoring system at compliance point and comply with 264.97(a)(2), (b) & (c)	IV A	264.98(b)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
ground-water monitoring program for each chemical parameter and hazardous constituent; record of ground-water analytical data	IV A,55	264.98(c)					
Regional Administrator specifies frequency of samples and tests; four well samples per well semi-annually	IV A,55	264.98(d)					
owner must determine ground-water flow rate and direction at least annually	IV A	264.98(e)					
15 determine if statistically significant evidence of contamination	IV A,55	264.98(f)					
15 methods which can be used	IV A,55	264.98(f)(1)					
15 determine evidence of contamination at each monitoring well at compliance point; time period determined and specified in permit by Regional Administrator	IV A,55	264.98(f)(2)					
16 what owner or operator must do if statistically significant evidence of contamination	IV A,55	264.98(g)					
16 notification of Regional Administrator	IV A,55	264.98(g)(1)					
16 immediate determination if 264, Appendix IX constituents are in ground water	IV A,40,55	264.98(g)(2)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
16 for constituents found, resample in one month; if confirmed, form basis of compliance monitoring; if no resample - initial analysis is basis	IV A,40,55	264.98(g)(3)					
application for permit modification	IV A,55	264.98(g)(4)					
16,17 identification of Appendix IX constituent concentration	IV A,40,55	264.98(g)(4)(i)					
16 proposed changes to ground-water monitoring system	IV A,55	264.98(g)(4)(ii)					
16 proposed additions or changes to monitoring frequency	IV A,55	264.98(g)(4)(iii)					
16 proposed concentration limit or notice of intent for alternate concentration limit	IV A,55	264.98(g)(4)(iv)					
16 what must be submitted within 180 days	IV A,55	264.98(g)(5)					
16 data to justify alternate concentration limit	IV A,55	264.98(g)(5)(i)					
16 engineering feasibility plan for corrective action	IV A,55	264.98(g)(5)(ii)					
16 concentration of 264.98(g)(2) constituents does not exceed values of Table 1, 264.94	IV A,55	264.98(g)(5)(ii)(A)					
16 alternate concentration limit	IV A,55	264.98(g)(5)(ii)(B)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
demonstration that a source other than regulated unit caused contamination	55	264.98(g)(6)					
notify Regional Administrator of intent to submit demonstration	55	264.98(g)(6)(i)					
within 90 days, report demonstrating that another source caused contamination or there was an error in sampling, analysis or evaluation	55	264.98(g)(6)(ii)					
within 90 days, application for permit modification	55	264.98(g)(6)(iii)					
continue to monitor according to detection monitoring program	55	264.98(g)(6)(iv)					
18 what must be done if detection monitoring program no longer satisfies requirements	IV A,55	264.98(h)					
removed	IV A,55	264.98(i)					
18 removed	IV A,55	264.98(j)					
removed	IV A,55	264.98(k)					
COMPLIANCE MONITORING PROGRAM							
owner or operator responsibilities:	*	264.99					
monitor ground water to determine if in compliance with 264.92; Regional Administrator specifies ground-water protection standard in the facility permit	IV A	264.99(a)					
		264.99(a)(1)					
		264.99(a)(2)					
		264.99(a)(3)					
		264.99(a)(4)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
ground-water monitoring system at compliance point; what it must comply with	IV A	264.99(b)					
19 Regional Administrator specifies procedures and statistical methods	IV A,55	264.99(c)					
19 sampling program for each chemical parameter or hazardous constituent	IV A,55	264.99(c)(1)					
19 record of ground-water analytical data	IV A,55	264.99(c)(2)					
19 statistical evidence of increased contamination of any chemical parameter or hazardous constituent	IV A,55	264.99(d)					
19 method(s) to determine statistically significant evidence of increased contamination	IV A,55	264.99(d)(1)					
19 within reasonable time period, determine if statistically significant evidence of increased contamination at each monitoring well at compliance point	IV A,55	264.99(d)(2)					
determine flow rate and direction	IV A	264.99(e)					
19 Regional Administrator specification of sample and test frequencies; four samples per well semi-annually	55	264.99(f)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
19 annual analysis at each well's compliance point for all 264, Appendix IX constituents; procedures regarding new constituents not in permit	IV A,40,55	264.99(g)					
19 actions when constituents exceeded 264.94 limits	IV A,55	264.99(h)					
	IV A	264.99(h)(1)					
		264.99(h)(2)					
		264.99(h)(2)(i)					
		264.99(h)(2)(ii)					
19 demonstration that increase due to other sources; what must be done	IV A,55	264.99(i)					
	IV A	264.99(i)(1)					
		264.99(i)(2)					
		264.99(i)(3)					
		264.99(i)(4)					
19 permit modification when compliance monitoring no longer satisfies 264.99	IV A,55	264.99(j)					
19 removed	IV A,55	264.99(k)					
19 removed	IV A,55	264.99(l)					

CORRECTIVE ACTION PROGRAM

owner or operator responsibilities	*	264.100					
take corrective action to assure compliance with 264.92 standard; standards set in permit	IV A	264.100(a)					
list of hazardous constituents	IV A	264.100(a)(1)					
concentration limits	IV A	264.100(a)(2)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
compliance point	IV A	264.100(a)(3)					
compliance period	IV A	264.100(a)(4)					
implement corrective action program to prevent hazardous constituents from exceeding limits; specific measures set in permit	IV A	264.100(b)					
permit States time to begin corrective action; requirements in lieu of 264.99(i)(2)	IV A	264.100(c)					
ground-water monitoring program to demonstrate effectiveness of corrective action	IV A	264.100(d)					
corrective action to remove or treat in place hazardous constituents exceeding 264.94 limits	IV A,44 B	264.100(e)					
compliance point, downgradient property boundary	44 B	264.100(e)(1)					
release beyond facility boundaries	44 B	264.100(e)(2)					
20 corrective action measure must be completed within reasonable period	IV A,44 B	264.100(e)(3)					
20 when corrective action can be terminated	IV A,44 B	264.100(e)(4)					
period of corrective action	IV A	264.100(f)					
report in writing on effectiveness of corrective action; submit semiannually	IV A	264.100(g)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
permit modification if corrective action program no longer satisfies 264.100	IV A	264.100(h)					

CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS

if seeking permit, institute corrective action to protect health and environment from hazardous waste releases	17 L	264.101(a)					
corrective action specified in permit in accordance with this section and subpart S of this part; schedule of compliance and financial responsibility	17 L,†121	264.101(b)					
corrective action beyond facility boundaries	44 B	264.101(c)					
† does not apply to remediation waste management sites unless part of a facility subject to permit for treating, storing or disposing of hazardous wastes that are not remediation wastes	175	264.101(d)					

SUBPART G - CLOSURE AND POST-CLOSURE

APPLICABILITY

except as 264.1 provides otherwise:	*	264.110					
264.111 through 264.115 apply to all owners and operators of all hazardous waste management facilities	IV A,24	264.110(a)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
264.116 through 264.120 apply to all owners and operators of:	IV A,24	264.110(b)					
all hazardous waste disposal facilities	IV A,24,109	264.110(b)(1)					
waste piles and surface impoundments from which wastes are removed at closure	IV A,24,109	264.110(b)(2)					
tank systems required under 264.197 to meet landfill requirements	28,109	264.110(b)(3)					
containment buildings required under 264.1102 to meet the requirements for landfills	109	264.110(b)(4)					
† Regional Administrator may replace part 264 Subpart G requirements with alternative requirements contained in permit or enforceable document where Regional Administrator determines that:	174	264.110(c)					
† regulated unit is situated among solid waste management units, release has occurred, and both regulated unit and one or more solid waste management unit(s) are likely to have contributed to release; and	174	264.110(c)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
† it is not necessary to apply part 264 Subpart G requirements because alternative requirements will protect human health and environment and satisfy 264.111(a)&(b) requirements	174	264.110(c)(2)					

CLOSURE PERFORMANCE STANDARD

manner of closing	*	264.111					
minimizes further maintenance	IV A,24	264.111(a)					
controls, minimizes, or eliminates post-closure escape	IV A,24	264.111(b)					
complies with requirements of Subpart G plus specific sections of 264	24,45,109	264.111(c)					

CLOSURE PLAN; AMENDMENT OF PLAN

written plan required; contingent closure plans; submitted with permit; condition of permit	IV A,†24	264.112(a)(1)					
what the approved closure plan must be consistent with; furnished on request	IV A,†24,45,109	264.112(a)(2)					
removed	IV A,†24	264.112(a)(3)					
removed	IV A,†24	264.112(a)(4)					
content of plan	IV A,24	264.112(b)					
how each HW management unit will be closed	24	264.112(b)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
final closure/maximum extent of facility not closed during active life	24	264.112(b)(2)					
maximum inventory of hazardous waste ever on site over active life	24	264.112(b)(3)					
description of steps needed to remove or decontaminate all residues/equipment	24	264.112(b)(4)					
other activities to assure closure	24	264.112(b)(5)					
schedule for closure for each unit; what schedule must include	24	264.112(b)(6)					
estimate year of final closure for facilities using trust funds for financial assurance	†24	264.112(b)(7)					
†,21 for facilities where Regional Administrator has applied alternative requirements under 264.90(f), 264.110(c), and/or 264.140(d), either alternative requirements or reference to enforceable document containing those requirements	174	264.112(b)(8)					
amendment of plan	IV A,24,†54	264.112(c)					
written request prior to notification of partial or final closure	24,†54	264.112(c)(1)					
required written request when:	24,†54	264.112(c)(2)					
changes affect closure	24	264.112(c)(2)(i)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
plan							
change in expected year of closure	24	264.112(c)(2)(ii)					
unexpected events	24	264.112(c)(2)(iii)					
† owner/ operator requests Regional Administrator to apply alternative requirements under 264.90(f), 264.110(c), and/or 264.140(d)	174	264.112(c)(2)(iv)					
submit written request 60 days prior to change; 60 days after unexpected event if during partial or final closure; surface impoundment and waste piles special requirements	24	264.112(c)(3)					
Regional Administrator may request modification; procedures	24	264.112(c)(4)					

†,22 Notification of Partial and Final Closure

23	24,85	264.112(d)(1)					
procedures and requirements for notification of partial and final closure	24,†64	264.112(d)(2)					
		264.112(d)(2)(i)					
	†64	264.112(d)(2)(ii)					
	24	264.112(d)(3)					

† remove wastes; decontaminate and dismantle equipment	24	264.112(e)					
--	----	------------	--	--	--	--	--

24 CLOSURE; TIME ALLOWED FOR CLOSURE

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
treat, remove, or dispose of all hazardous wastes within 90 days of receipt of final volume of hazardous waste, or final volume of non-hazardous waste	IV A,24,†64	264.113(a)					
modification and demonstration requirements for extending period	IV A,24	264.113(a)(1)(i)					
	IV A,24,†64	264.113(a)(1)(ii)(A)					
	IV A,24	264.113(a)(1)(ii)(B)					
		264.113(a)(1)(ii)(C)					
		264.113(a)(2)					
complete partial or final closure within 180 days of receiving final volume	IV A,24,†64	264.113(b)					
modification and demonstration requirements for extending closure period	IV A,24	264.113(b)(1)(i)					
	IV A,24,†64	264.113(b)(1)(ii)(A)					
	IV A,24	264.113(b)(1)(ii)(B)					
		264.113(b)(1)(ii)(C)					
		264.113(b)(2)					
how 264.113(a)(1) & (b)(1) demonstrations must be made	24,†64	264.113(c)					
		264.113(c)(1)					
		264.113(c)(2)					

†,24 Nonhazardous Waste Receipt Conditions

receive only non-hazardous wastes after the final receipt of hazardous wastes at specified units	64	264.113(d)					
permit modification	64	264.113(d)(1)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
requirements		264.113(d)(1)(i)					
		264.113(d)(1)(ii)					
		264.113(d)(1)(iii)					
		264.113(d)(1)(iv)					
		264.113(d)(1)(v)					
		264.113(d)(2)					
		264.113(d)(3)					
		264.113(d)(4)					

†,24 Additional Requirements for Surface Impoundments

special requirements for surface impoundments not in compliance with liner and leachate collection system requirements	64	264.113(e)					
plans which must be submitted with request to modify permit	64	264.113(e)(1)					
		264.113(e)(1)(i)					
		264.113(e)(1)(ii)					
remove all hazardous wastes	64	264.113(e)(2)					
removal within 90 days; extension	64	264.113(e)(3)					
actions to be taken if a release is detected	64	264.113(e)(4)					
		264.113(e)(4)(i)					
		264.113(e)(4)(ii)					
		264.113(e)(4)(iii)					
semi-annual reports	64	264.113(e)(5)					
conditions under which Regional Administrator	64	264.113(e)(6)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
may require closure							
actions to be taken if owner or operator fails to implement corrective measures or if no substantial progress pursuant to 264.113(e)(6) has been made	64	264.113(e)(7)					
		264.113(e)(7)(i)					
		264.113(e)(7)(ii)					
		264.113(e)(7)(iii)					
		264.113(e)(7)(iv)					
		264.113(e)(7)(v)					

DISPOSAL OR DECONTAMINATION OF EQUIPMENT, STRUCTURES AND SOILS

25 disposal and decontamination requirements during closure; 262 generator requirements	IV A,24,45,52	264.114					
---	---------------	---------	--	--	--	--	--

CERTIFICATION OF CLOSURE

certification requirements at closure; required signatures; documentation upon request	IV A,24	264.115					
--	---------	---------	--	--	--	--	--

SURVEY PLAT

survey plat requirements	24	264.116					
--------------------------	----	---------	--	--	--	--	--

POST-CLOSURE CARE AND USE OF PROPERTY

continue care for 30 years	IV A,24	264.117(a)(1)					
monitoring and reporting requirements	IV A,24,45	264.117(a)(1)(i)					
maintenance and monitoring for waste containment systems	IV A,24,45	264.117(a)(1)(ii)					
reduction or extension of time period for post-	IV A,24	264.117(a)(2)					
		264.117(a)(2)(i)					

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
closure care by Regional Administrator		264.117(a)(2)(ii)					
conditions for continuation of security requirements of 265.14	IV A,24	264.117(b)					
		264.117(b)(1)					
		264.117(b)(2)					
limits on post-closure use of property; exceptions	IV A,24	264.117(c)					
		264.117(c)(1)					
		264.117(c)(2)					
post-closure activities in accordance with plan as specified in 264.118	IV A,24	264.117(d)					

POST-CLOSURE PLAN; AMENDMENT OF PLAN

	written post-closure plan; contingent plans; condition of RCRA permit	IV A,24	264.118(a)				
26	activities specified in post-closure plan and their frequency	IV A,24	264.118(b)				
26	monitoring activities and their frequency	IV A,24,45	264.118(b)(1)				
26	maintenance activities and their frequency	IV A,24	264.118(b)(2)				
26	integrity of cap and final cover	IV A,24,45	264.118(b)(2)(i)				
26	function of monitoring equipment	IV A,24,45	264.118(b)(2)(ii)				
26, 27	person or office to contact	IV A,24	264.118(b)(3)				

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
† for facilities where Regional Administrator has applied alternative requirements under 264.90(f), 264.110(c), and/or 264.140(d), either alternative requirements or reference to enforceable document containing those requirements	174	264.118(b)(4)					
27 availability and retention of plan	IV A,24	264.118(c)					
28 written notification of or request for modification of plan	IV A,24,†54	264.118(d)					
notification or request may be made at any time	24,†54	264.118(d)(1)					
must submit written request whenever:	24,†54	264.118(d)(2)					
changes that affect plan	24	264.118(d)(2)(i)					
change in expected closure year	24	264.118(d)(2)(ii)					
events affecting plan	24	264.118(d)(2)(iii)					
† owner/operator requests Regional Administrator to apply alternative requirements under 264.90(f), 264.110(c), and/or 264.140(d)	174	264.118(d)(2)(iv)					
timing of modification request; submittal of post-closure plan	24	264.118(d)(3)					
Regional Administrator's request for modifications	24	264.118(d)(4)					
29 POST-CLOSURE NOTICES							

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31, 2002** (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
record of type, location and quantity of HW	IV A,24	264.119(a)					
30 requirement to enter note on deed; survey plan; submit certification	IV A,24	264.119(b)					
		264.119(b)(1)					
		264.119(b)(1)(i)					
		264.119(b)(1)(ii)					
		264.119(b)(1)(iii)					
		264.119(b)(2)					
31 modification to remove hazardous wastes; criteria of 264.117(c); removal of notation; addition of notation	IV A,24	264.119(c)					
		264.119(c)(1)					
		264.119(c)(2)					
CERTIFICATION OF COMPLETION OF POST-CLOSURE CARE							
32 completion of post-closure period	24	264.120					
30,31 removed		264.120(a)					
		264.120(a)(1)-(3)					
		264.120(b)					

- 1 The May 3, 1993 final rule (58 FR 26420; Revision Checklist 122) inadvertently removed a correction made by the August 25, 1992 Federal Register (57 FR 38558, Revision Checklist 111). The August 25, 1992 rule changed "subparts C, D, F, or G" to "subparts C, F, G, or H"; the May 3, 1993 rule listed the old version of these internal references. The correct reference is "subparts C, F, G, or H", as shown in the August 25, 1992 rule.
- 2 States should adopt 264.1(g)(11)(i)-(iii) as appropriate to reflect the universal wastes adopted. See the rule for Checklists 142 A-D (60 FR 25492; May 11, 1995).
- 3 Revision Checklist 181 is optional for States that have not added spent lamps to their universal waste program or that have added spent lamps to their universal waste program and regulate spent lamps as stringently as the Federal program. For States that have universal waste programs that include spent lamps, but do not regulate spent lamps as stringently as the Federal program, Revision Checklist 181 is not optional.

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31**, 2002 (cont'd)

- 4 Note that the comment following 264.3 remains unchanged by Revision Checklist 121 (58 FR 8658; February 16, 1993).
- 5 The August 14, 1989 rule (54 FR 33376, Revision Checklist 64) amended the first sentence of 264.13(a)(1). However, because of a misinterpretation of the codification instructions, the second sentence of the provisions at this citation was omitted from the 1990 and 1991 CFRs. Revision Checklist 102 (57 FR 8086; March 6, 1992) corrects the error by restoring the mistakenly deleted language.
- 6 Section 264.19 is considered to be both a HSWA and a Non-HSWA provision by Revision Checklist 100. It is Non-HSWA only to the extent that it applies to the final cover requirements for the Construction Quality Assurance Program.
- 7 Note that there is a typographical error in the Federal Register addressed by Revision Checklist 100 (57 FR 3462; January 29, 1992); "COA" should be "CQA".
- 8 Revision Checklist 54 removed the comment following 264.54(e).
- 9 There is an error in the July 15, 1985 final rule (50 FR 28702; Revision Checklist 17 D). The internal reference 264.73(b) should be 264.73(b)(9) according to the preamble for that rule at 50 FR 28734.
- 10 This requirement was moved from 264.75(h) to 264.75(j) by Revision Checklist 30.
- 11 Checklist IV A shows this text as 264.77(c), but the July 1, 1983 and subsequent CFRs show it as 264.77(b).
- 12 This paragraph was completely revised by Revision Checklist 17 I.
- 13 In Checklist IV A, this text was included in 264.90(b)(2).
- 14 Revision Checklist 55 moved text from 264.97(g)(3) to 264.97(a)(1)(i).
- 15 Revision Checklist 55 moved this text from 264.98(g) to 264.98(f).
- 16 Original 264.98(g) text from Checklist IV A was moved to 264.98(f) by Revision Checklist 55. The present 264.98(g) is a revised version of 264.98(h) as found in Checklist IV A. Checklist 55 made this change. Subparagraph 264.98(g)(6) was added by this checklist as well.
- 17 There is a typographical error in the Federal code for this subparagraph: "concentration or any" should be "concentration of any."
- 18 In Checklist IV A, this paragraph was designated 264.98(j). Revision Checklist 55 redesignated it as 264.98(h) and moved the former (h), as introduced by Checklist IV A, to 264.98(g).
- 19 Checklist IV A originally introduced 264.99(c)-(l) into the Federal code as part of the base program. The July 9, 1987

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31**, 2002 (cont'd)

final rule addressed by Revision Checklist 40 (52 FR 25942) subsequently revised paragraph (f). The October 11, 1988 final rule addressed by Revision Checklist 55 (53 FR 39720) revised paragraphs (c) and (d). It removed the introductory text at (h) while redesignating a revised (h)(1) and (h)(2) as (d)(1) and (d)(2). The rule inserted a new (f) and then revised and redesignated the old (f) as (g). It removed the original (g) introduced as part of the base program. The rule then redesignated the original (i) through (k) as (h) through (j) and revised the newly designated paragraphs (h) and (i). It removed paragraph (l).

- 20 These paragraphs were originally 264.100(e)(1) and 264.100(e)(2), but Revision Checklist 44 B redesignated them as 264.100(e)(3) and 264.100(e)(4).
- 21 The October 22, 1998 rule (63 FR 56710; Revision Checklist 174) contains a typographical error. The internal reference to "264.110(d)" should be to "264.110(c)".
- 22 Citations within the double lines are optional, but if a State chooses to modify its program to adopt requirements equivalent to these provisions, it must adopt such requirements as a unit rather than by individual provision. In other words, all or none of these provisions must be included in a State's code. Subsequent changes to these provisions may or may not be optional for States that have chosen to adopt the optional unit of provisions. An optional sign appears in front of the subsequent revision checklist number(s) if such subsequent changes are less stringent than or reduce the scope of the unit's requirements.
- 23 Revision Checklist 64 redesignated a portion of 264.112(d)(2), introduced into the code by Revision Checklist 24, as 264.112(d)(2)(i).
- 24 Section 264.113 was erroneously designated as optional by the May 2, 1986 rule (51 FR 16422). The June 26, 1990 amendment (55 FR 25976) corrected this error.
- 25 Note the Federal Register addressed by Revision Checklist 52 (53 FR 34079; September 2, 1988) incorrectly omits the changes to 264.114 made by Revision Checklist 45 at 53 FR 46946 (December 10, 1987). This error is reflected in the CFR beginning with the July 1, 1997 edition.
- 26 Revision Checklist 24 moved text from 264.118(a)(1)-(3) in Checklist IV A to 264.118(b)(1)-(3).
- 27 Part of the current text in 264.118(c) was introduced by Revision Checklist 24 while the remainder reflects the content of portions of 264.118(b)(3) in the base program.
- 28 Most of 264.118(d), including all subparagraphs, is code introduced by Checklist 24. The introductory paragraph of 264.118(d), however, corresponds roughly to 264.118(c) in Checklist IV A.
- 29 Revision Checklist 24 extensively revised 264.119 as per Checklist IV A, including a new section title. The original code contained no subparagraphs.
- 30 Text from 264.120(a) in Checklist IV A was moved to 264.119(b)(1) and (b)(1)(i)-(iii) by Revision Checklist 24.

CONSOLIDATED CHECKLIST C5
40 CFR Part 264, Subparts A-G, as of **December 31**, 2002 (cont'd)

31 Text from 264.120(b) in Checklist IV A was moved to 264.119(c) by Revision Checklist 24.

32 The current text of 264.120 was introduced by Revision Checklist 24 whereas the original text of 264.120, as per Checklist IV A, was moved to 264.119(b) and (c) by Checklist 24.