40MEANS FOR COTTING SOULD METALagent41WITH HEAT, E.G., BLOWPIPESagent42With waste entrapping fluid8250Means for cutting continuously cast workpieces8351Means for removing surface8451Means for removing surface8452Having means to simultaneously scarf multiple sides of a workpiece8553Having workpiece-contacting workpiece8754With means for cutting tubular workpiece8955Having torch mount secured within workpiece9056Having means to circumrotate torch about workpiece9258By means sensition	olying a treating ow of diverse te sensor ensing moisture ntrol of diverse tioning dispenser re sensor sensor ponsive to
46.coolingmeans47.Tuyere operation81.With means supplies48MEANS FOR CUTTING SOLID METAL81.With means supplies49.With waste entrapping fluid82Correlated flor50.Means for cutting continuously cast workpieces83With flow rate51.Means for removing surface material, e.g., scarfing84With means sec content52Having means to simultaneously scarf multiple sides of a workpiece86By means posite53Having workpiece-contacting workpiece87.With temperatur conting tubular54.With means for cutting tubular workpiece89.With means resp condition of within workpiece55Having means to circumrotate workpiece91By means sensition density of workpiece56Having means to circumrotate torch about workpiece92By means sensition density of workpiece	olying a treating ow of diverse te sensor ensing moisture ntrol of diverse tioning dispenser re sensor sensor ponsive to
47.Tuyere operationmeans48MEANS FOR CUTTING SOLID METAL81.With means supprise49.With waste entrapping fluid82Correlated flor50.Means for cutting continuously cast workpieces83With flow rate51.Means for removing surface material, e.g., scarfing84With means sec content52Having means to simultaneously scarf multiple sides of a workpiece86By means posit53Having workpiece-contacting workpiece87.With temperatur54.With means for cutting tubular workpiece89.With means resp condition of with means resp55Having torch mount secured within workpiece91By means sensi density of workpiece56Having means to circumrotate torch about workpiece92By means sensi	ow of diverse te sensor ensing moisture htrol of diverse tioning dispenser te sensor sensor ponsive to
48       MEANS FOR CUTTING SOLID METAL       81       .With means suppring agent         49       .With waste entrapping fluid       82       .Correlated florents         50       .Means for cutting continuously cast workpieces       83      With flow rates         51       .Means for removing surface material, e.g., scarfing       84      With means set content         52      Having means to simultaneously scarf multiple sides of a workpiece       86      By means posit         53      Having workpiece-contacting means spacer       88      In a fluid         54       .With means for cutting tubular workpiece       90       .With means respondition of within workpiece         55      Having means to circumrotate torch about workpiece       91      By means sensition of within workpiece	ow of diverse te sensor ensing moisture htrol of diverse tioning dispenser te sensor sensor ponsive to
49.With Maste entrapping fluid82Correlated flor fluents50.Means for cutting continuously cast workpieces83With flow rat51.Means for removing surface material, e.g., scarfing84With means sec content52Having means to simultaneously scarf multiple sides of a workpiece86By means posit53Having workpiece-contacting workpiece87.With temperatur cutting means spacer54.With means for cutting tubular workpiece89.With pressure sec condition of condition of55Having torch mount secured within workpiece91By means sensiti density of workpiece56Having means to circumrotate torch about workpiece92By means sensiti	te sensor ensing moisture htrol of diverse tioning dispenser te sensor sensor ponsive to
49.With waste entrapping fluidfluents50.Means for cutting continuously cast workpieces83With flow rat51.Means for removing surface material, e.g., scarfing84With means se content52Having means to simultaneously scarf multiple sides of a workpiece85Individual con inputs53Having workpiece-contacting workpiece87.With temperatur cutting means spacer54.With means for cutting tubular workpiece89.With pressure se condition of scarf inputs55Having torch mount secured within workpiece91By means sensi density of workpiece56Having means to circumrotate torch about workpiece92By means sensi	te sensor ensing moisture htrol of diverse tioning dispenser te sensor sensor ponsive to
50.Means for cutting continuously cast workpieces83With flow rat51.Means for removing surface material, e.g., scarfing84With means se content52Having means to simultaneously scarf multiple sides of a workpiece85Individual con inputs53Having workpiece-contacting cutting means spacer87.With temperature cutting means spacer54.With means for cutting tubular workpiece89.With pressure se condition of55Having torch mount secured within workpiece91By means sensi density of workpiece56Having means to circumrotate torch about workpiece92By means sensi density of workpiece	ensing moisture ntrol of diverse cioning dispenser re sensor sensor ponsive to
51With means set content51With means for removing surface material, e.g., scarfing84With means set content52Having means to simultaneously scarf multiple sides of a workpiece85Individual con inputs53Having workpiece-contacting cutting means spacer87.With temperatur cutting means spacer54With means for cutting tubular workpiece89.With pressure set condition of condition of55Having torch mount secured within workpiece91By means sensi density of wo cutsing means sensi56Having means to circumrotate torch about workpiece92By means sensi 	ensing moisture ntrol of diverse cioning dispenser re sensor sensor ponsive to
S1Means for removing surface material, e.g., scarfingcontent52Having means to simultaneously scarf multiple sides of a workpiece85Individual con inputs53Having workpiece-contacting cutting means spacer87.With temperatur cutting means spacer54With means for cutting tubular workpiece89.With pressure spacer55Having torch mount secured within workpiece90By means space56Having means to circumrotate torch about workpiece92By means sensition	ntrol of diverse cioning dispenser re sensor sensor ponsive to
52Having means to simultaneously scarf multiple sides of a workpiece85Individual con inputs53Having workpiece-contacting cutting means spacer86By means posit54Having torch mount secured within workpiece90.With means resp55Having means to circumrotate torch about workpiece91By means sensit	cioning dispenser re sensor sensor ponsive to
<ul> <li>inputs</li> <li>inputs</li></ul>	cioning dispenser re sensor sensor ponsive to
Scarr multiple sides of a86By means positworkpiece86By means posit53Having workpiece-contacting87.With temperaturecutting means spacer88In a fluid54.With means for cutting tubular89.With pressure s55Having torch mount secured90.With means resp55Having torch mount secured91By means sensition56Having means to circumrotatedensity of work57By means sensition92By means sensition	re sensor sensor ponsive to
53Having workpiece-contacting cutting means spacer87With temperatur cutting means spacer54With means for cutting tubular workpiece89In a fluid55Having torch mount secured within workpiece90With means resp56Having means to circumrotate torch about workpiece91By means sensiti density of workpiece	re sensor sensor ponsive to
53maving workprece-contacting88In a fluidcutting means spacer88In a fluid54.With means for cutting tubular89.With pressure sworkpiece90.With means resp55Having torch mount securedcondition ofwithin workpiece91By means sensition56Having means to circumrotatedensity of workpiece57By means sensitionBy means sensition	sensor ponsive to
54.With means for cutting tubular89.With pressure s54.With means for cutting tubular90.With means resp55Having torch mount securedcondition ofwithin workpiece91By means sensition56Having means to circumrotatedensity of work56By means sensitionBy means sensition	ponsive to
54With means for cutting tubular90With means respworkpiece90.With means resp55Having torch mount secured within workpiece91By means sensi56Having means to circumrotate torch about workpiece92By means sensi	ponsive to
55Having torch mount secured within workpiececondition of 9156Having means to circumrotate torch about workpiece9292By means sensitive	
55having torch mount secured91By means sensitive56Having means to circumrotatedensity of worktorch about workpiece92By means sensitive	
56Having means to circumrotatedensity of wetorch about workpiece92By means sensition	
torch about workpiece 92By means sensitive	
coren about workprece	
	ing position of
57With means to rotate workpiece work	
	sing presence or
60With automatic line-follower 94By means sens molten liquid	-
61By float means to rotate workpiece 95By float mea	ans
	CYCLIC, OR TIME
supporting torch RESPONSIVE CO	NTROL MEANS
63With pantograph arm means 97 .By timer	
64Having spaced, superposed 98Having driven	disk or drum
templet 99 WITH RECORDING,	INDICATING,
	MEASURING MEANS
66 .Hand held, work riding torch 100 .Having observat	tion means
67 .With wheeled carriage torch 101 HAVING MEANS FOR	R LEACHING AND
	PRECIPITATING A
68 Having work contacting torch METAL	
spacing means 102 MEANS TREATING A	A CONTINUUM OF
69With work-spanning torch mount WORK	
70 .Circle cutter 103 .With heating me	eans
71 .Having torch solely supported by 104By joule effect	et
workpiece 105Discrete artic	
72 .With cantilevered arm torch 106Overlapped pla	anar coil
support 107 In a molten ma	aterial bath
73Having carriage-supported 108In a muffle fu	ırnace
cantilevered arm 109With cooling b	
74 .Having adjuvant material feed solid heat si	
	nvironment, e.g.,
76 .Having torch spacing means vacuum	
77 .With torch mounting means 111With fluid cor	
78 WITH CONTROL MEANS RESPONSIVE TO 112 In liquid bat	
SENSED CONDITION 113 In liquid spi	ay

# 266 - 2 CLASS 266 METALLURGICAL APPARATUS

114	HAVING MEANS FOR CONTACTING A
	SOLID METALLIFEROUS MATERIAL
	OR METAL OBJECT WITH A LIQUID
115	.With means changing the shape of
	a treated object, e.g., roller
	means
116	Spring shaping means
117	
<u>тт</u> /	.With means to prevent warping of
110	treated object
118	Of a gear wheel
119	With heating of object
120	.By immersing an article to be
	treated in bath of molten
	material, e.g., salt bath
121	.With heating means, e.g., flame
	contact
122	By means treating metalliferous
	materials, e.g., ores
123	By heating means adapted to be
	inserted into a hollow object
124	By means heating selected areas
	of an object
125	By means specialized to heat
	an article having an irregular
	contour (e.g., cams, gears)
126	By heating means configured
120	to fit between adjacent gear
	teeth
127	Unitized heating and fluid
127	contact means
128	
	By electric heating means
129	Inductance type
130	Having bath for contacting the
	work with liquid
131	With means to agitate or
	control temperature of bath
132	Having work introducing
	elevator
133	Having means to move work
	through bath
134	.By means contacting only
	selected areas of treated
	article with liquid
135	WITH CLEANING OR LUBRICATING
	MEANS
136	.Fluid injector cleaner
137	WITH MEANS TO COMMINUTE OR
	DISINTEGRATE SOLIDS
138	WITH MEANS TO PREHEAT GAS
139	
109	.Having heat storage means, e.g.,
140	checkers, stroves
140	.By heat generating means
141	.By remote heat exchanger

142	GEOGRAPHIC OR STRUCTURAL
	INSTALLATION
143	.Having refining vessel with
	travelling support
144	WITH MEANS TREATING OR HANDLING
	GASES EXHAUSTED BY TREATING
	MEANS
145	.Having means to treat or handle
	gases evolving from rotary
	furnace
146	.By contacting gas with
	nonmetallic liquid
147	By liquid spraying
148	.By condensing and collecting a
	volatile constituent
149	Within evacuated chamber
150	Having molten metal splashing
	means
151	By cascading material evolving
	the gas
152	By indirect liquid heat
	exchange means
153	Having retort condenser
154	Vertical shaft furnace
155	.With heat exchanger, e.g., waste
	heat boiler
156	.By means recycling exhaust gas
157	.By separating particles from
	evolved gas
158	.Hood
159	.Offtake
160	COMBINED OR CONVERTIBLE
161	MEANS FOR EXTRACTING AND REFINING
	METAL
162	.With separate refining zone
163	With rotating heating vessel
164	With heated vertical extracting
	means
165	AMBULANT VESSEL
166	TREATING VESSEL WITH DISTINCT
	MOLTEN MATERIAL HOLDING MEANS,
	E.G., FOREHEARTH
167	THERMITE REACTION VESSEL
168	MEANS FOR TREATING ORES OR FOR
	EXTRACTING METALS
169	.Amalgam-type extraction means
170	.By means precipitating metal
	from solution
171	.By means applying heat to work,
	e.g., furnace
172	Fluidized zone
173	Rotary drum-type furnace

174 ..With safety device

September 2008

175	With separate preheat chamber	209	By upward flow of metal within
176	With means for moving solid		treating zone
	material to or through heating zone	210	Recirculating material to its source
177	By means for moving charge	211	Enclosed within casing
± / /	through zone	212	.Refining means with separate
178	Traveling grate		metal-melting zone
179	With seal means	213	.Revolving drum-type furnace
180	Train of grate elements	214	.Reverberatory refining vessel,
181	Means forming cascading array	214	e.g., open hearth
182	By fluid current	215	.Continuous refining
183	By power-driven means	215	3
TOD		210	.By means introducing treating material
	conveying solid charge into zone	217	
184	Bell and hopper type	217 218	Gaseous treating material
185		210	Having fluid inlet formed in
	With work supporting grate	010	vessel wall, e.g., tuyere
186	With means for feeding fluids	219	Having intersecting streams
187	With flow regulating means		converging on central axis of
188	With common outlet means to	220	vertical furnace
100	feed diverse fluids	220	Having porous outlet
189	With means to cool fluid	221	By means to introduce diverse
100	feeding means		material
190	With cooling of heating means	222	Concentric flow paths
191	By means cooling material	223	Having control means
100	discharge means	224	Having tuyere formed in plug
192	By direct fluid contact	005	bottom
193	By means embedded in heating	225	Lance
104	means	226	With manipulating means
194	Having means to facilitate	227	.By separating metal in a molten
105	removal of cooling means		mass from undesired material,
195	With discharge means		e.g., slag
196	With trough-shaped outlet,	228	By skimming a material
	e.g., runner	229	By baffle means
197	Shaft-type furnace, e.g., blast	230	At discharge outlet
	furnace	231	In discharge trough, e.g.,
198	Having external support		runner
199	Having specific top structure	232	Settling receptacle, e.g., slag
200	MEANS FOR MELTING OR VAPORIZING		pot
	METAL OR TREATING LIQUEFIED METAL	233	.By stirring or mixing molten metal
201	.Slag refining means	234	Induction stirring
202	.Spray refining means	235	Having impeller means
203	.By means specialized to puddle metal	236	.With means to discharge molten material
204		237	Including electromagnetic means
204	.Means applying centrifugal force .Means to melt and separate metal	237	Means for removing residual
205	from mass of diverse	230	material
	constituents	220	
206		239	By changing ambient pressure on
200	.Means for melting-type material, e.g., Linotype		<pre>material surface, e.g., suction</pre>
207		240	
207	.By providing, treating or	240	With means to tilt heating
	protecting environment, e.g., vacuum	2/1	means
208	By application of vacuum	241	.With means to cool treating
200	appricación or vacuum	242	means
		242 	.Heated melting pot

## 266 - 4 CLASS 266 METALLURGICAL APPARATUS

243	.Bessemer-type treating vessel
244	By mounting vessel to revolve about its longitudinal axis
245	With means pivotally mounting vessel
246	Means mounting vessel to trunnion ring
247	Means mounting vessel to U- shaped trunnion support means
248	.Horizontal, rotatable, cylindrical type
249	MEANS TREATING SOLID METAL
250	.Having evacuated chamber
251	.By contact with gas
252	With heating means
253	Bottom feeding furnace
254	With indirect heat-exchange
-	means for gas
255	Having work contained in separate, noncommunicating chamber, e.g., muffle
256	Bell furnace
257	Having atmosphere generating means within treating zone
258	By contacting only selected areas of object
259	.By cooling of the solid
260	By contact with solid heat sink
261	
-	.By flame contact heating
262	.Fluid tight heat transferring box shield or hood (e.g., annealing box)
263	Bell-type hood, or support for
200	such hood
264	Having packing at hood lip
265	MEANS FOR INTRODUCING FLUENT INTO
	VESSEL, E.G., TUYERE
266	.With flow control means or
	internal flow guide
267	.Having means for simultaneously
	feeding diverse materials
268	Having plural outlets
269	.Having drain means or cleaner
200	insertion means, e.g., punch hole
270	.Having means preventing damage
210	to introducing means, e.g., wear linings, cooling
271	MEANS SEALING OR OPENING APERTURE
	IN VESSEL
272	.By means plugging aperture
272	By means injecting plugging
	compound, e.g., mud gun
274	MEANS FOR HOLDING OR SUPPORTING WORK

275	.Receptacle
276	With means movably supporting
	receptacle
277	By bed of rollers
278	Having corrugated wall
279	.Grate
280	LININGS
281	.With making or repairing means
282	.With metallic means to prevent
	lining abrasion
283	.Having particular lining element
	shape
284	.Having specific grain size
285	.With means allowing for
	expansion
286	.With specific lining enclosing
	structure
287	MISCELLANEOUS

#### CROSS-REFERENCE ART COLLECTIONS

METAL MELTING FURNACES, E.G.,
CUPOLA TYPE
SCRAP METAL PREHEATING OR MELTING
BLOWPIPES SPECIALIZED TO
TRANSVERSELY CUT OR NOTCH
BLOOMS, BILLETS OR BARS
SAFETY SHIELDS
BLOWPIPE CUTTING HEADS
REFRACTORY METAL-EXTRACTING MEANS

### FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

#### DIGESTS

DIG 1 REPAIR OR RESTORATION OF APPARATUS