

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	267 00:00:00	31				VGR-31 OWLT IS 08H 57M 38S					1L
2	267 00:00:00	32				VGR-32 OWLT IS 06H 52M 40S					2L
3	267 01:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6993 (D/L ONLY)					2DP
4	267 01:40:51	32	10RISE			10 DEGREE RISE DSC-10					2V
5	267 01:45:18	32	40RISE			10 DEGREE RISE DSC-40					2V
6	267 02:08:46	31	40RISE			10 DEGREE RISE DSC-40					1V
7	267 04:06:16	32	10 SET			10 DEGREE SET DSC-10					2V
8	267 06:08:29	31	10 SET			10 DEGREE SET DSC-10					1V
9	267 06:10:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6977					1DP
10	267 07:00:00	32	42 AOS	OPCH ACE		AOS DSS-42 PASS-6993 (D/L ONLY)					2DP
11	267 07:15:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6993					2DP
12	267 11:06:17	31	60RISE			10 DEGREE RISE DSC-60					1V
13	267 11:13:28	31	40 SET			10 DEGREE SET DSC-40					1V
14	267 12:00:00	31				VGR-31 OWLT IS 08H 57M 43S					1L
15	267 12:00:00	32				VGR-32 OWLT IS 06H 52M 46S					2L
16	267 15:40:00	32	42 LOS	OPCH ACE		LOS DSS-42 PASS-6993					2DP
17	267 15:50:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6977 (U/L PASS)					1DP
18	267 15:55:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6993 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
19	267 16:32:45	32	40 SET			10 DEGREE SET DSC-40					2V
20	267 16:55:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6993					2DP
21	267 18:38:52	31	10RISE			10 DEGREE RISE DSC-10					1V
22	267 19:00:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6977					1DP
23	267 19:00:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6978 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	267 22:14:48	31	60 SET			10 DEGREE SET DSC-60					1V
25	268 00:00:00	31				VGR-31 OWLT IS 08H 57M 49S					1L
26	268 00:00:00	32				VGR-32 OWLT IS 06H 52M 52S					2L
27	268 01:36:52	32	10RISE			10 DEGREE RISE DSC-10					2V
28	268 01:41:22	32	40RISE			10 DEGREE RISE DSC-40					2V
29	268 02:04:50	31	40RISE			10 DEGREE RISE DSC-40					1V
30	268 04:02:20	32	10 SET			10 DEGREE SET DSC-10					2V
31	268 06:04:34	31	10 SET			10 DEGREE SET DSC-10					1V
32	268 06:10:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6978					1DP
33	268 10:00:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6994 (D/L ONLY)					2DP
34	268 11:02:24	31	60RISE			10 DEGREE RISE DSC-60					1V
35	268 11:05:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6978 (D/L ONLY)					1DP
36	268 11:09:36	31	40 SET			10 DEGREE SET DSC-40					1V
37	268 12:00:00	31				VGR-31 OWLT IS 08H 57M 55S					1L
38	268 12:00:00	32				VGR-32 OWLT IS 06H 52M 58S					2L
39	268 16:28:48	32	40 SET			10 DEGREE SET DSC-40					2V
40	268 16:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6994					2DP
41	268 18:34:59	31	10RISE			10 DEGREE RISE DSC-10					1V
42	268 22:10:56	31	60 SET			10 DEGREE SET DSC-60					1V
43	268 22:25:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6978					1DP
44	269 00:00:00	31				VGR-31 OWLT IS 08H 58M 01S					1L
45	269 00:00:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6979 (D/L ONLY)					1DP
46	269 00:00:00	32				VGR-32 OWLT IS 06H 53M 04S					2L

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
47	269 01:32:53	32	10RISE			10 DEGREE RISE DSC-10					2V
48	269 01:37:25	32	40RISE			10 DEGREE RISE DSC-40					2V
49	269 01:50:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-6995 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
50	269 02:00:54	31	40RISE			10 DEGREE RISE DSC-40					1V
51	269 03:58:25	32	10 SET			10 DEGREE SET DSC-10					2V
52	269 04:07:11	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESF
53	269 04:07:11	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
54	269 04:07:59	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESF
55	269 04:07:59	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
56	269 04:11:23	32				BEGIN PWSREC			23485:57:001F	96-268/21:15:59	2T
57	269 04:11:23	32				B- DRGS4B			23485:57:001F	96-268/21:15:59	2TB
58	269 04:11:23	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		23485:57:009F	96-268/21:16:00	2ECF
59	269 04:12:07	32				BEGIN RECORDING PWS DATA			23485:57:734F	96-268/21:16:43	2T
60	269 04:12:07	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		23485:57:734F	96-268/21:16:43	2ECd
61	269 04:12:07	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:1 TIC:0848	DTR		23485:57:734F	96-268/21:16:43	2ESd

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
62	269 04:12:11	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	23485:58:001F	96-268/21:16:47	2ESf
63	269 04:12:11	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		23485:58:001F	96-268/21:16:47	2ECs
64	269 04:12:12	32				B- DRCRUS			23485:58:018F	96-268/21:16:48	2TB
65	269 04:12:12	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		23485:58:025F	96-268/21:16:49	2ECf
66	269 04:12:59	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	23485:59:001F	96-268/21:17:35	2ESf
67	269 04:12:59	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		23485:59:001F	96-268/21:17:35	2ECd
68	269 04:12:59	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:1139	DTR		23485:59:001F	96-268/21:17:35	2ESd
69	269 04:12:59	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		23485:59:002F	96-268/21:17:35	2ECs
70	269 04:13:00	32				END PWSREC			23485:59:018F	96-268/21:17:36	2T
71	269 04:40:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6995 (D/L ONLY)					2DP
72	269 04:45:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-6995					2DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
73	269 04:47:15	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
74	269 04:47:15	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
75	269 04:48:03	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
76	269 04:48:03	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
77	269 04:50:39	31				BEGIN PWSREC.31			29629:09:001F	268 19:52:35.945	1T
78	269 04:50:39	31			SC32AJ	(10) PLS CONFIG CMD	FDS		29629:09:009F	268 19:52:36.419	1ECf
79	269 04:51:27	31				B- DRGS4B			29629:10:001F	268 19:53:23.945	1TB
80	269 04:51:27	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		29629:10:009F	268 19:53:24.419	1ECf
81	269 04:52:11	31				BEGIN RECORDING PWS DATA			29629:10:734F	268 19:54:07.945	1T
82	269 04:52:11	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		29629:10:734F	268 19:54:07.966	1ECd
83	269 04:52:11	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:1446	DTR		29629:10:734F	268 19:54:07.966	1ESd
84	269 04:52:15	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	29629:11:001F	268 19:54:11.939	1ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
85	269 04:52:15	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		29629:11:002F	268 19:54:11.999	1ECs
86	269 04:52:16	31				B- DRCRUS			29629:11:018F	268 19:54:12.945	1TB
87	269 04:52:16	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		29629:11:026F	268 19:54:13.439	1ECF
88	269 04:53:03	31		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	29629:12:001F	268 19:54:59.939	1ESf
89	269 04:53:03	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		29629:12:001F	268 19:54:59.972	1ECD
90	269 04:53:03	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:1738	DTR		29629:12:001F	268 19:54:59.972	1ESd
91	269 04:53:03	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		29629:12:002F	268 19:55:00.028	1ECs
92	269 04:53:51	31			SC32AJ	(11) PLS CONFIG CMD	FDS		29629:13:009F	268 19:55:48.419	1ECf
93	269 04:53:52	31				END PWSREC.31			29629:13:018F	268 19:55:48.945	1T
94	269 05:37:35	32		ACE	OPCH	>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
95	269 05:37:35	32		ACE	OPCH	>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
96	269 05:37:47	32				BEGIN PMPCALLR			23487:45:001F	96-268/22:42:23	2T

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
97	269 05:37:47	32				INITIATE PMPICAL CYCLIC			23487:45:001F	96-268/22:42:23	2T
98	269 05:37:47	32				PMPICAL LOOPS=27D22H24M 13 TIMES			23487:45:001F	96-268/22:42:23	2T
99	269 05:41:47	32				B- DRRCR5T			23487:50:001F	96-268/22:46:23	2TB
100	269 05:41:47	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		23487:50:008F	96-268/22:46:24	2ECf
101	269 05:42:35	32		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	23487:51:001F	96-268/22:47:11	2ESf
102	269 05:42:35	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		23487:51:001F	96-268/22:47:11	2ECs
103	269 05:45:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6979 (D/L ONLY)					1DP
104	269 05:48:59	32			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		23487:59:008F	96-268/22:53:36	2ECf
105	269 05:49:47	32				BEGIN PLS/MAG/PESCAL			23488:00:001F	96-268/22:54:23	2T
106	269 06:00:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6979					1DP
107	269 06:00:38	31	10	SET		10 DEGREE SET DSC-10					1V
108	269 07:32:12	32				END PLSCAL			23490:08:001F	96-269/00:36:47	2T
109	269 08:45:53	31			AC7SSB	(3 +022) SS BIAS CONTROL - PITCH	AACS		29634:03:003F	268 23:47:48.061	1ECa
110	269 08:52:13	32				END MAGCAL			23491:48:001F	96-269/01:56:47	2T
111	269 09:05:37	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
112	269 09:05:37	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
113	269 09:09:49	32				END PESCAL			23492:10:001F	96-269/02:14:23	2T
114	269 09:09:49	32				B- DRCRUS			23492:10:001F	96-269/02:14:23	2TB
115	269 09:09:49	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		23492:10:009F	96-269/02:14:24	2ECF
116	269 09:10:37	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	23492:11:001F	96-269/02:15:11	2ESF
117	269 09:10:37	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		23492:11:001F	96-269/02:15:11	2ECs
118	269 09:10:38	32				END PMPCALLR			23492:11:018F	96-269/02:15:12	2T
119	269 10:00:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6979					1DP
120	269 10:58:32	31	60RISE			10 DEGREE RISE DSC-60					1V
121	269 11:05:43	31	40 SET			10 DEGREE SET DSC-40					1V
122	269 12:00:00	31				VGR-31 OWLT IS 08H 58M 06S					1L
123	269 12:00:00	32				VGR-32 OWLT IS 06H 53M 10S					2L
124	269 13:30:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6979 (D/L ONLY)					1DP
125	269 16:24:51	32	40 SET			10 DEGREE SET DSC-40					2V
126	269 16:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6995					2DP
127	269 18:31:06	31	10RISE			10 DEGREE RISE DSC-10					1V



INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
128	269 22:07:04	31	60 SET			10 DEGREE SET DSC-60					1V
129	269 22:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6979					1DP
130	270 00:00:00	31				VGR-31 OWLT IS 08H 58M 12S					1L
131	270 00:00:00	32				VGR-32 OWLT IS 06H 53M 16S					2L
132	270 00:15:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6980 (D/L ONLY)					1DP
133	270 01:15:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6996 (D/L ONLY)					2DP
134	270 01:28:55	32	10RISE			10 DEGREE RISE DSC-10					2V
135	270 01:33:29	32	40RISE			10 DEGREE RISE DSC-40					2V
136	270 01:56:58	31	40RISE			10 DEGREE RISE DSC-40					1V
137	270 03:54:30	32	10 SET			10 DEGREE SET DSC-10					2V
138	270 05:55:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6980					1DP
139	270 05:56:42	31	10 SET			10 DEGREE SET DSC-10					1V
140	270 08:43:40	31			AC7SSB	(4 +141) SS BIAS CONTROL --- YAW	AACS		29664:00:002F	269 23:45:24.029	1ECa
141	270 10:15:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6996					2DP
142	270 10:54:39	31	60RISE			10 DEGREE RISE DSC-60					1V
143	270 11:00:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6980 (D/L ONLY)					1DP
144	270 11:01:51	31	40 SET			10 DEGREE SET DSC-40					1V
145	270 11:59:39	32			AC7SSB	(4 +193) SS BIAS CONTROL --- YAW	AACS		23525:42:003F	96-270/05:03:59	2ECa
146	270 12:00:00	31				VGR-31 OWLT IS 08H 58M 18S					1L
147	270 12:00:00	32				VGR-32 OWLT IS 06H 53M 22S					2L
148	270 15:45:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6996 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
149	270 16:20:53	32	40 SET			10 DEGREE SET DSC-40					2V
150	270 16:45:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6996					2DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
151	270 18:27:13	31	10RISE			10 DEGREE RISE DSC-10					1V
152	270 22:03:14	31	60 SET			10 DEGREE SET DSC-60					1V
153	270 22:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6980					1DP
154	270 22:30:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6981 (D/L ONLY)					1DP
155	271 00:00:00	31				VGR-31 OWLT IS 08H 58M 23S					1L
156	271 00:00:00	32				VGR-32 OWLT IS 06H 53M 28S					2L
157	271 01:00:00	32	24 AOS	OPCH ACE		AOS DSS-24 PASS-6997 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
158	271 01:24:56	32	10RISE			10 DEGREE RISE DSC-10					2V
159	271 01:29:33	32	40RISE			10 DEGREE RISE DSC-40					2V
160	271 01:53:03	31	40RISE			10 DEGREE RISE DSC-40					1V
161	271 03:50:35	32	10 SET			10 DEGREE SET DSC-10					2V
162	271 04:35:00	32	24 LOS	OPCH ACE		LOS DSS-24 PASS-6997					2DP
163	271 05:35:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6981 (D/L ONLY)					1DP
164	271 05:50:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6981					1DP
165	271 05:52:47	31	10 SET			10 DEGREE SET DSC-10					1V
166	271 07:00:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6997 (D/L ONLY)					2DP
167	271 09:55:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6981					1DP
168	271 10:40:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6981 (D/L ONLY)					1DP
169	271 10:50:47	31	60RISE			10 DEGREE RISE DSC-60					1V
170	271 10:57:58	31	40 SET			10 DEGREE SET DSC-40					1V
171	271 12:00:00	31				VGR-31 OWLT IS 08H 58M 29S					1L
172	271 12:00:00	32				VGR-32 OWLT IS 06H 53M 34S					2L
173	271 13:30:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6981					1DP

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
174	271 14:05:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6981 (U/L PASS)					1DP
175	271 16:16:56	32	40 SET			10 DEGREE SET DSC-40					2V
176	271 16:30:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6997					2DP
177	271 17:35:00	31	61	OPCH 61		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
178	271 17:35:00	31	61	OPCH 61		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
179	271 17:36:00	31	61	OPCH 61		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
180	271 17:37:00	31	61	OPCH 61		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
181	271 18:02:00	31	61	OPCH 61		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
182	271 18:23:20	31	10RISE			10 DEGREE RISE DSC-10					1V
183	271 18:40:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6981					1DP
184	271 18:40:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6982 (D/L ONLY)					1DP
185	271 18:59:08	31				B- UVSLEW			29706:49:001F	271 10:00:35.945	1TB
186	271 18:59:08	31				SLEW TO VW HYI			29706:49:001F	271 10:00:35.945	1T
187	271 18:59:08	31				B- PLATPOB			29706:49:001F	271 10:00:35.945	1TB

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
188	271 18:59:08	31			AC7SPL	(1 12 2 255 152) EL SLEW R=LOW	AACS		29706:49:003F	271 10:00:36.071	1ECa
189	271 18:59:08	31			AC7SPL	(2 12 1 255 153) AZ SLEW R=LOW	AACS		29706:49:004F	271 10:00:36.158	1ECa
190	271 18:59:26	31				B- SLEND			29706:49:301F	271 10:00:53.945	1TB
191	271 18:59:26	31			SLEWEND	AZ=303.044 EL=55.689 CO=59.673			29706:49:301F	271 10:00:53.945	1T
192	271 21:59:22	31	60	SET		10 DEGREE SET DSC-60					1V
193	272 00:00:00	31				VGR-31 OWLT IS 08H 58M 34S					1L
194	272 00:00:00	32				VGR-32 OWLT IS 06H 53M 40S					2L
195	272 01:10:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6998 (D/L ONLY)					2DP
196	272 01:20:58	32		10RISE		10 DEGREE RISE DSC-10					2V
197	272 01:25:36	32		40RISE		10 DEGREE RISE DSC-40					2V
198	272 01:49:07	31		40RISE		10 DEGREE RISE DSC-40					1V
199	272 03:46:41	32		10 SET		10 DEGREE SET DSC-10					2V
200	272 05:35:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6982 (D/L ONLY)					1DP
201	272 05:48:51	31		10 SET		10 DEGREE SET DSC-10					1V
202	272 05:50:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6982					1DP
203	272 09:50:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6982					1DP
204	272 10:46:55	31		60RISE		10 DEGREE RISE DSC-60					1V
205	272 10:50:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6982 (D/L ONLY)					1DP
206	272 10:54:06	31		40 SET		10 DEGREE SET DSC-40					1V
207	272 11:12:02	32			AC7SSB	(3 -021) SS BIAS CONTROL - PITCH	AACS		23584:42:002F	96-272/04:15:59	2ECa
208	272 11:56:04	31				B- RFSTLC			29728:00:001F	272 02:57:23.945	1TB
209	272 11:59:15	31	65		OPCH 65	== START TLC TEST DOWN-LINK ==					1TD

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
210	272 12:00:00	31				VGR-31 OWLT IS 08H 58M 40S					1L
211	272 12:00:00	32				VGR-32 OWLT IS 06H 53M 46S					2L
212	272 13:00:15	31	65	OPCH	65	== END TLC TEST DOWN-LINK ==					1TD
213	272 16:12:59	32	40	SET		10 DEGREE SET DSC-40					2V
214	272 16:25:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6998					2DP
215	272 18:19:28	31	10	RISE		10 DEGREE RISE DSC-10					1V
216	272 21:45:00	31	15	AOS	OPCH ACE	AOS DSS-15 PASS-6983 (D/L ONLY)					1DP
217	272 21:55:30	31	60	SET		10 DEGREE SET DSC-60					1V
218	272 22:00:00	31	65	LOS	OPCH ACE	LOS DSS-65 PASS-6982					1DP
219	273 00:00:00	31				VGR-31 OWLT IS 08H 58M 46S					1L
220	273 00:00:00	32				VGR-32 OWLT IS 06H 53M 52S					2L
221	273 01:05:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6999 (D/L ONLY)					2DP
222	273 01:16:59	32	10	RISE		10 DEGREE RISE DSC-10					2V
223	273 01:21:40	32	40	RISE		10 DEGREE RISE DSC-40					2V
224	273 01:45:11	31	40	RISE		10 DEGREE RISE DSC-40					1V
225	273 03:42:46	32	10	SET		10 DEGREE SET DSC-10					2V
226	273 05:44:56	31	10	SET		10 DEGREE SET DSC-10					1V
227	273 05:50:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6983					1DP
228	273 10:43:02	31	60	RISE		10 DEGREE RISE DSC-60					1V
229	273 10:45:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6983 (D/L ONLY)					1DP
230	273 10:50:14	31	40	SET		10 DEGREE SET DSC-40					1V
231	273 12:00:00	31				VGR-31 OWLT IS 08H 58M 51S					1L

INTEGRATED SEQUENCE FOR JST A023F JSX B026F WEEK 39 DOY 96-267/00:00 - 96-274/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
232	273 12:00:00	32				VGR-32 OWLT IS 06H 53M 58S					2L
233	273 16:09:03	32	40	SET		10 DEGREE SET DSC-40					2V
234	273 16:25:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6999					2DP
235	273 18:15:35	31		10RISE		10 DEGREE RISE DSC-10					1V
236	273 21:45:00	31	15	AOS	OPCH ACE	AOS DSS-15 PASS-6984 (D/L ONLY)					1DP
237	273 21:51:38	31	60	SET		10 DEGREE SET DSC-60					1V
238	273 22:00:00	31	65	LOS	OPCH ACE	LOS DSS-65 PASS-6983					1DP
239	274 00:00:00	31				VGR-31 OWLT IS 08H 58M 57S					1L
240	274 00:00:00	32				VGR-32 OWLT IS 06H 54M 04S					2L