

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
20	280 17:58:39	31	10RISE			10 DEGREE RISE DSC-10					1V
21	280 21:15:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-9188					1DP
22	280 21:59:59	31	60 SET			10 DEGREE SET DSC-60					1V
23	280 23:30:00	31	14 AO	OPCH ACE		AOS DSS-14 PASS-9189 (D/L ONLY)					1DP
24	281 00:00:00	31				VGR-31 OWLT IS 12H 00M 02S					1L
25	281 00:00:00	32				VGR-32 OWLT IS 09H 28M 00S					2L
26	281 00:31:02	32	40RISE			10 DEGREE RISE DSC-40					2V
27	281 01:24:16	31	40RISE			10 DEGREE RISE DSC-40					1V
28	281 05:25:00	31	14 LO	OPCH ACE		LOS DSS-14 PASS-9189					1DP
29	281 05:26:06	31	10 SET			10 DEGREE SET DSC-10					1V
30	281 08:00:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9205 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
31	281 10:22:06	31	60RISE			10 DEGREE RISE DSC-60					1V
32	281 10:31:25	31	40 SET			10 DEGREE SET DSC-40					1V
33	281 12:00:00	31				VGR-31 OWLT IS 12H 00M 08S					1L
34	281 12:00:00	32				VGR-32 OWLT IS 09H 28M 06S					2L
35	281 15:10:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-9205					2DP
36	281 16:36:42	32	40 SET			10 DEGREE SET DSC-40					2V
37	281 17:54:46	31	10RISE			10 DEGREE RISE DSC-10					1V
38	281 18:15:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-9189 (U/L PASS)					1DP
39	281 20:25:00	31	63	OPCH 63		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
67	282 03:05:38	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		30237:10:009F	02-281/15:05:24	1ECf
68	282 03:06:26	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	30237:11:001F	02-281/15:06:11	1ESf
69	282 03:06:26	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		30237:11:002F	02-281/15:06:11	1ECs
70	282 03:06:27	31				END PMPCALLR			30237:11:018F	02-281/15:06:12	1T
71	282 03:50:00	31	34	AO	OPCH ACE	AOS DSS-34 PASS-9190 (D/L ONLY)					1DP
72	282 04:10:00	31	14	LO	OPCH ACE	LOS DSS-14 PASS-9190					1DP
73	282 04:16:02	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
74	282 04:16:02	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
75	282 04:16:50	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
76	282 04:16:50	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
77	282 04:20:14	32				BEGIN PWSREC			24096:57:001F	02-281/18:51:59	2T
78	282 04:20:14	32				B- DRGS4B			24096:57:001F	02-281/18:51:59	2TB

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
79	282 04:20:14	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		24096:57:009F	02-281/18:52:00	2ECf
80	282 04:20:58	32				BEGIN RECORDING PWS DATA			24096:57:734F	02-281/18:52:43	2T
81	282 04:20:58	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		24096:57:735F	02-281/18:52:43	2ECd
82	282 04:20:58	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:1 TIC:1444	DTR		24096:57:735F	02-281/18:52:43	2ESd
83	282 04:21:02	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	24096:58:001F	02-281/18:52:47	2ESf
84	282 04:21:02	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		24096:58:002F	02-281/18:52:47	2ECs
85	282 04:21:03	32				B- DRCRUS			24096:58:018F	02-281/18:52:48	2TB
86	282 04:21:03	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		24096:58:025F	02-281/18:52:49	2ECf
87	282 04:21:50	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	24096:59:001F	02-281/18:53:35	2ESf
88	282 04:21:50	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		24096:59:001F	02-281/18:53:35	2ECd

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
103	282 05:30:23	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:5 TIC:2044	DTR		30240:10:735F	02-281/17:30:08	1ESd
104	282 05:30:27	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	30240:11:001F	02-281/17:30:11	1ESf
105	282 05:30:27	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		30240:11:002F	02-281/17:30:12	1ECs
106	282 05:30:28	31				B- DRCRUS			30240:11:018F	02-281/17:30:12	1TB
107	282 05:30:28	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		30240:11:026F	02-281/17:30:13	1ECf
108	282 05:31:16	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	30240:12:001F	02-281/17:30:59	1ESf
109	282 05:31:16	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		30240:12:002F	02-281/17:30:59	1ECs
110	282 05:31:16	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		30240:12:002F	02-281/17:31:00	1ECd
111	282 05:31:16	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:2337	DTR		30240:12:002F	02-281/17:31:00	1ESd

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
112	282 05:32:04	31			SC32AJ	(11) PLS CONFIG CMD	FDS		30240:13:010F	02-281/17:31:48	1ECf
113	282 05:32:05	31				END PWSREC.31			30240:13:018F	02-281/17:31:48	1T
114	282 07:50:00	31	34 LO	OPCH ACE		LOS DSS-34 PASS-9190					1DP
115	282 10:18:13	31	60RISE			10 DEGREE RISE DSC-60					1V
116	282 10:27:32	31	40 SET			10 DEGREE SET DSC-40					1V
117	282 11:25:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-9206					2DP
118	282 12:00:00	31				VGR-31 OWLT IS 12H 00M 18S					1L
119	282 12:00:00	32				VGR-32 OWLT IS 09H 28M 18S					2L
120	282 12:45:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9206 (D/L ONLY)					2DP
121	282 15:55:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-9206					2DP
122	282 16:32:45	32	40 SET			10 DEGREE SET DSC-40					2V
123	282 17:50:53	31	10RISE			10 DEGREE RISE DSC-10					1V
124	282 18:10:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-9190 (D/L ONLY)					1DP
125	282 20:20:58	31				B- RFSTLC			30258:44:001F	02-282/08:20:35	1TB
126	282 20:52:39	31	63	OPCH 63		== START TLC TEST DOWN-LINK ==					1TD
127	282 21:52:08	31	60 SET			10 DEGREE SET DSC-60					1V
128	282 21:53:39	31	63	OPCH 63		== END TLC TEST DOWN-LINK ==					1TD
129	282 22:00:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-9190					1DP
130	283 00:00:00	31				VGR-31 OWLT IS 12H 00M 24S					1L
131	283 00:00:00	32				VGR-32 OWLT IS 09H 28M 24S					2L
132	283 00:23:13	32	40RISE			10 DEGREE RISE DSC-40					2V

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
133	283 00:35:00	31	14 AO	OPCH ACE		AOS DSS-14 PASS-9191 (D/L ONLY)					1DP
134	283 01:16:25	31	40RISE			10 DEGREE RISE DSC-40					1V
135	283 03:02:01	32			AC7SSB	(4 +188) SS BIAS CONTROL --- YAW	AACS		24125:19:003F	02-282/17:33:35	2ECa
136	283 04:30:00	31	45 AO	OPCH ACE		AOS DSS-45 PASS-9191 (D/L ONLY)					1DP
137	283 04:35:00	31	14 LO	OPCH ACE		LOS DSS-14 PASS-9191					1DP
138	283 05:18:15	31	10 SET			10 DEGREE SET DSC-10					1V
139	283 06:45:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-9207 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
140	283 09:30:00	31	45 LO	OPCH ACE		LOS DSS-45 PASS-9191					1DP
141	283 10:14:20	31	60RISE			10 DEGREE RISE DSC-60					1V
142	283 10:23:39	31	40 SET			10 DEGREE SET DSC-40					1V
143	283 12:00:00	31				VGR-31 OWLT IS 12H 00M 29S					1L
144	283 12:00:00	32				VGR-32 OWLT IS 09H 28M 30S					2L
145	283 16:25:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-9207					2DP
146	283 16:28:47	32	40 SET			10 DEGREE SET DSC-40					2V
147	283 17:46:59	31	10RISE			10 DEGREE RISE DSC-10					1V
148	283 18:10:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-9191 (D/L ONLY)					1DP
149	283 20:45:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-9192 (D/L ONLY)					1DP
150	283 21:05:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-9191					1DP
151	283 21:48:12	31	60 SET			10 DEGREE SET DSC-60					1V
152	283 23:01:10	31			AC7SSB	(4 +147) SS BIAS CONTROL --- YAW	AACS		30292:04:003F	02-283/11:00:36	1ECa
153	284 00:00:00	31				VGR-31 OWLT IS 12H 00M 34S					1L
154	284 00:00:00	32				VGR-32 OWLT IS 09H 28M 36S					2L
155	284 00:19:19	32	40RISE			10 DEGREE RISE DSC-40					2V

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
156	284 01:12:30	31	40RISE			10 DEGREE RISE DSC-40					1V
157	284 01:15:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9208 (D/L ONLY)					2DP
158	284 04:25:00	31	25 LO	OPCH ACE		LOS DSS-25 PASS-9192					1DP
159	284 04:25:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-9208					2DP
160	284 05:14:20	31	10 SET			10 DEGREE SET DSC-10					1V
161	284 10:10:27	31	60RISE			10 DEGREE RISE DSC-60					1V
162	284 10:19:46	31	40 SET			10 DEGREE SET DSC-40					1V
163	284 11:15:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9208 (D/L ONLY)					2DP
164	284 12:00:00	31				VGR-31 OWLT IS 12H 00M 40S					1L
165	284 12:00:00	32				VGR-32 OWLT IS 09H 28M 41S					2L
166	284 15:15:41	31			AC7SSB	(3 +017) SS BIAS CONTROL - PITCH	AACS		30312:22:003F	02-284/03:15:00	1ECa
167	284 15:45:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-9208					2DP
168	284 16:24:50	32	40 SET			10 DEGREE SET DSC-40					2V
169	284 16:55:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-9192 (D/L ONLY)					1DP
170	284 17:43:06	31	10RISE			10 DEGREE RISE DSC-10					1V
171	284 21:00:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-9192					1DP
172	284 21:44:17	31	60 SET			10 DEGREE SET DSC-60					1V
173	284 23:30:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-9193 (D/L ONLY)					1DP
174	285 00:00:00	31				VGR-31 OWLT IS 12H 00M 45S					1L
175	285 00:00:00	32				VGR-32 OWLT IS 09H 28M 47S					2L
176	285 00:15:25	32	40RISE			10 DEGREE RISE DSC-40					2V
177	285 01:08:35	31	40RISE			10 DEGREE RISE DSC-40					1V
178	285 03:50:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-9209 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
194	285 11:28:38	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:2055	DTR		30337:38:002F	02-284/23:27:48	1ESd
195	285 11:29:26	31				AHELII PWSREC 16			30337:39:001F	02-284/23:28:35	1T
196	285 11:29:26	31				B- PWSREC.31			30337:39:001F	02-284/23:28:35	1TB
197	285 11:29:26	31				BEGIN PWSREC.31			30337:39:001F	02-284/23:28:35	1T
198	285 11:29:26	31			SC32AJ	(10) PLS CONFIG CMD	FDS		30337:39:009F	02-284/23:28:36	1ECf
199	285 11:30:14	31				B- DRGS4B			30337:40:001F	02-284/23:29:23	1TB
200	285 11:30:14	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		30337:40:009F	02-284/23:29:24	1ECf
201	285 11:30:58	31				BEGIN RECORDING PWS DATA			30337:40:734F	02-284/23:30:07	1T
202	285 11:30:58	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		30337:40:735F	02-284/23:30:08	1ECd
203	285 11:30:58	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:7 TIC:2055	DTR		30337:40:735F	02-284/23:30:08	1ESd
204	285 11:31:02	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	30337:41:001F	02-284/23:30:11	1ESf
205	285 11:31:02	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		30337:41:002F	02-284/23:30:12	1ECs
206	285 11:31:03	31				B- DRCRUS			30337:41:018F	02-284/23:30:12	1TB

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
207	285 11:31:03	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		30337:41:026F	02-284/23:30:13	1ECf
208	285 11:31:50	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	30337:42:001F	02-284/23:30:59	1ESf
209	285 11:31:50	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		30337:42:002F	02-284/23:31:00	1ECd
210	285 11:31:50	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:2348	DTR		30337:42:002F	02-284/23:31:00	1ESd
211	285 11:31:50	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		30337:42:002F	02-284/23:31:00	1ECs
212	285 11:32:38	31			SC32AJ	(11) PLS CONFIG CMD	FDS		30337:43:009F	02-284/23:31:48	1ECf
213	285 11:32:39	31				END PWSREC.31			30337:43:018F	02-284/23:31:48	1T
214	285 12:00:00	31				VGR-31 OWLT IS 12H 00M 50S					1L
215	285 12:00:00	32				VGR-32 OWLT IS 09H 28M 53S					2L
216	285 13:38:15	31			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		30340:20:002F	02-285/01:37:24	1ECd
217	285 13:38:15	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:2354	DTR		30340:20:002F	02-285/01:37:24	1ESd
218	285 13:38:45	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		30340:20:501F	02-285/01:37:53	1ECd

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
219	285 13:38:45	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:2343	DTR		30340:20:501F	02-285/01:37:53	1ESd
220	285 15:50:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-9209					2DP
221	285 16:20:52	32	40 SET			10 DEGREE SET DSC-40					2V
222	285 16:38:16	31			CC16C	(7015) DTR STATE SELECT: READY	DTR		30344:05:002F	02-285/04:37:24	1ECd
223	285 16:38:16	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:2343	DTR		30344:05:002F	02-285/04:37:24	1ESd
224	285 16:40:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-9193 (D/L ONLY)					1DP
225	285 17:39:13	31	10RISE			10 DEGREE RISE DSC-10					1V
226	285 21:40:22	31	60 SET			10 DEGREE SET DSC-60					1V
227	285 21:50:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-9193					1DP
228	286 00:00:00	31				VGR-31 OWLT IS 12H 00M 55S					1L
229	286 00:00:00	32				VGR-32 OWLT IS 09H 28M 59S					2L
230	286 00:11:31	32	40RISE			10 DEGREE RISE DSC-40					2V
231	286 00:20:00	31	14 AO	OPCH ACE		AOS DSS-14 PASS-9194 (D/L ONLY)					1DP
232	286 01:04:39	31	40RISE			10 DEGREE RISE DSC-40					1V
233	286 02:50:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-9210 (D/L ONLY)					2DP
234	286 04:55:00	31	45 AO	OPCH ACE		AOS DSS-45 PASS-9194 (D/L ONLY)					1DP
235	286 05:06:30	31	10 SET			10 DEGREE SET DSC-10					1V
236	286 05:15:00	31	14 LO	OPCH ACE		LOS DSS-14 PASS-9194					1DP
237	286 09:15:00	31	45 LO	OPCH ACE		LOS DSS-45 PASS-9194					1DP

INTEGRATED SEQUENCE FOR JST A044F JSX B117F WEEK 41 DOY 02-280/00:00 - 02-287/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
238	286 10:02:41	31	60RISE			10 DEGREE RISE DSC-60					1V
239	286 10:12:00	31	40 SET			10 DEGREE SET DSC-40					1V
240	286 12:00:00	31				VGR-31 OWLT IS 12H 01M 01S					1L
241	286 12:00:00	32				VGR-32 OWLT IS 09H 29M 05S					2L
242	286 12:20:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-9210					2DP
243	286 16:05:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-9194 (D/L ONLY)					1DP
244	286 16:16:55	32	40 SET			10 DEGREE SET DSC-40					2V
245	286 17:35:20	31	10RISE			10 DEGREE RISE DSC-10					1V
246	286 20:50:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-9194					1DP
247	286 21:36:26	31	60 SET			10 DEGREE SET DSC-60					1V
248	287 00:00:00	31				VGR-31 OWLT IS 12H 01M 06S					1L
249	287 00:00:00	32				VGR-32 OWLT IS 09H 29M 11S					2L