Safety Attribute Inspection (SAI) Data Collection Tool 3.1.5 Carry-On Baggage Program (OP)

ELEMENT SUMMARY INFORMATION

Purpose of this Element (certificate holder's responsibility):

 To control the carriage and stowage of carry-on baggage and cargo in the passenger compartment.

Objective (FAA oversight):

- To determine if the certificate holder's Carry-On Baggage Program meets all applicable requirements of Title 14 of the Code of Federal Regulations (14 CFR) and FAA policies.
- To determine if the certificate holder's Carry-On Baggage Program incorporates the safety attributes.
- To identify any shortfalls in the certificate holder's Carry-On Baggage Program.

Specific Instructions:

•

• Intentionally left blank

SUPPLEMENTAL INFORMATION

Specific Regulatory Requirements (SRRs):

SRRs: 119.43(b) 119.43(b)(1) 119.43(b)(2) 119.43(c) 121.135(a)(1) 121.135(b)(1) 121.135(b)(2) 121.135(b)(3) 121.285(a) 121.285(c)(1) 121.285(c)(2) 121.285(c)(3) 121.285(c)(4) 121.285(c)(5) 121.285(d)(1) 121.285(d)(2) 121.285(d)(3) 121.285(d)(4) 121.285(d)(5) 121.285(d)(6) 121.285(d)(7) 121.589(a) 121.589(b) 121.589(c) 121.589(c)(1) 121.589(c)(2)

- SRRs:
 - 121.589(c)(3) 121.589(d) 121.589(f) 121.589(g)(1) 121.589(g)(2) 121.589(g)(3) 121.589(g)(4) A.011Approved Carry-On Baggage Program A.522q SFAR 106.3(a)(3)(i) SFAR 106.3(a)(3)(ii)

Related CFRs & FAA Policy/Guidance:

 Related CFRs: Intentionally left blank

• FAA Policy/Guidance:

FAA Order 8900.1, Volume 3, Chapter 18, Section 3 FAA Order 8900.1, Volume 3, Chapter 23, Section 4 FAA Order 8900.1, Volume 3, Chapter 32, Section 13 FAA Order 8900.1, Volume 3, Chapter 33, Section 6 FAA Order 8900.1, Volume 6, Chapter 2, Section 8 FAA Order 8900.1, Volume 6, Chapter 2, Section 9 AC 25-18 6.e.(1) AC 120-27E AC 121-24C AC 121-29B Preamble 121-84 107th Congress of the United States of America, Title 1, Aviation Security, S-1447-34, Section 122

SAI Section 1 - Procedures Attribute

Objective: Procedures, instructions, and information are

documented methods for accomplishing a process. The certificate holder's policies should establish their compliance posture. Policies may be stand-alone statements, or they may be imbedded within procedures, instructions, or information regarding a particular regulatory requirement. The questions in this section of the data collection tool (DCT) are designed to assist the inspector in determining if the certificate holder has documented or prescribed methods of accomplishing the process requirements that provide answers to the associated questions regarding who, what, when, where, and how. This section contains policy questions, procedural

questions, and instructional or informational questions pertaining to various types of certificate holder requirements such as actions, prohibitions, or resources (i.e., personnel, facilities, equipment, technical data, etc.).

Tas	Tasks				
	To meet this objective, the inspector must accomplish the following tasks:				
1.	Review the information listed in the Supplemental Information section of this DCT.				
2.	Review the duties and responsibilities for management and other personnel identified by the certificate holder who accomplish the Carry-On Baggage Program.				
3.	Review the certificate holder's Carry-On Baggage Program to ensure it contains policies, procedures, instructions, and information necessary for Personnel to perform their duties and responsibilities with a high degree of safety.				

Quest	tions	
	To meet this objective, the inspector must answer the following questions:	
1.	Does the certificate holder's Carry-On Baggage Program meet the specific regulatory and FAA policy requirements:	
1.1.	Does the certificate holder's program include instructions and information to prevent the boarding of carry-on baggage unless it has been scanned for size and amount in accordance with the approved Carry-On Baggage Program in the certificate holder's operations specifications?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.589(a); A.011Approved Carry-On Baggage Program <i>Related Design JTIs:</i>	
	1. Check that the certificate holder's manual contains instructions and information for personnel to not allow the boarding of carry-on baggage unless each passenger's baggage has been scanned to control the size and amount carried on board in accordance with an approved carry-on baggage program in its operations specifications.	
	Sources: 121.135(a)(1); 121.589(a) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
1.2.	Does the certificate holder's Carry-On Baggage Program include instructions and information to prohibit any passenger from boarding if his/her carry-on baggage exceeds the allowance prescribed in the Carry-On Baggage Program in the certificate holder's operations specifications?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.589(a); A.011Approved Carry-On Baggage Program	
	Related Design JTIs:	
	1. Check that the certificate holder's manual system has instructions and	

-		
	 information to its personnel to not allow a passenger to board an airplane if his/her carry-on baggage exceeds the baggage allowance size prescribed in the carry-on baggage program in its operations specifications. <i>Sources:</i> 121.135(a)(1); 121.589(a) <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP) Check that the certificate holder's manual system contains instructions and information to personnel to not allow a passenger to board the airplane if his/her carry-on baggage exceeds the baggage allowance prescribed in the carry-on baggage program in its operations specifications. <i>Sources:</i> 121.135(a)(1); 121.589(a) <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP) 	
1.3.	 Does the certificate holder's Carry-On Baggage Program include instructions and information to prohibit all passenger entry doors from being closed in preparation for taxi or pushback unless at least one required crewmember has verified that each article of baggage is stowed in accordance with 14 CFR part 121, sections 121.589 and 121.285(c) and (d)? SRRs: 121.135(a)(1); 121.589(b) <i>Related Design JTIs:</i> 1. Check that the certificate holder's manual contains instructions and information for personnel concerned to not allow all passenger entry doors of an airplane to be closed in preparation for taxi or pushback unless at least one required crewmember has verified that each article of baggage is stowed in accordance with 14 CFR 121.589 and 14 CFR 121.285(c) and 121.285(d). <i>Sources:</i> 121.135(a)(1); 121.589(b) <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	☐ Yes ☐ No, Explain
1.4.	 Does the certificate holder's Carry-On Baggage Program include instructions and information to prohibit an airplane from taking off or landing unless each article of baggage is stowed in accordance with 14 CFR part 121, sections 121.589(c)(1-3)? SRRs: 121.135(a)(1); 121.589(c)(1); 121.589(c)(2); 121.589(c)(3) <i>Related Design JTIs:</i> 1. Check that the certificate holder's manual system contains instructions and information to personnel to not allow an airplane to take off or land unless each article of baggage is stowed in a suitable closet or baggage or cargo stowage compartment placarded for its maximum weight and providing proper restraint for all baggage or cargo stowed within. Sources: 121.135(a)(1); 121.589(c)(1) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) 2. Check that the certificate holder's manual system contains instructions and information to personnel to not allow an airplane to take off or land unless each article of baggage is stowed in a suitable closet or baggage or cargo stowage compartment placarded for its maximum weight and providing proper restraint for all baggage or cargo stowed within. Sources: 121.135(a)(1); 121.589(c)(1) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) 2. Check that the certificate holder's manual system contains instructions and information to personnel to not allow an airplane to take off or land unless each article of baggage is stowed in a suitable closet or baggage compartment in a manner that does not hinder the possible use of any emergency equipment. Sources: 121.135(a)(1); 121.135(b)(12); 121.589(c)(1) 	☐ Yes ☐ No, Explain

	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	3. The certificate holder's manual system contains instructions and information to personnel to not allow an airplane to take off or land unless each article of baggage is stowed in accordance with 14 CFR Part 121.285(c) and (d).	
	<i>Sources:</i> 121.135(a)(1); 121.589(c)(2)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	 Check that the certificate holder's manual system contains instructions and information to personnel to not allow an airplane to take off or land unless each article of baggage is stowed under a passenger seat or meets stowage provisions of 121.589(c)(1) or 121.589(c)(2). Sources: 121.135(a)(1); 121.589(c)(3) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	
1.5.	Does the certificate holder's Carry-On Baggage Program include instructions and information to prohibit baggage, other than articles of loose clothing, from being placed in an overhead rack unless that rack is equipped with approved restraining devices or doors? SRRs: 121.135(a)(1); 121.589(d) <i>Related Design JTIs:</i>	☐ Yes ☐ No, Explain ☐ Not Applicable
	.	
	 Check that the certificate holder's manual system contains instructions and information to personnel that baggage, other than articles of loose clothing, may not be placed in an overhead rack unless that rack is equipped with approved restraining devices or doors. 	
	<i>Sources:</i> 121.135(a)(1); 121.589(d)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.6.	Does the certificate holder's Carry-On Baggage Program include information that baggage may only be stowed under a seat fitted with means to prevent the baggage from sliding as identified in 14 CFR part 121, section 121.589(f)?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.589(f)	
	Related Design JTIs:	
	 Check that the certificate holder's manual system has instructions and information to personnel that each passenger seat under which baggage is allowed to be stowed shall be fitted with a means to prevent articles of baggage stowed under it from sliding forward. In addition, each aisle seat shall be fitted with a means to prevent articles of baggage stowed under it from sliding sideward into the aisle under crash impacts severe enough to induce the ultimate inertia forces specified in the emergency landing condition regulations under which the airplane was type certificated. <i>Sources:</i> 121.135(a)(1); 121.589(f) <i>Interfaces:</i> 1.1.1(AW); 1.3.5(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	
1.7.	Does the certificate holder's Carry-On Baggage Program include instructions and information to allow flexible travel canes carried by blind individuals to be stowed in accordance with 14 CFR part 121, sections 121.589(g)(1-4)? SRRs: 121.135(a)(1); 121.589(g)(1); 121.589(g)(2); 121.589(g)(3);	☐ Yes ☐ No, Explain
	121.589(g)(4)	

	Related	d Design JTIs:	
	1.	Check that the certificate holder's manual system contains instructions and information to personnel to allow stowage of flexible travel canes carried by blind individuals (1) under any series of connected passenger seats in the same row, if the cane does not protrude into an aisle and if the cane is flat on the floor; or (2) between a non- emergency exit window seat and the fuselage, if the cane is flat on the floor; or (3) beneath any two non-emergency exit window seats, if the cane is flat on the floor; or (4) in accordance with any other method approved by the Administrator. <i>Sources:</i> 121.589(g)(1); 121.589(g)(2); 121.589(g)(3); 121.589(g)(4) <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.8.	and info passen 121.28	ne certificate holder's Carry-On Baggage Program include instructions ormation to allow cargo to be carried aft of a bulkhead or divider in any oger compartment in accordance with 14 CFR part 121, sections 5(c)(1-5)? 121.135(a)(1); 121.285(c)(1); 121.285(c)(2); 121.285(c)(3);	☐ Yes ☐ No, Explain ☐ Not Applicable
		5(c)(4); 121.285(c)(5)	
	Related	d Design JTIs:	
	1.	Check that the certificate holder's manual system contains instructions and information to personnel to allow cargo to be carried aft of a bulkhead or divider in any passenger compartment provided the cargo is restrained to the load factors in Sec. 25.561(b)(3) and it is properly secured by a safety belt or other tie-down having enough strength to eliminate the possibility of shifting under all normally anticipated flight and ground conditions.	
		Sources: 121.135(a)(1); 121.285(c)(1)	
		Interfaces: 1.1.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.6(OP)	
	2.	Check that the certificate holder's manual system contains instructions and information to personnel to allow cargo to be carried aft a bulkhead or divider in any passenger compartment provided the cargo is restrained to the load factors in Sec. 25.561(b)(3) and is packaged or covered in a manner to avoid possible injury to passengers and passenger compartment occupants.	
		Sources: 121.135(a)(1); 121.285(c)(2)	
	3.	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) Check that the certificate holder's manual system has instructions and information to personnel to allow cargo carried aft of a bulkhead or divider, in any passenger compartment, provided the cargo is restrained to the load factors and is loaded so it does not impose any load on seats or the floor structure that exceeds the load limitation for those components.	
		Sources: 121.135(a)(1); 121.285(c)(3)	
		Interfaces: 1.1.1(AW); 1.3.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	4.	Check that the certificate holder's manual system has instructions and information to personnel to allow cargo to be carried aft of a bulkhead or divider in any passenger compartment, provided the cargo is restrained to the load factors, and is loaded so its location does not restrict access to or use of any required emergency or regular exit, or the aisle in the passenger compartment.	

		urces: 121.135(a)(1); 121.285(c)(4)	
		erfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP)	
	info or d rest obs sigr mea	eck that the certificate holder's manual system has instructions and ormation to personnel to allow cargo to be carried aft of a bulkhead divider, in any passenger compartment, provided the cargo is trained to the load factors, and is loaded so its location does not ocure any passenger's view of the "seat belt" sign, "no smoking" n, or required exit sign, unless an auxiliary sign or other approved ans for proper notification of the passenger is provided.	
		urces: 121.135(a)(1); 121.285(c)(5)	
	Inte	erfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.8(OP); 4.2.4(OP)	
1.9.	and informa anywhere in sections 12	ertificate holder's Carry-On Baggage Program contain instructions ation to allow cargo, including carry-on baggage, to be carried in the passenger compartment in accordance with 14 CFR part 121, 1.285(d)(1-7)?	☐ Yes ☐ No, Explain ☐ Not Applicable
	121.285(d)(135(a)(1); 121.285(d)(1); 121.285(d)(2); 121.285(d)(3); 4); 121.285(d)(5); 121.285(d)(6); 121.285(d)(7)	
	Related Des	5	
	info be c cate carr on t mea carg eno norr bag turb	eck that the certificate holder's manual system has instructions and ormation to personnel to allow cargo, including carry-on baggage, to carried anywhere in the passenger compartment of a non-transport egory airplane, type certificated after December 31, 1964, if it is ried in an approved cargo rack, bin, or compartment installed in or the airplane. It may also be carried if it is secured by an approved ans, or if it is carried in accordance with each of the following: For go, it is properly secured by a safety belt or other tie-down, having bugh strength to eliminate the possibility of shifting under all mally anticipated flight and ground conditions, or for carry-on logage, it is restrained so as to prevent its movement during air bulence.	
	Sol	<i>urces:</i> 121.135(a)(1); 121.285(d)(1)	
	Inte	erfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.8(OP); 4.2.4(OP)	
	info be c cate carr on t and	eck that the certificate holder's manual system has instructions and irmation to personnel to allow cargo, including carry-on baggage, to carried anywhere in the passenger compartment of a non-transport egory airplane, type certificated after December 31, 1964, if it is ried in an approved cargo rack, bin, or compartment installed in or the airplane, if it is secured by an approved means, or if it is carried I is packaged or covered to avoid possible injury to occupants. <i>urces:</i> 121.135(a)(1); 121.285(d)(2)	
		erfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.8(OP); 4.2.4(OP)	
	3. Che info be c cate carr on t imp limit	eck that the certificate holder's manual system has instructions and irmation to personnel to allow cargo, including carry-on baggage, to carried anywhere in the passenger compartment of a non-transport egory airplane, type certificated after December 31, 1964, if it is ried in an approved cargo rack, bin, or compartment installed in or the airplane, if it is secured by an approved means, and does not loose any load on seats or in the floor structure that exceeds the load tation for those components.	
		urces: 121.135(a)(1); 121.285(d)(3)	
		erfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.8(OP); 4.2.4(OP)	
	4. Che	eck that the certificate holder's manual system has instructions and	

	5.	information to personnel to allow cargo, including carry-on baggage, to be carried anywhere in the passenger compartment of a non-transport category airplane, type certificated after December 31, 1964, if it is carried in an approved cargo rack, bin, or compartment installed in or on the airplane, if it is secured by an approved means, and is not located in a position that obstructs the access to, or use of, any required emergency or regular exit, or the use of the aisle between the crew and the passenger compartment. <i>Sources:</i> 121.135(a)(1); 121.285(d)(4) <i>Interfaces:</i> 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.8(OP) Check that the certificate holder's manual system has instructions and information to personnel to allow cargo, including carry-on baggage, to be carried anywhere in the passenger compartment of a non-transport category airplane, type certificated after December 31, 1964, if it is carried in an approved cargo rack, bin, or compartment installed in or on the airplane, if it is secured by an approved means and located in a position that does not obscure any passenger's view of the "seat belt" sign, "no smoking" sign or placard, or any required exit sign, unless an auxiliary sign or other approved means for proper notification of the passengers is provided. <i>Sources:</i> 121.135(a)(1); 121.285(d)(4) <i>Interfaces:</i> 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.8(OP) Check that the certificate holder's manual system has instructions and information of the approved means for proper notification of the passengers is provided.	
		information to personnel to allow cargo, including carry-on baggage, to be carried anywhere in the passenger compartment of a non-transport category airplane, type certificated after December 31, 1964, if it is carried in an approved cargo rack, bin, or compartment installed in or on the airplane, if it is secured by an approved means, and is not carried directly above seated occupants. <i>Sources:</i> 121.135(a)(1); 121.285(d)(5)	
		Interfaces: 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.8(OP)	
	7.	Check that the certificate holder's manual system has instructions and information to personnel to allow cargo, including carry-on baggage, to be carried anywhere in the passenger compartment of a non-transport category airplane, type certificated after December 31, 1964, if it is carried in an approved cargo rack, bin, or compartment installed in or on the airplane, if it is secured by an approved means and is stowed in compliance with this section for take-off and landing. <i>Sources:</i> 121.135(a)(1); 121.285(d)(6) <i>Interfaces:</i> 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.8(OP)	
	8.	Check that the certificate holder's manual system has instructions and information to personnel that for cargo-only operations, cargo in passenger compartments must be loaded so that at least one emergency or regular exit is available to provide all occupants of the airplane a means of unobstructed exit from the airplane if an emergency occurs. Sources: 121.135(a)(1); 121.285(d)(7) Interfaces: 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.8(OP)	
1.10.	allow th	ne certificate Carry-on baggage Program have procedures in place to ne Aeromedical Evacuation Crew Members (AECMs) and flight ants to carry-on their personal baggage?	☐ Yes ☐ No, Explain ☐ Not Applicable
	SRRs:	A.522q	

1.11.	Do the certificate holder's Carry-on Baggage Program procedures for AECMs and flight attendants ensure: SRRs: A.522q	
1.11.1	That the personal baggage is contained by netting or in containers designed for that purpose? SRRs: 121.135(a)(1); A.522q	☐ Yes ☐ No, Explain ☐ Not Applicable
1.11.2	That the personal baggage is securely fastened in the cabin with tie-down straps during movement on the surface and during all phases of flight to prevent uncontrolled movement and not block emergency exits or escape paths at any time? SRRs: 121.135(a)(1); A.522q	☐ Yes ☐ No, Explain ☐ Not Applicable
1.12.	If the certificate holder permits passenger use of portable oxygen concentrators aboard the aircraft, does the certificate holder's Carry-On Baggage Program include instructions and information that comply with SFAR106, Section 3 (a)(3)(i) and (ii)? SRRs: SFAR 106.3(a)(3)(i); SFAR 106.3(a)(3)(ii)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.13.	 Does the certificate holder's Carry-On Baggage Program comply with the requirements of 107th Congress of the United States of America, title 1, Aviation Security, S-1447-34, section 122, regarding the current restriction on carry-on baggage of 1 bag and 1 personal item? <i>Related Design JTIs:</i> Check that the certificate holder's carry-on baggage program reflects the Federal Aviation Administration current restriction on carry-on baggage of 1 bag and 1 personal item. <i>Sources:</i> 107th, Congress of the United States of America, Title 1, Aviation Security, S-1447-34, Section 122, Sense of the Congress <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP) 	☐ Yes ☐ No, Explain
1.14.	 Does the certificate holder's Carry-On Baggage Program comply with the guidance contained in FAA Advisory Circular (AC) 25-18? <i>Related Design JTIs:</i> 1. Check that the certificate holder's manual system has instructions and information that in the case of a class A or B compartment, there must be sufficient accessibility to enable a crewmember to effectively reach any part of the compartment with the contents of a hand held extinguisher. "Effectively reach any part of the compartment of the compartment " basically means that the crewmember should be able to get close enough to fight a fire anywhere in the compartment without having to move or crawl over cargo. <i>Sources:</i> AC 25-18, Paragraph 6e(1) <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	☐ Yes ☐ No, Explain ☐ Not Applicable
1.15.	Does the certificate holder's Carry-On Baggage Program comply with the guidance contained in AC 120-27E?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.16.	 Does the certificate holder's Carry-On Baggage Program comply with the guidance contained in AC 121-24C? <i>Related Design JTIs:</i> Check that the certificate holder includes in the passenger safety 	☐ Yes ☐ No, Explain

		briefing a statement that FAA regulations require passenger	
		compliance with the lighted passenger information signs, posted placards and instructions of crewmembers.	
		Sources: AC 121-24C, Appendix 1, paragraph 1a(1)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.17.	Dooo th	a aartificata baldar'a Carry On Paggaga Program comply with the	Yes
1.17.	guidano	ne certificate holder's Carry-On Baggage Program comply with the ce contained in AC 121-29B?	No, Explain
		d Design JTIs:	
	1.	Check that the certificate holder's manual system contains procedures for personnel that passengers that may want to carry unusual or fragile items are responsible for ensuring that these items are securely packed to withstand normal handling.	
		Sources: AC 121-29B, Paragraph 4e(3)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	2.	Check that the certificate holder's manual system contains procedures how if the certificate holder cannot check, or stow an item in a manner that ensures the safety of the aircraft and its occupants, or the passenger believes that the item cannot be packed to withstand normal handling then the passenger will have to ship the item by some other means.	
		Sources: AC 212-29B, Paragraph 4e(3)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	3.	Check that the certificate holder's manual system defines "carry-on baggage" in the carry on baggage program.	
		Sources: AC 121-29B, Paragraph 4a	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.4(OP); 4.2.6(OP)	
	4.	Check that the certificate holder's manual system describes what they include in the term carry-on baggage. They should not include approved child restraint devices that are properly used during flight.	
		Sources: AC 121-29B, Paragraph 4a	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	5.	Check that the certificate holder's manual system describes in the carry-on baggage program how it will prevent passengers from bringing on board baggage that for any reason cannot be stowed properly. Specify which personnel are responsible for this part of the program. The program should include the following elements: The area of operation including terminal and scanning point facilities where employees will determine whether baggage should not be allowed on the aircraft.	
		Sources: AC 121-29B, Paragraph 4h(1), (2),(3) and (4)	
		<i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	6.	Check that the certificate holder's manual system describes in the carry-on baggage program the scanning facilities and locations including operations at facilities not normally used.	
		Sources: AC 121-29B, Paragraph 4h(2)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	

7.	Check in the certificate holder's manual system that the carry on baggage program includes the duties of personnel responsible for the scanning of carry-on baggage.	
	Sources: AC 121-29B, Paragraph 4h(3)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
8.	Check in the certificate holder's manual system that the carry-on baggage program includes how it will prevent passengers from bringing on board baggage that will exceed FAA approved weight limits of the stowage areas, cargo bins, and tie down areas.	
	Sources: AC 121-29B, Paragraph 4h(4)(a)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
9.	Check in the certificate holder's manual system that the number and size of items allowed to be brought on board is specified in the carry on baggage program.	
	Sources: AC 121-29B, Paragraph 4h(4)(b)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
10.	Check in the certificate holder's manual system that the carry-on baggage program includes the total space of the available stowage areas available on the aircraft.	
	Sources: AC 121-29B, Paragraph 4h(4)(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
11.	Check that certificate holder's manual system contains information about the carry-on program in the appropriate parts of the crewmember's manuals.	
	Sources: AC 121-29B, Paragraph 4j	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
12.	Check that the certificate holder's manual provides training to appropriate ground personnel and to all crewmembers regarding its approved carry-on baggage program. The training should include at least limitations, baggage scanning, processing of carry-on baggage you cannot accommodate in the passenger cabin, proper stowing of carry-on baggage, cargo and unusual items in the cabin, crew coordination, applicable passenger information, types and limits of stowage provisions, verification that carry-on is stowed so it does not hinder emergency equipment and how to handle carry-on during an emergency.	
	Sources: AC 121-29B, Paragraph 4k	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
13.	Check that the certificate holder's manual system has procedures for informing passengers and travel agents about the specific carry-on requirements of the flight. Provide passengers with information about procedures for accommodation special baggage prior to the flight and about the types of material they should not carry in their luggage such as hazardous materials.	
	Sources: AC 121-29B, Paragraph 4i	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	

14.	Check in the certificate holder's manual system that the carry-on baggage program does not compromise the FAA approved weight and balance program.	
	Sources: AC 121-29B, Paragraph 4c	
	Interfaces: 1.1.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
15.	Check that the certificate holder's manual system contains information that the carry-on baggage program should explain how carry-on baggage is stowed properly.	
	Sources: AC 121-29B, Paragraph 4d(1)	
	Interfaces: 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
16.	Check that the certificate holder's manual system contains instructions and information that proper stowage of carry-on baggage means it does not obstruct passenger movement to, from, or across the aisle.	
	Sources: AC 121-29B, Paragraph d(1)	
	Interfaces: 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
17.	Check that the certificate holder's manual system contains instructions that proper stowage of carry-on baggage includes that items stowed in overhead bins fit securely, and flight attendants can close the bins without using force.	
	Sources: AC 121-29B, Paragraph d(2)	
	Interfaces: 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
18.	Check that the certificate holder's manual system contains instructions how proper stowage includes that there is little chance of baggage and other articles falling out of overhead bins when the bin doors are opened.	
	Sources: AC 121-29B, Paragraph d(3)	
	Interfaces: 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
19.	Check that the certificate holder's manual system has procedures to task a specific crewmember, such as the lead flight attendant, with verifying proper stowage of all carry-on baggage.	
	Sources: AC 121-29B, Paragraph 4e	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
20.	Check that the certificate holder's manual system has procedures to ensure carry on baggage and cargo do not exceed the FAA-approved weight limitations or load limits for the specific place they are stowed, including the restraints used to secure them. Emphasize that flight attendants should not place items in overhead bins that exceed the bin weight limits and that they should be able to close the bins without using force. They should also make sure passengers do not overload the bins.	
	Sources: AC 121-29B, Paragraph 4e(1)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
21.	Check that the certificate holder's manual system contains instructions with a list of specific items passengers can carry inside the cabin and stow outside the specified carry on baggage compartments. Specify where flight attendants can stow these items, and how they should	
	restrain them to ensure they will not shift under emergency load conditions. Specify an approved weight limitation for each restraint or	

			1
		tie down area to ensure articles do not shift under specified load conditions.	
		Sources: AC 121-29B, Paragraph 4e(2)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	22.	Check that the certificate holder's manual system has procedures specifying how a crewmember will conduct a check of overhead bins and stowage areas, prior to door closure, that contain emergency equipment to ensure that no articles of carry-on baggage have been co-mingled with emergency equipment.	
		Sources: AC 121-29B, Paragraph 4f	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	23.	Check that the certificate holder's manual system has instructions and information that the carry on baggage program should explain how you will stow canes or other assist devices.	
		Sources: AC 121-29B, Paragraph 4g	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.18.	guidan	ne certificate holder's Carry-On Baggage Program comply with the ce contained in FAA Order 8900.1, Volume 3, Chapter 18?	☐ Yes ☐ No, Explain
		d Design JTIs:	
	1.	Check that the certificate holder's manual references a separate carry- on baggage document developed by the operator that describes the program in A011 of its ops specs.	
		<i>Sources:</i> FAA Order 8900.1, Vol 3, Ch 18, Sec 3, Para 3-736, Part A011	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.4(OP); 4.2.6(OP)	
1.19.	guidan	ne certificate holder's Carry-On Baggage Program comply with the ce contained in FAA Order 8900.1, Volume 3, Chapter 23?	☐ Yes ☐ No, Explain
		d Design JTIs:	
	1.	Check that the certificate holder's manual system has included on its safety briefing card that carry-on baggage should not be taken during an emergency evacuation.	
		Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 4, Para 3-1799A	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	2.	Check that the certificate holder's manual system has a method of flight attendants commanding passengers to "leave everything" during an evacuation.	
		Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 4, Para 3-1799B1	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	3.	Check that the certificate holder's manual system has instructions and information that during an emergency evacuation, when a passenger disregards a flight attendants command to leave every thing on an aircraft and approaches an exit while carrying a piece of carry-on baggage, the flight attendant should be prepared to take specific actions.	
		Sources: FAA Order 8900.1 Vol 3, Ch 23, Sec 4, Para 3-1799B1	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	4.	Check that certificate holder's manual system contains instructions and information to address the handling of carry-on baggage during an	

			· · · · · · · · · · · · · · · · · · ·
		evacuation includes: Taking the bag and throwing it in area to mitigate the specific effect it may have on the evacuation. Throw it out of the aircraft forward or aft of the evacuation slide. Throw it back into the cabin on empty seats.	
		Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 4, Para 3-1799B2	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	5.	Check that the certificate holder's manual system has instructions for crewmembers, that take into consideration the flight attendants location in the aircraft (floor level or overwing exit) as well as the hazards of piling up carry-on baggage in front of another exit or flight deck door, or throwing down the slide on top of passengers. Another consideration is the fact that a battle with a passenger over a piece of carry on baggage may be more detrimental to the rapid egress of the aircraft than allowing passengers to take it with them.	
		Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 4, Para 3-1799B2	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	6.	Check that the certificate holder's manual system has specific procedures in the appropriate crewmember manuals and training programs that address the handling of carry-on baggage during an emergency and provide their flight attendants with clear direction and guidance.	
		Sources: FAA Order 8900.1 Vol 3, Ch 23, Sec 4, Para 3-1799B1	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.20.		ne certificate holder's Carry-On Baggage Program comply with the ce contained in FAA Order 8900.1, Volume 3, Chapters 32 and 33?	☐ Yes ☐ No, Explain
	Related	d Design JTIs:	
	1.	Check that the certificate holder's manual contains procedures for stowage of cargo and baggage in passenger seats.	
		Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
		Interfaces: 1.1.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.6(OP)	
	2.	Check that the certificate holder's manual system contains procedures for the stowage of cargo and baggage in passenger seats if included in the certificate holder's carry on baggage program.	
		Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
		Interfaces: 1.1.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.6(OP)	
	3.	Check that if the certificate holder's carry-on baggage program allows the stowage of cargo in passenger seats, the manual system includes procedures on the types of cargo that may be restrained in the seat, and the location of the seats where it may be stowed.	
		Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
		Interfaces: 1.1.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.6(OP)	
	4.	Check that the certificate holder's manual system has instructions and information that carry on baggage may be stowed against a passenger class divider or bulkhead if both are stressed for inertia loads, and if it is restrained from shifting by FAA approved tie-down straps or cargo nets.	
1		Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	

	Interfaces: 1.1.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.6(OP)	
5.	Check that the certificate holder's manual system has procedures to ensure that FAA approved tiedown straps or cargo nets are used to stow carry on baggage against a passenger class divider or bulkhead.	
	Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
	Interfaces: 1.1.1(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.6(OP)	
6.	Check that the certificate holder's manual system includes procedures to ensure that the Principal Operations Inspector with coordination of AEG has approved the stowage of carry-on baggage against a bulkhead or divider.	
	Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
	Interfaces: 1.1.1(AW)	
7.	Check in the certificate holder's manual system that information is provided to personnel to not allow stowage of carry-on baggage or cargo in any manner which could hinder possible use of emergency equipment.	
	Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
8.	Check that the certificate holder's manual system contains procedures that if galley supplies or other cargo will be placed under a seat with a weight over 20 pounds, the container or restraint used must be FAA approved through a supplemental type certificate.	
	Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
	Interfaces: 1.1.1(AW)	
9.	Check that the certificate holder's manual system contains instructions and information to its personnel that operation of an airplane with carry-on baggage, cargo or trash stored in uncertified receptacles such as lavatories is contrary to FAR Sections 121.285 and 121.589 and contrary to the certification basis of the aircraft. If a receptacle in the cabin of the airplane including the lavatory is intended for the stowage of carry-on baggage, cargo or trash it must be shown to meet the applicable requirements of the aircraft certification basis. That would include the structural requirements pertaining to the restraint of the receptacles contents for flight and ground loading conditions, emergency landing load conditions, and the requirements pertaining to fire containment. The certification requirements are contained in Part 25 of the FAR.	
	Sources: FAA Order 8900.1, Vol 03, Ch 33, Sec 6, Para 3-3547	
	Interfaces: 1.1.1(AW); 1.3.5(AW); 1.3.7(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
10.	Check that certificate holder's manual system has instructions and information that when it utilizes or periodically utilizes company employees in the cabins of it aircraft for the purpose of conducting certain passenger service activities such as serving beverages, conducting customer relations, or selling tickets, they do not perform safety duties such as scanning, or verifying proper stowage of carry-on baggage.	
	Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 4, Para 3-3514	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
11.	Check that the certificate holder's manual system has procedures that following a completion of OE, the F/A trainees should participate in a	

		debriefing, including a discussion of the SAFETY duties they observed to include application of the carry-on baggage rule.	
		Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 05, Para 3-3531E	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	12.	Check that the certificate holder's manual system contains instructions to personnel to close and latch each overhead bin before all passenger doors are closed in preparation for taxi or pushback and before take-off and landing.	
		Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3547F6	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	13.	Check that the certificate holder's manual system contains instructions for personnel to close, latch or install each restraint device for each cargo compartment located in the aircraft cabin before all passenger doors are closed and before take-off and landing.	
		Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3547F6	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	14.	Check that the certificate holder's manual system contains instructions for personnel to remove all carry-on baggage that cannot be stowed properly in the passenger cabin, prior to closing all passenger entry doors in preparation for taxi or pushback, and re-loading it as checked luggage in the cargo compartment.	
		Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3547F6	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	15.	Check that the certificate holder's manual system, including the flight attendant manual, contains appropriate portions of the carry-on baggage program including: (1) Management during boarding of carry- on baggage, (2) Information that each piece of baggage must be properly stowed before the loading door is closed. This includes closing the overhead bin and cargo compartment doors, (3) Approved stowage areas for carry on baggage, (4) Crew Baggage stowage, (5) Stowage of canes, (6) Prohibition against stowage of trash or carry-ons in receptacles such as the lavatory or the cockpit, and (7) Prohibition against co-mingling articles with safety equipment.	
		<i>Sources:</i> FAA Order 8900.1, Vol 3, Ch 32, Sec 13, Para 3-3426, Fig 3- 124	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	16.	Check that the certificate holder's manual system has procedures specifying how food and beverage items brought on board by passengers are to be properly stowed.	
		Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3549	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
4.61			
1.21.	guidan	he certificate holder's Carry-On Baggage Program comply with the ce contained in FAA Order 8900.1, Volume 6, Chapter 2?	☐ Yes ☐ No, Explain
		d Design JTIs:	
	1.	Check that the certificate holder's manual system contains instructions and information to accommodate ASI's luggage. If there is concern that the baggage will exceed operator limitations, it should be checked. ASI identification (FAA Form 110-A and 8430-13) is adequate documentation for the operator to check the baggage.	
		uocumentation for the operator to check the bayyaye.	

	Sources: FAA Order 8900.1, Vol 6, Ch 2, Sec 8, Para 6-347	
	<i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	 Check that the certificate holder's manual system contains instructions for flight attendant/ground personnel to coordinate and supervise the boarding of passengers and proper stowing of carry-on baggage. Sources: FAA Order 8900.1, Vol 6, Ch 2, Sec 8, Para 6-352F4 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP) The certificate holder's manual system has procedures for 	
	crewmembers to check stowage of carry-on baggage prior to landing. Sources: FAA Order 8900.1, Vol 6, Ch 2, Sec 8, Para 6-352H Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.22.	 Does the certificate holder's Carry-On Baggage Program comply with the guidance contained in FAA Preamble 121-84? <i>Related Design JTIs:</i> 1. Check that the certificate holder's manual system provides information on the carriage of cargo include carry-on baggage. <i>Sources:</i> Preamble 121-84 <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.8(OP); 4.2.4(OP) 	☐ Yes ☐ No, Explain
1.23	Does the certificate holder's Carry-On Baggage Program contain the required references to, or excerpts from, operations specifications listed in the Supplemental Information section of this safety attribute inspection (SAI)? SRRs: 119.43(b); A.011Approved Carry-On Baggage Program	☐ Yes ☐ No, Explain
1.24.	If the certificate holder's Carry-On Baggage Program includes excerpts from its operations specifications, are the excerpts clearly identified as part of the operations specifications? SRRs: 119.43(b)(1)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.25.	Does the certificate holder's Carry-On Baggage Program require compliance with operations specifications listed in the Supplemental Information section of this safety attribute inspection (SAI)? SRRs: 119.43(b)(2)	☐ Yes ☐ No, Explain
1.26.	Does the certificate holder's Carry-On Baggage Program contain a method for keeping all persons engaged in its operations informed of the provisions of operations specifications listed in the Supplemental Information section of this safety attribute inspection (SAI)? SRRs: 119.43(c)	☐ Yes ☐ No, Explain
2.	 Does the certificate holder's manual contain general policies for the Carry-On Baggage Program that comply with the SRRs? SRRs: 121.135(b)(1); 121.285(a); 121.589(a); 121.589(b); 121.589(c) <i>Related Design JTIs:</i> 1. Check that the certificate holder's manual contains a policy that the certificate holder will not allow the boarding of carry-on baggage unless each passenger's baggage has been scanned to control the size and amount carried on board in accordance with an approved carry-on baggage program in its operations specifications. 	☐ Yes ☐ No, Explain

Page 18 of 29

1			I
		<i>urces:</i> 121.135(b)(1); 121.589(a)	
		erfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 6(OP)	
	cer eac or c pro a m equ	eck that the certificate holder's manual contains a policy that the tificate holder will not allow an airplane to take off or land unless ch article of baggage is stowed: (1) In a suitable closet or baggage cargo stowage compartment placarded for its maximum weight and oviding proper restraint for all baggage or cargo stowed within, and in nanner that does not hinder the possible use of any emergency uipment; or (2) as provided in Sec.121.285(c) and (d); or, (3) under a ssenger seat.	
		<i>urces:</i> 121.135(b)(1); 121.589(c)(1); 121.589(c)(2); 121.589(c)(3) <i>erfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	cer to t req sto	eck that the certificate holder's manual contains a policy that the tificate holder will not allow all passenger entry doors of an airplane be closed in preparation for taxi and pushback unless at least one pured crewmember has verified that each article of baggage is wed in accordance with 14 CFR 121.589 and 121.285 (c) and 1.285(d).	
	So	<i>urces:</i> 121.135(b)(1); 121.589(b)	
	Inte	erfaces: 2.1.2(OP); 3.1.1(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
3.	Does the certificate holder's manual reference the appropriate Federal Aviation Regulations listed in the Supplemental Information section of this safety attribute inspection (SAI)? SRRs: 121.135(b)(3)		☐ Yes ☐ No, Explain
4.	Does the certificate holder's manual contain the duties and responsibilities for personnel who will accomplish the Carry-On Baggage Program? SRRs: 121.135(b)(2)		☐ Yes ☐ No, Explain
5.		ertificate holder's manual include instructions and information for o meet the requirements of the Carry-On Baggage Program? .135(a)(1)	☐ Yes ☐ No, Explain

Page 19 of 29

	SAI Section 1 - Procedures Attribute Drop-Down Menu
1.	No procedures, policy, instructions or information specified.
2.	Procedures or instructions and information do not identify (who, what, when, where, how).
3.	Procedures, policy or instructions and information do not comply with CFR.
4.	Procedures, policy or instructions and information do not comply with FAA policy and guidance.
5.	Procedures, policy or instructions and information do not comply with other documentation (e.g., manufacturer's data, Jeppesen's Charts, etc.).
6.	Procedures, policy or instructions and information unclear or incomplete.
7.	Documentation quality (e.g., unreadable or illegible).
8.	Procedures, policy or instructions and information inconsistent across Certificate Holder manuals (FOM - Flight Operations Manual to GMM - General Maintenance Manual, etc.).
9.	Procedures, policy or instructions and information inconsistent across media (e.g., paper, microfiche, electronic).
10.	Resource requirements incomplete (personnel, facilities, equipment, technical data).
11.	Other.

SAI Section 2 - Controls Attribute

Objective: Controls are checks and restraints designed into a process to ensure a desired result. The questions in this section of the DCT are designed to assist the inspector in determining if checks and restraints are designed into the process to ensure the desired result is achieved. Controls should be written into the system to ensure that the most important policies, procedures, or instructions and information will be followed.

Controls may be in the form of administrative controls, which are secondary or supplemental written procedures. Like written procedures, administrative controls also need to provide answers to questions regarding who, what, when, where, and how. Controls may also be in the form of engineered controls, such as automated features or mechanical actions or devices (i.e., safety devices, warning devices, etc.).

Tasks		
	To meet this objective, the inspector must accomplish the following tasks:	
1.	Review the control questions below.	
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the controls that it has documented.	

Questions			
	To meet this objective, the inspector must answer the following questions:		
1.	Are the following controls built into the Carry-On Baggage Program:		
1.1.	Is there a control or controls in place to ensure that all carry-on baggage is scanned for size and amount in accordance with the approved Carry-On Baggage Program in the certificate holder's operations specifications?	☐ Yes ☐ No, Explain	
1.2.	Is there a control or controls in place to ensure that, before closure of the boarding door, at least one required crewmember verifies that each article of carry-on baggage is stowed in accordance with the certificate holder's approved program?	☐ Yes ☐ No, Explain	
1.3.	Is there a control or controls in place to ensure that all carry-on baggage and cargo in the aircraft cabin is properly secured during movement on the surface, takeoff, and landing?	☐ Yes ☐ No, Explain	
1.4.	Is there a control or controls in place to ensure that all carry-on baggage and cargo is stowed and restrained in such a way that it does not restrict access to emergency equipment?	☐ Yes ☐ No, Explain	
1.5.	Is there a control or controls in place to ensure that all cabin compartment placard restrictions are met? (eg., weight, "soft articles only")	☐ Yes ☐ No, Explain	
1.6.	Is there a control or controls in place to ensure that any carry-on baggage that is removed from the cabin and placed in a cargo compartment is properly counted for correct determination of aircraft weight and balance?	☐ Yes ☐ No, Explain	
1.7.	Is there a control or controls in place to ensure that any cargo carried in the passenger cabin is properly restrained or packaged in accordance with the certificate holder's approved program?	☐ Yes ☐ No, Explain ☐ Not Applicable	

1.8.	Is there a control or controls in place to ensure carry-on baggage or cargo is stowed in such a way that it does not block exits or aisles?	☐ Yes ☐ No, Explain
1.9.	Is there a control or controls in place to ensure load limitations are met for seat and floor structures with regards to stowage of carry-on baggage and cargo?	☐ Yes ☐ No, Explain
1.10.	Is there a control or controls in place to ensure all carry-on baggage and cargo is stowed and restrained in such a way that it does not block the view of the seatbelt sign, no smoking sign or placard, or required exit signs?	☐ Yes ☐ No, Explain
1.11.	Is there a control or controls in place to ensure the certificate holder follows its approved Carry-On Baggage Program as listed in its operations specifications paragraph A011?	☐ Yes ☐ No, Explain
2.	Does the certificate holder have a documented method for assessing the impact of any changes made to the controls in the Carry-On Baggage Program?	☐ Yes ☐ No, Explain

SAI Section 2 - Controls Attribute Drop-Down Menu			
1.	No controls specified.		
2.	Documentation for the controls do not identify (who, what, when, where, how).		
3.	Controls incomplete.		
4.	Controls could be circumvented.		
5.	Controls could be unenforceable.		
6.	Resource requirements incomplete (personnel, facilities, equipment, technical data).		
7.	Other.		

SAI Section 3 - Process Measurement Attribute

Objective: Process measurements are used by the certificate holder to measure and assess its processes, to identify and correct problems or potential problems, and to make improvements to the processes. The questions in this section of the DCT are designed to assist the inspector in determining if the certificate holder measures or assesses information to identify, analyze, and document potential problems with the process. Process measurements are a certificate holder's internal evaluation or auditing of the most important policies, procedures, or instructions and information associated with an element.

To prevent the duplication of work, process measurements are most commonly addressed through a combination of auditing features contained in both the certificate holder's safety program/internal evaluation program (for operations and cabin safety-related issues) and the auditing function of the Continuous Analysis and Surveillance System (for airworthiness or maintenance/inspection-related issues). The director of safety and the quality assurance department often work together to accomplish this function for the certificate holder. This approach requires amendment of the safety program/internal evaluation program audit forms or checklists and the Continuous Analysis and Surveillance System audit forms or checklists to include the specific process measurements for each element.

Tas	Tasks			
	To meet this objective, the inspector must accomplish the following tasks:			
1.	Review the process measurement questions below.			
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the process measurements that it has documented.			

Questions			
	To meet this objective, the inspector must answer the following questions:		
1.	Does the certificate holder's Carry-On Baggage Program include the following process measurements:		
1.1.	Is there a process measurement or process measurements that would identify if all carry-on baggage was not scanned for size and amount in accordance with the approved Carry-On Baggage Program in the certificate holder's operations specifications?	☐ Yes ☐ No, Explain	
1.2.	Is there a process measurement or process measurements that would identify if, before closure of the boarding door, at least one required crewmember did not verify that each article of carry-on baggage was stowed in accordance with the certificate holder's approved program?	☐ Yes ☐ No, Explain	
1.3.	Is there a process measurement or process measurements that would identify if all carry-on baggage and cargo in the aircraft cabin was not properly secured during movement on the surface, takeoff, and landing?	☐ Yes ☐ No, Explain	
1.4.	Is there a process measurement or process measurements that would identify if all carry-on baggage and cargo was not stowed and restrained in such a way that it did not restrict access to emergency equipment?	☐ Yes ☐ No, Explain	
1.5.	Is there a process measurement or process measurements that would identify if cabin compartment placard restrictions were not met? (eg., weight, "soft articles	☐ Yes ☐ No, Explain	

	only")	
1.6.	Is there a process measurement or process measurements that would identify if any carry-on baggage that was removed from the cabin and placed in a cargo compartment was not properly counted for correct determination of aircraft weight and balance?	☐ Yes ☐ No, Explain
1.7.	Is there a process measurement or process measurements that would identify if any cargo carried in the passenger cabin was not properly restrained or packaged in accordance with the certificate holder's approved program?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.8.	Is there a process measurement or process measurements that would identify if carry-on baggage or cargo was stowed in such a way that it blocked exits or aisles?	☐ Yes ☐ No, Explain
1.9.	Is there a process measurement or process measurements that would identify if load limitations were not met for seat and floor structure with regards to stowage of carry-on baggage and cargo?	☐ Yes ☐ No, Explain
1.10.	Is there a process measurement or process measurements that would identify if all carry-on baggage and cargo was stowed and restrained in such a way that it blocked the view of the seatbelt sign, no smoking sign or placard, or required exit signs?	☐ Yes ☐ No, Explain
1.11.	Is there a process measurement or process measurements that would identify if the certificate holder did not follow its approved Carry-On Baggage Program as listed in its operations specifications paragraph A011?	☐ Yes ☐ No, Explain
2.	Is there a process measurement or process measurements that would reveal if the certificate holder's policy, procedures, instructions, and information were not followed?	☐ Yes ☐ No, Explain
3.	Does the certificate holder document its process measurement results?	☐ Yes ☐ No, Explain
4.	Does the certificate holder use its process measurement results to improve its programs?	☐ Yes ☐ No, Explain
5.	Does the organization that conducts the process measurements have direct access to the person with responsibility for the Carry-On Baggage Program?	☐ Yes ☐ No, Explain

SAI Section 3 - Process Measurement Attribute Drop-Down Menu

- 1. No process measurements specified.
- 2. Documentation for the process measurements does not identify (who, what, when, where, how).
- 3. Inability to identify negative findings.
- 4. No provisions for implementing corrective actions.
- 5. Ineffective follow-up to determine effectiveness of corrective actions.
- 6. Resources requirements (personnel, facilities, equipment, technical data).
- 7. Other.

SAI Section 4 - Interfaces Attribute

Objective: Interfaces are used by the certificate holder to identify and manage the interactions between processes. The questions in this section of the DCT are designed to assist the inspector in determining whether or not interactions between the policies, procedures, or instructions and information associated with other independent processes within the certificate holder's organization are documented. Written policies, procedures, or instructions and information that are interrelated and located in different areas within the certificate holder's system must be consistent and complement each other. For the interfaces to be effectively managed, the certificate holder's system should identify and document the interfaces.

Tasks		
	To meet this objective, the inspector must accomplish the following tasks:	
1.	Review the interfaces associated with the Carry-On Baggage Program that have been identified along with the individual questions in section 1, Procedures, of this DCT.	
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the interfaces that it has documented.	

Questions				
	To meet this objective, the inspector must answer the following questions:			
	Note: The design job task items (JTIs) displayed with the questions in section 1, Procedures, of this DCT identify potential interfaces (by element number) for this element.			
1.	Does the certificate holder's program properly address the interfaces that are identified along with the questions in section 1, Procedures, of this DCT?	☐ Yes ☐ No, Explain		
2.	Does the certificate holder document a method for assessing the impact of any changes to the associated interfaces within the Carry-On Baggage Program?	☐ Yes ☐ No, Explain		

SAI Section 4 - Interfaces Attribute Drop-Down Menu

- 1. No interfaces specified.
- 2. The following interfaces not identified within the Certificate Holder's manual system:
- 3. Interfaces listed are inaccurate.
- 4. Specific location of interfaces not identified within the manual system.
- 5. Other

SAI Section 5 - Management Responsibility & Authority Attributes

Objective: The questions in this section of the DCT address the responsibility and authority of the process. They are designed to assist the inspector in determining if there is a clearly identifiable, qualified, and knowledgeable person who is responsible for the process, is answerable for the quality of the process, and has the authority to establish and modify the process. (The person with the authority may or may not be the person with the responsibility.)

Tasks			
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Identify the person who has overall responsibility for the Carry-On Baggage Program.		
2.	Identify the person who has overall authority for the Carry-On Baggage Program.		
3.	Review the duties and responsibilities of the person(s) documented in the certificate holder's manual.		
4.	Review the appropriate organizational chart.		

Questions				
	To meet this objective, the inspector must answer the following questions:			
1.	Does the certificate holder clearly identify who is responsible for the quality of the Carry-On Baggage Program?	☐ Yes ☐ No, Explain Name/Title:		
2.	Does the certificate holder clearly identify who has authority to establish and modify the policies, procedures, instructions, and information for the Carry-On Baggage Program?	☐ Yes ☐ No, Explain Name/Title:		
3.	Does the certificate holder's manual include the duties and responsibilities of those who manage the work required by the Carry-On Baggage Program? SRRs: 121.135(b)(2)	☐ Yes ☐ No, Explain		
4.	Does the certificate holder's manual include instructions and information for those who manage the work required by the Carry-On Baggage Program? SRRs: 121.135(a)(1)	☐ Yes ☐ No, Explain		
5.	Does the certificate holder clearly and completely document the responsibility for this position?	☐ Yes ☐ No, Explain		
6.	Does the certificate holder clearly and completely document the authority for this position?	☐ Yes ☐ No, Explain		
7.	Does the certificate holder clearly and completely document its qualification standards for the person having responsibility for the Carry-On Baggage Program?	☐ Yes ☐ No, Explain		
8.	Does the certificate holder clearly and completely document its qualification standards for the person having authority to establish and modify the certificate holder's policies, procedures, instructions, and information for the Carry-On Baggage Program?	☐ Yes ☐ No, Explain		
9.	Does the certificate holder clearly and completely document the procedures for delegation of authority for the Carry-On Baggage Program?	☐ Yes ☐ No, Explain		

Page 29 of 29

SAI Section 5 - Management Responsibility & Authority Attributes Drop-Down Menu

- 1. Not documented.
- 2. Documentation unclear.
- 3. Documentation incomplete.
- 4. Other.