Electric Power Annual 2002

December 2003

Energy Information Administration
Office of Coal, Nuclear, Electric and Alternate Fuels
U.S. Department of Energy
Washington, DC 20585

This report is available on the Web at: http://www.eia.doe.gov/cneaf/electricity/epa/epa sum.html

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the U.S. Department of Energy. The information contained herein should be attributed to the Energy Information Administration and should not be construed as advocating or reflecting any policy of the Department of Energy or any other organization.

Contacts

Questions regarding this report may be directed to:

Energy Information Administration, EI-53

Electric Power Division U.S. Department of Energy 1000 Independence Avenue, S.W. Washington, D.C. 20585-0650

Questions of a general nature should be directed to:

Robert Schnapp (202/287-1787) Director, Electric Power Division e-mail: robert.schnapp@eia.doe.gov

Dr. Suraj P. Kanhouwa (202/287-1919) Chief, Electric Market Assessment e-mail: suraj.kanhouwa@eia.doe.gov

Contributions to this report were provided by the following employees of the Electric Power Division (fax number 202/287-1946):

Publication Coordinator:

Roger L. Sacquety (202/287-1745) e-mail: roger.sacquety@eia.doe.gov;

Lead Coordinators:

Elsie Bess (202/287-1730) e-mail: elsie.bess@eia.doe.gov;

Linda Bromley (202/287-1748) e-mail: linda.bromley@eia.doe.gov;

Dean Fennell (202/287-1744) e-mail: dean.fennell@eia.doe.gov; Generation

Melvin E. Johnson (202/287-1754) e-mail: melvin e.johnson@eia.doe.gov; Channele Carner (202/287-1928) e-mail: channele.carner@eia.doe.gov;

Capacity

Kenneth McClevey (202/287-1732) e-mail: kenneth.mcclevey@eia.doe.gov; Betty Williams (202/287-1927) e-mail: betty.williams@eia.doe.gov;

Demand, Capacity Resources, and Capacity Margins John Makens (202/287-1749) e-mail: john.makens@eia.doe.gov;

Fuel

Melvin E. Johnson (202/287-1754)
e-mail: melvin e.johnson@eia.doe.gov;
Channele Carner (202/287-1928)
e-mail: channele.carner@eia.doe.gov;
Stephen R. Scott (202/287-1737)
e-mail: stephen.scott@eia.doe.gov;
Rebecca A. McNerney (202/287-1913)
e-mail: rebecca.mcnerney@eia.doe.gov;

Emissions

Natalie Ko (202/287-1957) e-mail: natalie.ko@eia.doe.gov;

Trade

Rodney Dunn (202/287-1676) e-mail: rodney.dunn@eia.doe.gov;

Retail Customers, Sales, and Revenue Rodney Dunn (202/287-1676) e-mail: rodney.dunn@eia.doe.gov;

Revenue and Expense Statistics Karen McDaniel (202/287-1754) e-mail: karen.mcdaniel@eia.doe.gov;

Demand-Side Management Rodney Dunn (202/287-1676) e-mail: rodney.dunn@eia.doe.gov.

Quality

The Energy Information Administration is committed to quality products and quality service. To ensure that this report meets the highest standards for quality, please forward your comments or suggestions about this publication to Roger L. Sacquety at (202/287-1745), or Internet e-mail: roger.sacquety@eia.doe.gov.

For general inquiries about energy data, please contact the National Energy Information Center at (202/586-8800). Internet users may contact the center at: infoctr@eia.doe.gov.

Preface

The Electric Power Annual 2002 presents a summary of electric power industry statistics at the national level. The objective of the provide publication is to industry decisionmakers, government policymakers, and the general public with analysts, historical data that may be used in understanding U.S. electricity markets. The Electric Power Annual is prepared by the Electric Power Division; Office of Coal, Nuclear, Electric and Alternate Fuels; Energy Information Administration (EIA); U.S. Department of Energy.

In the private sector, the majority of the users of the *Electric Power Annual* are researchers, analysts, and individuals with policymaking and decision-making responsibilities in electricity companies or other energy concerns. Other users include financial and investment institutions, economic development organizations, special interest groups, lobbyists, electric power associations, and the news media.

In the public sector, users include the U.S. Congress, Federal government agencies, State governments and public service commissions, and local governments.

Data in this report can be used in analytic studies to evaluate new legislation and are used by analysts, researchers, statisticians, and other professionals with regulatory, policy, and program responsibilities for Federal, State, and local governments.

The *Electric Power Annual* presents an overview of the electric power industry in the United States and a summary of the key statistics for the reporting year. The chapters present information and data in each specific area: generation; capacity; demand, capacity resources, and capacity margins; fuel; emissions; trade; retail customers, sales, and revenue; revenue and expense statistics; and demand-side management. Monetary values in this publication are expressed in nominal terms.

Data published in the *Electric Power Annual* are compiled from seven surveys completed annually or monthly by electric utilities and other electric power producers and submitted to the EIA; and five surveys performed by other government organizations. The EIA forms are described in detail in the "Technical Notes."

Contents

Electric Power Industry 2002: Year in Review	
Chapter 1. Generation	9
Chapter 2. Capacity	13
Chapter 3. Demand, Capacity Resources, and Capacity Margins	19
Chapter 4. Fuel	25
Chapter 5. Emissions	31
Chapter 6. Trade	33
Chapter 7. Retail Customers, Sales, and Revenue	35
Chapter 8. Revenue and Expense Statistics	47
Chapter 9. Demand-Side Management	51
Appendix A. Technical Notes	57
Glossary	73

Tables

	Page	S
Table ES.	Electric Power Industry - Summary Statistics for the United States, 1991 through 2002	6
Chapter 1.	Generation	9
Table 1.1.	Net Generation by Energy Source by Type of Producer, 1991 through 2002	
Table 1.2.	Useful Thermal Output by Energy Source by Combined Heat and Power Producers, 1991 through 2002	12
Chapter 2.	Capacity	.13
Table 2.1.	Existing Net Summer Capacity by Energy Source and Producer Type, 1991 through 2002	14
Table 2.2.	Existing Capacity by Energy Source, 2002	
Table 2.3.	Existing Capacity by Producer Type, 2002	
Table 2.4.	Planned Nameplate Capacity Additions by Energy Source, 2003 through 2007	
Table 2.5.	Planned Capacity Additions by Energy Source, 2003-2007	
Table 2.6.	Capacity Additions and Retirements by Energy Source, 2002	.18
	Demand, Capacity Resources, and Capacity Margins	19
Table 3.1.	Noncoincident Peak Load, Actual and Projected by North American Electric Reliability Council Region, 1998 through 2007	.20
Table 3.2.	Net Internal Demand, Capacity Resources, and Capacity Margins by North American Electric Reliability Council Region, Summer, 1991 through 2002	.21
Table 3.3.	Net Internal Demand, Actual or Planned Capacity Resources, and Capacity Margins by North American Electric Reliability Council Region, Summer, 2002 through 2007	
Table 3.4.	Net Internal Demand, Actual or Planned Capacity Resources, and Capacity Margins by North American Electric Reliability Council Region, Winter, 2002 through 2007	
	Fuel	
Table 4.1.	Consumption of Fossil Fuels for Electricity Generation by Type of Power Producer, 1991 through 2002	26
Table 4.2.	Consumption of Fossil Fuels for Useful Thermal Output by Type of Combined Heat and Power Producers, 1991 through 2002	
Table 4.3.	Consumption of Fossil Fuels for Electricity Generation and for Useful Thermal Output, 1991 through 2002	
Table 4.4.	End-of-Year Stocks of Coal and Petroleum by Type of Producer, 1991 through 2002	
Table 4.5.	Receipts, Average Cost, and Quality of Fossil Fuels for the Electric Power Industry, 1991 through 2002	
Table 4.6.	Receipts and Quality of Coal Delivered for the Electric Power Industry, 1991 through 2002	
Table 4.7.	Average Quality of Fossil Fuels Burned by the Electric Power Industry, 1991 through 2002	.30
	Emissions	
Table 5.1.	Emissions, 1991 through 2002	.32
Table 5.2.	Number and Capacity of Fossil-Fueled Steam-Electric Generators with Environmental Equipment, 1991 through 2002	32
Table 5.3.	Average Flue Gas Desulfurization Costs, 1991 through 2002.	
Chanter 6.	Trade	.33
Table 6.1.	Electric Power Industry - Purchases, 1991 through 2002	
Table 6.2.	Electric Power Industry - Sales for Resale, 1991 through 2002	
Table 6.3.	Electric Power Industry - U.S. Electricity Imports from and Electricity Exports to Canada and Mexico, 1991 through 2002	
Chantar 7	Retail Customers, Sales, and Revenue	35
Table 7.1.	Number of Ultimate Customers Served by Sector, by Provider, 1991 through 2002.	.33 36
Table 7.1.	Retail Sales of Electricity to Ultimate Customers by Sector, by Provider, 1991 through 2002	
Table 7.3.	Revenue from Retail Sales of Electricity to Ultimate Customers by Sector, by Provider, 1991 through 2002	
Table 7.4.	Average Revenue per Kilowatthour from Retail Sales to Ultimate Customers by Sector, by Provider, 1991 through 2002	
Chanter 0	Revenue and Expense Statistics	
Table 8.1.	Revenue and Expense Statistics for Major U.S. Investor-Owned Electric Utilities, 1991 through 2002	
Table 8.1.	Average Operating Expenses for Major U.S. Investor-Owned Electric Utilities, 1991 through 2002	
Table 8.3.	Revenue and Expense Statistics for Major U.S. Publicly Owned Electric Utilities (With Generation Facilities), 1991	70
- 2010 0.0.	through 2002	49


Table 8.4.	Revenue and Expense Statistics for Major U.S. Publicly Owned Electric Utilities (Without Generation Facilities)	/ /
	1991 through 2002	
Table 8.5.	Revenue and Expense Statistics for U.S. Federally Owned Electric Utilities, 1991 through 2002	
Table 8.6.	Revenue and Expense Statistics for U.S. Cooperative Borrower Owned Electric Utilities, 1991 through 2002	50
	Demand-Side Management	
Table 9.1.	Demand-Side Management Actual Peak Load Reductions by Program Category, 1991 through 2002	
Table 9.2.	Demand-Side Management Program Annual Effects by Program Category, 1991 through 2002	
Table 9.3.	Demand-Side Management Program Incremental Effects by Program Category, 1991 through 2002	52
Table 9.4.	Demand-Side Management Program Annual Effects by Sector, 1991 through 2002	
Table 9.5.	Demand-Side Management Program Incremental Effects by Sector, 1991 through 2002	53
Table 9.6.	Demand-Side Management Program Energy Savings, 1991 through 2002	54
Table 9.7.	Demand-Side Management Program Direct and Indirect Costs, 1991 through 2002	54
Appendices		
Table A1.	Sulfur Dioxide, Nitrogen Oxide, and Carbon Dioxide Emission Factors	
Table A2.	Carbon Dioxide Emission Factors for Coal by Rank and State of Origin	72
Illustrati	ons	
Figure 1.1.	U.S. Electric Power Industry Net Generation by State, 2002.	11
Figure 2.1.	U.S. Electric Power Industry Existing Capacity by State, 2002	
Figure 7.1.	U.S. Electric Power Industry Total Ultimate Customers by State, 2002	37
Figure 7.2.	U.S. Electric Power Industry Total Retail Sales by State, 2002	39
Figure 7.3.	U.S. Electric Power Industry Total Revenues by State, 2002	
Figure 7.4.	U.S. Electric Power Industry Average Revenue per Kilowatthour by State, 2002	
Figure 7.5.	U.S. Electric Power Industry Residential Average Revenue per Kilowatthour by State, 2002	
Figure 7.5. Figure 7.6.	U.S. Electric Power Industry Residential Average Revenue per Kilowatthour by State, 2002	
Figure 7.7.	U.S. Electric Power Industry Industrial Average Revenue per Kilowatthour, 2002	40

Electric Power Industry 2002: Year in Review

Industry Profile

The electric power industry in the United States is composed of traditional electric utilities, and nontraditional participants, including energy service providers, power marketers, independent power producers (IPPs), and combined heat and power plants (CHPs). A utility is defined as a corporation, person, agency, authority, or other legal entity or instrumentality aligned with distribution facilities for delivery of electric energy for use primarily by the public. Electric utilities include investor-owned electric utilities, municipal and State utilities, Federal electric utilities, and rural electric cooperatives. In total, there are more than 3,100 electric utilities in the United States (Figure 1).

Figure 1: Composition of the Electric Utility Industry in the United States, 2002



Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

An independent power producer is an entity defined as a corporation, person, agency, authority, or other legal entity or instrumentality that owns or operates facilities whose primary business is to produce electricity for use by the public, is not generally aligned with distribution facilities, and is not an electric utility. Combined heat and power producers are plants designed to produce both heat and electricity from a single heat source. These types of electricity producers can be independent power producers or industrial or commercial establishments. As some independent power producers are combined heat and power producers, their information is shown in this report in the combined heat and power sector. There are approximately 2,800 unregulated independent power producers and combined heat and power plants in the United States.

Historically, most of the largest electric utilities have been vertically integrated investor-owned utility companies that provided generation, transmission, distribution, and retail energy services for all customers in a designated service territory. However, the industry has evolved to a more diverse structure, including in some regions a competitive market for power generation. As a result, there were 140 active energy service providers without distribution facilities at the end of 2002 (compared to 128 active energy service providers at the end of 2001). These energy service providers sold 5 percent of the 2002 retail sales.

Generation

In 2002, net generation of electricity resumed its historical path of almost continual growth (Figure 2). Total U.S. net generation of electricity in 2002 was 3,858 billion kilowatthours, 3.3 percent higher than in 2001. This contrasts with a generation decrease of 1.7 percent in 2001, only the second time in the past 50 years that net generation declined (due, in part, to economic conditions).


Because nuclear and coal units are typically operated as base load generators (the generating equipment normally operates to serve loads on an around-the-clock basis), they contribute a major share of electric generation. In 2002, coal plants accounted for 50 percent of generation and nuclear plants for 20 percent of generation, although coal and nuclear plants provide only 35 percent and 11 percent of total capacity, respectively.

In contrast, natural gas and petroleum units traditionally run in cycling (load-following) service or as peaking capacity for short periods of time to meet the highest daily loads. During the past few years, however, more base-load natural gas plants have been put into commercial operation. Currently, natural gas and petroleum plants account for only 20 percent of generation, although they make up over 41 percent of total capacity.

The independent power producers' share of net generation increased from 20.9 percent in 2001 to 24.8 percent in 2002, continuing the substantial increases that began in the late 1990s. This is a result of both new plant construction by independent producers and plant divestitures by investor-owned utilities. In contrast to electric-only independent power producers' production, net generation by combined heat and power producers has remained fairly constant from 1997 through 2002 at 8 to 9 percent of the total net generation.

1

Figure 2: Total Net Generation Compared to Total Retail Sales, 1991- 2002



Sources: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report," and Form EIA-906, "Power Plant Report."

Capacity

In 2002, total net summer generating capacity was 905 gigawatts, up 6.7 percent from 2001, which compares to a 4.5-percent increase between 2000 and 2001. Large increases in natural gas capacity, which increased by 36 percent to 172 gigawatts, drove most of the 2002 increase in capacity.

The total amount of U.S. coal-fired net summer capacity for 2002 (315 gigawatts, a 35-percent share), is almost twice the capacity for any other single energy source (Figure 3). However, most "dual fired" generating plants consume natural gas most of the time and use oil as a back-up source. When the aggregate capacity of these dual fired plants is added to the natural gas-only capacity, natural gas capable capacity has a 37-percent share of the total U.S. net summer capacity for 2002. Hydroelectric and nuclear each had an 11-percent share of the net summer capacity. The 2002 net summer capacity for "other renewables" fuel sources is dominated by biomass and municipal solid waste generating plants. Contributions by these sources increased by 4 percent (575 megawatts) over 2001.


Figure 3: Share of U.S. Net Summer Capacity by Energy 350 Sources, Year-End 2002 34.8% 300 250 200 19.0% 17.9% 150 11.0% 10.9% 100 50 1.9% 0

Note: Net Summer capacity of 0.2 percent from blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels is not included.

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

The aggregate annual capacity factor is an index that shows the average production by a group of generating facilities as a percent of the maximum possible production over the year. In 2002, the average capacity factor for all fuels was 48.7 percent. The average nuclear plant capacity factor was 90.3 percent (Figure 4) and the average coal plant capacity factor was 70.0 percent, consistent with base load operations. In contrast, gas and petroleum units had, respectively, average capacity factors of only 23.6 percent and 28.3 percent, reflecting load-following and peaking operations. Hydroelectric generators had an average capacity factor of 29.3 percent.

Figure 4: Average Capacity Factor by Energy Source, 2002




Source: Energy Information Administration, Form EIA-906, "Power Plant Report"

Demand, Capacity Resources, and Capacity Margins

Data on demand and capacity resources are submitted by each of the Regional Councils of the North American Electric Reliability Council (NERC). They provide available resources for planning purposes. Available Capacity Margin is defined as the difference between Available Resources (generating capacity less expected unavailable capacity) and Net Internal Demand (electricity demand less standby, direct control load management, and interruptible demand), expressed as a percent of Available Resources. This is the capacity available to cover random factors such as forecast (scheduled and unscheduled) outages of generating equipment, higher than expected demand, and weather extremes.

Summer capacity margins in the contiguous United States declined over the past 12 years by over 4 percentage points. The summer capacity margins increased 1.9 percentage points in 2002 to 16.4 percent, one of only 4 annual increases since 1991 (Figure 5). Overall, net internal demand increased 3.2 percentage points while capacity resources increased 5.6 percentage points in 2002.

Figure 5: Summer Capacity Margins, Contiguous U.S., 1991-2002



Source: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program Report."

According to NERC, capacity margins can drop, even in periods when substantial new net capacity additions are made, due to qualitative assumptions made by the NERC regions and their members concerning the actual reliability and availability of generating capacity. For example, 2002 drought-induced restrictions on hydroelectric generating capacity played a critical role in capacity margins in the Southeastern Electric Reliability Council. Another factor influencing the 2002 capacity margin estimates include then-prevailing concerns with the reliability of natural gas supplies.

Fuel


Consumption of coal for electricity generation in 2002 was up 1.5 percent from 2001, to 988 million short tons. Use of petroleum for electricity generation decreased 22.2 percent to 169 million barrels in 2002. Consumption of natural and other gases used for electricity generation increased 7.7 percent to 6.8 trillion cubic feet in 2002.

In 2002, the average cost of natural gas to electricity generators decreased 20.7 percent. Even with this sharp decline from 2001, natural gas prices remained significantly above the prices generally seen in the 1990s. Coal prices increased by 1.9 percent from 2001.

The year-to-date weighted average cost per million Btu was \$1.26 for coal, \$3.34 for petroleum, and \$3.56 for natural gas. The high price of spot market natural gas for much of the year may be one factor explaining why the percentage increase in generation from natural gas did not keep pace with the increase in capacity as many new natural gas-fired plants entered commercial operation during the year. Another reason is the timing of new units entering service, which occurred throughout the year.

The total consumption of these fuels and others resulted in the production of 3,858 billion kilowatthours (Figure 6). Approximately half of the total net generation, 1,933 billion kilowatthours, was produced by coal-fired generators. Nuclear and gasfired generation accounted for most of the balance with 20 and 18 percent, respectively, of the total net generation.

Figure 6: U.S. Net Generation by Energy Source, 2002



1 Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels resulting in net generation of 11,466 thousand megawatthours are not included.


An additional 5,714 thousand megawatthours, not shown here, were generated from "Other" energy sources.

Source: Energy Information Administration, Form EIA-906, "Power Plant Report."

Emissions

Electricity generators must adhere to rigorous environmental regulations in the United States, and plant owners have invested billions of dollars in emissions reduction technologies to meet these requirements. Nonetheless, fossil fuel combustion continues to be the largest single source of industrial air emissions according to the U. S. Environmental Protection Agency.¹

Carbon dioxide emissions from electricity generation have continued to rise steadily since 1991 resulting in a 25-percent increase in 2002 over 1991 levels (Figure 7). On the other hand, nitrogen oxides have decreased in the 1991-2002 time period, with 2002 levels 31 percent lower than they were in 1991. Despite yearly fluctuations, sulfur dioxide emissions were 32 percent less in 2002 than they were in 1991. Both sulfur dioxide and nitrogen oxides are capped by the Clean Air Act; there are no regulatory limits on carbon dioxide emissions.



Source: Calculations based on Energy Information Administration, Form EIA-906, "Power Plant Report."

Trade


Restructuring of the industry has dramatically increased trade in some parts of the country. In 2002, purchases by electric utilities moved against the recent trend, decreasing by 13 percent to 2,580 billion kilowatthours, compared to 2001 purchases of 2,976 billion kilowatthours. Nonetheless, purchases in 2002 were nearly double the 1991 level.


Retail Customers, Sales, and Revenues

Total retail sales in 2002 were 3,463 billion kilowatthours, up slightly from the 2001 level of 3,370 million megawatthours. This represents an increase of 2.8 percent.

Sales to all three major sectors increased from 2001 to 2002. Residential sales showed the highest increase at slightly over 5 percent. Commercial sales showed a 2-percent increase and industrial sales were up by just under 1 percent. The residential sector, at 1,267 million megawatthours, accounted for the largest share of total sales, 37 percent. The commercial sector was 32 percent and the industrial sector was 28 percent of total sales (Figure 8).

Figure 8: U.S. Total Electric Industry, Retail






Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

In 2002, annual revenues from sales to ultimate customers (retail sales) for the electric power industry increased by 1 percent to \$250 billion. Average revenue per kilowatthour, a measure of price which reflects the average cost to customers, was down by 2 percent to 7.21 cents per kWh (Figure 9).

Figure 9: U.S. Average Revenue by Sector, 2001 and 2002




Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

¹See the EPA website at http://www.epa.gov/ cleanenergy/impacts/impacts.htm#chart.

Revenue and Expense Statistics

In 2002, total electric utility revenues (sales to ultimate customers, sales for resale, and other electric income) once again surpassed \$300 billion, although total revenues declined by 15 percent (\$52 billion) compared to 2001 (Figure 10). Total revenue trends differed between the electric utility ownership classes. Investor-owned utilities (IOUs), by far the largest ownership category, had a large decrease in both total revenues and total operating expenses. IOU operating revenues were down by 18 percent to \$219 billion, while operating expenses decreased by 20 percent to \$189 billion. Transfer of revenues to Retail Energy Providers as a part of restructuring may partially explain this decline. Most of the decrease in expenses could be attributed to decreases in production and purchased power costs.

Figure 10: Revenue and Expense Statistics for Major Electric Utilities, 1991-2002



Sources: Energy Information Administration, Form EIA-412, "Annual Electric Industry Financial Report;" Federal Energy Regulatory Commission (FERC) Form 1, "Annual Report of Major Electric Utilities, Licensees and Others;" Rural Utilities Services (RUS) Form 7, "Financial and Statistical Report;" and RUS Form 12, "Operating Report-Financial."

Revenues for publicly owned utilities were down by 9 percent to \$44 billion, while expenses decreased by approximately 8 percent to \$39 billion. Most of this could be accounted for by the decreased purchase power costs from 2001 to 2002. The State agencies and municipalities in California alone had a \$3 billion


reduction in revenues from 2001 to 2002 due to lower wholesale prices.

Federal utility revenues decreased by 8 percent to \$11 billion, while operating expenses decreased by 13 percent to \$9 billion. Most stable were the financial results for cooperatively owned electric utilities (cooperatives). Cooperatives reported annual revenue increases of 4 percent to \$27 billion, with expenses increasing by only 3 percent to \$25 billion. The cooperatives' costs and revenues were largely insulated from market changes as a result of long-term contracts.

Demand-Side Management

In 2002, electricity providers reported total peak-load reductions from demand-side management (DSM) at 22,936 megawatts, which was an 8-percent decrease from the 24,955 megawatts reported in 2001 (Figure 11). Energy savings in 2002 were reported to be 54,075 megawatthours, which is a slight decrease from the 54,762 megawatthours reported in 2001. DSM spending stayed relatively flat at \$1.6 billion. There are a number of reasons for the decrease in DSM savings in 2002, including fluctuations in the weather and changes within the industry. In many States, electric utilities now pay for "public benefits programs" which are not reported under DSM.

Figure 11: Demand-Side Management Peak Load Reductions, 1991-2002



Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

Table ES. Electric Power Industry - Summary Statistics for the United States, 1991 through 2002

Table ES. Electric Power												
Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Net Generation (thousand megawatthou		R	1.066.265	1 001 007	1.072.516	1.045.016	1.705.106	1 700 426	1 (00 (04	1 (00 070	1.621.206	1.500.622
Coal ¹ Petroleum ²	1,933,130 94,567	1,903,956 ^R 124,880 ^R	1,966,265	1,881,087	1,873,516 128,800	92,555	81,411	74,554	1,690,694 105,901	1,690,070 112,788	1,621,206 100,154	1,590,623 119,752
Natural Gas	691,006	639,129 ^R	601,038	556,396	531,257	479,399	455,056	496,058	460,219	414,927	404,074	381,553
Other Gases ³	11,463	9.039 ^R	13 955	14,126	13,492	13,351	14,356	13,870	13,319	12,956	13,270	11,336
Nuclear	780,064	768.826 ^R 208.138 ^R	753,893	728,254	673,702	628,644	674,729	673,402	640,440	610,291	618,776	612,565
Hydroelectric ⁴ Other Renewables ⁵	255,586	208,138 ^R	270,034	313,439	318,868	352,413	344,074	308,108	256,748	276,458	248,911	284,453
Other Renewables ³	86,922	77,985 ^R	80,906	79,423	77,088	77,183	75,796	73,965	76,535	76,213	73,770	68,779
Other ⁶	5,714 3,858,452	4,690 ^R 3.736.644 ^R	4,794	4,024 3,694,810	3,571 3,620,295	3,612 3,492,172	3,571 3,444,188	4,104	3,667 3,247,522	3,487	3,720 3,083,882	4,739 3,073,799
All Energy Sources Net Summer Generating Capacity (mega		3.736.644	3,002,103	3,094,610	3,020,293	3,492,172	3,444,100	3,333,467	3,247,322	3,197,191	3,003,002	3,073,799
Coal ¹	315,350	314,230	315,114	315,496	315,786	313,624	313,382	311,386	311,415	310,148	309,372	307,438
Petroleum ² Only	38,213	39,714	35,890	35,587	40,399	43,202	43,585	43,708	42,695	44,019	45,642	47,296
Natural Gas Only	171,661	125,798	95,705	73,562	75,772	76,348	74,498	75,438	70,685	65,523	60,736	60,836
Dual Fired	162,289	153,482	149,833	146,039	130,399	129,384	128,570	121,958	123,110	120,157	118,913	113,725
Other Gases ³	2,008	1,670	2,342	1,909	1,520	1,525	1,664	1,661	2,093	1,931	2,069	2,103
Nuclear	98,657 99,727	98,159 98,580	97,860 98,881	97,411 98,958	97,070 98,669	99,716 98,725	100,784 97,548	99,515 99,948	99,148 99,249	99,041 98,557	98,985 95,962	99,589 94,450
Hydroelectric ⁴ Other fenewables ⁵	16,755	16,180	15,572	15,942	15,444	15,351	15,309	15,300	15,021	14,656	14,281	13,895
Other ⁶	641	440	523	1,023	810	774	550	550	550	550	545	539
All Energy Sources	905,301	848,254	811,719	785,927	775,868	778,649	775,890	769,463	763,967	754,582	746,507	739,870
Demand, Capacity Resources, and Capa			mer									
Net Internal Demand (megawatts)	696,376	674,833	680,941	653,857	638,086	618,389	602,438	589,860	578,640	565,041	554,462	547,946
Capacity Resources (megawatts)	833,380	788,990	808,054	765,744	744,670	737,855	730,376	727,481	711,583	705,360	697,432	692,337
Capacity Margins (percent)	16.4	14.5	15.7	14.6	14.3	16.2	17.5	18.9	18.7	19.9	20.5	20.9
Fuel												
Consumption of Fossil Fuels for Elect		eration										
Coal (thousand tons) 1	987,583	972,691 ^R _R	994,933	949,802	946,295	931,949	907,209	860,594	848,796	842,153	805,140	793,666
Petroleum (thousand barrels)	168,597	216,672 ^R 5,832,305 ^R	195,228	207,871	222,640	159,715	144,626	132,578	183,618	192,462 3.928.653	172,241 3.899.718	203,669
Natural Gas (millions of cubic feet) Other Gases (millions of cubic feet) 3	6,126,062 681,089	5,832,305 401,604R	551,355	5,321,984 600,070	5,081,384 503,292	4,564,770 519,581	4,312,458 998,556	4,737,871 844,741	4,367,148 727,389	758,648	716,587	3,764,778 616,179
Consumption of Fossil Fuels for There					,		770,330	077,/71	121,307	730,040	710,567	010,177
Coal (thousand tons) ¹	17,561	18.944 ^R		20,373	20,320	21,005	20,806	20,418	20,609	19,750	19,372	18,458
Petroleum (thousand barrels) ²	14,811	18,268 ^R		26,822	28,845	28,802	27,873	25,562	27,929	26,394	24,077	23,039
Natural Gas (millions of cubic feet)	860,019	898 286 ^R	985.263	982,958	949,106	868,569	865,774	834,382	784,015	733,584	717,860	663,963
Other Gases (millions of cubic feet) 3	463,026	480,180 ^R	902,345	873,137	841,769	839,718	809,558	654,799	793,898	831,806	849,446	750,704
Consumption of Fossil Fuels for Elect		eration au	ıd Useful	Thermal								
Coal (thousand tons) 1	1,005,144	991,635 ^R	1,015,398	970,175	966,615	952,955	928,015	881,012	869,405	861,904	824,512	812,124
Petroleum (thousand barrels) 2 Natural Gas (millions of cubic feet)	183,409 6,986,081	991,635 ^R 234,940 ^R 6,730,591 ^R	217,494	234,694 6,304,942	251,486	188,517	172,499 5,178,232	158,140	211,551	218,873	196,318	226,708 4,428,742
Other Gases (millions of cubic feet)	1,144,115	6,/30,591 071 074R	1,453,701	1,473,207	6,030,490 1,345,061	5,433,503 1,359,299	1,808,114	5,574,285 1,499,540	5,153,032 1,521,287	4,662,832 1,590,454	4,617,786 1,566,033	1,366,884
Stocks at Electricity Generators (year		9/1,8/4	1,433,701	1,475,207	1,545,001	1,337,277	1,000,114	1,77,570	1,321,207	1,370,737	1,500,055	1,500,004
Coal (thousand tons) ⁷	141,714	138,496 ^R	102,296 ^R	141,604 ^R	120,501	98,826	114,623	126,304	126,897	111,341	154,130	157,876
Petroleum (thousand barrels) ²	52,490	57.031 ^R	40,932 ^R	54,109 ^R	56,591	51,138	48,146	50,821	63,333	62,890	72,183	75,343
Receipts of Fuel at Electricity General		57,051	10,752	54,107		. ,	-, -		,	, , , , ,	. ,	, .
Coal (thousand tons) 1	884,287	762,815	790,274	908,232	929,448	880,588	862,701	826,860	831,929	769,152	775,963	769,923
Petroleum (thousand barrels) 2	120,851	124,618	108,272	145,939	181,276	128,749	113,678	89,908	149,258	154,144	147,825	172,051
Natural Gas (millions of cubic feet)	5,607,737			2,809,455	2,922,957	2,764,734	2,604,663	3,023,327	2,863,904	2,574,523	2,637,678	2,630,818
Cost of Fuel at Electricity Generators		r million _E	Stu) ⁸		,				,			
Coal ¹	125.5	123.2 ^R 369.3 ^R	120.0	121.6	125.2	127.3	128.9	131.8	135.5	138.5	141.2 R 27.4	144.7
Petroleum ² Natural Gas ⁹	334.3 356.0	369.3 ^R 448.7 ^R	417.9 ^I 430.2	235.9 ^F 257.4	202.1 ^F 238.1	273.0 ^I 276.0	302.6 ^I 264.1	256.6 ^F 198.4	242.3 ^F 223.0	237.3 ^I 256.0	251.4 ^F 232.8	252.7 ^F 215.3
Emissions (thousand metric tons)	330.0				230.1	2/0.0	204.1	190.4	223.0	230.0	232.0	213.3
Carbon Dioxide (CO ₂)	2,313,294	2 285 025R	2 327 868	2 222 525	2,209,983	2 123 263	2.058.980	1 985 162	1 970 581	1 945 346	1,865,680	1 851 086
Sulfur Dioxide (SO ₂)	9,941	2,285,035 ^R 10,339 ^R	10.678	11,791	12,534	12,484	12,125	11,469	13,721	14,246	14,337	14,604
Nitrogen Oxides (NO _X)	4,680	4.865 ^R	5,191	5,549	5,999	6,085	6,137	5,908	6,732	6,927	6,717	6,816
Trade (thousand megawatthours) ¹⁰												
Purchases ¹¹ Sales for Resale ¹¹	2,667	3,074 ^R	2,346	2,040	2,021	1,966	1,798	1,618	1,528	1,492	1,396	1,341
Sales for Resale ¹¹	2,747	2,893*	2,326	1,978	1,915	1,839	1,656	1,495	1,388	1,387	1,284	1,250
Electricity Imports and Exports (thousand		atthours)			_							
Imports	36,438	38,500 ^R _R	48,592 ^R	43.215 ^R 14.222 ^R	39,513 ^R 13,656 ^R	43,031	43,497	42,854	46,833	31,358	28,247	21,931
Exports	14,538	16,473 ^R	14,829	14,222 ^R	13,656 ^R	8,974	3,302	3,623	2,010	3,541	2,827	2,305
Retail Sales and Revenue Data – Bundle		oundled										
Number of Ultimate Customers (thousan												
Residential	116,448	114,318	111,718	110,383	109,048	107,066	105,343	103,917	102,321	100,860	99,513	98,296
Commercial	15,277	14,940	14,349	14,074	13,887	13,542	13,181	12,949	12,733	12,526	12,367	12,179
Industrial	595	574	527	553	540	563	586	581	584	553	548	518
Other ¹²	1,042 133,363	1,008 130,840	974 127,568	935 125,945	933 124,408	952 122,123	894 120,004	882 118,330	851 116,489	795 114,735	858 113,286	887 111,880
All Sectors	133,303	130,040	127,500	143,743	124,400	144,143	120,004	110,530	110,409	114,/33	113,200	111,000

See end of table for Notes and Sources.

Table ES. Electric Power Industry - Summary Statistics for the United States, 1991 through 2002 (Continued)

(Continued)	•					•	1					ı
Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Retail Sales and Revenue Data - Bundle	d and Unb	oundled (C	Continue	d)								
Sales to Ultimate Customers (thousand i	megawatth	iours)										
Residential	1,266,959	1,202,647	1,192,446	1,144,923	1,130,109	1,075,880	1,082,512	1,042,501	1,008,482	994,781	935,939	955,417
Commercial	1,116,248		1,055,232	1,001,996	979,401	928,633	887,445	862,685	820,269	794,573	761,271	765,664
Industrial	972,168		1,064,239	1,058,217		1,038,197	1,033,631	1,012,693	1,007,981	977,164	972,714	946,583
Other ¹²	107,146	113,756	109,496	106,952	103,518	102,901	97,539	95,407	97,830	94,944	93,442	94,339
All Sectors	3,462,521	3.369.781 ^R	3,421,414	3,312,087	3,264,231	3,145,610	3,101,127	3,013,287	2,934,563	2,861,462	2,763,365	2,762,003
Revenue From Ultimate Customers (mil												
Residential	107,229	103,671	98,209	93,483	93,360	90,704	90,503	87,610	84,552	82,814	76,848	76,828
Commercial	87,706	86,354	78,405	72,771	72,575	70,497	67,829	66,365	63,396	61,521	58,343	57,655
Industrial	47,485	48,573	49,369	46,846	47,050	47,023	47,536	47,175	48,069	47,357	46,993	45,737
Other ¹²	7,208	7,999	7,179	6,796	6,863	7,110	6,741	6,567	6,689	6,528	6,296	6,138
All Sectors	249,629	246,597	233,163	219,896	219,848	215,334	212,609	207,717	202,706	198,220	188,480	186,359
Average Revenue per Kilowatthour (cen		0.63	0.24	0.16	0.26	0.42	0.26	0.40	0.20	0.22	0.21	0.04
Residential	8.46 7.86	8.62 7.93	8.24 7.43	8.16 7.26	8.26 7.41	8.43 7.59	8.36	8.40 7.69	8.38 7.73	8.32 7.74	8.21 7.66	8.04 7.53
Commercial	4.88	7.93 5.04	4.64	4.43	4.48	4.53	7.64 4.60	4.66	4.77	4.85	4.83	4.83
Industrial Other ¹²	6.73	7.03	6.56	6.35	6.63	6.91	6.91	6.88	6.84	6.88	6.74	6.51
	7.21	7.32	6.81	6.64	6.74	6.85	6.86	6.89	6.91	6.93	6.82	6.75
All Sectors		7.32	0.61	0.04	0.74	0.83	0.80	0.89	0.91	0.93	0.82	0.73
Revenue and Expense Statistics (million	dollars)											
Major Investor Owned	210 200	267.525	225 226	214160	210 175	215.002	207.450	100.067	106 202	102 (20	105 103	100 451
Utility Operating Revenues	219,389	267,525	235,336	214,160	218,175	215,083	207,459	199,967	196,282	193,638	185,493	182,451
Utility Operating Expenses	188,745 30,644	235,198	210,324 25,012	182,258 31,902	186,498 31,677	182,796 32,286	173,920 33,539	165,321 34,646	164,207 32,074	161,908 31,730	153,682 31,811	150,362 32,089
Net Utility Operating Income		32,327	23,012	31,902	31,077	32,280	33,339	34,040	32,074	31,/30	31,611	32,089
Major Publicly Owned (with Generation			21.042	26.767	26.155	25.207	24.207	22.472	22.267	22.522	21.606	21.002
Operating Revenues	32,776 28,638	38,028	31,843	26,767	26,155 20,880	25,397 20.425	24,207 19.084	23,473 18.959	23,267 18.649	22,522 18.162	21,686 17,191	21,083 16.887
Operating Expenses Net Electric Operating Income	4,138	32,789 ^R 5,238 ^R	26,244 5,598	21,274 5,493	5,275	4,972	5,123	4,514	4,618	4,360	4,496	4,196
Major Publicly Owned (without Genera	4,130	5,238	3,396	3,493	3,273	4,972	3,123	4,314	4,016	4,300	4,490	4,190
Major rubiciy Owned (without Genera	11.546	10.417	9.904	9.354	8.790	8.586	8.582	0.425	7.996	7.522	7 247	7.120
Operating Revenues	10,703	9,820	9,904	9,334 8,737	8,790	8,033	8,123	8,435 7,979	7,567	7,523 7,063	7,247 6,844	6,860
Operating Expenses Net Electric Operating Income	843	597	549	617	545	552	459	457	429	460	404	260
	043	391	349	017	343	332	439	437	429	400	404	200
Major Federally Owned	11.470	12.450R	10.685	10.186	9.780	8.833	9.082	8.743	8.552	0 1 4 1	7.872	8.194
Operating Revenues	8,665	$12,458^{R}$ $10,013^{R}$	8,139	7,775	7,099	5,999	6,390	6,162	6,303	8,141 6,056	5,883	5,288
Operating Expenses	2,805	2,445 ^R	2,546	2,411	2,681	2.834	2.692	2,581	2,249	2,085	1.989	2,906
Net Electric Operating Income	2,003	2,445	2,340	4,411	2,001	2,034	2,092	2,361	2,249	2,003	1,709	2,700
Major Cooperative Borrower Owned	27.441	26,458 ^R	25 620	22 924	22.000	22 221	24.424	24 600	22 777	24 972	22 225	22.794
Operating Evenues	27,441 24,549	26,458 ^R 23,763 ^R	25,629 22,982	23,824 21,283	23,988 21,223	23,321 20,715	24,424 23,149	24,609 21,741	23,777 20,993	24,873 21,675	23,325 20,353	22,784 19,887
Operating Expenses Net Electric Operating Income	2,892	23,763 2.696 ^R	2,982	2,541	2,764	2,606	2,872	2,868	20,993	3,197	2,973	2,897
		2,696	2,047	2,341	2,704	2,000	2,072	2,008	2,784	3,197	2,973	2,097
Demand-Side Management (DSM) Data												
Actual Peak Load Reductions (megawat Total Actual Peak Load Reduction ¹⁵	22,936	24.955	22.901	26,455	27,231	25,284	29.893	29,561	25,001	23,069	17.204	15.619
		24,933	22,901	20,433	21,231	23,284	29,093	29,301	23,001	23,009	17,204	13,019
DSM Energy Savings (thousand megawa		52.046	52.027	40.601	40.775	55.452	50.053	55.220	40.720	41 110	21.770	31.4
Energy Efficiency	52,285 1,790	52,946	52,827 875	49,691 872	48,775 392	55,453 953	59,853	55,328	49,720	41,119	31,779	NA NA
Load Management	1,790	1,816	8/3	8/2	392	933	1,989	2,093	2,763	4,175	4,114	NΑ
DSM Cost (million dollars)	1.626		1 505	1.424	1 421	1.626	1.002	2.421	2716	2744	2 2 4 0	1.004
Total Cost ¹⁰	1,626	1,630	1,565	1,424	1,421	1,036	1,902	2,421	2,/16	2,/44	2,348	1,804
Total Cost (million dollars)	1,626	1,630 ^I		1,424	1,421	1,636	1,902	2,421	2,716	2,744	2,348	1,80

¹ Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

NA = Not available R = Revised

Notes: See Glossary for definitions. See Technical Notes for the methodology used to convert short tons to metric tons. Totals may not equal sum of components because of independent

Sources: Form EIA-411, "Coordinated Bulk Power Supply Program;" Form EIA-412, "Annual Electric Industry Financial Report;" Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report;" EIA-767, "Steam-Electric Plant Operation and Design Report;" Form EIA-860, "Annual Electric Generator Report;" Form EIA-861, "Annual Electric Power Industry Report;" Form EIA-906, "Power Plant Report;" and predecessor forms. Federal Regulatory Commission, FERC Form 1, "Annual Report of Major Utilities, Licensees and Others;" FERC Form 1-F, "Annual Report for Nonmajor Public Utilities and Licensees;" FERC Form 423, "Monthly Report of Cost and Quality of Fuels for Electric Plants," and predecessor forms; Rural Utility Services (RUS) Form 7, "Operating Report;" RUS Form 12, "Operating Report;" Imports and Exports: Mexico data - DOE, Fossil Fuels, Office of Fuels Programs, Form FE-781R, "Annual Report of International Electrical Export/Import Data": Canada data - Natural Energy Board of Canada (metered energy firm and interruptible).

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁴ Conventional hydroelectric power and hydroelectric pumped storage facility production minus energy used for pumping.

Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy, and

⁶ Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.

⁷ Anthracite, bituminous coal, subbituminous coal, and lignite, excludes waste coal.

Receipts data for regulated utilities is compiled by EIA from data collected by the Federal Energy Regulatory Commission (FERC) on the FERC Form 423. These data are collect by FERC for regulatory rather than statistical and publication purposes. The FERC Form 423 data published by EIA has been reviewed for consistency between volumes and prices and for their consistency over time. However, EIA does not attempt to resolve any late filing issues in the FERC Form 423 data. Beginning in 2002, includes data from the Form EIA-423 for independent power producers and combined heat and power producers.

Natural gas, including a small amount of supplemental gaseous fuels that cannot be identified separately.

¹⁰ Alaska and Hawaii are not included.

¹¹ The data collection instrument was changed for 2001 to collect data at the corporate level, rather than the plant level. As a result, comparisons with data prior to 2001 and after 2001 should be done with caution.

12 Includes miscellaneous sales, such as sales for public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales.

¹³ Unless otherwise noted, all "dollars" are nominal dollars.

¹⁴ The 1998-2002 data represent those utilities meeting a threshold of 150 million kilowatthours sales to ultimate customers and/or 150 million kilowatthours of sales for resale for the two previous years. The 1991-1997 data represent those utilities meeting a threshold of 120 million kilowatthours sales to ultimate customers and/or 120 million kilowatthours of sales for resale for the 2 previous years.

15 Actual reduction in annual peak load achieved by all program participants during the reporting year, at the time of annual peak load, as opposed to the installed peak load reduction

capability.

Sum of the total incurred direct and indirect utility costs for the year. Utility costs reflect the total cash expenditures for the year, in nominal dollars, that flows out to support demandside management programs.

Chapter 1. Generation

Table 1.1. Net Generation by Energy Source by Type of Producer, 1991 through 2002 (Thousand Megawatthours)

	(Tilousaliu I	Megawatthoui	18)		ı	T	1	Î	
Period	Coal ¹	Petroleum ²	Natural Gas	Other Gases ³	Nuclear	Hydro- electric ⁴	Other Renewables ⁵	Other ⁶	Total
Total (All Sectors)									
1991		119,752	381,553	11,336	612,565	284,453	68,779	4,739	3,073,799
1992	1,621,206	100,154	404,074	13,270	618,776	248,911	73,770	3,720	3,083,882
1993	1,690,070	112,788	414,927	12,956	610,291 640,440	276,458 256,748	76,213	3,487 3,667	3,197,191 3,247,522
1994 1995		105,901 74,554	460,219 496,058	13,319 13,870	673,402	308,108	76,535 73,965	3,007 4,104	3,247,522 3,353,487
1996		81,411	455,056	14,356	674,729	344,074	75,796	3,571	3,444,188
1997		92,555	479,399	13,351	628,644	352,413	77,183	3,612	3,492,172
1998		128,800	531,257	13,492	673,702	318,868	77,088	3,571	3,620,295
1999	1,881,087	118,061	556,396	14,126	728,254	313,439	79,423	4,024	3,694,810
2000	1,966,265	111,221	601,038	13,955	753,893	270,034	80,906	4,794	3,802,105
2001 ^R	1,903,956	124,880	639,129	9,039	768,826	208,138	77,985	4,690	3,736,644
2002	1,933,130	94,567	691,006	11,463	780,064	255,586	86,922	5,714	3,858,452
Electricity Generators, I 1991		111,463	264,172		612,565	275,519	10,137		2,825,023
1992	1,575,895	88,916	263,872		618,776	239,559	10,200		2,797,219
1993	1.639.151	99,539	258,915		610,291	265,063	9,565		2,882,525
1994		91,039	291,115		640,440	243,693	8,933		2,910,712
1995	1,652,914	60,844	307,306		673,402	293,653	6,409		2,994,529
1996	1,737,453	67,346	262,730		674,729	327,970	7,214		3,077,442
1997	1,787,806	77,753	283,625		628,644	337,234	7,462		3,122,523
1998	1,807,480	110,158	309,222		673,702	304,403	7,206		3,212,171
1999 2000 _.		86,929 72,180	296,381 290,715		725,036 705,433	293,932 248,195	3,716 2,241		3,173,674 3,015,383
2001 ^R	1,560,146	78,908	264,434		534,207	190,100	2,152		2,629,946
2002	1,514,670	59,125	229,639	206	507,380	234,868	3,569		2,549,457
Electricity Generators, I							-,		_,,,,,,,,,
1991		745	3,604	3		5,959	27,527		38,596
1992	1,165	1,160	6,999	3		6,280	30,228		45,836
1993	2,904	1,060	8,293	7		8,425	32,706		53,396
1994	4,370 5,044	1,047	8,603	7 6		6,934	33,554 32,841		54,514
1995 1996		1,162 1,170	10,136 10,104	4		9,033 10,101	33,440		58,222 60,132
1997		2,557	7,506	31		9,375	33,929		58,741
1998		5,503	26,657	55		8,997	34,703		91,455
1999		17,906	60,264	36	3,218	14,635	40,460		200,905
2000	213,956	25,795	108,712	181	48,460	17,604	42,831		457,540
2001 ^R	291,678	34,257	162,540	10	234,619	14,826	42,661		780,592
2002	366,535	24,150	227,155	29	272,684	16,880	46,456	1,441	955,331
Combined Heat and Pov 1991		590	49,997	716			3,315	403	71,942
1992	20,653	2,162	63,403	1,209			3,411	480	91,319
1993		4,827	75,013	959			3,360	408	107,976
1994	26,414	6,592	85,971	1,085			3,199	239	123,500
1995	28,098	6,139	101,737	1,921			3,372	213	141,480
1996	29,207	6,267	105,923	1,337			3,632	201	146,567
1997		6,170	108,465	1,503			4,299	63	148,111
1998 1999	27,174 26,551	6,550 6,704	113,413 116,351	2,260 1,571			4,234 4,088	159 139	153,790 155,404
2000	32,536	7,217	118,551	1,847			4,330	125	164,606
2001 ^R		5,984	127,966	576			3,988	0	169,515
2002	29,408	6,458	150,889	1,734			4,565	615	193,670
Combined Heat and Pov									
1991	775	413	3,213	116		131	1,010	1	5,659
1992 1993	749 864	302 334	3,867 4,471	105 100		122 100	1,082 1,132	1	6,228 7,000
1994	850	417	4,929	115		93	1,216	•	7,619
1995		379	5,162	113		118	1,575	*	8,232
1996		369	5,249	*		126	2,235	*	9,030
1997		427	4,725	3		120	2,385	*	8,701
1998	985	383	4,879	7		120	2,373		8,748
1999		434	4,607	*		115	2,412	*	8,563
2000	1,097	432	4,262	*		100	2,012	*	7,903
2001 ^K		438	4,434	*		66	1,482	* 84	7,416
2002 Combined Heat and Pov		431	4,310			13	1,585	04	7,415
1991		6,540	60,567	10,501		2,844	26,791	4,336	132,579
1992		7,615	65,933	11,953		2,950	28,847	3,239	143,280
1993	23,742	7,028	68,234	11,890		2,871	29,450	3,079	146,294
1994	23,568	6,808	69,600	12,112		6,028	29,633	3,428	151,178
1995	22,372	6,030	71,717	11,943		5,304	29,768	3,890	151,025
1996		6,260	71,049	13,015		5,878	29,274	3,370	151,017
1997		5,649	75,078 77,085	11,814		5,685	29,107	3,549	154,097
1998 1999		6,206 6,088	77,085 78,793	11,170 12,519		5,349 4,758	28,572 28,747	3,412 3,885	154,132 156,264
2000		5,597	78,793 78,798	12,519		4,738	28,747	3,885 4,669	156,264
2001 ^R		5,293	79,755	8,454		3,145	27,703	4,690	149,175
2002	21,525	4,403	79,013	9,493		3,825	30,747	3,574	152,580
	21,020	.,.05	. , , , , , ,	7,./2		5,025	50,7.7	5,57	,

Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

Notes: •See Glossary for definitions.•Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-906, "Power Plant Report," and predecessor forms.

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.
 Conventional hydroelectric power and hydroelectric pumped storage facility production minus energy used for pumping.

⁵ Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy and wind.

⁶ Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.

⁷ Electric utility CHP plants are included in Electricity Generators, Electric Utilities.


⁸ Small number of commercial electricity-only plants included.

⁹ Small number of Industrial electricity-only plants included.

R = Revised.

^{* =} Value is less than half of the smallest unit of measure (e.g., for values with no decimals, the smallest unit is "1" and values under 0.5 are shown as "*".)

Figure 1.1. U.S. Electric Power Industry
Net Generation by State, 2002
(Million Megawatthours)



Source: Energy Information Administration, Form EIA-906, "Power Plant Report."

Useful Thermal Output by Energy Source by Combined Heat and Power Producers, 1991 **Table 1.2.** through 2002

(Billion Btus)

Period	Coal	Petroleum	Natural Gas	Other Gases	Other Renewables	Other	Total
Total Combined Heat and P	ower						
1991	351,834	112,144	546,755	148,216	660,091	44,331	1,863,371
1992	367,158	117,172	591,875	159,887	698,350	41,598	1,976,040
1993	372,603	128,884	604,256	142,044	713,009	40,731	2,001,527
1994	387,604	132,528	645,561	143,682	767,417	42,129	2,118,921
1995	386,403	120,790	686,182	144,715	768,338	44,389	2,150,817
1996	391.540	132,815	710,733	149,831	755,847	42,980	2,183,746
1997	388,944	136,742	712,683	150,144	785,306	53,361	2,227,180
1998	381,546	135,519	781,637	167,064	757,131	46.437	2,269,334
1999	385,926	125,486	810,918	178,971	744,470	47,871	2,293,642
2000	383,687	108,045	812,036	184,062	763,674	50,459	2,301,963
2001 ^R	354,204	90,308	740,979	132,937	597,475	42,248	1,958,151
2002	336.848	72,826	708,738	117,513	584,976	34,796	1,855,697
Combined Heat and Power,		72,620	700,730	117,515	364,970	34,790	1,655,097
1991	21,239	5,502	82,279	3,940	26,293	590	139,843
1992	27,545	6,123	101,923	4,825	24,861	1,543	166,820
1993	29,742	7,820	106,650	3,091	24,088	1,322	172,713
1994	36,663	8,631	119,199	5,190	24,497	880	195,060
1995	40.427	13,044	117,994	4.344	26,910	249	202,968
1996	42,982	11,603	121,431	3,928	32,761	314	213,019
1997	39,437	11,823	132,125	7,746	30,147	29	221,307
1998	43,256	6,261	141,834	5.064	25,969	68	222,452
1999	52,061	6,718	145,525	3,548	30,172	28	238,052
	53,329	6,610	157,886	5,312	,	39	248,837
2000	51,515	6,087	164,206	3,312 4,681	25,661 16,019	0	242,508
2001 ^R	40,020	3,869	,	5,961	17,219	63	281,269
Combined Heat and Power,		3,809	214,137	3,901	17,219	03	281,209
1991	15,967	3,684	20,809	118	9,149	1	49,728
1992	15,311	3,964	24,298	93	13,511	1	57,178
1993	18,285	4,130	22,601	118	14,324	1	59,459
1994	17.759	4,483	25,578	172	14.172	-	62.164
1995	16,718	2,877	28,574		15,223	1	63,393
1996	19.742	2,905	32,770	*	18.057	0	73,474
1997	21,958	3,832	39,893	20	20,232	0	85,935
	20.185	4.853	38.510	34	18.426	U	82,008
1998	20,183	3,298	36,857	34	17,145	0	77,779
1999	,			*	,	*	,
2000	21,001	3,827	39,293		17,613	0	81,734
2001 ^R	18,495	4,118	34,923	0	14,024	0	71,560
2002 Combined Heat and Power,	18,477	2,743	36,265	*	11,703	0	69,188
1991	314,628	102,958	443,667	144,158	624,649	43.740	1,673,800
1992	324,302	107,085	465,654	154,969	659,978	40,054	1,752,042
1993	324,576	116.934	475,005	138.835	674,597	39.408	1,769,355
1004	,	- 1	500,784	,	728,748	41,249	, ,
1994	333,182 329,258	119,414 104,869	539,614	138,320 140,371	728,748 726,205	41,249	1,861,697
1995	,	,	,	,		,	1,884,456
1996	328,816	118,307	556,532	145,903	705,029	42,666	1,897,253
1997	327,549	121,087	540,665	142,378	734,927	53,332	1,919,938
1998	318,105	124,405	601,293	161,966	712,736	46,369	1,964,874
1999	313,386	115,470	628,536	175,423	697,153	47,843	1,977,811
2000	309,357	97,608	614,857	178,750	720,400	50,420	1,971,392
2001 ^R	284,194	80,103	541,850	128,256	567,432	42,248	1,644,083
2002	278,351	66,214	458,336	111,552	556,054	34,733	1,505,240

R = Revised.

* = Value is less than half of the smallest unit of measure (e.g., for values with no decimals, the smallest unit is "1" and values under 0.5 are shown as "*".)

Notes: •See Glossary for definitions.•Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-906, "Power Plant Report," and predecessor forms.

Chapter 2. Capacity

Existing Net Summer Capacity by Energy Source and Producer Type, 1991 through 2002 **Table 2.1.** (Megawatts)

Period Coal		(Megav	vaits					•			
1991	Period	Coal ¹	Petroleum ²		Dual Fired		Nuclear	Hydro- electric ⁴	Other Renewables ⁵	Other ⁶	Total
1991	Total (All Sectors)	•									
1992		. 307,438	47,296	60,836	113,725	2,103	99,589	94,450	13,895	539	739,870
1944	1992	. 309,372			118,913						
1995	1993	. 310,148									
1996	1994	. 311,415									
1997	1995	. 311,386									
1998	1996	. 313,382									
1999	1998	315,786				1,525					
2000	1999	. 315,496									
Electricity Cenerators, Electricity Cene	2000	. 315,114									
	2001	. 314,230				1,670					848,254
	2002	. 315,350		171,661	162,289	2,008	98,657	99,727	16,755	641	905,301
1992	Electricity General	tors, Electric Ut									
1991	1991	. 299,444									
1994	1992	. 300,385									
300.566	1993	. 300,634									
1996	1005	. 300,941									
1997	1996	302,309									
1998	1997	302,866								222	
1999	1998	. 299,739									
2000	1999	. 277.780	31,742	31,755	108,716	220	95,030	93,067	790	224	639,324
Page	2000	. 260,990	25,823		106,806						
Petericity Generators, Independent Power Producers 93.00 1992 384 110 102 2.052 1 1.978 6.296 10.924 1992 384 110 102 2.052 1 1.978 6.296 10.924 1993 32.88 114 104 2.112 2.028 6.478 11.565 1995 719 121 2.96 2.791 2.151 6.887 11.565 1995 719 121 2.96 2.791 2.151 6.887 12.046 1996 719 130 38.6 2.844 2.171 6.850 13.091 1997 719 130 556 2.950 2.101 6.695 13.091 1997 719 130 556 2.950 2.101 6.695 13.1391 1998 6.132 2.670 9.580 8.265 2.381 4.416 4.451 8.611 13.493 34.995 1.892 6.011 8.994 150.159 2001 60.701 13.493 85.464 64.054 12 35.495 7.475 10.455 35 278.138 2002 61.770 13.493 85.464 64.054 12 35.495 7.475 10.455 35 278.138 2002 61.770 13.493 85.464 64.054 12 35.495 7.475 10.455 35 278.138 2002 2.864 344 4.455 4.455 6.767 4.4 4.453 4.453 4.453 6.987 4.4 4.453 4.453 4.453 6.987 4.444 1.203 1.994 4.453 2.88 9.564 6.757 4.448 1.203 1.995 4.766 3.29 10.048 6.991 4.444 1.203 1.994 4.453 2.88 9.564 6.757 4.448 1.203 1.995 4.766 3.29 10.048 6.991 4.444 1.203 1.995 4.766 3.29 10.048 6.991 4.444 1.203 1.995 4.766 3.29 10.048 6.991	2001	. 244,451									
1991					88,476	61	63,202	91,198	989		561,074
1992					4.056				6.000		0.000
1993											
1994	1992	. 384				-					
1995	1993	. 326 702									
1996	1995	719									
1997	1996	719									
1998	1997	. 719									
1999	1998	. 6,132		9,580					6,955		34,675
2001	1999	. 27,725									
2002	2000	. 44,164									
1991 2.864 344 4.455 4.795 -	2001										
1991				85,464	64,054	12	35,455	7,475	10,435	35	2/8,138
1992				4.455	4.705				474		12.022
1993	1991	. 2,804									
1994	1992	3,319							456		
1995	1994	4 453									
1996.	1995	. 4,756									
1997	1996	. 4,950							626		
1999	1997	. 4,895				5					
2000	1998	. 5,021									
2001	1999	. 5,230				262					
1901	2000	. 5,044									
1991	2001	. 4,028 5,222						9			
1991 232	Combined Heat an			21,924	7,097	102			333		30,010
1992				155	576			30	238		1 339
1993	1992	. 234									
1994	1993	. 283									
1995	1994	. 287		348	934			32	297		
1996 321 205 398 907 31 446 2,309 1997 314 194 412 930 32 450 2,333 1998 317 243 568 657 32 463 2,281 1999 317 262 455 771 32 465 2,281 1990 317 262 455 771 32 465 2,202 2000 314 259 633 602 33 33 399 2,240 2001 295 271 1,382 596 22 357 2,188 Combined Heat and Power, Industrial **Combined Heat and Power, Industrial 1991 4,725 826 7,831 2,259 1,410 565 5,060 539 23,214 1992 4,849 820 8,426 2,167 1,373 578 5,068 545 23,826 1993 4,905 831 9,076 1,933 1,233 590 5,232 550 24,349 1994 5,032 854 9,276 1,943 1,395 1,115 5,221 550 25,386 1995 5,028 844 9,524 1,932 1,370 1,106 5,171 550 25,346 1996 4,972 828 9,645 1,913 1,602 1,106 5,308 550 25,322 1997 4,830 1,000 10,276 1,746 1,315 1,102 5,376 552 26,198 1998 4,577 989 10,796 1,260 1,465 1,119 5,210 581 26,019 1999 4,443 844 11,507 1,588 1,689 1,097 5,151 799 27,119 2000 4,601 761 12,453 1,313 2,023 1,079 4,607 510 27,348 2001 4,156 1,010 13,340 898 1,327 1,041 4,382 399 26,553	1995	. 315									
1998	1996	. 321									
1999 317 262 455 771 32 465 2,302 2000 314 259 633 602 33 3 399 2,240 2001 295 271 1,382 596 22 348 2,912 2002 292 264 507 746 22 357 2,188 2002 202 292 264 507 746 22 357 2,188 2002 202 202 264 507 746 565 5,060 539 23,214 202 202 202 204 200	1997	. 314						32			
2000 314 259 633 602 333 399 2,240 2001 295 271 1,382 596 22 348 2,912 2002 292 264 507 746 22 357 2,188 Combined Heat and Power, Industrial ** 1991 4,725 826 7,831 2,259 1,410 565 5,060 539 23,214 1992 4,849 820 8,426 2,167 1,373 578 5,068 545 23,826 1993 4,905 831 9,076 1,933 1,233 590 5,232 550 24,349 1994 5,032 854 9,276 1,943 1,395 1,115 5,221 550 24,349 1994 5,032 854 9,276 1,943 1,395 1,115 5,221 550 25,386 1995 5,028 844 9,524 1,932 1,370 1,106 5,171 550 25,524 1996 4,972 828 9,645 1,913 1,602 1,106 5,308 550 25,923 1997 4,830 1,000 10,276 1,746 1,315 1,106 5,308 550 25,923 1997 4,830 1,000 10,276 1,746 1,315 1,102 5,376 552 26,198 1998 4,577 989 10,796 1,260 1,465 1,139 5,210 581 26,019 1999 4,443 844 11,507 1,588 1,689 1,097 5,151 799 27,119 2000 4,601 761 12,453 1,313 2,023 1,079 4,607 510 27,348 2001 4,156 1,010 13,340 898 1,327 1,041 4,382 399 26,553	1998	. 31/									
2001 295 271 1,382 596 22 348 2,912 2002 292 264 507 746 222 357 2,188 Combined Heat and Power, Industrial 9 1991 4,725 826 7,831 2,259 1,410 565 5,066 539 23,214 1992 4,849 820 8,426 2,167 1,373 578 5,068 545 23,826 1993 4,905 831 9,076 1,933 1,233 590 5,232 550 24,349 1994 5,032 854 9,276 1,943 1,395 1,115 5,221 550 25,386 1995 5,028 844 9,524 1,932 1,370 1,106 5,171 550 25,524 1,996 4,972 828 9,645 1,913 1,602 1,106 5,308 550 25,524 1,996 4,972 828 9,645 1,913 1,602 1,106 5,308 550 25,524 1,997 4,830 1,000 10,276 1,746 1,315 1,102 5,376 552 26,198 1,998 4,577 989 10,796 1,260 1,465 1,139 5,210 581 26,019 1,999 4,443 844 11,507 1,588 1,689 1,097 5,151 799 27,119 2000 4,601 761 12,453 1,313 2,023 1,079 4,607 510 27,348 2001 4,156 1,010 13,340 898 1,327 1,041 4,382 399 26,553	2000	. 31/									
Combined Heat and Power, Industrial Page			239					33 22			
Combined Heat and Power, Industrial Page	2002							22			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Combined Heat an										,
1992 4,849 820 8,426 2,167 1,373 578 5,068 545 23,826 1993 4,905 831 9,076 1,933 1,233 590 5,232 550 25,386 1994 5,032 854 9,276 1,943 1,395 1,115 5,221 550 25,386 1995 5,028 844 9,524 1,932 1,370 1,106 5,171 550 25,524 1996 4,972 828 9,645 1,913 1,602 1,106 5,308 550 25,923 1997 4,830 1,000 10,276 1,746 1,315 1,102 5,376 552 26,198 1998 4,577 989 10,796 1,260 1,465 1,139 5,210 581 26,019 1999 4,443 844 11,507 1,588 1,689 1,097				7,831	2,259	1,410		565	5.060	539	23,214
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1992	. 4,849	820	8,426	2,167	1,373		578	5,068		23,826
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1993	. 4,905				1,233			5,232		24,349
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1994	. 5,032						1,115	5,221		25,386
1997. 4,830 1,000 10,276 1,746 1,315 1,102 5,376 552 26,198 1998. 4,577 989 10,796 1,260 1,465 1,139 5,210 581 26,019 1999. 4,443 844 11,507 1,588 1,689 1,097 5,151 799 27,119 2000. 4,601 761 12,453 1,313 2,023 1,079 4,607 510 27,348 2001. 4,156 1,010 13,340 898 1,327 1,041 4,382 399 26,553	1995	. 5,028									
1998 4,577 989 10,796 1,260 1,465 1,139 5,210 581 26,019 1999 4,443 844 11,507 1,588 1,689 1,097 5,151 799 27,119 2000 4,601 761 12,453 1,313 2,023 1,079 4,607 510 27,348 2001 4,156 1,010 13,340 898 1,327 1,041 4,382 399 26,553	1996	. 4,972									
1999 4,443 844 11,507 1,588 1,689 1,097 5,151 799 27,119 2000 4,601 761 12,453 1,313 2,023 1,079 4,607 510 27,348 2001 4,156 1,010 13,340 898 1,327 1,041 4,382 399 26,553	199 /										
2000	1998	. 4,5//									
2001	2000	. 4,443 4,601									
2002	2001										
	2002	4.010									
1 Anthracite hituminous coal subhituminous coal lignite waste coal and synthetic coal								•	•		•

¹ Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁴ Conventional hydroelectric power and hydroelectric pumped storage facility production.

Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy, and


Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.
 Electric utility CHP plants are included in Electric Generators, Electric Utilities.

⁸ Small number of commercial electricity-only plants included.

⁹ Small number of industrial electricity-only plants included.

Notes: •See Glossary for definitions. •Totals may not equal sum of components because of independent rounding. Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

Figure 2.1 U.S. Electric Power Industry Existing Net Summer Capacity by State, 2002 (Thousand Megawatts)



Source: Enegy Information Administration, Form EIA-860, "Annual Electric Generator Report."

Table 2.2. Existing Capacity by Energy Source, 2002 (Megawatts)

Energy Source	Number of Generators	Generator Nameplate Capacity (MW)	Net Summer Capacity (MW)	Net Winter Capacity (MW)
Coal ¹	1,566	338,199	315,350	317,510
Petroleum ²	3,076	43,206	38,213	42,391
Natural Gas	2,890	194,968	171,661	184,904
Dual Fired	2,974	180,174	162,289	172,977
Other Gases ³	104	2,210	2,008	1,970
Nuclear	104	104.933	98,657	99,629
Hydroelectric ⁴	4,157	96,343	99,727	98,806
Other Renewables ⁵	1,501	18,797	16,755	16,948
Other ⁶	41	756	641	645
Total	16,413	979,585	905,301	935,780

¹ Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

Table 2.3. Existing Capacity by Producer Type, 2002 (Megawatts)

Producer Type	Number of Generators	Generator Nameplate Capacity (MW)	Net Summer Capacity (MW)	Net Winter Capacity (MW)
Electricity Generators				
Electricity Generators, Electric Utilities	8,985	596,674	561,074	573,127
Electricity Generators, Independent Power Producers	4,098	308,018	278,138	292,680
Electricity Generators, Total	13,083	904,693	839,212	865,807
Combined Heat and Power				
Combined Heat and Power, Electric Power	635	41,880	36,610	39,067
Combined Heat and Power, Commercial	628	2,544	2,188	2,348
Combined Heat and Power, Industrial	2,067	30,469	27,291	28,558
Combined Heat and Power, Total	3,330	74,893	66,089	69,973
Total Electric Power Sector	16,413	979,585	905,301	935,780

Notes: •See Glossary for definitions.•Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

Table 2.4. Planned Nameplate Capacity Additions by Energy Source, 2003 through 2007 (Megawatts)

Energy Source	2003	2004	2005	2006	2007
Coal ¹	203	585	1,623	3,710	3,666
Petroleum ²	308	146	228	406	
Natural Gas	70,063	39,445	35,077	32,150	9,346
Other Gases ³				1,162	
Nuclear					
Hydroelectric ⁴	12	3	10		42
Other Renewables ⁵	807	353	178		112
Other ⁶					
Total	71,392	40,531	37,116	37,429	13,166

Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

³ Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁴ Conventional hydroelectric power and hydroelectric pumped storage facility production.

⁵ Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy, and wind.

⁶ Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.

Notes: Where there is more than one energy source used in a plant, the predominant energy source is reported here. Totals may not equal sum of components because of independent rounding.

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁴ Conventional hydroelectric power and hydroelectric pumped storage facility production.

⁵ Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy, and wind.

⁶ Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.

Notes: •Where there is more than one energy source used in a plant, the predominant energy source is reported here.•Totals may not equal sum of components because of independent rounding.

Planned Capacity Additions by Energy Source, 2003-2007 **Table 2.5.** (Megawatts)

Energy Source	Number of Generators	Generator Nameplate Capacity (MW)	Net Summer Capacity (MW)	Net Winter Capacity (MW)
		200	3	
U.S. Total	563	71,392	61,486	67,713
Coal ¹	3	203	190	190
Petroleum ²	82	308	284	301
Natural Gas	423	70,063	60,198	66,407
Other Gases ³	 			
Nuclear	5	12	12	11
Hydroelectric ⁴ Other Renewables ⁵	50	807	802	804
Other ⁶				304
Other		200		
J.S. Toṭal	230	40,531	34,987	38,413
Coal ¹	1	585	544	550
Petroleum ²	12	146	130	141
Natural Gas	204	39,445	33,959	37,368
Other Gases ³				
Nuclear				
Hydroelectric ⁴ Other Renewables ⁵	3 10	3 353	3 351	3 351
Other ⁶	10 	333	331	331
Other	-	200		
J.S. Total	230	37,116	31,860	35,129
Coal ¹	4	1,623	1,510	1,520
Petroleum ²	12	228	205	218
Natural Gas	195	35,077	29,988	33,233
Other Gases ³				
Nuclear				
Hydroelectric ⁴	5	10	10	9
Other Renewables ⁵ Other ⁶	14	178	149	150
Other		200		
U.S. Total	178	37,429	32,412	35,334
Coal ¹	6	3,710	3.445	3,465
Petroleum ²	4	406	350	378
Natural Gas	163	32,150	27,622	30,370
Natural Gas Other Gases ³	5	1,162	995	1,120
Nuclear				
Hydroelectric4				
Other Renewables ⁵				
Other ⁷		200	 7	
J.S. Total	58	13,166	11,620	12.534
Coal ¹	9	3,666	3,416	3,446
Petroleum ²	<u></u>			
Natural Gas	43	9,346	8,070	8,954
Other Gases'			´	
Nuclear				
Hydroelectric ⁴	2	42	40	39
Other Renewables ⁵	4	112	94	95
Other ⁶	<u></u>			<u></u> _

Notes: •Where there is more than one energy source used in a plant, the predominant energy source is reported here. •Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

¹ Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.
² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁴ Conventional hydroelectric power and hydroelectric pumped storage facility production.

Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy, and

wind.

⁶ Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.

Capacity Additions and Retirements by Energy Source, 2002 **Table 2.6.** (Megawatts)

		Additi	ons ¹			Retirements					
Energy Source	Number of Generators	Generator Nameplate Capacity (MW)	Net Summer Capacity (MW)	Net Winter Capacity (MW)	Number of Generators	Generator Nameplate Capacity (MW)	Net Summer Capacity (MW)	Net Winter Capacity (MW)			
Coal ²	1	11	10	10	22	377	363	367			
Petroleum ³	125	346	329	342	42	404	376	371			
Natural Gas	420	51,719	44,604	48,787	36	1,690	1,511	1,577			
Dual Fired	126	14,011	11,810	13,382	46	756	638	659			
Other Gases ⁴	2	54	45	52							
Nuclear											
Hydroelectric ⁵	12	323	342	342	3	3	4	4			
Other Renewables ⁶	40	741	711	721	10	73	67	68			
Other ⁷	1	7	7	7							
Total	727	67,210	57,857	63,642	159	3,302	2,959	3,046			

¹ Generator re-ratings and revisions/corrections to previously reported data are not included.

Notes: •Where there is more than one energy source used in a plant, the predominant energy source is reported here. •Totals may not equal sum of components because of independent

Source: Energy Information Administration, Form EIA-860, "Annual Electric Generator Report."

² Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

³ Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

⁴ Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁵ Conventional hydroelectric power and hydroelectric pumped storage facility production.

⁶ Wood, black liquor, other wood waste, municipal solid waste, landfill gas, sludge waste, tires, agriculture byproducts, other biomass, geothermal, solar thermal, photovoltaic energy, and wind. ⁷ Batteries, chemicals, hydrogen, pitch, purchased steam, sulfur, and miscellaneous technologies.

Chapter 3.	Demand,	Capacity	Resources, and	Capacity	Margins

Table 3.1. Noncoincident Peak Load, Actual and Projected by North American Electric Reliability Council Region, 1998 through 2007

(Megawatts)

North American Electric			Actual								
Reliability Council Region	1998	1999	2000	2001	2002						
		Sum	mer								
ECAR	93,784	99,239	92,033	100,235	102,996						
ERCOT	54,666	55,529	57,606	55,201	56,248						
FRCC	38,730	37,493	37,194	39,062	40,696						
MAAC	48.445	51,645	49.477	54.015	55,569						
MAIN	47,509	51,535	52.552	56.344	56,396						
MAPP (U.S.)	30,722	31,903	28,605	28.321	29,119						
NPCC (U.S.)	49,566	52.855	50.057	55.949	56,012						
SERC	143,226	149,685	156,088	149,293	158,767						
SPP	37.724	38.609	40.199	40.273	39.688						
WECC (U.S.)			114.602	109.119	119.074						
	115,921	113,629									
Contiguous U.S.	660,293	682,122 Wi	678,413 nter	687,812	714,565						
ECAR	84.401	86,239	84,546	85.485	87,300						
ERCOT	41,876	39,164	44,641	44.015	45,414						
FRCC	39.975	40,178	38,606	40.922	45,635						
MAAC	36.532	40.220	43.256	39.458	46.551						
MAIN	37.410	39.081	41.943	40.529	42.412						
MAPP (U.S.)	26,080	25,200	24.536	21.815	23,645						
NPCC (U.S.)	44.199	45.227	43.852	42.670	46.009						
			139.146								
SERC	127,416	128,563		135,182	141,882						
SPP	27,847	27,963	30,576	29,614	30,187						
WECC (U.S.)	101,822	99,080	97,324	96,622	95,951						
Contiguous U.S.	567,558	570,915	588,426	576,312	604,986						
North American Electric		Projected									
Reliability Council Region	2003	2004	2005	2006	2007						
		Sum	mer								
ECAR	100,714	102,737	104,716	107,169	109,533						
ERCOT	57,639	59,080	60,557	62,071	63,622						
FRCC	41,618	42,668	43,670	44.727	45,795						
MAAC	56,257	57,330	58,480	59.543	60,656						
MAIN	57,169	57,802	58,846	59,848	60,686						
MAPP (U.S.)	29.957	30,555	31.156	31.763	32.413						
NPCC (U.S.)	56,550	57,770	58.520	59.290	60.080						
SERC	157,864	161.650	165,391	168,746	172,498						
SPP	40.564	41.345	41.826	42.158	43.012						
WECC (U.S.)	119,320	123,942	126,386	128,693	131,003						
Contiguous U.S.	717,652	734,879	749,548	764,008	779,298						
ontiguous U.S	/1/,052		/49,548 nter	/04,008	119,298						
ECAR	86,120	87,556	88,532	90,443	92,334						
ERCOT	46,538	47,702	48,894	50,116	51,369						
FRCC	44.266	45.301	46.419	47.561	48,682						
MAAC	44.748	45.522	46,213	46,909	47,627						
MAIN	42.332	42,755	43.611	44.262	44.859						
MAPP (U.S.)	24.148	24.541	24.947	25.367	25.779						
VIATE (U.S.)			24,947 48.215	48.830							
NPCC (U.S.)	46,903	47,636			49,482						
SERC	138,291	141,511	143,927	143,919	150,215						
	29,891	30,555	31,069	31,366	31,998						
SPP WECC (U.S.) Contiguous U.S	105,492 608.729	107,868 620,947	110,107 631,934	112,222 640,995	113,523 655,868						

Notes: •Actual data are final.•Projected data are updated annually.•NERC Regional Council names may be found in the Glossary.•In 1998, several utilities realigned from SPP to SERC.•Represents an hour of a day during the associated peak period.•The summer peak period begins on June 1 and extends through September 30.•The winter peak period begins on December 1 and extends through March 31 of the following year. For example, winter 2001 begins December 1, 2001, and extends through March 31, 2002.•Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program."

Table 3.2. Net Internal Demand, Capacity Resources, and Capacity Margins by North American Electric Reliability Council Region, Summer, 1991 through 2002

(Megawatts)

(iviega	1 1				F						ı	
Region and Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
	<u> </u>				ECAR	L						
Net Internal Demand	101,251	100,235	98,651	94,072	92,359	91,103	88,573	85,643	84,967	83,530	80,536	79,948
Capacity Resources	119,736	113,136	115,379	107,451	105,545	105,106	104,953	103,003	101,605	101,910	100,027	98,993
Capacity Margin (percent)	15.4	11.4	14.5	12.5	12.5	13.3	15.6	16.9	16.4	18.0	19.5	19.2
					ERCOT							
Net Internal Demand	55,833	55,106	53,649	51,697	50,254	47,746	45,636	44,990	43,630	42,629	43,093	43,516
Capacity Resources	76,849 27.3	70,797 22.2	69,622 22.9	65,423 21.0	59,788 15.9	55,771 14.4	55,230 17.4	55,074 18.3	54,219 19.5	54,323 21.5	54,994 21.6	53,954 19.3
Capacity Margin (percent)	27.3	22.2	22.9	21.0	FRCC	14.4	17.4	18.3	19.5	21.5	21.0	19.3
Net Internal Demand	37,951	38,932	25.000	34,832		32,874	21.060	21.640	20.527	20.425	20.000	27,773
Net Internal Demand	43,342	38,932 42,290	35,666 43,083	34,832 40,645	34,562 39,708	32,874	31,868 38,237	31,649 38,282	30,537 37,577	29,435 36,225	28,898 34,565	33,669
Capacity Margin (percent)	12.4	7.9	17.2	14.3	13.0	17.0	16.7	17.3	18.7	18.7	16.4	17.5
cupucity margin (percent)	12.1	7.5	17.2	11.3	MAAC	17.0	10.7	17.5	10.7	10.7	10.1	17.5
Net Internal Demand	54,296	54,015	51,358	49,325	47,626	46,548	45,628	45,224	44.571	44.198	44,348	43,794
Capacity Resources	63,619	59,533	60,679	57,831	55,511	56,155	56,774	56,881	56,271	55,328	55,272	55,347
Capacity Margin (percent)	14.7	9.3	15.4	14.7	14.2	17.1	19.6	20.5	20.8	20.1	19.8	20.9
					MAIN							
Net Internal Demand	53,267	53,032	51,845	47,165	45,570	45,194	44,470	43,229	42,611	42,001	41,304	41,083
Capacity Resources	67,025	65,950	64,170	55,984	52,722	52,160	52,880	52,112	50,963	50,333	49,104	48,471
Capacity Margin (percent)	20.5	19.6	19.2	15.8	13.6	13.4	15.9	17.0	16.4	16.6	15.9	15.2
				M	APP (U.S	.)						
Net Internal Demand	28,825	27,125	28,006	30,606	29,766	28,221	27,298	27,487	26,855	25,901	26,050	26,168
Capacity Resources	34,259	32,271	34,236	35,373	34,773	34,027	33,121	32,665	32,267	31,964	32,411	31,975
Capacity Margin (percent)	15.9	15.9	18.2	13.5	14.4	17.1	17.6	15.9	16.8	19.0	19.6	18.2
				N.	PCC (U.S	.)						
Net Internal Demand	55,164	55,888	54,270	53,450	51,760	50,240	48,950	48,290	47,465	46,380	46,007	45,952
Capacity Resources	66,208	63,760	63,376	63,077	60,439	60,729	58,592	62,368	61,906	62,049	61,960	59,972
Capacity Margin (percent)	16.7	12.3	14.4	15.3	14.4	17.3	16.5	22.6	23.3	25.3	25.7	23.4
		444.000		4.40.00.5	SERC	101000	100.550	40.5.50.5	404.00#	00.00	0 = 440	0.1.55
Net Internal Demand	154,459	144,399	151,527	142,726	138,146	134,968	109,270	105,785	101,885	99,287	97,448	94,767
Capacity Resources	172,485 10.5	171,530 15.8	169,760 10.7	160,575 11.1	158,360 12.8	155,016 12.9	126,196 13.4	127,562 17.1	120,044 15.1	117,375 15.4	115,635 15.7	114,690 17.4
Capacity Margin (percent)	10.3	13.6	10.7	11.1	SPP	12.9	13.4	17.1	13.1	13.4	13.7	17.4
Net Internal Demand	38,298	38,807	39.056	37,807	36,402	37,009	59.017	57,951	56.395	55.067	52,183	51,537
Capacity Resources	47,233	45,530	46,109	43,111	42,554	43,591	69,344	69.354	69.198	67,922	67,472	67,472
Capacity Margin (percent)	18.9	14.8	15.3	12.3	14.5	15.1	14.9	16.4	18.5	18.9	22.7	23.6
1 3 5 d 7					ECC (U.S	.)						
Net Internal Demand	117,032	107,294	116,913	112,177	111,641	104,486	101,728	99,612	99,724	96,613	94,595	93,408
Capacity Resources	142,624	124,193	141,640	136,274	135,270	135,687	135,049	130,180	127,533	127,931	125,992	127,794
Capacity Margin (percent)	17.9	13.6	17.5	17.7	17.5	23.0	24.7	23.5	21.8	24.5	24.9	26.9
				Con	tiguous U	.S.						
Net Internal Demand	696,376	674,833	680,941	653,857	638,086	618,389	602,438	589,860	578,640	565,041	554,462	547,946
Capacity Resources	833,380	788,990	808,054	765,744	744,670	737,855	730,376	727,481	711,583	705,360	697,432	692,337
Capacity Margin (percent)	16.4	14.5	15.7	14.6	14.3	16.2	17.5	18.9	18.7	19.9	20.5	20.9
N. AMERICA I IC. II												

Notes: •NERC Regional Council names may be found in the Glossary.•In 1998, several utilities realigned from SPP to SERC.•Represents an hour of a day during the associated peak period.•The summer peak period begins on June 1 and extends through September 30.•Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program."

Table 3.3. Net Internal Demand, Actual or Planned Capacity Resources, and Capacity Margins by North American Electric Reliability Council Region, Summer, 2002 through 2007 (Megawatts)

North American Electric Reliability Council Region	Net Internal Demand	Capacity Resources	Capacity Margin (percent)	Net Internal Demand	Capacity Resources	Capacity Margin (percent)	
			2003				
ECAR	101,251	119,736	15.4	97,758	126,044	22.4	
ERCOT	55,833	76,849	27.3	56,920	77,483	26.5	
FRCC	37.951	43,342	12.4	38.823	46,459	16.4	
MAAC	54,296	63,619	14.7	55,128	67,889	18.8	
MAIN	53,267	67,025	20.5	53,684	68,448	21.6	
MAPP (U.S.)	28,825	34,259	15.9	28,624	34,886	17.9	
NPCC (U.S.)	55,164	66,208	16.7	56,540	70,228	19.5	
SERC	154,459	172,485	10.5	152,302	177,503	14.2	
SPP	38.298	47.233	18.9	39.144	47.033	16.8	
WECC (U.S.)	117,032	142,624	17.9	117,499	152,921	23.2	
Contiguous U.S	696,376	833,380	16.4	696,422	868.894	19.8	
		2004			2005		
ECAR	99,675	136,407	26.9	101,631	143,243	29.0	
ERCOT	58,364	80,021	27.1	59,841	80,399	25.6	
FRCC	39,824	48,510	17.9	40,828	50,218	18.7	
MAAC	56,211	68.948	18.5	57.361	70,233	18.3	
MAIN	54,678	71,386	23.4	55,713	73,860	24.6	
MAPP (U.S.)	29,207	34,465	15.3	29,769	34,802	14.5	
NPCC (U.S.)	57,760	71,762	19.5	58,511	75,554	22.6	
SERC	156,082	180,620	13.6	160,036	186,721	14.3	
SPP	39,922 122,107	48.323	17.4 22.7	40.400	48.539	16.8	
WECC (U.S.) Contiguous U.S	713.830	158,028 898,470	22.7 20.6	124,555 728,645	165.356 928.925	24.7 21.6	
Contiguous C.S	713,030	2006	20.0	720,043	2007	21.0	
ECAR	104,071	150,413	30.8	106,451	150,413	29.2	
ERCOT	61.355	82,769	25.9	62,906	82,769	24.0	
FRCC	41.890	50.619	23.9 17.2	62,906 42.957	82,769 51,916	17.3	
MAAC	58.424	69.783	16.3	59.537	69.783	14.7	
MAIN	56.711	74.416	23.8	57.543	76.010	24.3	
MAPP (U.S.)	30.347	34.750	12.7	30.966	36.055	14.1	
NPCC (U.S.)	59.282	76.894	22.9	60.074	78.027	23.0	
SERC	163.515	187.409	12.7	167.401	190.107	11.9	
SPP	40.738	48.736	16.4	41.590	49.359	15.7	
WECC (U.S.)	126,860	166,210	23.7	129,171	166,546	22.4	
Contiguous U.S	743,193	941,999	21.1	758,596	950,985	20.2	

Notes: *Data are projected and updated annually.*NERC Regional Council names may be found in the Glossary.*Represents an hour of a day during the associated peak period.*The summer peak period begins on June 1 and extends through September 30.*Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program."

Table 3.4. Net Internal Demand, Actual or Planned Capacity Resources, and Capacity Margins by North American Electric Reliability Council Region, Winter, 2002 through 2007 (Megawatts)

North American Electric Reliability Council Region	Net Internal Demand	Capacity Resources	Capacity Margin (percent)	Net Internal Demand	Capacity Resources	Capacity Margin (percent)
		2002/ 2003			2003/ 2004	
ECAR	84,844	123,823	31.5	83,662	133,318	37.2
ERCOT	44,719	73,335	39.0	45,822	80.898	43.4
FRCC	42.001	46.219	9.1	40.766	51.116	20.2
MAAC	46,159	66,143	30.2	44,380	71,168	37.6
MAIN	39,974	66,694	40.1	40,266	66,656	39.6
MAPP (U.S.)	23,090	33,224	30.5	23,582	33,667	30.0
NPCC (U.S.)	45,980	68,884	33.3	46,875	74,102	36.7
SERC	137,541	174,925	21.4	133,569	179,155	25.4
SPP	29,140	46,833	37.8	28,854	46,903	38.5
WECC (U.S.)	94,554	132,278	28.5	105,001	144,871	27.5
Contiguous U.S.	588,002	832,358	29.4	592,777	881.854	32.8
		2004/ 2005			2005/ 2006	
ECAR	85,111	142,718	40.4	86,099	151,001	43.0
ERCOT	46,986	82,972	43.4	48,178	84,965	43.3
FRCC	41,834	51,017	18.0	42,940	53,790	20.2
MAAC	45,164	72,658	37.8	45,855	72,757	37.0
MAIN	40,696	69,913	41.8	41,549	72,045	42.3
MAPP (U.S.)	23,964	34,167	29.9	24,379	34,286	28.9
NPCC (U.S.)	47,619	75,438	36.9	48,198	79,389	39.3
SERC	136,796	184,599	25.9	139,327	186,531	25.3
SPP	29,516	48,003	38.5	30,029	48,571	38.2
WECC (U.S.)	107,374	151,819	29.3	109,607	157,001	30.2
Contiguous U.S.	605,060	913,304	33.8	616,161	940,336	34.5
		2006/ 2007			2007/ 2008	
ECAR	88,061	154,891	43.1	89,970	154,891	41.9
ERCOT	49,400	85,920	42.5	50,653	85,920	41.0
FRCC	44,075	54,322	18.9	45,208	56,094	19.4
MAAC	46,551	72,307	35.6	47,269	72,307	34.6
MAIN	42,205	72,527	41.8	42,806	74,257	42.4
MAPP (U.S.)	24,809	34,376	27.8	25,230	35,561	29.1
NPCC (U.S.)	48,814	81,303	40.0	49,470	82,414	40.0
SERC	139,443	188,263	25.9	145,775	189,936	23.3
SPP	30.331	48.802	37.8	30.962	49.364	37.3
WECC (U.S.)	111.723	157.946	29.3	113.022	159.512	29.1
Contiguous U.S.	625,412	950,657	34.2	640,365	960,256	33.3

Notes: •Actual data are final.•Projected data are updated annually.•NERC Regional Council names may be found in the Glossary.•Represents an hour of a day during the associated peak period.•The summer peak period begins on June 1 and extends through September 30.•The winter peak period begins on December 1 and extends through March 31 of the following year. For example, winter 2002/2003 begins December 1, 2002, and extends through March 31, 2003.•Totals may not equal sum of components because of independent rounding. Sources: Energy Information Administration, Form EIA-411, "Coordinated Bulk Power Supply Program".

Chapter 4. Fuel

Consumption of Fossil Fuels for Electricity Generation by Type of Power Producer, 1991 **Table 4.1.** through 2002

Type of Power Producer and Period	Coal (Thousand Tons) ¹	Petroleum (Thousand Barrels) ²	Natural Gas (Thousand Mcf)	Other Gases (Thousand Mcf) ³
Total (All Sectors)	((()	(11.11.1 11 1)
1991	793,666	203,669	3,764,778	616,179
1992	805,140	172,241	3,899,718	716,587
1993	842,153	192,462	3,928,653	758,648
994	848,796	183,618	4,367,148	727,389
1995	860,594	132,578	4,737,871	844,741
996	907,209	144,626	4,312,458	998,556
997	931,949	159,715	4,564,770	519,581
998	946,295	222,640	5,081,384	503,292
1999	949,802	207,871	5,321,984	600,070
2000 2001 ^R	994,933 972,691	195,228 216,672	5,691,481 5,832,305	551,355 491,694
2002	987,583	168,597	6,126,062	681,089
Electricity Generators, Electric Utilities	987,383	108,337	0,120,002	081,089
991	772,268	188,494	2.789.014	
992	779,860	152,329	2,765,608	
993	813,508	168,556	2,682,440	
1994	817,270	155,377	2,987,146	
995	829,007	105,956	3,196,507	
1996	874,681	116,680	2,732,107	
1997	900,361	132,147	2,968,453	
998	910,867	187,461	3,258,054	
1999	894,120	151,868	3,113,419	
000	859,335	125,788	3,043,094	
2001 ^R		133,456	2,686,287	
2002	767,803	99,219	2,259,684	5,794
lectricity Generators, Independent Power Producers	015	1 402	22 144	22
991	915	1,403 2,099	33,144	22 16
992	1,326 3,050	1,965	63,389 72,653	43
993 994	3,939	1,983	77,414	43
995	3,921	2,342	91,064	40
996	4,143	2,169	91,617	32
997	3,884	4,010	70,774	25
998	9,486	9,676	285,878	1.489
1999	30,572	30,037	615,756	433
2000	107,745	45,011	1,049,636	1,320
2001 ^R	139,799	60,489	1,477,643	170
2002	192,274	44,993	1,998,782	283
Combined Heat and Power, Electric Power ⁴				
991	9,470	912	393,898	59,451
992	12,204	3,291	495,967	84,115
1993	13,293	8,513	589,147	104,664
994	14,904 14,926	12,011	693,923	90,594
995 996	15,575	11,366 11,320	806,202 836,086	123,825 115,579
997	14,764	11,046	863,968	15,288
998	13,773	12,310	871,881	34,115
999	13,197	12,440	914,600	22,300
2000	15,634	13,147	921,341	43,692
2001 ^R	15,455	11,175	978,563	98,069
2002	15,174	11,942	1,149,812	146,333
ombined Heat and Power, Commercial ⁵				
991	403	576	26,806	1,884
992	371	429	32,674	1,836
993	404	672	37,435	1,752
994	404	694	40,828	1,842
995	569	649	42,700	
996	656	645	42,380	* 9
997	630	790 802	38,975	21
998	440 481	802 931	40,693	∠1 *
999 0000	514	823	39,045 37,029	*
.0001 ^R	532	1,023	36,248	*
002	477	834	30,248	*
ombined Heat and Power, Industrial ⁶	7//	7.00	22,373	
991	10,610	12,283	521,916	554,822
992	11,379	14,093	542,081	630,619
993	11,898	12,755	546,978	652,189
994		13,537	567,836	634,910
995	12,171	12,265	601,397	720,876
996	12,153	13,813	610,268	882,944
997	12,311	11,723	622,599	504,259
998	11,728	12,392	624,878	467,666
999		12,595	639,165	577,336
000	11,706	10,459	640,381	506,344
:001 ^R	10,636	10,530	653,565	393,454
		11,608	685,239	528,680

Anthracite, bituminous coal, subbituminous coal, lignite, synthetic coal, and waste coal.

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

⁴ Electric utility CHP plants are included in Electric Generators, Electric Utilities.

⁵ Small number of commercial electricity-only plants included. ⁶ Small number of industrial electricity-only plants included.

R = Revised.

^{* =} Value is less than half of the smallest unit of measure (e.g., for values with no decimals, the smallest unit is "1" and values under 0.5 are shown as "*".)

Notes: •See Glossary for definitions.•Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-906, "Power Plant Report," and predecessor forms.

Consumption of Fossil Fuels for Useful Thermal Output by Type of Combined Heat and **Table 4.2.** Power Producers, 1991 through 2002

Type of Power Producer and Year	Coal	Petroleum	Natural Gas	Other Gases
Type of Fower Frouncer and Tear	(Thousand Tons) ¹	(Thousand Barrels) ²	(Thousand Mcf)	(Thousand Mcf) ³
Total Combined Heat and Power				
1991	18,458	23,039	663,963	750,704
1992	19,372	24,077	717,860	849,446
1993	19,750	26,394	733,584	831,806
1994	20,609	27,929	784,015	793,898
1995	20,418	25,562	834,382	654,799
1996	20,806	27,873	865,774	809,558
1997	21,005	28,802	868,569	839,718
1998	20,320	28,845	949,106	841,769
1999	20,373	26,822	982,958	873,137
2000	20,466	22,266	985,263	902,345
2001 ^R	18,944	18,268	898,286	480,180
2002	17,561	14,811	860,019	463,026
Electric Power ⁴	,	· ·	,	,
1991	1,221	1,101	99,868	59,243
1992	1,704	1,229	122,908	48,716
1993	1,794	1,591	128,743	33,074
1994	2,241	1,791	144,062	59,648
1995	2,376	2,784	142,753	38,671
1996	2,520	2,424	147,091	38,835
1997	2,355	2,466	161,608	11,079
1998	2,493	1,322	172,471	10,494
1999	3,033	1,423	175,757	7,280
2000	3,107	1,412	192,253	27,549
2001 ^R	2,910	1,171	199,808	43,160
2002	2,255	841	263,619	48,395
Commercial				
1991	826	761	25,295	233
1992	804	807	29,672	185
1993	968	843	27,738	234
1994	940	931	31,457	339
1995	850	596	34,964	
1996	1,005	601	40,075	*
1997	1,108	794	47,941	10
1998	1,002	1,006	46,527	17
1999	1,009	682	44,991	*
2000	1,034	792	47,844	*
2001 ^R	916	809	42,407	0
2002	929	416	41,430	*
Industrial				
1991	16,412	21,177	538,800	691,229
1992	16,864	22,041	565,279	800,544
1993	16,988	23,960	577,103	798,497
1994	17,428	25,207	608,496	733,911
1995	17,192	22,182	656,665	616,128
1996	17,281	24,848	678,608	770,723
1997	17,542	25,541	659,021	828,629
1998	16,824	26,518	730,108	831,258
1999	16,330	24,718	762,210	865,858
2000	16,325	20,062	745,165	874,796
2001 ^R	15,119	16,287	656,071	437,020
	14.377	13,555	554,970	414,631

¹ Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

Notes: •See Glossary for definitions.•Totals may not equal sum of components because of independent rounding. Source: Energy Information Administration, Form EIA-906, "Power Plant Report," and predecessor forms.

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

Electric utility CHP plants are included in Table 4.1 with Electric Generators, Electric Utilities.

^{* =} Value is less than half of the smallest unit of measure (e.g., for values with no decimals, the smallest unit is "1" and values under 0.5 are shown as "*".)

Consumption of Fossil Fuels for Electricity Generation and for Useful Thermal Output, 1991 through 2002

Period	Coal (Thousand Tons) ¹	Petroleum (Thousand Barrels) ²	Natural Gas (Thousand Mcf)	Other Gases (Thousand Mcf) ³
Total (All Sectors)				
1991	812,124	226,708	4,428,742	1,366,884
1992	824,512	196,318	4,617,578	1,566,033
1993	861,904	218,855	4,662,236	1,590,454
1994	869,405	211,547	5,151,163	1,521,287
1995	881,012	158,140	5,572,253	1,499,540
996	928,015	172,499	5,178,232	1,808,114
997	952,955	188,517	5,433,338	1,359,299
998	966,615	251,486	6,030,490	1,345,061
999	970,175	234,694	6,304,942	1,473,207
2000	1,015,398	217,494	6,676,744	1,453,701
2001 ^R	991,635	234,940	6,730,591	971,874
2002	1,005,144	183,409	6.986.081	1.144.115

¹ Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal.

End-of-Year Stocks of Coal and Petroleum by Type of Producer, 1991 through 2002

	Electric P	Power Sector	Electric U	J tilities	Independent Power Producers ¹		
Period	Coal Petroleum (Thousand (Thousand Tons) ² Barrels) ³		Coal (Thousand Tons) ²	Petroleum (Thousand Barrels) ³	Coal (Thousand Tons) ²	Petroleum (Thousand Barrels) ³	
1991	157,876	75,343	157,876	75,343	NA	NA	
1992	154,130	72,183	154,130	72,183	NA	NA	
1993	111,341	62,890	111,341	62,890	NA	NA	
1994	126,897	63,333	126,897	63,333	NA	NA	
1995	126,304	50,821	126,304	50,821	NA	NA	
1996	114,623	48,146	114,623	48,146	NA	NA	
1997	98,826	51,138	98,826	51,138	NA	NA	
1998	120,501	56,591	120,501	56,591	NA	NA	
1999 ^R	141,604	54,109	129,041	46,169	12,563	7,940	
2000 ^R	102,296	40,932	90,115	30,502	12,180	10,430	
2001 ^R	138,496	57,031	117,147	37,308	21,349	19,723	
2002	141,714	52,490	116,952	31,243	24,761	21,247	

¹ Electricity only and combined-heat-and-power plants in NAICS 22 category whose primary business is to sell electricity or electricity and heat to the public.

Notes: •Values are estimates based on a cutoff model sample - see Technical Notes for a discussion of the sample design for Form EIA-906. See Technical Notes for the adjustment methodology. • Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-906, "Power Plant Report," and predecessor forms.

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Blast furnace gas, propane gas, and other manufactured and waste gases derived from fossil fuels.

Notes: *See Glossary for definitions.*Totals may not equal sum of components because of independent rounding. Source: Energy Information Administration, Form EIA-906, "Power Plant Report," and predecessor forms.

² Anthracite, bituminous coal, subbituminous coal, and lignite, excludes waste coal.

³ Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

R = Revised.

Table 4.5. Receipts, Average Cost, and Quality of Fossil Fuels for the Electric Power Industry, 1991 through 2002

		Coa	ı ¹			Petrol	eum ²	Natura	All Fossil Fuels		
Period	Receipts	Averaş	ge Cost	Avg. Sulfur	Receipts	Avera	ge Cost ^R	Avg. Sulfur	Receipts Average Cost		Average Cost ^R
	(thousand tons)	(cents/ 10 ⁶ Btu)	(dollars/ ton)	Percent by Weight	(thousand barrels)	(cents/ 10 ⁶ Btu)	(dollars/ barrel)	Percent by Weight ^R	(thousand Mcf)	(cents/ 10 ⁶ Btu)	(cents/ 10 ⁶ Btu)
1991	769,923	144.7	30.02	1.30	172,051	252.7	15.93	1.11	2,630,818	215.3	160.2
1992	775,963	141.2	29.36	1.29	147,825	251.4	15.87	1.19	2,637,678	232.8	158.9
1993	769,152	138.5	28.58	1.18	154,144	237.3	14.95	1.34	2,574,523	256.0	159.4
1994	831,929	135.5	28.03	1.17	149,258	242.3	15.19	1.23	2,863,904	223.0	152.5
1995	826,860	131.8	27.01	1.08	89,908	256.6	16.10	1.21	3,023,327	198.4	145.2
1996	862,701	128.9	26.45	1.10	113,678	302.6	18.98	1.26	2,604,663	264.1	151.8
1997	880,588	127.3	26.16	1.11	128,749	273.0	17.18	1.37	2,764,734	276.0	152.0
1998	929,448	125.2	25.64	1.06	181,276	202.1	12.71	1.48	2,922,957	238.1	143.5
1999	908,232	121.6	24.72	1.01	145,939	235.9	14.81	1.51	2,809,455	257.4	143.8
2000	790,274	120.0	24.28	.93	108,272	417.9	26.30	1.33	2,629,986	430.2	173.5
2001	762,815	123.2 ^R	24.68	.89	124,618	369.3	23.20	1.42	2,152,366	448.7 ^R	173.0
20024	884,287	125.5	25.52	.94	120,851	334.3	20.77	1.64	5,607,737	356.0	151.5

Anthracite, bituminous coal, subbituminous coal, lignite, waste coal, and synthetic coal,

Notes: •Totals may not equal sum of components because of independent rounding. •Receipts data for regulated utilities is compiled by EIA from data collected by the Federal Energy Regulatory Commission (FERC) on the FERC Form 423. These data are collect by FERC for regulatory rather than statistical and publication purposes. The FERC Form 423 data published by EIA has been reviewed for consistency between volumes and prices and for their consistency over time. However, EIA does not attempt to resolve any late filing issues in the FERC Form 423 data. •As of 1991, data are for electric generating plants with a total steam-electric and combined-cycle nameplate capacity of 50 or more megawatts. •Mcf = thousand cubic feet. •Monetary values are expressed in nominal terms.

Sources: Energy Information Administration, Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report;" Federal Energy Regulatory Commission, FERC Form 423, "Monthly Report of Cost and Quality of Fuels for Electric Plants."

Table 4.6. Receipts and Quality of Coal Delivered for the Electric Power Industry, 1991 through 2002

	Anthracite			E	Bituminous			Subbituminous			Lignite		
Period	Receipts (Thousand Tons)	Sulfur percent by weight	Ash percent by weight	Receipts (Thousand Tons)	Sulfur percent by weight	Ash percent by weight	Receipts (Thousand Tons)	Sulfur percent by weight	Ash percent by weight	Receipts (Thousand Tons)	Sulfur percent by weight	Ash percent by weight	
1991	723	.64	33.4	450,462	1.84	10.3	239,929	.42	6.9	78,810	.95	14.9	
1992	503	.67	32.0	453,732	1.81	10.2	241,291	.43	7.0	80,438	.97	14.6	
1993	392	.69	33.0	422,690	1.71	10.2	265,180	.41	7.0	80,890	.94	14.4	
1994	689	.56	36.8	456,733	1.69	10.1	295,752	.41	6.9	78,756	.94	13.8	
1995	857	.53	37.4	432,586	1.60	10.2	316,195	.39	6.7	77,222	.99	14.0	
1996	735	.52	37.7	454,814	1.64	10.3	328,874	.39	6.6	78,278	.92	13.6	
1997	751	.53	36.7	466,104	1.65	10.5	336,805	.40	6.7	76,928	.98	13.8	
1998	511	.55	37.6	478,252	1.61	10.5	373,496	.38	6.6	77,189	.95	13.8	
1999	137	.64	37.8	444,399	1.57	10.2	386,271	.38	6.6	77,425	.90	14.2	
2000	11	.64	37.2	375,673	1.45	10.1	341,242	.35	6.3	73,349	.91	14.2	
2001				348,703	1.42	10.4	349,340	.35	6.1	64,772	.98	13.9	
20021				412,589	1.47	10.1	391,785	.36	6.2	65,600	.93	13.3	

¹ Beginning in 2002, data from the Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report" for independent power producers and combined heat and power producers are included in this data dissemination. Prior to 2002, these data were not collected; the data for 2001 and previous years include only data collected from electric utilities via the FERC Form 423.

Notes: •Totals may not equal sum of components because of independent rounding.•Data do not include waste coal and synthetic coal.•Receipts data for regulated utilities is compiled by EIA from data collected by the Federal Energy Regulatory Commission (FERC) on the FERC Form 423. These data are collect by FERC for regulatory rather than statistical and publication purposes. The FERC Form 423 data published by EIA has been reviewed for consistency between volumes and prices and for their consistency over time. However, EIA does not attempt to resolve any late filing issues in the FERC Form 423 data.

Sources: Energy Information Administration, Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report;" Federal Energy Regulatory Commission, FERC Form 423, "Monthly Report of Cost and Quality of Fuels for Electric Plants."

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Natural gas, including a small amount of supplemental gaseous fuels that cannot be identified separately.

⁴ Beginning in 2002, data from the Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report" for independent power producers and combined heat and power producers are included in this data dissemination. Prior to 2002, these data were not collected; the data for 2001 and previous years include only data collected from electric utilities via the FERC Form 423.

R = Revised

Average Quality of Fossil Fuels Burned by the Electric Power Industry, 1991 through **Table 4.7.**

2(JU2					r
		Coal ¹		Petrol	Natural Gas ³	
Year	Average Btu per Pound	Sulfur Percent by Weight	Ash Percent by Weight	Average Btu per Gallon ^R	Sulfur Percent by Weight ^R	Average Btu per Cubic Foot
1991	10,378	1.30	9.76	144,031	1.11	1,024
1992	10,395	1.29	9.71	141,593	1.19	1,024
1993	10,315	1.18	9.55	136,888	1.34	1,023
1994	10,338	1.17	9.36	136,481	1.23	1,023
1995	10,248	1.08	9.23	137,951	1.21	1,019
1996	10,263	1.10	9.22	137,440	1.26	1,017
1997	10,275	1.11	9.36	137,405	1.37	1,019
1998	10,241	1.06	9.18	139,010	1.48	1,022
1999	10,163	1.01	9.01	137,424	1.51	1,019
2000	10,115	.93	8.84	138,828	1.33	1,020
2001	10,025 ^R	.89	8.80 ^R	149,048	1.42	1,020 R
20024	10,157	.94	8.74	143,493	1.64	1,021

¹ Anthracite, bituminous coal, subbituminous coal, lignite coal, synthetic fuel, and waste coal.

R = Revised

Notes: •Totals may not equal sum of components because of independent rounding. •Receipts data for regulated utilities is compiled by EIA from data collected by the Federal Energy Regulatory Commission (FERC) on the FERC Form 423. These data are collect by FERC for regulatory rather than statistical and publication purposes. The FERC Form 423 data published by EIA has been reviewed for consistency between volumes and prices and for their consistency over time. However, EIA does not attempt to resolve any late filing issues in the FERC Form 423 data.

Sources: Energy Information Administration, Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report," Federal Energy Regulatory Commission, FERC Form 423, "Monthly Report of Cost and Quality of Fuels for Electric Plants."

² Distillate fuel oil (all diesel and No. 1, No. 2, and No. 4 fuel oils), residual fuel oil (No. 5 and No. 6 fuel oils and bunker C fuel oil), jet fuel, kerosene, petroleum coke (converted to liquid petroleum, see Technical Notes for conversion methodology), and waste oil.

Natural gas, including a small amount of supplemental gaseous fuels that cannot be identified separately.

designing in 2002, data from the Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report" for independent power producers and combined heat and power producers are included in this data dissemination. Prior to 2002, these data were not collected; the data for 2002 and previous years include only data collected from electric utilities via the FERC Form 423.

Chapter 5. Emissions

31

Table 5.1. Emissions, 1991 through 2002

(Thousand Metric Tons)

Emission	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Carbon Dioxide (CO ₂)	9,941	2,285,035 ^R	2,327,868	2,222,525	2,209,983	2,123,263	2,058,980	1,985,162	1,970,581	1,945,346	1,865,680	1,851,086
Sulfur Dioxide (SO ₂)		10,339 ^R	10,678	11,791	12,534	12,484	12,125	11,469	13,721	14,246	14,337	14,604
Nitrogen Oxides (NO _x)		4,865 ^R	5,191	5,549	5,999	6,085	6,137	5,908	6,732	6,927	6,717	6,816

R = Revised.

Source: Energy Information Administration, Form EIA-767, "Steam-Electric Plant Operation and Design Report;" Form EIA-906, "Power Plant Report;" and predecesor forms. Nitrogen oxides adjusted by the Environmental Protection Agency's Continuous Emission Monitoring System.

Table 5.2. Number and Capacity of Fossil-Fueled Steam-Electric Generators with Environmental Equipment, 1991 through 2002

Year ¹	Scrubbers		Particulate Collectors		Cooling	Towers	Total ²		
	Number of Generators	Capacity (megawatts)	Number of Generators	Capacity ³ (megawatts)	Number of Generators	Capacity ³ (megawatts)	Number of Generators	Capacity ³ (megawatts)	
1991	155	70,734	1,173	352,910	485	164,632	1,353	378,883	
1992	155	71,531	1,168	353,365	484	165,030	1,345	379,034	
1993	154	71,106	1,156	350,808	486	164,807	1,330	376,831	
1994	168	80,617	1,135	351,180	480	165,452	1,309	376,899	
1995	178	84,677	1,134	351,198	471	165,295	1,295	375,691	
1996	182	85,842	1,134	352,154	477	166,749	1,299	377,144	
1997	183	86,605	1,133	352,068	480	166,886	1,301	377,195	
1998	186	87,783	1,130	351,790	474	166,896	1,294	377,117	
1999	192	89,666	1,148	353,480	505	175,520	1,343	387,192	
2000	192	89,675	1,141	352,727	505	175,520	1,336	386,438	
20014	250 ^R	99,335 ^R	1,296 ^R	361,637 ^R	609	180,634	1,934	478,134	
2002	258	100,161	1,303	363,300	624	184,717	1,931	547,827	

¹ Includes plants under the Clean Air Act that were monitored by the Environmental Protection Agency even if sold to an unregulated entity.

Notes: These data are for plants with a fossil-fueled steam-electric capacity of 100 megawatts or more. Totals may not equal sum of components because of independent rounding. Source: Energy Information Administration, Form EIA-767, "Steam-Electric Plant Operation and Design Report." Data for unregulated plants are included beginning with 2001 data.

Table 5.3. Average Flue Gas Desulfurization Costs, 1991 through 2002

Year ¹	Average Overhead & Maintenance Costs (mills per kilowatthour) ²	Average Installed Capital Costs (dollars per kilowatt)
1991	1.40	130.00
1992	1.32	132.00
1993	1.19	125.00
1994	1.14	127.00
1995	1.16	126.00
1996	1.07	128.00
1997	1.09	129.00
1998	1.12	126.00
1999	1.13	125.00
2000	.96	124.00
2001 ³	.92	112.00
2002	.96	108.00

¹ Includes plants under the Clean Air Act that were monitored by the Environmental Protection Agency even if sold to an unregulated entity.

Note: Totals may not equal sum of components because of independent rounding.

² Components are not additive since some generators are included in more than one category.

³ Nameplate capacity

⁴ Data for plants with combustible renewable steam-electric capacity of 10 megawatts or more also included.

R = Reviseo

² A mill is one tenth of one cent.

³ Data for plants with combustible renewable steam-electric capacity of 10 megawatts or more also included.

Notes: •These data are for plants with a fossil-fueled steam-electric capacity of 10 megawatts or more.•Beginning in 2001, data for plants with combustible renewable steam-electric capacity of 10 megawatts or more also included.•Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-767, "Steam-Electric Plant Operation and Design Report." Data for unregulated plants are included beginning with 2001 data.

Chapter 6. Trade

Table 6.1. Electric Power Industry - Purchases, 1991 through 2002 (Million Kilowatthours)

2002 2001 2000 1999 1998 1997 1996 1995 1994 1993 1992 1991 1,340,593 U.S. Total 2,666,757 3,073,611 2,345,540 2.039,969 2,020,622 1,966,447 1,797,720 1,617,715 1,528,222 1,492,370 1,395,789 Electric Utilities...... 2,579,671 2,976,254 2,250,382 1,949,574 1,927,198 1,878,099 1,694,192 1,528,068 1,435,591 1,407,419 1,312,605 1,267,106 IPP and CHP1. 87,086 $97,357^{2}$ 95,158 90,395 93,423 88,348 103,528 89,647 92,631 84,951 83,184 73,487

Table 6.2. Electric Power Industry - Sales for Resale, 1991 through 2002 (Million Kilowatthours)

	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
U.S. Total Electric Utilities IPP and CHP ¹	1,793,748	2,893,382 2,081,384 811,998 ²	2,325,652 1,715,582 610,069	1,977,753 1,635,614 342,138	1,914,916 1,664,081 250,835	1,838,539 1,616,318 222,221	1,656,090 1,431,179 224,911	1,495,015 1,276,356 218,660	1,387,966 1,185,352 202,614	1,387,137 1,200,047 187,090	1,284,273 1,119,948 164,324	1,250,314 1,116,655 133,659

¹ IPP are independent power producers and CHP are combined heat and power producers.

Sources: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report." For unregulated entities prior to 2001, Form EIA-860B, "Annual Electric Generator Report - Nonutility," and predecessor forms.

Table 6.3. Electric Power Industry - U.S. Electricity Imports from and Electricity Exports to Canada and Mexico, 1991 through 2002

(Megawatthours)

Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Electricity Impo	rts and Exp	orts										
Canada												
Imports	36,130,481	38,401,598 ^R	48,515,476 ^R	42,911,308 ^R	39,502,108 ^R	43,008,501 ^R	42,233,376	40,596,119	44,821,858	29,364,197	26,224,179	19,815,290
Exports	12,995,709	16,105,612 ^R	12,684,706	12,953,488 ^R	11,683,276 ^R	7,470,332	1,986,361	2,468,244	941,214	2,691,723	1,835,692 ^R	1,687,950
Mexico ¹												
Imports ²	307,692	98,649 ^R	76,800	303,439	11,249	22,729 ^R	1,263,152	2,257,411	2,011,319	1,993,328	2,022,419	2,115,739
Exports	1,541,843	367,680	2,144,676	1,268,284	1,973,203	1,503,707	1,315,625	1,154,421	1,068,668	849,167	990,887 ^R	616,628
Total Imports Total Exports		38,500,247 ^R 16,473,292 ^R	- , , -	43,214,747 ^R 14,221,772 ^R	39,513,357 ^R 13,656,479 ^R	43,031,230 8,974,039	43,496,528 3,301,986	42,853,530 3,622,665	46,833,177 2,009,882	31,357,525 3,540,890	28,246,598 2,826,579	21,931,029 2,304,578

¹ For the reporting year 2001, California - ISO reported electricity purchases from Mexico of 98,645 MWh. They exported 65,475 MWh, thereby having a total net trade of 33,170 MWh of imported electricity in 2001. For the reporting year 2002, California - ISO reported electricity purchases from Mexico of 143,948 MWh. They exported 196,923 MWh, thereby having a total net trade of 52,975 MWh of exported electricity in 2002.

Sources: Canada: National Energy Board of Canada; Mexico: Office of Fuels Programs, Fossil Energy, Form FE-781R, "Annual Report of International Electric Export/Import Data," Data provided by the California - ISO.

¹ IPP are independent power producers and CHP are combined heat and power producers.

² The data collection instrument was changed for 2001 to collect data at the corporate level, rather than the plant level. As a result, comparisons with data prior to 2001 and after 2001 should be done with caution.

Notes: •Restructuring of the electric power industry has dramatically increased trade in various locations.•See Glossary for definitions.•Totals may not equal sum of components because of independent rounding.

Sources: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report," For unregulated entities prior to 2001, Form EIA-860B, "Annual Electric Generator Report - Nonutility," and predecessor forms.

² The data collection instrument was changed for 2001 to collect data at the corporate level, rather than the plant level. As a result, comparisons with data prior to 2001 and after 2001 should be done with caution.

Notes: •Restructuring of the electric power industry has dramatically increased trade in various locations.•See Glossary for definitions.•Totals may not equal sum of components because of independent rounding.

² Contract terminations in 1997 and 2000.

R = Revised

Note: Totals may not equal sum of components because of independent rounding.

Chapter 7. Retail Customers, Sales, and Revenue

Table 7.1. Number of Ultimate Customers Served by Sector, by Provider, 1991 through 2002 (Number)

	11001)	1	1		,
Period	Residential	Commercial	Industrial	Others ¹	All Sectors
		To	tal Electric Industry		
1991	98,295,518	12,178,694	518,272	887,499	111,879,983
1992	99,512,728	12,367,205	547,990	857,614	113,285,537
1993	100,860,071	12,526,377	553,231	795,298	114,734,977
1994	102.320.846	12.733.153	583,935	850.770	116,488,704
1995	103.917.312	12.949.365	580.626	882.422	118.329.725
1996	105,343,005	13,181,065	586,198	893.884	120,004,152
1997	107,065,589	13,542,374	563,223	951,863	122,123,049
1998	109,048,343	13,887,066	539.903	932,838	124,408,150
1999	110.383.238	14.073.764	552.690	935.311	125,945,003
2000	111,717,711	14,349.067	526,554	974,185	127,567,517
2001	114.317.707	14,939,895	574.361	1,008,212	130.840.175
2002	116,448,459	15,277,434	595,319	1,008,212	133,363,033
2002	110,446,439		Ill-Service Providers	1,041,821	133,303,033
1991	98,295,518	12,178,694		887,499	111,879,983
			518,272		
1992	99,512,728	12,367,205	547,990	857,614	113,285,537
1993	100,860,071	12,526,377	553,231	795,298	114,734,977
1994	102,320,846	12,733,153	583,935	850,770	116,488,704
1995	103,917,312	12,949,365	580,626	882,422	118,329,725
1996	105,341,408	13,180,632	586,169	893,884	120,002,093
1997	107,033,338	13,540,374	562,972	951,863	122,088,547
1998	108,736,845	13,832,662	538,167	932,838	124,040,512
1999	109,817,057	13,963,937	527,329	934,260	125,242,583
2000	110,505,820	14,058,271	512,551	953,756	126,030,398
2001	112,533,187	14,535,461	558,381	1,001,641	128,628,670
2002 ²	113,785,576	14,933,773	586,846	1,034,571	130,340,766
		En	ergy-Only Providers		
1991					
1992					
1993					
1994					
1995					
1996	1.597	433	29	0	2.059
1997	32.251	2,000	251	Õ	34,502
1998	311.498	54,404	1.736	Õ	367,638
1999	566,181	109,827	25,361	1,051	702,420
2000	1,211,891	290.796	14.003	20.429	1.537.119
2001	1,784,520	404,434	15,980	6,571	2,211,505
2002	2,662,883	343,661	8,473	7,250	3,022,267
2002	2,002,883	343,001	0,473	7,230	3,022,207

¹ Miscellaneous sales, such as sales for public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales included. Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2001 and 120 million kilowatthours in 1990-1997.

² Pursuant to applicable Texas statutes establishing competitive electricity markets within the Electric Reliability Council of Texas, all customers served by Retail Energy Providers must be provided fully-bundled energy and delivery services, so are included under "Full-Service Providers."

Notes: *See Glossary for definitions.*The number of ultimate customers is an average of the number of customers at the close of each month.*Utilities and energy service providers may classify commercial and industrial customers based on either NAICS codes or demands or usage falling within specified limits by rate schedule.*Changes from year to year in consumer counts, sales and revenues, particularly involving the commercial and industrial consumer sectors, may result from respondent implementation of changes in the definitions of consumers, and reclassifications.

Figure 7.1 U.S. Electric Power Industry Total Ultimate Customers by State, 2002




Table 7.2. Retail Sales of Electricity to Ultimate Customers by Sector, by Provider, 1991 through 2002

(Megawatthours)

Period	Residential	Commercial	Industrial	Others ¹	All Sectors
		To	otal Electric Industry		
1991	955,417,350	765,663,613	946,583,391	94,338,686	2,762,003,040
1992	935,938,788	761,270,543	972,713,990	93,442,150	2,763,365,449
1993	994,780,818	794,573,370	977,164,250	94,943,902	2,861,462,340
1994	1,008,481,682	820,269,462	1,007,981,245	97,830,475	2,934,562,864
1995	1,042,501,471	862,684,775	1,012,693,350	95,406,993	3,013,286,589
1996	1,082,511,751	887,445,174	1,033,631,379	97,538,719	3,101,127,023
1997	1,075,880,098	928,632,774	1,038,196,892	102,900,664	3,145,610,428
1998	1,130,109,120	979,400,928	1,051,203,115	103,517,589	3,264,230,752
1999	1,144,923,069	1,001,995,720	1,058,216,608	106,951,684	3,312,087,081
2000	1,192,446,491	1,055,232,090	1,064,239,393	109,496,292	3,421,414,266
2001	1,202,646,738	1,089,153,700	964,224,282	113,756,089	3,369,780,809 ^R
2002	1,266,959,182	1,116,247,776	972,167,724	107,146,152	3,462,520,834
		Fu	all-Service Providers		
1991	955,417,350	765,663,613	946,583,391	94,338,686	2,762,003,040
1992	935,938,788	761,270,543	972,713,990	93,442,150	2,763,365,449
1993	994,780,818	794,573,370	977,164,250	94,943,902	2,861,462,340
1994	1,008,481,682	820,269,462	1,007,981,245	97,830,475	2,934,562,864
1995	1,042,501,471	862,684,775	1,012,693,350	95,406,993	3,013,286,589
1996	1,082,490,541	887,424,657	1,030,356,028	97,538,719	3,097,809,945
1997	1,075,766,590	928,440,265	1,032,653,445	102,900,664	3,139,760,964
1998	1,127,734,988	968,528,009	1,040,037,873	103,517,589	3,239,818,459
1999	1,140,761,016	970,600,943	1,017,783,037	106,754,043	3,235,899,039
2000	1,183,137,429	1,000,865,367	1,017,722,945	107,824,323	3,309,550,064
2001	1,168,538,228	1,020,839,106	930,011,833	105,436,926	3,224,826,093
20022	1,232,709,137	1,022,093,194	933,655,019	101,943,663	3,290,401,013
		En	ergy-Only Providers		
1991					
1992					
1993					
1994					
1995					
1996	21,210	20,517	3,275,351	0	3,317,078
1997	113,508	192,509	5,543,447	0	5,849,464
1998	2,374,132	10,872,919	11,165,242	0	24,412,293
1999	4,162,053	31,394,777	40,433,571	197,641	76,188,042
2000	9,309,062	54,366,723	46,516,448	1,671,969	111,864,202
2001	34,108,510	68,314,594	34,212,449	8,319,163	144,954,716
2002	34,250,045	94,154,582	38,512,705	5,202,489	172,119,821

¹ Miscellaneous sales, such as sales for public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales included. Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2001 and 120 million kilowatthours in 1990-1997.

² Pursuant to applicable Texas statutes establishing competitive electricity markets within the Electric Reliability Council of Texas, all customers served by Retail Energy Providers must be provided fully-bundled energy and delivery services, so are included under "Full-Service Providers."

Notes: *See Glossary for definitions.*Utilities and energy service providers may classify commercial and industrial customers based on either NAICS codes or demands or usage falling within limits specified by a rate schedule.*Changes from year to year in consumer counts, sales and revenues, particularly involving the commercial and industrial consumer sectors, may result from respondent implementation of changes in the definitions of consumers, and reclassifications.*As a consequence of unrecoverable high average wholesale power costs in California in 2000 and early 2001, the credit ratings of California's three major investor-owned utilities fell below investment grade by early 2001. The rapid and dramatic decline in the credit-worthiness of California's major investor-owned utilities virtually eliminated their ability through wholesale markets to meet the power requirements of their retail consumers. In response to the looming energy shortfall, the California State legislature authorized the California Department of Water Resources (CDWR), using its undamaged borrowing capability, to enter the wholesale markets on behalf of the California retail consumer effective on January 17, 2001 and for the period ending December 31, 2002. Also the California Public Utility Commission (CPUC) was required by statute to establish the procedures for facilitating the CDWR's participation in California retail sales, as well as retail revenue recovery mechanisms. Energy provided by the CDWR was delivered by the major investor-owned utilities in California. For this reason, and by agreement with the CDWR, energy sales for the calendar year 2002 of approximately 45.2 million megawatthours and for the calendar year 2001 of approximately 58.9 million megawatthours, and associated revenue related to the CDWR's intervention in the crisis are identified as "Energy Only Providers."

Figure 7.2 U.S. Electric Power Industry
Total Retail Sales by State, 2002
(Thousand MWh)




Table 7.3. Revenue from Retail Sales of Electricity to Ultimate Customers by Sector, by Provider, 1991 through 2002

(Million Dollars)¹

Period	Residential	Commercial	Industrial	Others ²	All Sectors
1 0110 4	1100140110111	00	11144541141		
			otal Electric Industry		
1991	76,828	57,655	45,737	6,138	186,359
1992	76,848	58,343	46,993	6,296	188,480
1993	82,814	61,521	47,357	6,528	198,220
1994	84,552	63,396	48,069	6,689	202,706
1995	87,610	66,365	47,175	6,567	207,717
1996	90,503 90,704	67,829 70,497	47,536 47,023	6,741 7,110	212,609 215,334
1997 1998	93,360	70,497	47,023 47,050	6,863	219,848
1999	93,483	72,373 72,771	46.846	6.796	219,848
2000	98,209	78,405	49,369	7.179	233,163
2001	103,671	86,354	48,573	7,999	246,597
2002	107,229	87,706	47,485	7.208	249,629
2002	107,229		ıll-Service Providers	7,200	215,025
1991	76,828	57,655	45,737	6,138	186,359
1992	76,848	58,343	46,993	6,296	188,480
1993	82.814	61,521	47.357	6,528	198,220
1994	84,552	63,396	48,069	6,689	202,706
1995	87,610	66,365	47,175	6,567	207,717
1996	90,501	67,827	47,385	6,741	212,455
1997	90,694	70,482	46,772	7,110	215,059
1998	93,164	71,769	46,550	6,863	218,346
1999	93,142	70,492	45,056	6,783	215,473
2000	97,086	73,704	46,465	6,988	224,243
2001	100,004	79,901	46,040	7,242	233,187
2002 ³	102,842	78,189	44,276	6,762	232,070
1001			ergy-Only Providers		
1991		 			
1992 1993					
1994					
1995					
19964	2	2	151	0	154
19974	10	15	251	ŏ	275
1997 ⁴ 1998 ⁴	196	806	500	Ŏ	1,502
1999 ⁴	340	2.279	1.791	13	4.423
2000	530	3,175	2,374	75	6,153
2001	2,607	4,978	1,984	640	10,209
2002	2,510	6,189	1,938	246	10,884
		D	elivery-Only Service		
1991					
1992					
1993					
1994					
1995					
1996					
1997					
1998 1999					
2000	593	1,527	531	116	2,767
2001	1,060	1,327	549	117	3,201
2002	1.876	3,328	1,270	200	6.675
2002	1,070	3,320	1,2/0	200	0,075

¹ All "dollars" are nominal dollars


Notes: *See Glossary for definitions.* Utilities and energy service providers may classify commercial and industrial customers based on either NAICS codes or demands or usage falling within specified limits by a rate schedule. *Changes from year to year in consumer counts, sales and revenues, particularly involving the commercial and industrial consumer sectors, may result from respondent implementation of changes in the definitions of consumers, and reclassifications. *As a consequence of unrecoverable high average wholesale power costs in California in 2000 and early 2001, the credit ratings of California's three major investor-owned utilities fell below investment grade by early 2001. The rapid and dramatic decline in the credit-worthiness of California's major investor-owned utilities virtually eliminated their ability through wholesale markets to meet the power requirements of their retail consumers. In response to the looming energy shortfall, the California State legislature authorized the California Department of Water Resources (CDWR), using its undamaged borrowing capability, to enter the wholesale markets on behalf of the California retail consumer effective on January 17, 2001 and for the period ending December 31, 2002. Also the California Public Utility Commission (CPUC) was required by statute to establish the procedures for facilitating the CDWR's participation in California retail sales, as well as retail revenue recovery mechanisms. Energy provided by the CDWR was delivered by the major investor-owned utilities in California. For this reason, and by agreement with the CDWR, energy sales for the calendar year 2002 of approximately 45.2 million megawatthours and for the calendar year 2001 of approximately 58.9 million megawatthours, and associated revenue related to the CDWR's intervention in the crisis are identified as "Energy Only Providers." Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-861, "Annual Electric Power

Miscellaneous sales, such as sales for public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales included. Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2001 and 120 million kilowatthours in 1990-1997.
 Pursuant to applicable Texas statutes establishing competitive electricity markets within the Electric Reliability Council of Texas, all customers served by Retail Energy Providers must be provided fully-bundled energy and delivery services, so are included under "Full-Service Providers."

⁴ Revenue estimated based on retail sales reported on the Form EIA-861.

Figure 7.3 U.S. Electric Power Industry
Total Revenues by State, 2002
(Millions of Dollars)



Average Revenue per Kilowatthour from Retail Sales to Ultimate Customers by Sector, by Provider, 1991 through 2002

(Cents)

Period	Residential	Commercial	Industrial	Others ¹	All Sectors
		To	tal Electric Industry		
1991	8.04	7.53	4.83	6.51	6.75
1992	8.21	7.66	4.83	6.74	6.82
1993	8.32	7.74	4.85	6.88	6.93
1994	8.38	7.73	4.77	6.84	6.91
1995	8.40	7.69	4.66	6.88	6.89
1996	8.36	7.64	4.60	6.91	6.86
1997	8.43	7.59	4.53	6.91	6.85
1998	8.26	7.41	4.48	6.63	6.74
1999	8.16	7.26	4.43	6.35	6.64
2000	8.24	7.43	4.64	6.56	6.81
2001	8.62	7.93	5.04	7.03	7.32
2002	8.46	7.86	4.88	6.73	7.21
			ıll-Service Providers		
1991	8.04	7.53	4.83	6.51	6.75
1992	8.21	7.66	4.83	6.74	6.82
1993	8.32	7.74	4.85	6.88	6.93
1994	8.38	7.73	4.77	6.84	6.91
1995	8.40	7.69	4.66	6.88	6.89
1996	8.36	7.64	4.60	6.91	6.86
1997	8.43	7.59	4.53	6.91	6.85
1998	8.26	7.41	4.48	6.63	6.74
1999	8.16	7.26	4.43	6.35	6.66
2000	8.21	7.36	4.57	6.48	6.78
2001	8.56	7.83	4.95	6.87	7.23
2002 ²	8.34	7.65	4.74	6.63	7.05
		En	ergy-Only Providers		
1991					
1992					
1993					
1994					
1995	_ 		. 55		_
1996 ³	8.36	7.64	4.60		6.86
1997 ³	8.43	7.59	4.53		6.85
1998	8.26	7.41	4.48		6.74
1999³	8.16	7.26	4.43	6.35	6.66
2000	12.07	8.65	6.24	11.42	7.97
2001	10.75	9.45	7.41	9.09	9.25
2002	12.81	10.11	8.33	8.58	10.20

¹ Miscellaneous sales, such as sales for public street and highway lighting, other sales to public authorities, sales to railroads and railways, and interdepartmental sales included. Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2001 and 120 million kilowatthours in 1990-1997.

² Pursuant to applicable Texas statutes establishing competitive electricity markets within the Electric Reliability Council of Texas, all customers served by Retail Energy Providers must be provided fully-bundled energy and delivery services, so are included under "Full-Service Providers." ³ Average revenue estimated based on retail sales reported on the Form EIA-861.

Notes: •See Glossary for definitions. •Utilities and energy service providers may classify commercial and industrial customers based on either NAICS codes or demands or usage falling

Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

Figure 7.4 U.S. Electric Power Industry
Average Revenue per Kilowatthour by State, 2002
(Cents per kWh)




Figure 7.5 U.S. Electric Power Industry Residential Average Revenue per Kilowatthour by State, 2002 (Cents per kWh)




Figure 7.6 U.S. Electric Power Industry
Commercial Average Revenue per Kilowatthour by State, 2002
(Cents per kWh)





Figure 7.7 U.S. Electric Power Industry Industrial Average Revenue per Kilowatthour by State, 2002 (Cents per kWh)



Chapter 8. Revenue and Expense Statistics

Table 8.1. Revenue and Expense Statistics for Major U.S. Investor-Owned Electric Utilities, 1991 through 2002

(Million Dollars)1

Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Utility Operating Revenues	219,389	267,525	235,336	214,160	218,175	215,083	207,459	199,967	196,282	193,638	185,493	182,451
Electric Utility	200,135	244,219	214,707	197,578	201,970	195,898	188,901	183,655	179,307	176,354	169,488	166,804
Other Utility	19,254	23,306	20,630	16,583	16,205	19,185	18,558	16,312	16,974	17,283	16,005	15,647
Utility Operating Expenses	188,745	235,198	210,324	182,258	186,498	182,796	173,920	165,321	164,207	161,908	153,682	150,362
Electric Utility	171,291	213,733	191,329	167,266	171,689	165,443	156,938	150,599	148,663	146,118	139,009	135,948
Operation	116,374	159,929	132,662	108,461	110,759	104,337	97,207	91,881	93,108	91,328	87,272	85,934
Production	90,649	136,089	107,352	83,555	85,956	80,153	73,437	68,983	69,269	68,781	66,980	66,102
Cost of Fuel	24,132	29,490	32,555	29,826	31,252	31,861	30,706	29,122	30,108	31,214	30,254	31,312
Purchased Power	58,828	98,231	61,969	43,258	42,612	37,991	32,987	29,981	29,213	27,716	26,212	24,169
Other	7,688	8,368	12,828	10,470	12,092	10,301	9,744	9,880	9,948	9,851	10,513	10,620
Transmission	3,494	2,365	2,699	2,423	2,197	1,915	1,503	1,425	1,361	1,354	1,308	1,247
Distribution	3,113	3,217	3,115	2,956	2,804	2,700	2,604	2,561	2,581	2,595	2,499	2,530
Customer Accounts	4,165	4,434	4,246	4,195	4,021	3,767	3,848	3,613	3,546	3,418	3,347	3,203
Customer Service	1,821	1,856	1,839	1,889	1,955	1,197	1,920	1,922	1,956	1,852	1,531	1,452
Sales	261	282	403	492	514	501	435	348	232	203	199	203
Administrative and General	12,872	11,686	13,009	12,951	13,311	13,384	13,458	13,028	14,163	13,124	11,409	11,196
Maintenance	10,843	11,167	12,185	12,276	12,486	12,368	12,050	11,767	12,022	12,447	12,195	12,024
Depreciation	17,319	20,845	22,761	23,968	24,122	23,072	21,194	19,885	18,679	18,099	17,092	16,127
Taxes and Other	26,755	21,792	23,721	22,561	24,322	25,667	26,488	27,065	24,854	24,244	22,450	21,863
Other Utility	17,454	21,465	18,995	14,992	14,809	17,353	16,983	14,722	15,544	15,790	14,673	14,414
Net Utility Operating Income	30,644	32,327	25,012	31,902	31,677	32,286	33,539	34,646	32,074	31,730	31,811	32,089

All "dollars" are nominal dollars

Note: Totals may not equal sum of components because of independent rounding.

Source: Federal Energy Regulatory Commission, FERC Form 1, "Annual Report of Major Electric Utilities, Licensees and Others."

Table 8.2. Average Operating Expenses for Major U.S. Investor-Owned Electric Utilities, 1991 through 2002

(Mills per Kilowatthour)

Plant Type	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
		•	•	0	peration							
Nuclear	8.54	8.30	8.41	8.93	9.98	11.02	9.47	9.43	9.79	10.20	10.43	10.49
Fossil Steam.	2.54	2.40	2.31	2.21	2.17	2.22	2.25	2.38	2.32	2.37	2.38	2.29
Hydroelectric ¹	5.07	5.79	4.74	4.17	3.85	3.29	3.87	3.69	4.53	3.82	4.33	3.88
Gas Turbine and Small Scale ²	2.72	3.15	4.57	5.16	3.85	4.43	5.08	3.57	4.58	6.47	10.18	9.61
				Ma	aintenance	e						
Nuclear	5.04	5.01	4.93	5.13	5.79	6.90	5.68	5.21	5.20	5.73	5.93	5.50
Fossil Steam	2.68	2.61	2.45	2.38	2.41	2.43	2.49	2.65	2.82	2.96	2.95	2.98
Hydroelectric ¹	3.58	3.97	2.99	2.60	2.00	2.49	2.08	2.19	2.90	2.65	3.30	2.89
Gas Turbine and Small Scale ²	2.38	3.33	3.50	4.80	3.43	3.43	4.98	4.28	5.39	7.52	12.15	12.93
					Fuel							
Nuclear	4.60	4.67	4.95	5.17	5.39	5.42	5.50	5.75	5.87	5.88	6.12	6.71
Fossil Steam	16.11	18.13	17.69	15.62	15.94	16.80	16.51	16.07	16.67	17.65	17.49	17.91
Hydroelectric ¹												
Gas Turbine and Small Scale ²	31.82	43.56	39.19	28.72	23.02	24.94	30.58	20.83	22.19	26.39	28.59	30.96
				Т	otal							
Nuclear	18.18	17.98	18.28	19.23	21.16	23.33	20.65	20.39	20.86	21.80	22.48	22.70
Fossil Steam	21.32	23.14	22.44	20.22	20.52	21.45	21.25	21.11	21.80	22.97	22.83	23.17
Hydroelectric ¹	8.65	9.76	7.73	6.77	5.86	5.78	5.95	5.89	7.43	6.47	7.63	6.76
Hydroelectric ¹	36.93	50.04	47.26	38.68	30.30	32.80	40.64	28.67	32.16	40.38	50.92	53.51

¹ Conventional hydro and pumped storage.

Notes: •Expenses are average expenses weighted by net generation.•A mill is a monetary cost and billing unit equal to 1/1000 of the U.S. dollar (equivalent to 1/10 of one cent).•Totals may not equal sum of components because of independent rounding.

Source: Federal Energy Regulatory Commission, FERC Form 1, "Annual Report of Major Electric Utilities, Licensees and Others."

² Gas turbine, internal combustion, photovoltaic, and wind plants.

Table 8.3. Revenue and Expense Statistics for Major U.S. Publicly Owned Electric Utilities (With Generation Facilities), 1991 through 2002

(Million Dollars)1

Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Operating Revenue - Electric	32,776	38,028	31,843	26,767	26,155	25,397	24,207	23,473	23,267	22,522	21,686	21,083
Operating Expenses - Electric	28,638	32,789 ^R	26,244	21,274	20,880	20,425	19,084	18,959	18,649	18,162	17,191	16,887
Operation Including Fuel	21,731	25,922 ^R	19,575	15,386	15,120	14,917	13,768	13,653	13,578	13,242	12,527	12,155
Production	17,176	21,764 ^R	15,742	11,923	11,608	11,481	11,080	10,385	10,445	10,254	9,712	9,465
Transmission	858	785	781	732	773	725	344	628	610	580	535	509
Distribution	680	605	574	516	603	538	497	426	430	408	389	363
Customer Accounts		600	507	415	390	390	365	323	317	315	299	289
Customer Service	315	263	211	160	127	133	103	102	104	94	83	74
Sales	74	73	66	49	51	46	18	20	22	17	18	18
Administrative and General	2,090	1,832	1,695	1,591	1,567	1,602	1,360	1,769	1,651	1,573	1,492	1,437
Maintenance	1,926	1,904 ^R	1,815	1,686	1,631	1,609	1,638	1,575	1,584	1,565	1,565	1,446
Depreciation and Amortization	3,907	4,009	3,919	3,505	3,459	3,239	3,160	2,934	2,721	2,596	2,417	2,301
Taxes and Tax Equivalents	1,074	954	936	697	670	660	662	797	766	759	681	596
Net Electric Operating Income	4,138	5,238 ^R	5,598	5,493	5,275	4,972	5,123	4,514	4,618	4,360	4,496	4,196

All "dollars" are nominal dollars.

Table 8.4. Revenue and Expense Statistics for Major U.S. Publicly Owned Electric Utilities (Without Generation Facilities), 1991 through 2002

(Million Dollars)¹

Description	2002	2001 ²	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Operating Revenue - Electric	11,546	10,417	9,904	9,354	8,790	8,586	8,582	8,435	7,996	7,523	7,247	7,120
Operating Expenses - Electric	10,703	9,820	9,355	8,737	8,245	8,033	8,123	7,979	7,567	7,063	6,844	6,860
Operation Including Fuel	9,439	8,864	8,424	7,874	7,437	7,117	7,359	7,173	6,858	6,425	6,245	6,119
Production	8,311	7,863	7,486	7,015	6,661	6,240	6,578	6,422	6,185	5,761	5,617	5,524
Transmission	93	61	64	48	44	57	51	35	34	34	33	32
Distribution	320	311	280	261	230	304	234	204	190	189	176	164
Customer Accounts	163	164	155	143	130	139	141	125	119	117	109	102
Customer Service	39	26	22	22	21	16	18	18	17	17	16	16
Sales	10	15	16	14	9	13	12	10	10	9	12	12
Administrative and General	504	423	402	371	342	348	325	358	303	298	282	270
Maintenance	389	304	286	272	263	338	244	250	234	207	193	186
Depreciation and Amortization	631	405	394	369	330	354	322	313	274	257	251	247
Taxes and Tax Equivalents	244	247	251	223	215	225	206	244	201	175	155	138
Net Electric Operating Income	843	597	549	617	545	552	459	457	429	460	404	260

All "dollars" are nominal dollars.

R = Revised.

Notes: •Totals may not equal sum of components because of independent rounding.•The 1998-2002 data represent those utilities meeting a threshold of 150 million kilowatthours of customer sales or resales annually. The 1991-1997 data represent those utilities meeting a threshold of 120 million kilowatthours of customer sales or resales annually. Source: Energy Information Administration, EIA Form-412, "Annual Electric Industry Financial Report," and predecessor forms.

² For 2001, California Department of Water Resources - Electric Energy Fund data were excluded from these statistics. In response to the looming energy shortfall in California, the California State legislature authorized the California Department of Water Resources, using its undamaged borrowing capability, to enter the wholesale markets on behalf of the California retail customers effective on January 17, 2001, and for the period ending December 31, 2002. Their 2001 revenues collected were \$5,501,000,000 with purchase power costs of \$12,055,000,000. Their 2002 revenue collected were \$4,210,000,000 with purchased power costs of \$3,827,749,811. The California Public Utility Commission was required by statute to establish the procedure for retail revenue recovery mechanisms for these purchase power costs in the future.

Notes: •Totals may not equal sum of components because of independent rounding.•The 1998-2002 data represent those utilities meeting a threshold of 150 million kilowatthours of customer sales or resales annually. The 1991-1997 data represent those utilities meeting a threshold of 120 million kilowatthours of customer sales or resales annually. Source: Energy Information Administration, EIA Form-412, "Annual Electric Industry Financial Report," and predecessor forms.

Table 8.5. Revenue and Expense Statistics for U.S. Federally Owned Electric Utilities, 1991 through 2002

(Million Dollars)¹

Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Operating Revenue - Electric	11,470	12,458 ^F	10,685	10,186	9,780	8,833	9,082	8,743	8,552	8,141	7,872	8,194
Operating Expenses - Electric	8,665	10,013 ^F	8,139	7,775	7,099	5,999	6,390	6,162	6,303	6,056	5,883	5,288
Operation Including Fuel	6,419	7,388 ^R	5,873	5,412	5,184	4,073	4,514	4,615	4,877	4,827	4,595	4,115
Production	5,236	$6,247^{R}$	5,497	4,890	4,735	3,686	4,109	4,219	4,464	4,272	4,144	3,650
Transmission	244	354 ^R	332	349	323	327	328	290	304	319	272	260
Distribution	1	1	2	2	2	1	1	2	2	2	2	3
Customer Accounts	10	16	6	1	1	1	3	2	4	4	3	4
Customer Service	60	60	48	50	51	42	46	29	28	27	26	23
Sales	6	6	10	28	14	13	7	41	9	6	5	4
Administrative and General	862	705	467	528	535	444	451	431	442	578	537	529
Maintenance	566	521	488	436	476	441	432	398	377	381	394	358
Depreciation and Amortization	1,351	1,790 ^R	1,471	1,623	1,175	1,214	1,187	896	746	611	653	572
Taxes and Tax Equivalents	328	315	308	304	264	272	256	252	56	237	241	243
Net Electric Operating Income	2,805	2,445 ^F	2,546	2,411	2,681	2,834	2,692	2,581	2,249	2,085	1,989	2,906

¹ All "dollars" are nominal dollars.

Note: Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-412, "Annual Electric Industry Financial Report," and predecessor forms.

Table 8.6. Revenue and Expense Statistics for U.S. Cooperative Borrower Owned Electric Utilities, 1991 through 2002

(Million Dollars)¹

(Million Doi	rars)											
Description	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Operating Revenue - Electric	27,441	26,458 ^R	25,629	23,824	23,988	23,321	24,424	24,609	23,777	24,873	23,325	22,784
Operation and Maintenance Expenses	24,549	23,763 ^R	22,982	21,283	21,223	20,715	23,149	21,741	20,993	21,675	20,353	19,887
Operation Including Fuel	22,374	21,703 ^R	20,942	19,336	19,280	18,405	20,748	19,334	18,650	19,292	18,038	17,655
Production	18,203	17,714 ^R	17,080	15,706	15,683	15,105	17,422	15,907	15,471	16,101	15,059	14,836
Transmission	549	524 ^R	525	466	452	339	372	366	322	336	324	313
Distribution	1,665	1,589 ^R	1,530	1,451	1,440	1,134	1,133	1,127	1,053	1,044	980	917
Customer Accounts	561	532 ^R	487	455	446	382	375	383	374	386	369	349
Customer Service	121	119 ^R	133	132	132	118	118	112	105	101	95	89
Sales	79	88	82	81	77	61	72	72	61	57	52	47
Administrative and General	1,196	1,137 ^R	1,104	1,045	1,050	1,266	1,257	1,367	1,265	1,265	1,160	1,104
Depreciation and Amortization	1,990	1,895 ^R	1,820	1,747	1,732	1,727	1,787	1,778	1,742	1,768	1,709	1,639
Taxes and Tax Equivalents	184	164	220	200	211	583	614	628	601	616	605	593
Net Electric Operating Income	2,892	2,696 ^R	2,647	2,541	2,764	2,606	2,872	2,868	2,784	3,197	2,973	2,897

¹ All "dollars" are nominal dollars.

Source: U.S. Department of Agriculture, Rural Utilities Service (prior Rural Electrification Administration), Statistical Report, Rural Electric Borrowers publications, as compiled from RUS Form 7 and RUS Form 12.

R = Revised.

R = Revised.

Note: Totals may not equal sum of components because of independent rounding.

Chapter 9. Demand-Side Management

Table 9.1. Demand-Side Management Actual Peak Load Reductions by Program Category, 1991 through 2002

(Megawatts)

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Total Actual Peak Load Reduction ¹	22,936	24,955	22,901	26,455	27,231	25,284	29,893	29,561	25,001	23,069	17,204	15,619
Energy Efficiency	13,420	13,027	12,873	13,452	13,591	13,326	14,243	13,212	11,662	10,368	7,890	NA
Load Management	9,516	11,928	10,027	13,003	13,640	11,958	15,650	16,347	13,340	12,701	9,314	NA

¹ Represents the actual reduction in annual peak load achieved by all program participants during the reporting year, at the time of annual peak load, as opposed to the installed peak load reduction capability (Potential Peak Load Reduction).

Note: Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

Table 9.2. Demand-Side Management Program Annual Effects by Program Category, 1991 through 2002

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
		Annual Effects – Energy Efficiency										
Large Utilities ¹												
Actual Peak Load Reduction (MW) ²	13,420	13,027	12,873	13,452	13,591	13,327	14,243	13,212	11,662	10,368	7,890	NA
Energy Savings (Thousand MWh)	52,285	52,946	52,827	49,691	48,775	55,453	59,853	55,328	49,720	41,119	31,779	NA
					Annual E	Effects – Lo	Load Management					
Large Utilities ¹												
Actual Peak Load Reduction (MW)	9,516	11,928	10,027	13,003	13,640	11,958	15,650	16,349	13,339	12,701	9,314	NA
Potential Peak Load Reductions (MW) 3	26,888	27,730	28,496	30,118	27,840	27,911	34,101	33,817	31,255	29,140	24,552	NA
Energy Savings (Thousand MWh)	1,790	1,816	875	872	392	953	1,989	2,093	2,763	4,175	4,114	NA

¹ Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2002 and 120 million kilowatthours in 1991-1997.

Note: Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

Table 9.3. Demand-Side Management Program Incremental Effects by Program Category, 1991 through 2002

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	
	Incremental Effects – Energy Efficiency												
Large Utilities ¹									•				
Actual Peak Load Reduction (MW) ²	1,054	999	720	695	796	1,065	1,381	1,561	1,751	1,839	1,501	NA	
Energy Savings (Thousand MWh)	3,543	4,402	3,284	3,027	3,324	4,661	6,361	7,901	8,054	8,601	5,338	NA	
Small Utilities ³													
Actual Peak Load Reduction (MW) ²	49	20	25 8	22	12	12	2	7	9	9	17	NA	
Energy Savings (Thousand MWh)	192	8	8	8	37	10	7	16	11	12	12	NA	
	Incremental Effects – Load Management												
Large Utilities ¹													
Actual Peak Load Reduction (MW) ²	1,160	1,297	919	1,568	1,821	1,261	5,027	3,039	1,418	2,809	2,437	NA	
Potential Peak Load Reductions (MW) ⁴	2,655	2,448	2,439	6,457	2,832	2,475	2,309	4,930	5,153	5,298	6,077	NA	
Energy Savings (Thousand MWh)	65	905	63	67	37	171	482	321	178	508	447	NA	
Small Utilities ³													
Actual Peak Load Reduction (MW) 2	54	45	137	54	124	130	50	29	56	110	315	NA	
Potential Peak Load Reductions (MW) 4	76	177	190	84	160	183	90	41	81	291	657	NA	
Energy Savings (Thousand MWh)	2	4	9	2	7	19	6	3	8	11	37	NA	

¹ Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2002 and 120 million kilowatthours in 1991-1997.

NA = Not available.

Note: Totals may not equal sum of components because of independent rounding.

NA = Not available.

² Represents the actual reduction in annual peak load achieved by customers, at the time of annual peak load.

³ Represents the potential peak load reduction as a result of load management, and also includes the actual peak load reduction achieved by energy efficiency programs.

² Represents the actual reduction in annual peak load achieved by customers, at the time of annual peak load.

³ Refers to electric utilities with annual sales to ultimate customers or sales for resale less than 150 million kilowatthours in 1998-2001 and 120 million kilowatthours in 1990-1997.

⁴ Represents the potential peak load reduction as a result of load management, and also includes the actual peak load reduction achieved by energy efficiency programs.

Table 9.4. Demand-Side Management Program Annual Effects by Sector, 1991 through 2002

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991		
					Actual Pea	ak Load Re	eductions1	(MW)						
Large Utilities ²								`						
Residential	9,137	9,619	9,446	9,976	9,327	10,799	11,471	10,930	9,638	8,851	7,606	NA		
Commercial	6,839	8,210	6,987	7,777	9,482	8,174	8,678	8,057	6,927	7,541	4,598	NA		
Industrial	6,500	6,553	6,141	6,360	7,927	5,812	9,083	10,033	7,977	6,270	4,467	NA		
Other	460	573	327	2,342	495	498	661	545	460	407	532	NA		
Total	22,936	24,955	22,901	26,455	27,231	25,284	29,893	29,561	25,001	23,069	17,204	15,619		
	Potential Peak Load Reductions ³ (MW)													
Large Utilities ²														
Residential	12,072	12,274	12,970	12,812	13,022	16,662	14,697	14,047	13,851	12,868	11,058	NA		
Commercial	9,298	10,469	9,114	8,868	12,210	12,896	12,452	11,495	9,915	11,821	7,002	NA		
Industrial	18,321	17,344	18.775	17,237	15,512	11,035	20,275	20,715	18,271	13.957	13,367	NA		
Other	617	670	510	4,653	686	644	921	772	881	862	1,014	NA		
Total	40,308	40,757	41,369	43,570	41,430	41,237	48,344	47,029	42,917	39,508	32,442	NA		
					Energy S	Savings (Th	ousand M	(Wh)						
Large Utilities ²					0.	0 \								
Residential	15,438	16,027	16,287	16,263	16,564	17,830	20,585	20,253	21,028	19,241	15,322	NA		
Commercial	24,391	24,217	25,660	23,375	25,125	27,898	29,186	26,187	21,773	16,567	12,301	NA		
Industrial	11,339	11,313	9,160	8,156	3,347	8,684	10,493	9,620	8,568	8,644	7,192	NA		
Other	2,907	3,206	2,593	2,770	831	1,694	1,578	1,360	1,114	842	748	NA		
Total	54,075	54,762	53,701	50,563	49,167	56,406	61,842	57,421	52,483	45,294	35,563	24,848		

¹ Represents the actual reduction in annual peak load achieved by customers, at the time of annual peak load.

NA = Not available.

Note: Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

Table 9.5. Demand-Side Management Program Incremental Effects by Sector, 1991 through 2002

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
			•		Actual Po	eak Load	Reductions	1 (MW)				
Large Utilities ²												
Residential	895	790	572	605	599	743	792	860	1,083	1,147	1,112	NA
Commercial	527	742	515	684	1176	699	935	1176	1,244	1,427	1,251	NA
Industrial	680	640	502	929	799	836	1,870	2,426	785	2,014	1,451	NA
Other	112	124	50	45	43	48	93	139	57	61	108	NA
Total	2,214	2,296	1,640	2,263	2,617	2,326	3,690	4,601	3,169	4,648	3,922	NA
Small Utilities ³												
Residential	48	32	37	27	35	40	30	20	27	76	139	NA
Commercial	41	15	37	22	34	21	9	10	7	35	32	NA
Industrial	12	16	62	7	56	61	8	4	24	47	113	NA
Other	2	2	26	19	10	20	5	2	6	28	48	NA
Total	103	65	162	76	136	142	52	36	65	185	332	NA
U.S. Total	2,317	2,361	1,802	2,339	2,753	2,468	3,742	4,637	3,234	4,833	4,254	NA
					Potential 1	Peak Load	Reduction	s4 (MW)				
Large Utilities ²												
Residential	1,311	900	699	753	751	960	950	1,231	1,467	NA	NA	NA
Commercial	751	1,115	565	718	1,863	853	1,512	1,697	2,115	NA	NA	NA
Industrial	1,506	1,277	1,815	5,612	1,438	1,669	3,800	3,368	1,997	NA	NA	NA
Other	141	155	79	68	76	58	146	195	326	NA	NA	NA
Total	3,709	3,447	3,159	7,151	3,628	3,540	6,408	6,491	5,905	7,157	7,578	NA
Small Utilities ³												
Residential	64	158	55	41	49	59	46	27	38	NA	NA	NA
Commercial	43	19	51	25	41	35	17	13	12	NA	NA	NA
Industrial	15	18	64	9	70	72	16	6	31	NA	NA	NA
Other	3	2	44	31	12	30	13	2	8	NA	NA	NA
Total	125	197	215	106	172	196	92	48	89	300	674	NA
U.S. Total	3,834	3,644	3,374	7,257	3,800	3,736	6,500	6,539	5,994	7,457	8,252	NA
					Energy	Savings (Thousand I	MWh)				
Large Utilities ²					٠,	8 (,				
Residential	1,203	1,365	856	990	909	1,055	1.179	1.630	2,194	2,780	2,165	NA
Commercial	1.583	1,867	1,780	1,502	1,703	2,382	3,537	4.594	4,449	4,557	3,333	NA
Industrial	706	1,698	547	475	645	1,059	1,787	1,678	1,325	1,518	1,014	NA
Other	116	376	164	127	104	336	341	320	262	125	151	NA
Total	3,608	5,307	3,347	3,094	3,361	4,832	6,844	8,222	8,230	8,980	6,664	NA
Small Utilities ³												
Residential	45	5	9	4	8	10	7	9	13	13	14	NA
Commercial	148	3	4	3	6	3	3	5	3	4	5	NA
Industrial	2	2	1	1	3	8	2	5	1	3	26	NA
Other	*	1	3	1	1	7	1	2	1	2	3	NA
Total	194	12	17	9	18	28	13	21	18	22	48	NA
U.S. Total	3,802	5,318	3,364	3,103	3,379	4,860	6,857	8,243	8,248	9,002	6,712	NA

¹ Represents the actual reduction in annual peak load achieved by customers, at the time of annual peak load.

Note: Totals may not equal sum of components because of independent rounding.

² Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2002 and 120 million kilowatthours in 1991-1997.

³ Represents the potential peak load reduction as a result of load management, and also includes the actual peak load reduction achieved by energy efficiency programs.

² Refers to electric utilities with sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2002 and 120 million kilowatthours in 1991-1997.

³ Refers to electric utilities with sales to ultimate customers or sales for resale less than 150 million kilowatthours in 1998-2002 and 120 million kilowatthours in 1991-1997.

⁴ Represents the potential peak load reduction as a result of load management, and also includes the actual peak load reduction achieved by energy efficiency programs. NA = Not available.

^{* =} Value is less than half of the smallest unit of measure (e.g., for values with no decimals, the smallest unit is "1" and values under 0.5 are shown as "*".)

Table 9.6. Demand-Side Management Program Energy Savings, 1991 through 2002 (Megawatts)

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Total Energy Savings ¹	54,075	54,762	53,701	50,563	49,167	56,406	61,842	57,421	52,483	45,294	35,563	24,848
Energy Efficiency	52,285	52,946	52,827	49,691	48,775	55,453	59,853	55,328	49,720	41,119	31,779	NA
Load Management	1,790	1,816	875	872	392	953	1,989	2,093	2,763	4,175	4,114	NA

¹ Refers to electric utilities with annual sales to ultimate customers or sales for resale greater than or equal to 150 million kilowatthours in 1998-2002 and 120 million kilowatthours in 1991-1997

Note: Totals may not equal sum of components because of independent rounding.

Source: Energy Information Administration, Form EIA-861, "Annual Electric Power Industry Report."

Table 9.7. Demand-Side Management Program Direct and Indirect Costs, 1991 through 2002 (Thousand Dollars)

Item	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Direct Cost ¹	1,420,937	1,455,602 ^R	1,384,232	1,250,689	1,233,018	1,347,245	1,623,588	2,004,942	2,254,059	2,289,267	NA	NA
Energy Efficiency	1,007,323	1,097,504 ^R	938,666	820,108	766,384	892,468	1,051,922	1,408,542	1,592,125	1,607,952	NA	NA
Load Management	413,614	$358,098^{R}$	445,566	430,581	466,634	454,777	571,666	596,400	661,934	681,315	NA	NA
Indirect Cost ² Total DSM Cost ³	. ,	174,684 ^R 1,630,286 ^R	180,669 1,564,901	172,955 1,423,644	187,902 1,420,920	288,775 1,636,020	278,609 1,902,197	416,342 2,421,284	461,598 2,715,657	454,266 2,743,533	NA 2,348,094	NA 1,803,773

¹ Reflects electric utility costs incurred during the year that are identified with one of the demand-side program categories.

Note: Totals may not equal sum of components because of independent rounding.

NA = Not available.

² Reflects costs not directly attributable to specific programs.

³ Reflects the sum of the total incurred direct and indirect utility cost for the year. Utility costs reflect the total cash expenditures for the year, in nominal dollars, that flow out to support demand-side management programs.

NA = Not available.

R = Revised.

Appendices

Technical Notes

The Energy Information Administration (EIA) has comprehensively reviewed and revised how it collects, estimates, and reports fuel use for facilities producing electricity. Appendix B provides detail on these changes and describes the reasoning behind the changes and their effects on EIA forms and publications. Following is a description of the ongoing data quality efforts and sources of data for the *Electric Power Annual*.

Data Quality

The *Electric Power Annual (EPA)* is prepared by the Electric Power Division, Office of Coal, Nuclear, Electric and Alternate Fuels (CNEAF), Energy Information Administration (EIA), U.S. Department of Energy.

Quality statistics begin with the collection of the correct data. To assure this, the CNEAF office performs routine reviews of the data collected and the forms on which it is collected. Additionally, to assure that the data is collected from the correct parties, CNEAF routinely reviews the frames for each data collection.

Automatic, computerized verification of keyed input, review by subject matter specialists, and follow-up with non-respondents also assure quality statistics. To ensure the quality standards established by the EIA, formulas that use the past history of data values in the database have been designed and implemented to check data input for errors automatically. Data values that fall outside the ranges prescribed in the formulas are verified by telephoning respondents to resolve any discrepancies. Also survey non-respondents are identified and contacted.

Reliability of Data

Annual survey data have nonsampling errors. Non-sampling errors can be attributed to many sources: (1) inability to obtain complete information about all cases in the sample (i.e., nonresponse); (2) response errors; (3) definitional difficulties; (4) differences in the interpretation of questions; (5) mistakes in recording or coding the data obtained; and (6) other errors of collection, response, coverage, and estimation for missing data.

Although no direct measurement of the biases due to nonsampling errors can be obtained, precautionary steps were taken in all phases of the frame development and data collection, processing, and tabulation processes, in an effort to minimize their influence. See the Data Processing and Data System Editing section for each EIA Form for an in depth discussion of how the sampling and nonsampling errors are handled in each case.

Data Revision Procedure

The CNEAF office has adopted the following policy with respect to the revision and correction of recurrent data in energy publications:

- Annual survey data collected by CNEAF are published either as preliminary or final when first appearing in a data report. Data initially released as preliminary will be so noted in the report. These data will be revised, if necessary, and declared final in the next publication of the data.
- All monthly survey data collected by this office are published as preliminary. These data are typically revised only after the completion of the 12-month cycle of the data. No revisions are made to the published data before this unless major errors are discovered that may affect the national total.
- 3. The magnitudes of changes due to revisions experienced in the past will be included in the data reports, so that the reader can assess the accuracy of the data.
- 4. After data are published as final, corrections will be made only in the event of a difference of one percent or greater at the national level. Corrections for differences that are less than the one percent or greater threshold are left to the discretion of the Office Director.

The *Electric Power Annual* presents the most current annual data available to the EIA. The statistics may differ from those published previously in EIA publications due to corrections, revisions, or other adjustments to the data subsequent to its original release. On a chapter basis, the status (preliminary versus final) of the data contained in the EPA follows:

- **Chapter 1, Generation** Based on data from the Form EIA-906. All data are final.
- Chapter 2, Capacity Based on data from the Form EIA-860. All data are final.
- Chapter 3, Demand, Capacity Resources, and Capacity Margins Based on data from the Form EIA-411. All data are final.
- Chapter 4, Fuel Based on data from the Form EIA-906 and FERC Form 423. All data are final.
- Chapter 5, Emissions Based on data from the Form EIA-767 and the Form EIA-906. All data are final
- Chapter 6, Trade Based on data from the Form EIA-861 and on import/export data from the National Energy Board of Canada and the Office of Fuels Programs, Fossil Energy, Form FE-781R. All data are final.
- Chapter 7, Retail Customers, Sales, and Revenues Based on data on sales, revenue, and

- average revenue per kilowatthour from the Form EIA-861. All data are final.
- Chapter 8, Revenue and Expense Statistics
 Based on financial data from the Federal Energy
 Regulatory Commission Form 1, Form EIA-412,
 RUS Form 7, and RUS Form 12. All data are
 final
- Chapter 9, Demand-Side Management Based on data on demand-side management from the Form EIA-861. All data are final.

Data Sources For Electric Power Annual

Data published in the *Electric Power Annual* are compiled from forms filed annually or aggregated to an annual basis from monthly forms by electric utilities and electricity generators (See figure on EIA Electric Industry Data Collection on the next page). The EIA forms used are:

- Form EIA-411, "Coordinated Bulk Power Supply Program Report;"
- Form EIA-412, "Annual Electric Industry Financial Report;"
- Form EIA-423, "Monthly Cost and Quality of Fuels for Electric Plants Report;"
- Form EIA-767, "Steam-Electric Plant Operation and Design Report;"
- Form EIA-860, "Annual Electric Generator Report;"
- Form EIA-861, "Annual Electric Power Industry Report;" and
- Form EIA-906, "Power Plant Report."

Each of these forms is summarized below.

Survey data from other Federal sources is also utilized for this publication. They include:

- Fossil Energy Form FE-781R, "Annual Report of International Electric Export/Import Data;" (Department of Energy, Office of Emergency Planning Department of Energy, Office of Fuels Programs);
- Federal Energy Regulatory Commission (FERC)
 Form 1, "Annual Report of Major Electric Utilities, Licensees, and Others;"

- Federal Energy Regulatory Commission Form 423, "Cost and Quality of Fuels for Electric Plants:"
- Rural Utility Services (RUS) Form 7, "Financial and Statistical Report;" and
- Rural Utility Services Form 12, "Operating Report Financial."

In addition to the above-named forms, the historical data published in the EPA are compiled from the following sources: Form EIA-759, "Monthly Power Plant Report," Form EIA-860A, "Annual Electric Generator Report—Utility," Form EIA-860B, "Annual Electric Generator Report—Nonutility," and Form EIA-900, "Monthly Nonutility Power Report." A brief description of each of these forms can be found on the EIA website on the Internet with the following URL: http://www.eia.doe.gov/cneaf/electricity/datamatrix.html.


Additionally, some data reported in this publication were acquired from the National Energy Board of Canada.

Form EIA-411

The Form EIA-411 is filed annually as a voluntary report. The information reported includes: (1) actual energy and peak demand for the preceding year and five additional years; (2) existing and future generating capacity; (3) scheduled capacity transfers; (4) projections of capacity, demand, purchases, sales, and scheduled maintenance; and (5) bulk power system maps. These reports present various NERC Regional council aggregate totals for their member electric utilities, with some nonmember information included.

Instrument and Design History. The Form EIA-411 program was initiated under the Federal Power Commission Docket R-362, reliability and adequacy of electric service, and Orders 383-2, 383-3, and 383-4. The Department of Energy, established in October 1977, assumed the responsibility for this activity. This form is considered voluntary under the authority of the Federal Power Act (Public Law 88-280), The Federal Energy Administration Act of 1974 (Public Law 93-275), and the Department of Energy Organization Act (Public Law 95-91). The responsibility for collecting these data had been delegated to the Office of Emergency Planning and Operations within the Department of Energy and was returned to EIA for the reporting year 1996.

EIA Electric Industry Data Collection



Data Processing and Data System Editing. The 10 North American Electric Reliability Councils file the Form EIA-411 annually on June 1. The forms are compiled from data furnished by electricity generators (members, associates, and nonmembers) within the council areas.

Rounding Rules for Data. Not applicable.

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x100$$
,

where $x(t_1)$ and $x(t_2)$ denote the quantity at year t_1 and subsequent year t_2 .

Confidentiality of the Data. Most of the data collected on the Form EIA-411 are not considered confidential. However, plant latitudes and longitudes and tested heat rate data are considered confidential and must adhere to EIA's "Policy on the Disclosure of Individually Identifiable Energy Information in the Possession of the EIA" (45Federal Register 59812 (1980)).

Form EIA-412

The Form EIA-412 is a restricted-universe census used annually to collect accounting, financial, and operating data from major publicly owned electric utilities in the United States. Those publicly owned electric utilities engaged in the generation, transmission, or distribution of electricity which had 150,000 megawatthours of sales to ultimate consumers and/or 150,000 megawatthours of sales for resale for the two previous years, as reported on the Form EIA-861, "Annual Electric Utility Report," must submit the Form EIA-412. Beginning with the 2001 data collection, the plant statistics reported on Schedule 9 were also collected from unregulated entities that own plants with a nameplate capacity of 10 megawatts or greater. Also beginning with the 2002 collection, the transmission data reported in Schedules 10 and 11 were collected from each generation and transmission cooperative owning transmission lines having a nominal voltage of 132 kilovolts or greater. The 1999-1997 data represent those electric utilities meeting a threshold of 120,000 megawatthours for ultimate consumers' sales and or resales. The criteria used to select the respondents for this survey results in approximately 500 publicly owned electric utilities. Federal electric utilities are required to file the Form EIA-412. The financial data for the U.S. Army Corps of Engineers (except for Saint Mary's Falls at Sault Ste. Marie, Michigan); the U.S. Department of Interior, Bureau of Reclamation; and the U.S. International

Boundary and Water Commission were collected on the Form EIA-412 from the Federal power marketing administrations.

Instrument and Design History. The FPC created the FPC Form 1M in 1961 as a mandatory survey. It became the responsibility of the EIA in October 1977 when the FPC was merged with DOE. In 1979, the FPC Form 1M was superseded by the Economic Regulatory Administration (ERA) Form ERA-412, and in January 1980 by the Form EIA-412.

Data Processing and Data System Editing. The processing of data reported on this survey is the responsibility of the Electric Power Division within the Office of Coal, Nuclear, Electric and Alternate Fuels. The completed surveys are due in this office on or before April 30. Non-response follow-up procedures are used to attain 100-percent response. Edit checks of the data are performed through computer programs. The program edits include both deterministic checks, in which records are checked for the presence of data in required fields, and statistical checks, in which the data are checked against a range of values based on historical data values and for logical or mathematical consistency with data elements reported in the survey. Discrepancies found in the data, as a result of these checks, are resolved either by the processing office or by further information obtained from a telephone call to the respondent company.

Rounding Rules for Data. Not applicable.

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x 100$$
,

where $x(t_1)$ and $x(t_2)$ denote the quantity at year t_1 and subsequent year t_2 .

Confidentiality of the Data. The unregulated entity data collected on Schedule 9, plant fuel cost data, of this survey are considered confidential and will not be made available to the public. State and national level aggregations will be published in this report if sufficient data are available to avoid disclosure of individual company and facility level costs.

Form EIA-423

As of January 2002, the EIA began collecting data on the cost and quality of fuel associated with the production of electricity by unregulated generators. Similar to the FERC Form 423, the EIA-423 is used to collect data from

approximately 600 unregulated generators that have a fossil-fired generating nameplate capacity of 50 or more megawatts. The cutoff threshold sample includes independent power producers (including those facilities that formerly reported on the FERC Form 423), commercial, and industrial combined heat and power producers.

Formulas and Methodologies. Data for the Form EIA-423 are collected at the facility level. These data are then used in the following formulas to produce aggregates and averages for each fuel type at the State, Census division, and U.S. levels. For these formulas, receipts and average heat content are at the facility level. For each geographic region, the summation sign, \sum , represents the sum of all facilities in that geographic region.

For coal, units for fuel consumption, fuel stocks and receipts are in tons, units for average heat content (A) are in Btu per ton.

For petroleum, units for fuel consumption, fuel stocks and receipts are in barrels, units for average heat content (A) are in Btu per barrel.

For gas, units for fuel consumption and receipts are in thousand cubic feet (Mcf), average heat content (A) are in Btu per thousand cubic foot.

For fuel receipts (R), the following holds true:

Total Btu =
$$\sum_{i} (R_i \times A_i)$$
,

where *i* denotes a facility; R_i = receipts for facility *i*; A_i = average heat content for receipts at facility *i*;

Weighted Average Btu =
$$\frac{\sum_{i} (R_i \times A_i)}{\sum_{i} R_i},$$

where *i* denotes a facility; R_i = receipts for facility *i*; and, A_i = average heat content for receipts at facility *i*.

The weighted average cost in cents per million Btu is calculated using the following formula:

Weighted Average Cost =
$$\frac{\sum_{i} (R_i \times A_i \times C_i)}{\sum_{i} (R_i \times A_i)},$$

where *i* denotes a facility; R_i = receipts for facility *i*; A_i average heat content for receipts at facility *i*; and C_i = cost in cents per million Btu for facility *i*.

The weighted average cost in dollars per unit (i.e., tons, barrels, or Mcf) is calculated using the following formula:

Weighted Average Cost =
$$\frac{\sum_{i} (R_i \times A_i \times C_i)}{10^8 \sum_{i} R_i},$$

where *i* denotes a facility; R_i = receipts for facility *i*; A_i = average heat content for receipts at facility *i*; and, C_i = cost in cents per million Btu for facility *i*.

Rounding Rules for Data. Given a number with r digits to the left of the decimal and d+t digits in the fraction part, with d being the place to which the number is to be rounded and t being the remaining digits which will be truncated, this number is rounded to r+d digits by adding 5 to the (r+d+1)th digit when the number is positive or by subtracting 5 when the number is negative. The t digits are then truncated at the (r+d+1)th digit. The symbol for a number rounded to zero is (*).

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x 100$$
,

where $x(t_1)$ and $x(t_2)$ denote the quantity at year t_1 and subsequent year t_2 .

Confidentiality of the Data. Facility fuel cost data collected on the survey are considered confidential and will not be made available to the public. State and national level aggregations will be published in this report if sufficient data are available to avoid disclosure of individual company and facility level costs.

These formula are the same as for the FERC Form 423 data.

Form EIA-767

The Form EIA-767 is a mandatory restricted-universe census of all electric power plants with a total existing or planned organic-fueled or combustible renewable steamelectric generator nameplate rating of 10 or more megawatts. The entire form is filed by approximately 700 power plants with a nameplate capacity of 100 or more megawatts. An additional 600 power plants with a nameplate capacity under 100 megawatts submit fuel consumption/quality, information only on boiler/generator configuration, and flue gas desulfurization equipment, if applicable. The Form EIA-767 is used to collect data annually on plant operations and equipment design (including boiler, generator, cooling system, flue gas desulfurization, flue gas particulate collectors, and stack data).

Instrument and Design History. The Federal Energy Administration Act of 1974 (Public Law 93-275) defines the legislative authority to collect these data. The predecessor form, FPC-67, "Steam-Electric Plant Air and Water Quality Control Data," was used to collect data from 1969 to 1980, when the form number was changed to Form EIA-767. In 1982, the form was completely redesigned and given the name Form EIA-767, "Steam-Electric Plant Operation and Design Report." In 1986, the respondent universe of 700 was increased to 900 to include plants with nameplate capacity from 10 megawatts to 100 megawatts. Respondents for these 200 additional plants complete only pages 1, 5, 6, and, if applicable, 13, and 14.

Data Processing and Data System Editing. The Form EIA-767 is mailed to respondents in January to collect data as of the end of the preceding calendar year. The completed forms are to be returned to the EIA by April 30. Equipment design data for each respondent are preprinted from the applicable data base. Respondents are instructed to verify all preprinted data and to supply missing data. The data are manually reviewed before being keyed for automatic data processing. Computer programs containing additional edit checks are run. Respondents are telephoned to obtain correction or clarification of reported data and to obtain missing data, as a result of the manual and automatic editing process.

Rounding Rules for Data. Given a number with r digits to the left of the decimal and d+t digits in the fraction part, with d being the place to which the number is to be rounded and t being the remaining digits which will be truncated, this number is rounded to r+d digits by adding 5 to the (r+d+1)th digit when the number is positive or by subtracting 5 when the number is negative. The t digits are then truncated at the (r+d+1)th digit. The symbol for a number rounded to zero is (*).

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x 100$$
,

where $x(t_1)$ and $x(t_2)$ denote the quantity at year t_1 and subsequent year t_2 .

Confidentiality of the Data. Most of the data collected on the Form EIA-860 are not considered confidential.

However, plant latitudes and longitudes are considered confidential and must adhere to EIA's "Policy on the Disclosure of Individually Identifiable Energy Information in the Possession of the EIA" (45Federal Register 59812 (1980)).

Form EIA-860

Beginning with data collected for the year 2001, the Forms EIA-860A and EIA-860B are obsolete. The infrastructure data collected on those forms are now collected on the Form EIA-860 and the monthly and annual versions of the Form EIA-906.

The Form EIA-860 is a mandatory census of all existing and planned electric generating facilities in the United States with a total generator nameplate capacity of 1 or more megawatts. The survey is used to collect data on existing power plants and 5-year plans for constructing new plants, generating unit additions, modifications, and retirements in existing plants. Data on the survey are collected at the generator unit level.

Instrument and Design History. The Form EIA-860 was originally implemented in January 1985 to collect plant data on electric utilities as of year-end 1984. In January 1999, the Form EIA-860 was renamed the Form EIA-860A and was implemented to collect data as of January 1, 1999.

In 1989, the Form EIA-867, "Annual Nonutility Power Producer Report," was initiated to collect plant data on unregulated entities with a total generator nameplate capacity of 5 or more megawatts. In 1992, the reporting threshold of the Form EIA-867 was lowered to include all facilities with a combined nameplate capacity of 1 or more megawatts. Previously, data were collected every 3 years from facilities with a nameplate capacity between 1 and 5 megawatts. In 1998, the Form EIA-867, was renamed Form EIA-860B, "Annual Electric Generator Report -Non-utility." The Form EIA-860B was a mandatory survey of all existing and planned nonutility electric generating facilities in the United States with a total generator nameplate capacity of 1 or more megawatts.

Beginning with data collected for the year 2001, the infrastructure data collected on the Form EIA-860A and the Form EIA-860B were combined into the new Form EIA-860 and the monthly and annual versions of the Form EIA-906. The Federal Energy Administration Act of 1974 (Public Law 93-275) defines the legislative authority to collect these data.

Data Processing and Data System Editing. The Form EIA-860 is mailed to approximately 2,000 respondents to collect data as of January 1 of the reporting year. Respon-

dents have the option of filing Form EIA-860 directly with the EIA or through an agent, such as the respondent's regional electric reliability council. Data reported through the regional electric reliability councils are submitted to the EIA electronically from the North American Electric Reliability Council (NERC).

Data for each respondent are preprinted. Respondents are instructed to verify all preprinted data and to supply missing data. Computer programs containing edit checks are run to identify errors. Respondents are telephoned to obtain correction or clarification of reported data and to obtain missing data, as a result of the editing process.

Rounding Rules for Data. Not applicable.

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x 100$$
,

where x (t1) and x (t2) denote the quantity at year t1 and subsequent year t2.

Confidentiality of the Data. Most of the data collected on the Form EIA-860 are not considered confidential. However, plant latitudes and longitudes and tested heat rate data are considered confidential and must adhere to EIA's "Policy on the Disclosure of Individually Identifiable Energy Information in the Possession of the EIA" (45Federal Register 59812 (1980)).

Form EIA-861

The Form EIA-861 is a mandatory census of electric power industry participants in the United States. The survey is used to collect information on power production and sales data from approximately 4,900 respondents. About 3,300 are electric utilities, and the remainder are nontraditional entities such as independent power producers, and the unregulated subsidiaries of electric utilities. The data collected are used to maintain and update the EIA's electric power industry participant frame database.

Instrument and Design History. The Form EIA-861 was implemented in January 1985 for collection of data as of year-end 1984. The Federal Administration Act of 1974 (Public Law 93-275) defines the legislative authority to collect these data.

Data Processing and Data System Editing. The Form EIA-861 is mailed to the respondents in January of each

year to collect data as of the end of the preceding calendar year. The data are edited when entered into the interactive on-line system. Internal edit checks are performed to verify that current data total across and between schedules, and are comparable to data reported the previous year. Edit checks are also performed to compare data reported on the Form EIA-861 and similar data reported on the Forms EIA-826 and the EIA-412, "Annual Electric Industry Financial Report." Respondents are telephoned to obtain clarification of reported data and to obtain missing data.

Data for the Form EIA-861 are collected at the owner level from all electric utilities in the United States, its territories, and Puerto Rico. Form EIA-861 data in this publication are for the United States only.

Average revenue per kilowatthour represents the cost per unit of electricity sold and is calculated by dividing retail electric revenue by the corresponding sales of electricity. The average revenue per kilowatthour is calculated for all consumers and for each end-use sector. A ratio estimation procedure is used for estimation of revenue per kilowatthour at the State level.

The electric revenue used to calculate the average revenue per kilowatthour is the operating revenue reported by the electric power industry participant. Operating revenue includes energy charges, demand charges, consumer service charges, environmental surcharges, fuel adjustments, and other miscellaneous charges. Electric power industry participant operating revenues also include State and Federal income taxes and taxes other than income taxes paid by the utility.

The average revenue per kilowatthour reported in this publication by sector represents a weighted average of consumer revenue and sales within sectors and across sectors for all consumers, and does not reflect the per kWh rate charged by the electric power industry participant to the individual consumers. Electric utilities typically employ a number of rate schedules within a single sector. These alternative rate schedules reflect the varying consumption levels and patterns of consumers and their associated impact on the costs to the electric power industry participant for providing electrical service.

Rounding Rules for Data. Given a number with r digits to the left of the decimal and d+t digits in the fraction part, with d being the place to which the number is to be rounded and t being the remaining digits which will be truncated, this number is rounded to r+d digits by adding 5 to the (r+d+1)th digit when the number is positive or by subtracting 5 when the number is negative. The t digits are then truncated at the (r+d+1)th digit. The symbol for a number rounded to zero is (*).

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x 100$$
,

where $x(t_1)$ and $x(t_2)$ denote the quantity at year t_1 and subsequent year t_2 .

Confidentiality of the Data. Data collected on the Form EIA-861 are not considered to be confidential.

Form EIA-906

As of January 2001, Form EIA-906 superseded Forms EIA-759 and 900. The Form EIA-906 is used to collect monthly plant-level data on generation, fuel consumption, stocks, fuel heat content, and useful thermal output from electric utilities and nonutilities from a model-based sample of approximately 260 electric utilities and 900 nonutilities. Fuel consumption for combined heat and power facilities is apportioned between fuel for generation of electricity and fuel for production of useful thermal output, by assuming they are additive. Fuel usage for these facilities is assumed to have an efficiency of 80 percent. The consumption for useful thermal output is obtained by dividing the reported or estimated value for useful thermal output by 0.8. This value is then subtracted from total fuel consumption by facility to arrive at the fuel consumption to be associated with the generation of electricity. The form is also used to collect these statistics from the rest of the frame on an annual basis.

Instrument and Design History. In January 2001, Form EIA-906 superseded Forms EIA-759 and EIA-900. The Federal Administration Act of 1974 (Public Law 93-275) defines the legislative authority to collect these data.

Relating to the Form EIA-759, the Bureau of Census and the U.S. Geological Survey collected, compiled and published data on the electric power industry prior to 1936. After 1936, the Federal Power Commission (FPC) assumed all data collection and publication responsibilities for the electric power industry and implemented the Form FPC-4. The Federal Power Act, Section 311 and 312, and FPC Order 141 define the legislative authority to collect power production data. The Form EIA-759 replaced the Form PFC-4 in January 1982.

In 1996, the Form EIA-900 was initiated to collect sales for resale data from unregulated entities. In 1998, the form was modified to collect sales for resale, gross generation, and sales to end user data. In 1999, the form was modified to collect net generation, consumption, and ending stock

data. In 2000, the form was modified to include useful thermal output data.

Data Processing and Data System Editing. In 2001 and 2002, the Form EIA-906 was received by the EIA as a hard copy, typically via fax, and manually entered into a computerized database. Anomalous data were identified via range checks, comparisons with historical data, and consistency checks (for example, whether the fuel consumption and generation numbers for a given facility and month are consistent).

The review of the Form EIA-906 filings for non-regulated facilities in 2001 uncovered widespread problems with the data reporting. The most prevalent problems were reported fuel consumption inconsistent with generation and, most significantly, incorrect reporting of useful thermal output (UTO) by combined heat and power (CHP) facilities.

UTO is the thermal output from a CHP facility applied to a production process other than electricity generation. Many facilities either misunderstood EIA's definition or did not meter internally such that they could easily estimate CHP. This was an important problem in the data collection effort. If UTO is reported incorrectly, then the reported data cannot be used to estimate fuel for electricity.

EIA's preferred means of resolving any questionable response is via direct communication with the respondent, usually via phone or e-mail. In cases where the reported data appeared to be incorrect or was missing, and EIA was unable to resolve the matter with the respondent, the following estimation approaches were used for the 2001 data:

- In cases where electric generation appeared reasonable but fuel consumption was inconsistent with generation, fuel consumption by prime mover was estimated using 2000 heat rates and the assumption that the fuel shares for that prime mover in 2001 were the same as in 2000.
- If the reported electric generation data appeared to be in error, or if the facility was a nonrespondent, a regression methodology was used to estimate generation and fuel consumption for the facility. The regression methodology relied on 2000 and 2001 data for other facilities to make estimates for erroneous or missing responses. The basic technique employed is described in the paper Model-Based Sampling and Inference, found the EIA on web site http://www.eia.doe.gov/cneaf/electricity/page/for ms.html.

 UTO was estimated by applying the power to steam ratio calculated for the facility in 2000 to 2001

Overall, of the approximately 2600 facilities in the Form EIA-906 frame for 2001, some estimation was performed for 803 facilities. These facilities account for approximately 4 percent of the generation in the frame and about 20 percent of the fuel consumption.

Relative Standard Error. The relative standard error (RSE) statistic, usually given as a percent, describes the magnitude of sampling error that might reasonably be incurred. The RSE is the square root of the estimated variance, divided by the variable of interest. The variable of interest may be the ratio of two variables, or a single variable.

The sampling error may be less than the nonsampling error. In fact, large RSE estimates found in preliminary work with these data have often indicated nonsampling errors, which were then identified and corrected. Nonsampling errors may be attributed to many sources, including the response errors, definitional difficulties, differences in the interpretation of questions, mistakes in recording or coding data obtained, and other errors of collection, response, or coverage. These nonsampling errors also occur in complete censuses. In a complete census, this problem may become unmanageable.

Using the Central Limit Theorem, which applies to sums and means such as are applicable here, there is approximately a 68-percent chance that the true sampling error is less than the corresponding RSE. Note that reported RSEs are always estimates, themselves, and are usually, as here, reported as percents. As an example, suppose that a net generation from coal value is estimated to be 1,507 million kilowatthours with an estimated RSE of 4.9 percent. This means that, ignoring any nonsampling error, there is approximately a 68-percent chance that the true million kilowatthour value is within approximately 4.9 percent of 1,507 million kilowatthours (that is, between 1,433 and 1,581 million kilowatthours). There is approximately a 95-percent chance of a true sampling error being 2 RSEs or less.

Note that there are times when a model may not apply, such as in the case of a substantial reclassification of sales, when the relationship between the variable of interest and the regressor data does not hold. In such a case, the new information represents only itself, and such numbers are added to model results when estimating totals. Further, there are times when sample data may be known to be in error, or are not reported. Such cases are treated as if they were never part of the model-based sample, and values are imputed.

Adjusting Monthly Data to Annual Data. As a final adjustment based on our most complete data, use is made of annual Form EIA-906 data, when available. The annual totals of the monthly Form EIA-906 data by State and enduse sector are compared to the corresponding annual Form EIA-861 values for sales and revenue. The ratio of these two values in each case is then used to adjust each corresponding monthly value.

Average Heat Content. The average heat content values collected on the Form EIA-906 were used to convert the consumption data into Btu. Therefore, the results may not be completely representative.

Rounding Rules for Data. Given a number with r digits to the left of the decimal and d+t digits in the fraction part, with d being the place to which the number is to be rounded and t being the remaining digits which will be truncated, this number is rounded to r+d digits by adding 5 to the (r+d+1)th digit when the number is positive or by subtracting 5 when the number is negative. The t digits are then truncated at the (r+d+1)th digit. The symbol for a number rounded to zero is (*).

Percent Difference. The following formula is used to calculate percent differences.

Percent Difference =
$$\left(\frac{x(t_2)-x(t_1)}{x(t_1)}\right)x 100$$
,

where $x(t_1)$ and $x(t_2)$ denote the quantity at year t_1 and subsequent year t_2 .

Confidentiality of the Data. Most of the data collected on the Form EIA-906 are not considered confidential. However, the reported fuel stocks at the end of the reporting period are considered confidential and must adhere to EIA's "Policy on the Disclosure of Individually Identifiable Energy Information in the Possession of the EIA" (45Federal Register 59812 (1980)).

Conversion of Petroleum Coke to Liquid Petroleum. The quantity conversion is 5 barrels (of 42 U.S. gallons each) per short ton (2,000 pounds). Coke from petroleum has a heating value of 6.024 million Btus.

Air Emissions

This section describes the methodology employed to calculate estimates of carbon dioxide (CO_2), sulfur dioxide (SO_2), and nitrogen oxides (NO_X) emissions from electric generating plants.

The CO₂ air emissions are estimated using information contained on Form EIA-906, "Power Plant Report." The Form EIA-906 collects information from all electric power plants in the United States either monthly or annually. Data collected on this form include electric power generation, energy source consumption, and useful thermal output from combined heat and power producers. The Form EIA-906 sample of monthly respondents is a representation of electric power plants by State and by energy source. Electric power plants that do not report data monthly are to submit data annually on this form.

The SO₂ and NO_x air emissions are estimated using information contained on Form EIA-767, "Steam-Electric Plant Operation and Design Report." Form EIA-767 collects information annually for all U.S. power plants with a total existing or planned organic-fueled or combustible renewable steam-electric plant that has a generator nameplate rating of 10 megawatts or larger. If a plant has a nameplate capacity of 100 megawatts or greater, the entire form must be completed which provides information about fuel consumption and quality, legal air emission limits, and flue gas desulfurization (FGD). If a plant has a nameplate rating of 10 megawatts, but less than 100 megawatts, only part of the form must be completed which provides information on fuel consumption and quality, NO_x emission controls, and FGD sulfur removal efficiency, if applicable. The SO₂ and NO_X calculations are reduced for plants that have the Environmental Protection Agency's Continuous Emissions Monitoring System.

Uncontrolled Air Pollutant Emissions. Uncontrolled air pollutant emissions are those emissions that would occur in the absence of any control equipment. Uncontrolled CO₂, SO₂, and NO_X emissions are determined by multiplying the quantity of fuel burned by an emission factor. An emission factor is the average quantity of a pollutant released from a boiler when a unit of fuel is burned.

The coefficients for determining emissions of CO_2 from electric power plants come from the publication, Emissions of Greenhouse Gases in the United States, (DOE/EIA-0573). The source of the SO_2 and NO_X emission factors, when available, is the Environmental Protection Agency report AP-42, "Compilation of Air

Pollutant Emission Factors" (Tables A1 and A3).¹ Emissions of SO₂ and NO_X have been revised from the updated Air Pollutant Emissions Factor (AP-42 5th edition, through Supplement E) of the Environmental Protection Agency on July 1999. Environmental Protection Agency emission factors are based on boiler type, firing configuration, and fuel burned.

Methodology

CO₂ emissions for power producers include emissions from combined heat and power (CHP) facilities that produce electric power as an integral part of a manufacturing or other thermal consuming process. Emissions are directly proportional to the quantities of fuels consumed. To calculate emissions for the production of electricity, a methodology was developed to estimate the consumption of fuel associated for the production of electricity by CHP facilities. The methodology is based on the following:

- 1. A steam boiler efficiency rate of 80 percent was assumed.
- 2. The reported or estimated value for useful thermal output (in Btu) was divided by 0.8 to estimate the fuel used to generate this amount of thermal output.
- 3. This value was subtracted from total fuel consumption and the remainder was assumed to be the amount used for electric generation.

Coal Rank and Emissions. In 1992, a special study of the relationship between the heat and carbon content of coal completed by the Energy Administration's Analysis and Systems Division of the Office of Coal, Nuclear, Electric and Alternate Fuels. The hypothesis underlying this study was that the ratio of carbon-to-heat content varies not only by coal rank (i.e., anthracite, bituminous, subbituminous, and lignite), but also by geographic location of the coal. In this study, the hypothesis was tested and the results of the analysis supported the hypothesis. That is, it was concluded from the analysis that coal rank and location of the coal are significant factors in the variation of the ratio of carbonto-heat content. After this determination, a set of emission factors, by rank and State were derived on the basis of data contained in EIA's Coal Analysis File².

In editions prior to 1992 of this publication, separate conversion factors by coal rank were published and used

¹ "Compilation of Air Pollutant Emission Factors, Vol. 1: Stationary Point and Area Sources (AP-42);" 5th Edition (through Supplement E) Research Triangle Park, North Carolina, July 1999.

² For a description of the methodology and data used to develop the EIA CO2 emission factors, see B. D. Hong and E. R. Slatick, "Carbon Dioxide Emission Factors for Coal," Quarterly Coal Report, January-March 1994, DOE/EIA-0121(94/1Q) (Washington, DC, August 1994), Energy Information Administration.

to estimate emissions of CO₂. The special study by EIA concluded that since geographic location of coal in addition to rank of coal is a significant factor in determining the carbon/heat content relationship, the use of emission factors that consider both of these elements may yield more accurate estimates of CO₂ emissions. The emission factors for coal were developed in the units of pounds of CO₂ per million Btu of coal.

The emission factors for CO₂ (Table A2) from coal are applied by power plant, based on the rank, amount of coal received, and the State from which the coal originated, as reported in FERC Form 423, "Cost and Quality of Fuels for Electric Plants." Thus, a weighted average emissions factor is obtained by plant and multiplied by the quantity of coal consumed by plant, as reported on Form EIA-906, "Power Plant Report," to determine the emissions of CO₂. The emission factors for CO₂ are based on 100-percent combustion of the carbon in the fuel. Since a small percentage of the carbon in the coal is not converted to CO₂, this publication assumes 99 percent combustion. The 1 percent of emissions is deducted at the State/National level. The emissions at the State level are based on the State in which the plant is located. Uncontrolled emissions of SO₂ and NO_x do not always accurately depict the quantity of emissions released into the atmosphere because they fail to reflect reductions from control equipment and/or operating technologies. Consequently, controlled emissions are calculated to provide a more accurate estimate of actual air emissions.

Controlled Sulfur Dioxide Emissions. Because of environmental regulations controlling SO₂ emissions, many generating plants are required to install FGD units at their coal-fired plants.³ FGD units typically remove between 70 to 90 percent of SO₂ from the boiler flue gas although higher removal efficiencies can be achieved. Electric generating plants report both sulfur removal efficiency (percent) and their most stringent SO₂ emission limits on the Form EIA-767. To determine controlled SO₂ emissions, the uncontrolled emissions are reduced by the annual average removal efficiencies reported on the Form EIA-767. This emission is the controlled emission. As a check, the controlled emission is compared with the most stringent legal limit reported on the Form EIA-767. The controlled emission should be less than the legal limit because research indicates that electric generating plants routinely remove more SO₂ than required to assure an operating margin of safety. If the controlled emission is not less than the most stringent legal limit, it implies that the plant or facility is out of legal compliance and could be subject to fines and other penalties.

Electric generating plants are permitted to take credit for sulfur that remains in bottom ash – ash remaining in the bottom of the furnace after the coal is burned. For example, if a plant or facility is required to remove 90 percent of the sulfur in the coal and 3 percent remains in the ash, it has to remove only 87 percent using scrubbers. This credit is included in emissions data in this report. It is likely, however, that in many cases the credit is not taken. In order to take the ash credit, generating facilities need to monitor the coal consumed on a daily basis; this is both time-consuming and costly. To the extent that generating facilities do not take the ash credit, emissions might be slightly overstated.

Sulfur Dioxide Emission Comparison. Title IV of the Clean Air Act Amendments of 1990 requires annual sulfur dioxide (SO₂) emissions from electric power plants to be reduced 10 million tons below their 1990 level by the year 2010. The Clean Air Act required electric generating units covered under the Acid Rain Program (units 25 megawatts and greater) to be equipped with continuous emission monitoring systems (CEMS). CEMS is the industry standard for measuring and recording hourly SO₂, nitrogen oxide (NO_x), and carbon dioxide (CO₂) emissions. In 1994, the first 263 generating units covered under the Acid Rain Program were required to install CEMS and submit a year's worth of emissions data to the Environmental Protection Agency (EPA). In 1995, the operators of more than 2,000 additional units were required to measure and report emissions data. EPA started publishing CEMS emissions data by State and plant in its publication Acid Rain Program, Emissions Scorecard (EPA430/R-97-025).

Controlled Nitrogen Oxide Emissions. The controlled NO_x emission is calculated by applying the appropriate reduction factor in Table A4. Prior to 1995 for boilers with regulated nitrogen oxide emission limits, the annual controlled estimate used was the lesser of the controlled estimate or the annual limitation. When more than one control technology is reported, the highest single reduction factor is used to estimate the annual controlled NO_X emission. A degree of complexity is added to this approach, however, because air emission standards are not reported in consistent units. In some rare instances, emission standards are reported in units that cannot be directly compared with estimated uncontrolled emission rates. Examples of such standards are ones that specify the concentration of NO_X allowed in the flue gas or the ambient concentration of NO_X (parts per million). In cases where these types of standards are reported, the uncontrolled emission estimate is used. Such standards are uncommon, however, and do not significantly affect the results.

Carbon Dioxide Emissions. There are no Federal regulations that limit CO_2 emissions. Information pertinent

Flue gas desulfurization units may also reduce sulfur dioxide emissions from plants that burn oil and petroleum coke.

to the estimation of controlled CO_2 emissions is not collected on the Form EIA-767; therefore, no estimates of controlled CO_2 emissions are made.

Air Emissions from Small Plants. The Form EIA-767 does not collect data for generators powered by internal combustion engines, gas turbines, combined cycle units (for example, gas turbines with waste heat boilers), and boilers at steam-electric plants with a total nameplate capacity of less than 10 MW. Accordingly, air emissions from these generators are not estimated by the methodology. An estimate of air emissions from these generating units based on a similar methodology using consumption data reported on the Form EIA-906, "Power Plant Report," and predecessor forms was performed.

Business Classification

The nonutility industry consists of all manufacturing, agricultural, forestry, transportation, finance, service and administrative industries, based on the Office of Management and Budget's Standard Industrial Classification (SIC) Manual. In 1997, the SIC Manual name was changed to North American Industry Classification System (NAICS). The following is a list of the main classifications and the category of primary business activity within each classification.

Agriculture, Forestry, and Fishing

- 111 Agriculture production-crops
- 112 Agriculture production, livestock and animal specialties
- 115 Agricultural services
- 114 Fishing, hunting, and trapping
- 113 Forestry

Mining

- 2122 Metal mining
- 2121 Coal mining
- 211 Oil and gas extraction
- 2123 Mining and quarrying of nonmetallic minerals except fuels

Construction

23

Manufacturing

- 311 Food and kindred products
- 3122 Tobacco products
- 314 Textile and mill products
- 315 Apparel and other finished products made from fabrics and similar materials
- 321 Lumber and wood products, except furniture
- 337 Furniture and fixtures
- 322 Paper and allied products (other than 322122 or 32213)
- 322122 Paper mills, except building paper
- 32213 Paperboard mills

- 323 Printing and publishing
- 325 Chemicals and allied products (other than
- 325188, 325211, 32512, or 325311)
- 325188 Industrial Inorganic Chemicals
- 325211 Plastics materials and resins
- 32512 Industrial organic chemicals
- 325311 Nitrogenous fertilizers
- 324 Petroleum refining and related industries (other than 32411)
- 32411 Petroleum refining
- 326 Rubber and miscellaneous plastic products
- 316 Leather and leather products
- 327 Stone, clay, glass, and concrete products (other than 32731)
- 32731 Cement, hydraulic
- 331 Primary metal industries (other than 331111 or 331312)
- 331111 Blast furnaces and steel mills
- 331312 Primary aluminum
- 332 Fabricated metal products, except machinery and transportation equipment
- 333 Industrial and commercial equipment and components except computer equipment
- 335 Electronic and other electrical equipment and components except computer equipment
- 336 Transportation equipment
- 3345 Measuring, analyzing, and controlling instruments, photographic, medical, and optical goods, watches and clocks
- 339 Miscellaneous manufacturing industries

Transportation and Public Utilities

- 482 Railroad transportation
- 485 Local and suburban transit and interurban highway passenger transport
- 484 Motor freight transportation and warehousing
- 491 United States Postal Service
- 483 Water transportation
- 481 Transportation by air
- 486 Pipelines, except natural gas
- 487 Transportation services
- 513 Communications
- 22 Electric, gas, and sanitary services
- 2212 Natural gas transmission
- 2213 Water supply
- 22132 Sewerage systems
- 562212 Refuse systems
- 22131 Irrigation systems

Wholesale Trade

421 to 422

Retail Trade

441 to 454

Finance, Insurance, and Real Estate

521 to 533

Services

- 721 Hotels
- 812 Personal services

- 514 Business services
- 8111 Automotive repair, services, and parking
- 811 Miscellaneous repair services
- 512 Motion pictures
- 713 Amusement and recreation services
- 622 Health services
- 541 Legal services
- 611 Education services
- 624 Social services

- 712 Museums, art galleries, and botanical and zoological gardens
- 813 Membership organizations
- 561 Engineering, accounting, research, management, and related services
- 814 Private households
- 514199 Miscellaneous services

Public Administration

92

Table A1. Sulfur Dioxide, Nitrogen Oxide, and Carbon Dioxide Emission Factors

Fuel	Boiler Type/	Emission Factors		
	Firing Configuration	Sulfur Dioxide ¹	Nitrogen Oxides ²	Carbon Dioxide ³
Electricity Generators				
Coal and Other Solid Fuels		Lbs per ton	Lbs per ton	Lbs per 10 ⁶ Btu
Bituminous ⁴	cyclone	38.00 x S	33.0	See Table A2
	fluidized bed ⁵	31.00 x S	5.0	See Table A2
	spreader stoker	38.00 x S	11.0	See Table A2
	tangential	38.00 x S	15.0(14)	See Table A2
	all Others	38.00 x S	22.0(31)	See Table A2
Subbituminous	cyclone	35.00 x S	17.0	See Table A2
	fluidized bed ⁵	31.00 x S	5.0	See Table A2
	spreader stoker	38.00 x S	8.8	See Table A2
	Tangential	35.00 x S	8.4	See Table A2
	all Others	35.00 x S	12.0(24)	See Table A2
Lignite	Cyclone	30.00 x S	15.00	See Table A2
	fluidized bed ⁵	10.00 x S	3.60	See Table A2
	front/opposed	30.00 x S	13.00	See Table A2
	spreader stoker	30.00 x S	5.80	See Table A2
	tangential all Others	30.00 x S 30.00 x S	7.10	See Table A2 See Table A2
	an Others	30.00 X S	7.10(13)	See Table A2
Petroleum Coke ⁶	fluidized bed ⁵	39.00 x S	21.00	225.13
	all Others	39.00 x S	21.00	225.13
Refuse	all types	3.90	5.00	199.82
Wood	all types	0.08	1.50	0.00
Petroleum and Other Liquid Fuels		lbs per 10 ³ gal	lbs per 10 ³ gal	lbs per 10 ⁶ Btu
Residual Oil ⁷	Tangential	157.00 x S	32.0	173.72
110014441 011	Vertical	157.00 x S	47.0	173.72
	all Others	157.00 x S	47.0	173.72
Distillate Oil ⁷	all types	150.00 x S	24.0	161.27
Methanol	all types	0.05	12.40	138.15
Propane (liquid)	all types	86.5	19.00	139.04
Coal-Oil Mixture	all types	185.00 x S	50.00	173.72
Natural Gas and Other Gaseous Fuels		lbs per 10 ⁶ cf	lbs per 10 ⁶ cf	lbs per 10 ⁶ Btu
Natural Gas	Tangential	0.60	170.00	116.97
	all Others	0.60	280.00	116.97
Blast Furnace Gas	all types	950.00	280.00	116.97
Combined Heat and Power Producers				
Coal and Other Solid Fuels		lbs per ton	lbs per ton	lbs per 10 ⁶ Btu
Anthracite Culms	all types	39.00 x S	1.80	See Table A2
Bituminous	all types	38.00 x S	22.0	See Table A2
Bituminous Gob	all types	38.00 x S	22.0	See Table A2
Subbituminous	all types	35.00 x S	12.0	See Table A2
Lignite	all types	30.00 x S	12.0	See Table A2
Lignite Waste	all types	30.00 x S 30.00 x S	12.0	See Table A2
Peat	all types	30.00 x S 0.08	12.0 1.20	0
Black Liquor	all types all types	7.00	1.50	0
Chemicals	all types	7.00	1.50	0
Closed Loop Biomass	all types	0.08	1.50	0

See footnotes at end of table.

Table A1. Sulfur Dioxide, Nitrogen Oxide, and Carbon Dioxide Emission Factors (Continued)

Fuel	Boiler Type/ Firing Configuration	Emission Factors		
		Sulfur Dioxide ¹	Nitrogen Oxides ²	Carbon Dioxide ³
Coal and Other Solid Fuels (Continued)		Lbs per ton	lbs per ton	lbs per 10 ⁶ Btu
Liquid Acetonitrile Waste	all types	7.00	1.50	150.7
Liquid Waste	all types	2.80	2.30	163.2
Municipal Solid Waste	all types	1.70	5.90	189.4
Petroleum Coke	all types	39.00 x S	14.00	225.1
Pitch	all types	30.00 x S	11.10	
RailRoad Ties	all types	0.08	1.50	
Red Liquor	all types	7.00	1.50	
Sludge	all types	2.80	5.00	
Sludge Waste	all types	2.80	5.00	
Sludge Wood	all types	2.80	5.00	
Spent Sulfite Liquor	all types	7.00	1.50	
Straw	all types	0.08	1.50	
Sulfur	all types	7.00	0.00	
Tar Coal	all types	30.00 x S	11.10	
Tires	all types	38.00 x S	21.70	
Waste Byproducts	all types	1.70	2.30	163.2
Waste Coal	all types	38.00 x S	21.70	103.2
Wood/Wood Waste	all types	0.08	1.50	
Petroleum and Other Liquid Fuels Heavy Oil ⁷	all types	lbs per 10 ³ gal 157.00 x S	lbs per 10 ³ gal 47.00	lbs per 10 ⁶ Btu 173.7
Light Oil ⁷	all types	137.00 X S 142.00 X S	20.00	159.4
Diesel	all types	142.00 x S	20.00	161.2
Kerosene	all types	142.00 x S	20.00	159.4
Butane (liquid)	all types	0.09	21.00	143.2
Fish Oil	all types	0.50	12.40	143.2
Methanol		0.50	12.40	138.1
Oil Waste	all types all types	147.00 x S	19.00	163.6
		0.50	19.00	139.0
Propane (liquid)	all types all types	147.00 x S	19.00	137.0
		147.00 X S 162.70 X S	67.00	
Tar Oil Waste Alcohol	all types	0.50	12.40	138.1
waste Alconol	all types	0.50	12.40	138.1
Natural Gas and Other Gaseous Fuels		lbs per 10 ⁶ cf	lbs per 10 ⁶ cf	lbs per 10 ⁶ Btu
Natural Gas	all types	0.60	280.00	116.9
Butane (Gas)	all types	0.60	21.00	143.2
Hydrogen	all types	0.00	550.00	
Landfill Gas	all types	0.60	550.00	115.1
Methane	all types	0.60	550.00	115.1
Other Gas	all types	0.60	550.00	141.5
Propane (Gas)	all types	0.60	19.00	139.0
Incontrolled sulfur dioxide emission factors.				

Uncontrolled sulfur dioxide emission factors. "x S" indicates that the constant must be multiplied by the percentage (by weight) of sulfur in the fuel. Sulfur dioxide emission estimates from facilities with flue gas desulfurization equipment are calculated by multiplying uncontrolled emission estimates by one minus the reported sulfur removal efficiencies. Sulfur dioxide emission factors also account for small quantities of sulfur trioxide and gaseous sulfates.

Source: Energy Information Administration, Office of Integrated Analysis and Forecasting.

emission factors also account for small quantities of sulfur trioxide and gaseous sulfates.

Parenthetic values are for wet bottom boilers; otherwise dry bottom boilers. If bottom type is unknown, dry bottom is assumed. Emission factors are for boilers with a gross heat rate of 100 million Btu per hour or greater. See Table A4 for nitrogen oxide reduction factors used to calculate controlled nitrogen oxide emission estimates.

³ Uncontrolled carbon dioxide emission estimates are reduced by 1 percent to account for unburned carbon.

⁴ Coal types are categorized by Btu content as follows: bituminous (greater than or equal to 9,750 Btu per pound), subbituminous (equal to 7,500 to 9,750 Btu per pound), and lignite (less than 7,500 Btu per pound).

⁵ Sulfur dioxide emission estimates from fluidized bed boilers assume a sulfur removal efficiency of 90 percent.

⁶ Emission factors for petroleum coke are assumed to be the same as those for anthracite. If the sulfur content of petroleum coke is unknown, a 6 percent sulfur content is assumed.

⁷ Oil types are categorized by Btu content as follows: heavy (greater than or equal to 144,190 Btu per gallon), and light (less than 144,190 Btu per gallon).

Table A2. Carbon Dioxide Emission Factors for Coal by Rank and State of Origin

Rank	State of Origin	Factors (Pounds per Million Btu)		
Anthracite	Pennsylvania	227.38		
Bituminous	Alabama	205.46		
Bituminous	Arizona	209.68		
Bituminous	Arkansas	211.60		
Bituminous	Colorado	206.21		
Bituminous	Illinois	203.51		
Bituminous	Indiana	203.64		
Bituminous	Iowa	201.57		
Bituminous	Kansas	202.79		
Bituminous	Kentucky: East	204.80		
Bituminous	Kentucky: East Kentucky: West	203.23		
Bituminous	Maryland	210.16		
Bituminous	Missouri	201.31		
Bituminous	Montana	209.62		
Bituminous	New Mexico	205.71		
Bituminous	Ohio	202.84		
Bituminous	Oklahoma	205.93		
Bituminous	Pennsylvania	205.72		
Bituminous	Tennessee	203.72		
Bituminous	Texas	204.79		
Bituminous	Utah	204.39		
Bituminous	Virginia	204.08		
Bituminous		200.23		
	Washington			
Bituminous Bituminous	West Virginia	207.10 206.48		
Dituillious	Wyoming	200.48		
Subbituminous	Alaska	214.00		
Subbituminous	Colorado	212.72		
Subbituminous	Iowa	200.79		
Subbituminous	Missouri	201.31		
Subbituminous	Montana	213.42		
Subbituminous	New Mexico	208.84		
Subbituminous	Utah	207.09		
Subbituminous	Washington	208.69		
Subbituminous	Wyoming	212.71		
Lignite	Arkansas	213.54		
Lignite	California	216.31		
Lignite	Louisiana	213.54		
Lignite	Montana	220.59		
Lignite	North Dakota	218.76		
Lignite	South Dakota	216.97		
Lignite	Texas	213.54		
Lignite	Washington	211.68		
Lignite	Wyoming	215.59		

Source: Energy Information Administration, Quarterly Coal Report, Jan.-Mar. 1994, DOE-EIA-0121(94/Q1) (Washington, D.C, August 1994), pp. 1-8.)

Glossary

Anthracite: The highest rank of coal; used primarily for residential and commercial space heating. It is a hard, brittle, and black lustrous coal, often referred to as hard coal, containing a high percentage of fixed carbon and a low percentage of volatile matter. The moisture content of fresh-mined anthracite generally is less than 15 percent. The heat content of anthracite ranges from 22 to 28 million Btu per ton on a moist, mineral-matter-free basis. The heat content of anthracite coal consumed in the United States averages 25 million Btu per ton, on the asreceived basis (i.e., containing both inherent moisture and mineral matter). *Note:* Since the 1980's, anthracite refuse or mine waste has been used for steam electric power generation. This fuel typically has a heat content of 15 million Btu per ton or less.

Ash: Impurities consisting of silica, iron, aluminum, and other noncombustible matter that are contained in coal. Ash increases the weight of coal, adds to the cost of handling, and can affect its burning characteristics. Ash content is measured as a percent by weight of coal on a "received" or a "dry" (moisture-free, usually part of a laboratory analysis) basis.

Ash Content: The amount of ash contained in the fuel (except gas) in terms of percent by weight.

Average Revenue per Kilowatthour: The average revenue per kilowatthour of electricity sold by sector (residential, commercial, industrial, or other) and geographic area (State, Census division, and national), is calculated by dividing the total monthly revenue by the corresponding total monthly sales for each sector and geographic area.

Barrel: A unit of volume equal to 42 U.S. gallons.

Biomass: Organic non-fossil material of biological origin constituting a renewable energy resource.

Bituminous Coal: A dense coal, usually black, sometimes dark brown, often with well-defined bands of bright and dull material, used primarily as fuel in steam-electric power generation, with substantial quantities also used for heat and power applications in manufacturing and to make coke. Bituminous coal is the most abundant coal in active U.S. mining regions. Its moisture content usually is less than 20 percent. The heat content of bituminous coal ranges from 21 to 30 million Btu per ton on a moist, mineral-matter-free basis. The heat content of bituminous coal consumed in the United States averages 24 million Btu per ton, on the as-received basis (i.e., containing both inherent moisture and mineral matter).

British Thermal Unit: The quantity of heat required to raise the temperature of 1 pound of liquid water by 1 degree Fahrenheit at the temperature at which water has its greatest density (approximately 39 degrees Fahrenheit).

Btu: The abbreviation for British thermal unit(s).

Capacity: See <u>Generator Capacity</u> and <u>Generator Name</u> <u>Plate Capacity (Installed)</u>.

Census Divisions: Any of nine geographic areas of the United States as defined by the U.S. Department of Commerce, Bureau of the Census. The divisions, each consisting of several States, are defined as follows:

- New England: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont;
- Middle Atlantic: New Jersey, New York, and Pennsylvania;
- East North Central: Illinois, Indiana, Michigan, Ohio, and Wisconsin;
- West North Central: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota;
- 5) South Atlantic: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia;
- 6) East South Central: Alabama, Kentucky, Mississippi, and Tennessee;
- West South Central: Arkansas, Louisiana, Oklahoma, and Texas;
- 8) *Mountain:* Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming;
- 9) *Pacific:* Alaska, California, Hawaii, Oregon, and Washington.

Note: Each division is a sub-area within a broader Census Region. In some cases, the Pacific division is subdivided into the Pacific Contiguous area (California, Oregon, and Washington) and the Pacific Noncontiguous area (Alaska and Hawaii).

Coal: A readily combustible black or brownish-black rock whose composition, including inherent moisture, consists of more than 50 percent by weight and more than 70 percent by volume of carbonaceous material. It is formed from plant remains that have been compacted, hardened, chemically altered, and metamorphosed by heat and pressure over geologic time.

Coke (Petroleum): A residue high in carbon content and low in hydrogen that is the final product of thermal decomposition in the condensation process in cracking. This product is reported as marketable coke or catalyst coke. The conversion is 5 barrels (of 42 U.S. gallons each) per short ton. Coke from petroleum has a heating value of 6.024 million Btu per barrel.

Combined Cycle: An electric generating technology in which electricity is produced from otherwise lost waste heat exiting from one or more gas (combustion) turbinegenerators. The exiting heat from the combustion turbine(s) is routed to a conventional boiler or to a heat recovery steam generator for utilization by a steam turbine in the production of additional electricity.

Combined Heat and Power (CHP): Includes plants designed to produce both heat and electricity from a single

heat source. Note: This term is being used in place of the term "cogenerator" that was used by EIA in the past. CHP better describes the facilities because some of the plants included do not produce heat and power in a sequential fashion and, as a result, do not meet the legal definition of cogeneration specified in the Public Utility Regulatory Policies Act (PURPA).

Commercial Sector: An energy-consuming sector that consists of service-providing facilities and equipment of: businesses; Federal, State, and local governments; and other private and public organizations, such as religious, social, or fraternal groups. The commercial sector includes institutional living quarters. It also includes sewage treatment facilities. Common uses of energy associated with this sector include space heating, water heating, air conditioning, lighting, refrigeration, cooking, and running a wide variety of other equipment. *Note:* This sector includes generators that produce electricity and/or useful thermal output primarily to support the activities of the above-mentioned commercial establishments.

Consumption (Fuel): The use of energy as a source of heat or power or as a raw material input to a manufacturing process.

Cooperative Electric Utility: An electric utility legally established to be owned by and operated for the benefit of those using its service. The utility company will generate, transmit, and/or distribute supplies of electric energy to a specified area not being serviced by another utility. Such ventures are generally exempt from Federal income tax laws. Most electric cooperatives have been initially financed by the Rural Utilities Service (prior Rural Electrification Administration), U.S. Department of Agriculture.

Cost: The amount paid to acquire resources, such as plant and equipment, fuel, or labor services.

Delivery-Only Service: Only services that involve the distribution of energy to retail customers, where another entity supplies the energy to be delivered.

Demand (Electric): The rate at which electric energy is delivered to or by a system, part of a system, or piece of equipment, at a given instant or averaged over any designated period of time.

Demand-Side Management: The planning, implementation, and monitoring of utility activities designed to encourage consumers to modify patterns of electricity usage, including the timing and level of electricity demand. It refers only to energy and load-shape modifying activities that are undertaken in response to utility-administered programs. It does not refer to energy and load-shape changes arising from the normal operation of the marketplace or from government-mandated energy-efficiency standards. Demand-Side Management (DSM) covers the complete range of load-shape objectives,

including strategic conservation and load management, as well as strategic load growth.

Diesel: A distillate fuel oil that is used in diesel engines such as those used for transportation and for electric power generation.

Distillate Fuel Oil: A general classification for one of the petroleum fractions produced in conventional distillation operations. It includes diesel fuels and fuel oils. Products known as No. 1, No. 2, and No. 4 diesel fuel are used in on-highway diesel engines, such as those in trucks and automobiles, as well as off-highway engines, such as those in railroad locomotives and agricultural machinery. Products known as No. 1, No. 2, and No. 4 fuel oils are used primarily for space heating and electric power generation.

- No. 1 Distillate: A light petroleum distillate that can be used as either a diesel fuel (see No. 1 Diesel Fuel) or a fuel oil. See No. 1 Fuel Oil.
 - No. 1 Diesel Fuel: A light distillate fuel oil that
 has distillation temperatures of 550 degrees
 Fahrenheit at the 90-percent point and meets the
 specifications defined in ASTM Specification D
 975. It is used in high-speed diesel engines, such
 as those in city buses and similar vehicles. See No.
 1 Distillate above.
 - No. 1 Fuel Oil: A light distillate fuel oil that has distillation temperatures of 400 degrees Fahrenheit at the 10-percent recovery point and 550 degrees Fahrenheit at the 90-percent point and meets the specifications defined in ASTM Specification D 396. It is used primarily as fuel for portable outdoor stoves and portable outdoor heaters. See No. 1 Distillate above.
- 2) No. 2 Distillate: A petroleum distillate that can be used as either a diesel fuel (see No. 2 Diesel Fuel definition below) or a fuel oil. See No. 2 Fuel oil below.
 - No. 2 Diesel Fuel: A fuel that has distillation temperatures of 500 degrees Fahrenheit at the 10-percent recovery point and 640 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 396. It is used in atomizing type burners for domestic heating or for moderate capacity commercial/industrial burner units. See No. 2 Distillate above.
- 3) No. 4 Fuel: A distillate fuel oil made by blending distillate fuel oil and residual fuel oil stocks. It conforms with ASTM Specification D 396 or Federal Specification VV-F-815C and is used extensively in industrial plants and in commercial burner installations that are not equipped with preheating facilities. It also includes No. 4 diesel fuel used for low- and medium-

speed diesel engines and conforms to ASTM Specification D 975.

• No. 4 Diesel Fuel and No. 4 Fuel Oil: See No. 4 Fuel above.

Distribution System: The portion of the transmission and facilities of an electric system that is dedicated to delivering electric energy to an end-user.

Electric Industry Restructuring: The process of replacing a monopolistic system of electric utility suppliers with competing sellers, allowing individual retail customers to choose their supplier but still receive delivery over the power lines of the local utility. It includes the reconfiguration of vertically integrated electric utilities.

Electric Plant (Physical): A facility containing prime movers, electric generators, and auxiliary equipment for converting mechanical, chemical, and/or fission energy into electric energy.

Electric Power Industry: An energy-consuming sector that consists of electricity only and combined heat and power (CHP) plants who sell electricity, or electric and heat, to the public.

Electric Power Sector: An energy-consuming sector that consists of electricity only and combined heat and power (CHP) plants whose primary business is to sell electricity, or electricity and heat, to the public--i.e., North American Industry Classification System 22 plants.

Electric Utility: A corporation, person, agency, authority, or other legal entity or instrumentality aligned with distribution facilities for delivery of electric energy for use primarily by the public. Included are investor-owned electric utilities, municipal and State utilities, Federal electric utilities, and rural electric cooperatives. A few entities that are tariff based and corporately aligned with companies that own distribution facilities are also included. *Note:* Due to the issuance of FERC Order 888 that required traditional electric utilities to functionally unbundle their generation, transmission, and distribution operations, "electric utility" currently has inconsistent interpretations from State to State.

Electricity: A form of energy characterized by the presence and motion of elementary charged particles generated by friction, induction, or chemical change.

Electricity Generation: The process of producing electric energy or the amount of electric energy produced by transforming other forms of energy, commonly expressed in kilowatthours (kWh) or megawatthours (MWh).

Electricity Generators: The facilities that produce only electricity, commonly expressed in kilowatthours (kWh) or megawatthours (MWh).

1) Electric Utility - A corporation, person, agency, authority, or other legal entity or instrumentality

aligned with distribution facilities for delivery of electric energy for use primarily by the public. Included are investor-owned electric utilities, municipal and State utilities, Federal electric utilities, and rural electric cooperatives. A few entities that are tariff based and corporately aligned with companies that own distribution facilities are also included. Note: Due to the issuance of FERC Order 888 that required traditional electric utilities to functionally unbundle their generation, transmission, and distribution operations, "electric utility" currently has inconsistent interpretations from State to State.

2) Independent Power Producer – A corporation, person, agency, authority, or other legal entity or instrumentality that owns or operates facilities for the generation of electricity for use primarily by the public, is not generally aligned with distribution facilities, and is not an electric utility.

Energy: The capacity for doing work as measured by the capability of doing work (potential energy) or the conversion of this capability to motion (kinetic energy). Energy has several forms, some of which are easily convertible and can be changed to another form useful for work. Most of the world's convertible energy comes from fossil fuels that are burned to produce heat that is then used as a transfer medium to mechanical or other means in order to accomplish tasks. Electrical energy is usually measured in kilowatthours, while heat energy is usually measured in British thermal units.

Energy Conservation Features: This includes building shell conservation features, HVAC conservation features, lighting conservation features, any conservation features, and other conservation features incorporated by the building. However, this category does not include any demand-side management (DSM) program participation by the building. Any DSM program participation is included in the DSM Programs.

Energy Efficiency: Refers to programs that are aimed at reducing the energy used by specific end-use devices and systems, typically without affecting the services provided. These programs reduce overall electricity consumption (reported in megawatthours), often without explicit consideration for the timing of program-induced savings. Such savings are generally achieved by substituting technically more advanced equipment to produce the same level of end-use services (e.g. lighting, heating, motor drive) with less electricity. Examples include high-efficiency appliances, efficient lighting programs, high-efficiency heating, ventilating and air conditioning (HVAC) systems or control modifications, efficient building design, advanced electric motor drives, and heat recovery systems.

Energy Service Provider: An energy entity that provides service to a retail or end-use customer.

Energy Source: Any substance or natural phenomenon that can be consumed or transformed to supply heat or power. Examples include petroleum, coal, natural gas, nuclear, biomass, electricity, wind, sunlight, geothermal, water movement, and hydrogen in fuel cells.

Energy-Only Service: Retail sales services for which the company provided only the energy consumed, where another entity provides delivery services.

Federal Power Authority: Any of several federal agencies, operating under the U.S. Department of Energy, primarily involved in generating electricity, marketing wholesale electrical power, and operating and marketing transmission services.

Flue Gas Desulfurization: Equipment used to remove sulfur oxides from the combustion gases of a boiler plant before discharge to the atmosphere. Also referred to as scrubbers. Chemicals such as lime are used as scrubbing media.

Flue-Gas Desulfurization Unit (Scrubber): Equipment used to remove sulfur oxides from the combustion gases of a boiler plant before discharge to the atmosphere. Chemicals such as lime are used as the scrubbing media.

Flue-Gas Particulate Collector: Equipment used to remove fly ash from the combustion gases of a boiler plant before discharge to the atmosphere. Particulate collectors include electrostatic precipitators, mechanical collectors (cyclones), fabric filters (baghouses), and wet scrubbers.

Fossil Fuel: An energy source formed in the earths crust from decayed organic material. The common fossil fuels are petroleum, coal, and natural gas.

Franchised Service Area: A specified geographical area in which a utility has been granted the exclusive right to serve customers. A franchise allows an entity to use city streets, alleys and other public lands in order to provide, distribute, and sell services to the community.

Fuel: Any material substance that can be consumed to supply heat or power. Included are petroleum, coal, and natural gas (the fossil fuels), and other consumable materials, such as uranium, biomass, and hydrogen.

Full Service Provider: A utility/company that provides both energy and delivery services of retail sales to ultimate consumers.

Gas: A fuel burned under boilers and by internal combustion engines for electric generation. These include natural, manufactured and waste gas.

Gas Turbine Plant: An electric generating facility in which the prime mover is a gas (combustion) turbine. A gas turbine typically consists of an air compressor and one or more combustion chambers where either liquid or gaseous fuel is burned. The resulting hot gases are passed through the turbine where they expand to drive both an electric generator and the compressor.

Generating Unit: Any combination of physically connected generators, reactors, boilers, combustion turbines, or other prime movers operated together to produce electric power.

Generator: A machine that converts mechanical energy into electrical energy.

Generator Capacity: The maximum output, commonly expressed in megawatts (MW), that generating equipment can supply to system load, adjusted for ambient conditions.

Generator Nameplate Capacity (Installed): The maximum rated output of a generator, prime mover, or other electric power production equipment under specific conditions designated by the manufacturer. Installed generator nameplate capacity is commonly expressed in megawatts (MW) and is usually indicated on a nameplate physically attached to the generator.

Geothermal: Pertaining to heat within the Earth.

Geothermal Energy: Hot water or steam extracted from geothermal reservoirs in the earth's crust. Water or steam extracted from geothermal reservoirs can be used for geothermal heat pumps, water heating, or electricity generation.

Gigawatt (GW): One billion watts.

Gigawatthour (GWh): One billion watthours.

Grid: The layout of an electrical distribution system.

Gross Generation: The total amount of electric energy produced by generating units and measured at the generating terminal in kilowatthours (kWh) or megawatthours (MWh).

Heat Content: The amount or number of British thermal units (Btu) produced by the combustion of fuel, measured in Btu/unit of measure.

Hydroelectric Power: The production of electricity from the kinetic energy of falling water.

Hydroelectric Power Generation: Electricity generated by an electric power plant whose turbines are driven by falling water. It includes electric utility and industrial generation of hydroelectricity, unless otherwise specified. Generation is reported on a net basis, i.e., on the amount of electric energy generated after the electric energy consumed by station auxiliaries and the losses in the transformers that are considered integral parts of the station are deducted.

Hydroelectric Pumped Storage: Hydroelectricity that is generated during peak loads by using water previously pumped into an elevated storage reservoir during off-peak periods when excess generating capacity is available to do so. When additional generating capacity is needed, the water can be released from the reservoir through a conduit

to turbine generators located in a power plant at a lower level.

Hydrogen: A colorless, odorless, highly flammable gaseous element. It is the lightest of all gases and the most abundant element in the universe, occurring chiefly in combination with oxygen in water and also in acids, bases, alcohols, petroleum, and other hydrocarbons.

Incremental Effects: The annual changes in energy use (measured in megawatthours) and peak load (measured in kilowatts) caused by new participants in existing DSM (Demand-Side Management) programs and all participants in new DSM programs during a given year. Reported Incremental Effects are annualized to indicate the program effects that would have occurred had these participants been initiated into the program on January 1 of the given year. Incremental effects are not simply the Annual Effects of a given year minus the Annual Effects of the prior year, since these net effects would fail to account for program attrition, equipment degradation, building demolition, and participant dropouts. Please note that Incremental Effects are not a monthly disaggregate of the Annual Effects, but are the total year's effects of only the new participants and programs for that year.

Independent Power Producer: A corporation, person, agency, authority, or other legal entity or instrumentality that owns or operates facilities for the generation of electricity for use primarily by the public, and that is not an electric utility.

Industrial Sector: An energy-consuming sector that consists of all facilities and equipment used for producing, processing, or assembling goods. The industrial sector encompasses the following types of activity: manufacturing (NAICS codes 31-33); agriculture, forestry, and fisheries (NAICS code 11); mining, including oil and gas extraction (NAICS code 21); natural gas transmission (NAICS code 2212): and construction (NAICS code 23). Overall energy use in this sector is largely for process heat and cooling and powering machinery, with lesser amounts used for facility heating, air conditioning, and lighting. Fossil fuels are also used as raw material inputs to manufactured products. Note: This sector includes generators that produce electricity and/or useful thermal output primarily to support the above-mentioned industrial activities.

Interdepartmental Service (Electric): Interdepartmental service includes amounts charged by the electric department at tariff or other specified rates for electricity supplied by it to other utility departments.

Internal Combustion Plant: A plant in which the prime mover is an internal combustion engine. An internal combustion engine has one or more cylinders in which the process of combustion takes place, converting energy released from the rapid burning of a fuel-air mixture into mechanical energy. Diesel or gas-fired engines are the

principal types used in electric plants. The plant is usually operated during periods of high demand for electricity.

Investor-Owned Utility (IOU): A privately-owned electric utility whose stock is publicly traded. It is rate regulated and authorized to achieve an allowed rate of return.

Jet Fuel: A refined petroleum product used in jet aircraft engines. It includes kerosene-type jet fuel and naphthatype jet fuel.

Kerosene: A light petroleum distillate that is used in space heaters, cook stoves, and water heaters and is suitable for use as a light source when burned in wick-fed lamps. Kerosene has a maximum distillation temperature of 400 degrees Fahrenheit at the 10-percent recovery point, a final boiling point of 572 degrees Fahrenheit, and a minimum flash point of 100 degrees Fahrenheit. Included are No. 1-K and No. 2-K, the two grades recognized by ASTM Specification D 3699 as well as all other grades of kerosene called range or stove oil, which have properties similar to those of No. 1 fuel oil.

Kilowatt (kW): One thousand watts.

Kilowatthour (kWh): One thousand watthours.

Light Oil: Lighter fuel oils distilled off during the refining process. Virtually all petroleum used in internal combustion and gas-turbine engines is light oil.

Lignite: The lowest rank of coal, often referred to as brown coal, used almost exclusively as fuel for steam-electric power generation. It is brownish-black and has a high inherent moisture content, sometimes as high as 45 percent The heat content of lignite ranges from 9 to 17 million Btu per ton on a moist, mineral-matter-free basis. The heat content of lignite consumed in the United States averages 13 million Btu per ton, on the as-received basis (i.e., containing both inherent moisture and mineral matter).

Load (Electric): The amount of electric power delivered or required at any specific point or points on a system. The requirement originates at the energy-consuming equipment of the consumers.

Load Management Techniques: Utility demand management practices directed at reducing the maximum kilowatt demand on an electric system and/or modifying the coincident peak demand of one or more classes of service to better meet the utility system capability for a given hour, day, week, season, or year.

Manufactured Gas: A gas obtained by destructive distillation of coal, or by thermal decomposition of oil, or by the reaction of steam passing through a bed of heated coal or coke. Examples are coal gases, coke oven gases, producer gas, blast furnace gas, blue (water) gas, and carbureted water gas

Mcf: One thousand cubic feet.

Megawatt (MW): One million watts of electricity.

Megawatthour (MWh): One million watthours.

Municipal Utility: A nonprofit utility, owned by a local municipality and operated as a department thereof, governed by a city council or an independently elected or appointed board; primarily involved in the distribution and/or sale of retail electric power.

Natural Gas: A gaseous mixture of hydrocarbon compounds, the primary one being methane. *Note:* The Energy Information Administration measures wet natural gas and its two sources of production, associated/dissolved natural gas and nonassociated natural gas, and dry natural gas, which is produced from wet natural gas.

- 1) Wet Natural Gas: A mixture of hydrocarbon compounds and small quantities of various nonhydrocarbons existing in the gaseous phase or in solution with crude oil in porous rock formations at reservoir conditions. The principal hydrocarbons normally contained in the mixture are methane, ethane, propane, butane, and pentane. Typical nonhydrocarbon gases that may be present in reservoir natural gas are water vapor, carbon dioxide, hydrogen sulfide, nitrogen and trace amounts of helium. Under reservoir conditions, natural gas and its associated liquefiable portions occur either in a single gaseous phase in the reservoir or in solution with crude oil and are not distinguishable at the time as separate substances. Note: The Securities and Exchange Commission and the Financial Accounting Standards Board refer to this product as natural gas.
 - Associated-dissolved natural gas: Natural gas that occurs in crude oil reservoirs either as free gas (associated) or as gas in solution with crude oil (dissolved gas).
 - Nonassociated natural gas: Natural gas that is not in contact with significant quantities of crude oil in the reservoir.
- 2) Dry Natural Gas: Natural gas which remains after: 1) the liquefiable hydrocarbon portion has been removed from the gas stream (i.e., gas after lease, field, and/or plant separation); and 2) any volumes of nonhydrocarbon gases have been removed where they occur in sufficient quantity to render the gas unmarketable. Note: Dry natural gas is also known as consumer-grade natural gas. The parameters for measurement are cubic feet at 60 degrees Fahrenheit and 14.73 pounds per square inch absolute.

Net Generation: The amount of gross generation less the electrical energy consumed at the generating station(s) for station service or auxiliaries. Note: Electricity required for pumping at pumped-storage plants is regarded as electricity for station service and is deducted from gross generation.

Net Summer Capacity: The maximum output, commonly expressed in megawatts (MW), that generating equipment can supply to system load, as demonstrated by a multi-hour test, at the time of summer peak demand (period of May 1 through October 31). This output reflects a reduction in capacity due to electricity use for station service or auxiliaries.

Net Winter Capacity: The maximum output, commonly expressed in megawatts (MW), that generating equipment can supply to system load, as demonstrated by a multi-hour test, at the time of peak winter demand (period of November 1 though April 30). This output reflects a reduction in capacity due to electricity use for station service or auxiliaries.

North American Electric Reliability Council (NERC): A council formed in 1968 by the electric utility industry to promote the reliability and adequacy of bulk power supply in the electric utility systems of North America. The NERC Regions are:

- ECAR East Central Area Reliability Coordination Agreement
- 2) ERCOT Electric Reliability Council of Texas
- 3) FRCC Florida Reliability Coordinating Council
- 4) MAIN Mid-America Interconnected Network
- 5) MAAC Mid-Atlantic Area Council
- 6) MAPP Mid-Continent Area Power Pool
- 7) NPCC Northeast Power Coordinating Council
- 8) SERC Southeastern Electric Reliability Council
- 9) SPP Southwest Power Pool
- 10) WECC Western Systems Coordinating Council

North American Industry Classification System (NAICS): A set of codes that describes the possible purposes of a facility.

Nuclear Electric Power: Electricity generated by an electric power plant whose turbines are driven by steam produced by the heat from the fission of nuclear fuel in a reactor.

Other Customers: Includes public street and highway lighting, other sales to public authorities, sales to railroads and railways, sales for irrigation, and interdepartmental sales.

Other Generation: Electricity originating from these sources: manufactured, supplemental gaseous fuel, propane, and waste gasses, excluding natural gas; biomass; geothermal; wind; solar thermal; photovoltaic; synthetic fuel; purchased steam; and waste oil energy sources.

Percent Change: The relative change in a quantity over a specified time period. It is calculated as follows: the

current value has the previous value subtracted from it; this new number is divided by the absolute value of the previous value; then this new number is multiplied by 100.

Petroleum: A broadly defined class of liquid hydrocarbon mixtures. Included are crude oil, lease condensate, unfinished oils, refined products obtained from the processing of crude oil, and natural gas plant liquids. Note: Volumes of finished petroleum products include nonhydrocarbon compounds, such as additives and detergents, after they have been blended into the products.

Petroleum Coke: See Coke (Petroleum).

Photovoltaic Energy: Direct-current electricity generated from sunlight through solid-state semiconductor devices that have no moving parts.

Plant: A term commonly used either as a synonym for an industrial establishment or a generation facility or to refer to a particular process within an establishment.

Potential Peak Reduction: The potential annual peak load reduction (measured in kilowatts) that can be deployed from Direct Load Control, Interruptible Load, Other Load Management, and Other DSM Program activities. (Please note that Energy Efficiency and Load Building are not included in Potential Peak Reduction.) It represents the load that can be reduced either by the direct control of the utility system operator or by the consumer in response to a utility request to curtail load. It reflects the installed load reduction capability, as opposed to the Actual Peak Reduction achieved by participants, during the time of annual system peak load.

Power: The rate at which energy is transferred. Electrical energy is usually measured in watts. Also used for a measurement of capacity.

Power Production Plant: All the land and land rights, structures and improvements, boiler or reactor vessel equipment, engines and engine-driven generator, turbo generator units, accessory electric equipment, and miscellaneous power plant equipment are grouped together for each individual facility.

Production (Electric): Act or process of producing electric energy from other forms of energy; also, the amount of electric energy expressed in watthours (Wh).

Propane: A normally gaseous straight-chain hydrocarbon, (C3H8). It is a colorless paraffinic gas that boils at a temperature of -43.67 degrees Fahrenheit. It is extracted from natural gas or refinery gas streams. It includes all products covered by Gas Processors Association Specifications for commercial propane and HD-5 propane and ASTM Specification D 1835.

Public Street and Highway Lighting Service: Includes electricity supplied and services rendered for the purpose of lighting streets, highways, parks and other public places; or for traffic or other signal system service, for

municipalities, or other divisions or agencies of State or Federal governments.

Publicly Owned Electric Utility: A class of ownership found in the electric power industry. This group includes those utilities operated by municipalities and State and Federal power agencies.

Purchased Power: Power purchased or available for purchase from a source outside the system.

Railroad and Railway Electric Service: Electricity supplied to railroads and interurban and street railways, for general railroad use, including the propulsion of cars or locomotives, where such electricity is supplied under separate and distinct rate schedules.

Receipts: Purchases of fuel.

Relative Standard Error: The standard deviation of a distribution divided by the arithmetic mean, sometimes multiplied by 100. It is used for the purpose of comparing the variabilities of frequency distributions but is sensitive to errors in the means.

Residential: An energy-consuming sector that consists of living quarters for private households. Common uses of energy associated with this sector include space heating, water heating, air conditioning, lighting, refrigeration, cooking, and running a variety of other appliances. The residential sector excludes institutional living quarters.

Residual Fuel Oil: A general classification for the heavier oils, known as No. 5 and No. 6 fuel oils, that remain after the distillate fuel oils and lighter hydrocarbons are distilled away in refinery operations. It conforms to ASTM Specifications D 396 and D 975 and Federal Specification VV-F-815C. No. 5, a residual fuel oil of medium viscosity, is also known as Navy Special and is defined in Military Specification MIL-F-859E, including Amendment 2 (NATO Symbol F-770). It is used in steampowered vessels in government service and inshore powerplants. No. 6 fuel oil includes Bunker C fuel oil and is used for the production of electric power, space heating, vessel bunkering, and various industrial purposes.

Retail: Sales covering electrical energy supplied for residential, commercial, and industrial end-use purposes. Other small classes, such as agriculture and street lighting, also are included in this category.

Revenues: The total amount of money received by a firm from sales of its products and/or services, gains from the sales or exchange of assets, interest and dividends earned on investments, and other increases in the owner's equity except those arising from capital adjustments.

Sales: The transfer of title to an energy commodity from a seller to a buyer for a price or the quantity transferred during a specified period.

Sales for Resale: A type of wholesale sales covering energy supplied to other electric utilities, cooperatives,

municipalities, and Federal and state electric agencies for resale to ultimate consumers.

Service Classifications (Sectors): Consumers grouped by similar characteristics in order to be identified for the purpose of setting a common rate for electric service. Usually classified into groups identified as residential, commercial, industrial and other.

Service to Public Authorities: Public authority service includes electricity supplied and services rendered to municipalities or divisions or agencies of State and Federal governments, under special contracts or agreements or service classifications applicable only to public authorities.

Solar Energy: The radiant energy of the sun that can be converted into other forms of energy, such as heat or electricity. Electricity produced from solar energy heats a medium that powers an electricity-generating device.

State Power Authority: A nonprofit utility owned and operated by a state government agency, primarily involved in the generation, marketing, and/or transmission of wholesale electric power.

Steam-Electric Power Plant (Conventional): A plant in which the prime mover is a steam turbine. The steam used to drive the turbine is produced in a boiler where fossil fuels are burned

Stocks of Fuel: A supply of fuel accumulated for future use. This includes coal and fuel oil stocks at the plant site, in coal cars, tanks, or barges at the plant site, or in separate storage sites.

Subbituminous Coal: A coal whose properties range from those of lignite to those of bituminous coal and used primarily as fuel for steam-electric power generation. It may be dull, dark brown to black, soft and crumbly, at the lower end of the range, to bright, jet black, hard, and relatively strong, at the upper end. Subbituminous coal contains 20 to 30 percent inherent moisture by weight. The heat content of subbituminous coal ranges from 17 to 24 million Btu per ton on a moist, mineral-matter-free basis. The heat content of subbituminous coal consumed in the United States averages 17 to 18 million Btu per ton, on the as-received basis (i.e., containing both inherent moisture and mineral matter).

Sulfur: A yellowish nonmetallic element, sometimes known as "brimstone." It is present at various levels of concentration in many fossil fuels whose combustion releases sulfur compounds that are considered harmful to the environment. Some of the most commonly used fossil fuels are categorized according to their sulfur content, with lower sulfur fuels usually selling at a higher price. *Note*: No. 2 Distillate fuel is currently reported as having either a 0.05 percent or lower sulfur level for on-highway vehicle use or a greater than 0.05 percent sulfur level for off-highway use, home heating oil, and commercial and industrial uses. Residual fuel, regardless of use, is

classified as having either no more than 1 percent sulfur or greater than 1 percent sulfur. Coal is also classified as being low- sulfur at concentrations of 1 percent or less or high-sulfur at concentrations greater than 1 percent.

Sulfur Content: The amount of sulfur contained in the fuel (except gas) in terms of percent by weight.

Supplemental Gaseous Fuel Supplies: Synthetic natural gas, propane-air, coke oven gas, refinery gas, biomass gas, air injected for Btu stabilization, and manufactured gas commingled and distributed with natural gas.

Synthetic Fuel: A gaseous, liquid, or solid fuel that does not occur naturally. Synfuels can be made from coal (coal gasification or coal liquefaction), petroleum products, oil shale, tar sands, or plant products. Among the synfuels are various fuel gases, including but not restricted to substitute natural gas, liquid fuels for engines (e.g., gasoline, diesel fuel, and alcohol fuels) and burner fuels (e.g., fuel heating oils).

Terrawatt: One trillion watts.

Terrawatthour: One trillion kilowatthours.

Ton: A unit of weight equal to 2,000 pounds.

Turbine: A machine for generating rotary mechanical power from the energy of a stream of fluid (such as water, steam, or hot gas). Turbines convert the kinetic energy of fluids to mechanical energy through the principles of impulse and reaction, or a mixture of the two.

Two-Party Wheeling: An arrangement between two entities in which one entity agrees to transmit electricity owned by the other.

Ultimate Consumer: A consumer that purchases electricity for its own use and not for resale.

Useful Thermal Output: The thermal energy made available in a combined heat or power system for use in any industrial or commercial process, heating or cooling application, or delivered to other end users, i.e., total thermal energy made available for processes and applications other than electrical generation.

Waste Coal: As a fuel for electric power generation, waste coal includes anthracite refuse or mine waste, waste from anthracite preparation plants, and coal recovered from previously mined sites.

Waste Gases: As a fuel for electric power generation, waste gasses are those gasses that are produced from gasses recovered from a solid-waste or wastewater treatment facility, or the gaseous by-products of oil-refining processes.

Waste Oil: As a fuel for electric power generation, waste oil includes recycled motor oil, and waste oil from transformers.

Watt (W): The unit of electrical power equal to one ampere under a pressure of one volt. A Watt is equal to 1/746 horsepower.

Watthour (Wh): The electrical energy unit of measure equal to one watt of power supplied to, or taken from, an electric circuit steadily for one hour.

Wind Energy: The kinetic energy of wind converted into mechanical energy by wind turbines (i.e., blades rotating from the hub) that drive generators to produce electricity.

Year to Date: The cumulative sum of each month's value starting with January and ending with the current month of the data.