

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	316 00:00:00	31				VGR-31 OWLT IS 11H 35M 34S					1L
2	316 00:00:00	32				VGR-32 OWLT IS 09H 08M 59S					2L
3	316 03:06:53	31	10	SET		10 DEGREE SET DSC-10					1V
4	316 08:04:09	31	60	RISE		10 DEGREE RISE DSC-60					1V
5	316 08:13:28	31	40	SET		10 DEGREE SET DSC-40					1V
6	316 09:15:00	31	65	AO	OPCH ACE	AOS DSS-65 PASS-8858 (D/L ONLY)					1DP
7	316 12:00:00	31				VGR-31 OWLT IS 11H 35M 38S					1L
8	316 12:00:00	32				VGR-32 OWLT IS 09H 09M 04S					2L
9	316 14:00:00	32	45	LO	OPCH ACE	LOS DSS-45 PASS-8874					2DP
10	316 14:09:55	32	40	SET		10 DEGREE SET DSC-40					2V
11	316 15:36:41	31	10	RISE		10 DEGREE RISE DSC-10					1V
12	316 15:56:03	31			ACE OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
13	316 15:57:39	31			ACE OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
14	316 15:57:39	31			ACE OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
15	316 16:00:15	31				B- MEMUPD			20323:49:001F	01-316/04:24:35	1TB
16	316 16:00:15	31				MEMUPD - Set pointer to AHELI1			20323:49:001F	01-316/04:24:35	1T
17	316 16:00:15	31				B- MEMUPD			20323:49:001F	01-316/04:24:35	1TB
18	316 16:00:15	31				MEMUPD - ENA AHELI1			20323:49:001F	01-316/04:24:35	1T
19	316 16:00:15	31				B- MISCMD			20323:49:001F	01-316/04:24:35	1TB
20	316 16:00:15	31				MISCMD -			20323:49:001F	01-316/04:24:35	1T
21	316 16:00:15	31				B- MISCMD			20323:49:001F	01-316/04:24:35	1TB

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
22	316 16:00:15	31				MISCMD -			20323:49:001F	01-316/04:24:35	1T
23	316 16:00:15	31			SC06PV	(8005) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		20323:49:009F	01-316/04:24:36	1ECf
24	316 16:00:16	31			SC06BB	(53 0 02 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CCS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		20323:49:020F	01-316/04:24:37	1ECf
25	316 16:01:03	31				B- PASS.3			20323:50:001F	01-316/04:25:23	1TB
26	316 16:01:03	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	20323:50:001F	01-316/04:25:23	1ESf
27	316 16:01:51	31				B- PASS.3			20323:51:001F	01-316/04:26:11	1TB
28	316 16:01:51	31				B- DRCSR			20323:51:001F	01-316/04:26:11	1TB
29	316 16:01:51	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		20323:51:010F	01-316/04:26:12	1ECf
30	316 16:02:39	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	20323:52:001F	01-316/04:26:59	1ESf
31	316 16:02:39	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		20323:52:002F	01-316/04:26:59	1ECs
32	316 18:50:00	31	65	LO OPCH ACE		LOS DSS-65 PASS-8858					1DP
33	316 18:50:04	32				BEGIN SEQUENCE B114 -- LOCK STAR			14185:30:001F	01-316/09:42:23	2T
34	316 19:36:45	31	60	SET		10 DEGREE SET DSC-60					1V

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
35	316 22:13:17	32	40RISE			10 DEGREE RISE DSC-40					2V
36	316 23:01:02	31	40RISE			10 DEGREE RISE DSC-40					1V
37	317 00:00:00	31				VGR-31 OWLT IS 11H 35M 42S					1L
38	317 00:00:00	32				VGR-32 OWLT IS 09H 09M 09S					2L
39	317 00:45:00	31	14 AO	OPCH ACE		AOS DSS-14 PASS-8859 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
40	317 02:15:00	31	14	OPCH 14		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
41	317 02:15:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
42	317 02:16:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
43	317 02:17:00	31	14	OPCH 14		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
44	317 02:42:00	31	14	OPCH 14		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
45	317 02:55:00	31	14 LO	OPCH ACE		LOS DSS-14 PASS-8859					1DP
46	317 03:02:59	31	10 SET			10 DEGREE SET DSC-10					1V

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
47	317 05:45:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8875 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
48	317 08:00:16	31	60RISE			10 DEGREE RISE DSC-60					1V
49	317 08:09:36	31	40 SET			10 DEGREE SET DSC-40					1V
50	317 10:30:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-8875					2DP
51	317 12:00:00	31				VGR-31 OWLT IS 11H 35M 45S					1L
52	317 12:00:00	32				VGR-32 OWLT IS 09H 09M 15S					2L
53	317 14:06:00	32	40 SET			10 DEGREE SET DSC-40					2V
54	317 15:32:49	31	10RISE			10 DEGREE RISE DSC-10					1V
55	317 17:00:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-8860 (D/L ONLY)					1DP
56	317 19:32:51	31	60 SET			10 DEGREE SET DSC-60					1V
57	317 21:55:00	32	45 AO	OPCH ACE		AOS DSS-45 PASS-8876 (D/L ONLY)					2DP
58	317 22:09:26	32	40RISE			10 DEGREE RISE DSC-40					2V
59	317 22:55:00	31	43 AO	OPCH ACE		AOS DSS-43 PASS-8860 (D/L ONLY)					1DP
60	317 22:57:09	31	40RISE			10 DEGREE RISE DSC-40					1V
61	317 23:15:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-8860					1DP
62	318 00:00:00	31				VGR-31 OWLT IS 11H 35M 49S					1L
63	318 00:00:00	32				VGR-32 OWLT IS 09H 09M 20S					2L
64	318 00:49:13	31			AC7SSB	(3 +014) SS BIAS CONTROL - PITCH	AACS		20364:50:003F	01-317/13:13:24	1ECa
65	318 01:07:41	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
66	318 01:07:41	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
67	318 01:08:29	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
68	318 01:08:29	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
69	318 01:11:53	32				BEGIN PWSREC			14223:27:001F	01-317/16:03:59	2T
70	318 01:11:53	32				B- DRGS4B			14223:27:001F	01-317/16:03:59	2TB
71	318 01:11:53	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B FDS PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY			14223:27:009F	01-317/16:04:00	2ECf
72	318 01:12:37	32				BEGIN RECORDING PWS DATA			14223:27:734F	01-317/16:04:43	2T
73	318 01:12:37	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		14223:27:735F	01-317/16:04:43	2ECd
74	318 01:12:37	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:1 TIC:3232	DTR		14223:27:735F	01-317/16:04:43	2ESd
75	318 01:12:41	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	14223:28:001F	01-317/16:04:47	2ESf
76	318 01:12:41	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		14223:28:002F	01-317/16:04:47	2ECs
77	318 01:12:42	32				B- DRCRUS			14223:28:018F	01-317/16:04:48	2TB

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
78	318 01:12:42	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		14223:28:025F	01-317/16:04:49	2ECf
79	318 01:13:29	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	14223:29:001F	01-317/16:05:35	2ESf
80	318 01:13:29	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		14223:29:001F	01-317/16:05:35	2ECd
81	318 01:13:29	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:3523	DTR		14223:29:001F	01-317/16:05:35	2ESd
82	318 01:13:29	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		14223:29:002F	01-317/16:05:35	2ECs
83	318 01:13:30	32				END PWSREC			14223:29:018F	01-317/16:05:36	2T
84	318 01:23:54	32				B- DTRMA-1.32			14223:42:001F	01-317/16:15:59	2TB
85	318 01:23:54	32				BEGIN DTRMA132			14223:42:001F	01-317/16:15:59	2T
86	318 01:23:54	32			CC16C	(2217) DTR STATE SELECT: SLEW	DTR		14223:42:002F	01-317/16:15:59	2ECd
87	318 01:23:54	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:7 TIC:3530	DTR		14223:42:002F	01-317/16:15:59	2ESd
88	318 01:26:01	31				B- RFSTLC			20365:36:001F	01-317/13:50:11	1TB
89	318 01:28:39	32			EOT	END OF TAPE			14223:47:751F	01-317/16:20:44	2Ed
90	318 01:53:37	31	43	OPCH 43		== START TLC TEST DOWN-LINK ==					1TD

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
106	318 02:17:58	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		20366:40:735F	01-317/14:42:08	1ECd
107	318 02:17:58	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:1 TIC:1149	DTR		20366:40:735F	01-317/14:42:08	1ESd
108	318 02:18:02	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	20366:41:001F	01-317/14:42:11	1ESf
109	318 02:18:02	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		20366:41:002F	01-317/14:42:12	1ECs
110	318 02:18:03	31				B- DRCRUS			20366:41:018F	01-317/14:42:12	1TB
111	318 02:18:03	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		20366:41:026F	01-317/14:42:13	1ECf
112	318 02:18:18	32				B- DRCR5T			14224:50:001F	01-317/17:10:23	2TB
113	318 02:18:18	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		14224:50:009F	01-317/17:10:24	2ECf
114	318 02:18:50	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	20366:42:001F	01-317/14:42:59	1ESf

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
115	318 02:18:50	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		20366:42:002F	01-317/14:42:59	1ECs
116	318 02:18:50	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		20366:42:002F	01-317/14:43:00	1ECd
117	318 02:18:50	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:1442	DTR		20366:42:002F	01-317/14:43:00	1ESd
118	318 02:19:06	32		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	14224:51:001F	01-317/17:11:11	2ESF
119	318 02:19:06	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		14224:51:001F	01-317/17:11:11	2ECs
120	318 02:19:38	31			SC32AJ	(11) PLS CONFIG CMD	FDS		20366:43:009F	01-317/14:43:48	1ECf
121	318 02:19:39	31				END PWSREC.31			20366:43:018F	01-317/14:43:48	1T
122	318 02:25:30	32			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		14224:59:009F	01-317/17:17:36	2ECf
123	318 02:26:18	32				BEGIN PLS/MAG/PESCAL			14225:00:001F	01-317/17:18:23	2T
124	318 02:54:37	31	43	OPCH	43	== END TLC TEST DOWN-LINK ==					1TD
125	318 02:59:06	31	10	SET		10 DEGREE SET DSC-10					1V
126	318 03:30:00	31	43	LO	OPCH ACE	LOS DSS-43 PASS-8860					1DP
127	318 04:07:55	32			CC16C	(2228) DTR STATE SELECT: SLEW	DTR		14227:07:001F	01-317/18:59:59	2ECd

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
128	318 04:07:55	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:8 TIC:3633	DTR		14227:07:001F	01-317/18:59:59	2ESd
129	318 04:07:55	32			EOT	END OF TAPE			14227:07:010F	01-317/19:00:00	2Ed
130	318 04:08:43	32				END PLSCAL			14227:08:001F	01-317/19:00:47	2T
131	318 05:28:43	32				END MAGCAL			14228:48:001F	01-317/20:20:47	2T
132	318 05:42:07	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
133	318 05:42:07	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
134	318 05:46:19	32				END PESCAL			14229:10:001F	01-317/20:38:23	2T
135	318 05:46:19	32				B- DRCRUS			14229:10:001F	01-317/20:38:23	2TB
136	318 05:46:19	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		14229:10:009F	01-317/20:38:24	2ECf
137	318 05:47:07	32		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	14229:11:001F	01-317/20:39:11	2ESf
138	318 05:47:07	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		14229:11:002F	01-317/20:39:11	2ECs
139	318 05:47:08	32				END PMPCALLR			14229:11:018F	01-317/20:39:12	2T
140	318 06:46:53	32			BOT	BEGIN OF TAPE			14230:25:562F	01-317/21:38:57	2Ed
141	318 06:50:10	32				TAPE AT BOT			14230:29:634F	01-317/21:42:13	2T

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
142	318 06:50:10	32				END DTRMA132			14230:29:634F	01-317/21:42:13	2T
143	318 06:51:56	32				TAPPOS-3540			14230:32:001F	01-317/21:43:59	2T
144	318 06:51:56	32			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		14230:32:002F	01-317/21:43:59	2ECd
145	318 06:51:56	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:0199	DTR		14230:32:002F	01-317/21:43:59	2ESd
146	318 06:51:56	32			BOT	BEGIN OF TAPE			14230:32:010F	01-317/21:44:00	2Ed
147	318 07:56:24	31	60RISE			10 DEGREE RISE DSC-60					1V
148	318 08:05:43	31	40 SET			10 DEGREE SET DSC-40					1V
149	318 09:10:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-8860 (D/L ONLY)					1DP
150	318 09:26:35	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		14233:45:239F	01-318/00:18:38	2ECd
151	318 09:26:35	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:3540	DTR		14233:45:239F	01-318/00:18:38	2ESd
152	318 09:39:57	32				REV/TRK 2			14234:02:001F	01-318/00:31:59	2T
153	318 09:39:57	32			CC16C	(7022) DTR STATE SELECT: READY	DTR		14234:02:002F	01-318/00:31:59	2ECd
154	318 09:39:57	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:2 TIC:3540	DTR		14234:02:002F	01-318/00:31:59	2ESd
155	318 11:50:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-8860					1DP
156	318 12:00:00	31				VGR-31 OWLT IS 11H 35M 53S					1L
157	318 12:00:00	32				VGR-32 OWLT IS 09H 09M 25S					2L
158	318 13:22:53	31			AC7SSB	(4 +155) SS BIAS CONTROL --- YAW	AACS		20380:32:003F	01-318/01:47:00	1ECa

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
159	318 13:50:00	32	45 LO	OPCH ACE		LOS DSS-45 PASS-8876					2DP
160	318 14:02:06	32	40 SET			10 DEGREE SET DSC-40					2V
161	318 15:28:56	31	10RISE			10 DEGREE RISE DSC-10					1V
162	318 15:45:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-8860 (U/L PASS)					1DP
163	318 19:00:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-8860					1DP
164	318 19:28:58	31	60 SET			10 DEGREE SET DSC-60					1V
165	318 22:05:35	32	40RISE			10 DEGREE RISE DSC-40					2V
166	318 22:50:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8877 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
167	318 22:53:15	31	40RISE			10 DEGREE RISE DSC-40					1V
168	319 00:00:00	31				VGR-31 OWLT IS 11H 35M 56S					1L
169	319 00:00:00	32				VGR-32 OWLT IS 09H 09M 30S					2L
170	319 02:55:12	31	10 SET			10 DEGREE SET DSC-10					1V
171	319 03:30:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-8877					2DP
172	319 07:20:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-8877 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
173	319 07:52:32	31	60RISE			10 DEGREE RISE DSC-60					1V
174	319 08:01:51	31	40 SET			10 DEGREE SET DSC-40					1V
175	319 12:00:00	31				VGR-31 OWLT IS 11H 36M 00S					1L
176	319 12:00:00	32				VGR-32 OWLT IS 09H 09M 36S					2L
177	319 13:25:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-8877					2DP
178	319 13:58:12	32	40 SET			10 DEGREE SET DSC-40					2V
179	319 15:25:04	31	10RISE			10 DEGREE RISE DSC-10					1V
180	319 16:25:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-8862 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
181	319 19:25:04	31	60	SET		10 DEGREE SET DSC-60					1V
182	319 19:45:00	31	25	LO	OPCH ACE	LOS DSS-25 PASS-8862					1DP
183	319 22:01:43	32	40	RISE		10 DEGREE RISE DSC-40					2V
184	319 22:45:00	31	43	AO	OPCH ACE	AOS DSS-43 PASS-8862 (D/L ONLY)					1DP
185	319 22:49:21	31	40	RISE		10 DEGREE RISE DSC-40					1V
186	320 00:00:00	31				VGR-31 OWLT IS 11H 36M 03S					1L
187	320 00:00:00	32				VGR-32 OWLT IS 09H 09M 41S					2L
188	320 02:10:00	32	45	AO	OPCH ACE	AOS DSS-45 PASS-8878 (D/L ONLY)					2DP
189	320 02:51:18	31	10	SET		10 DEGREE SET DSC-10					1V
190	320 03:10:00	31	34	AO	OPCH ACE	AOS DSS-34 PASS-8862 (D/L ONLY)					1DP
191	320 03:30:00	31	43	LO	OPCH ACE	LOS DSS-43 PASS-8862					1DP
192	320 05:55:00	31	34	LO	OPCH ACE	LOS DSS-34 PASS-8862					1DP
193	320 07:48:39	31	60	RISE		10 DEGREE RISE DSC-60					1V
194	320 07:57:59	31	40	SET		10 DEGREE SET DSC-40					1V
195	320 10:25:00	32	45	LO	OPCH ACE	LOS DSS-45 PASS-8878					2DP
196	320 12:00:00	31				VGR-31 OWLT IS 11H 36M 07S					1L
197	320 12:00:00	32				VGR-32 OWLT IS 09H 09M 46S					2L
198	320 13:54:18	32	40	SET		10 DEGREE SET DSC-40					2V
199	320 15:21:11	31	10	RISE		10 DEGREE RISE DSC-10					1V
200	320 16:48:22	32				BHELII PWSREC 20			14302:57:018F	01-320/07:40:00	2T
201	320 16:48:22	32				B- PWSREC			14302:57:018F	01-320/07:40:00	2TB
202	320 16:48:22	32				BEGIN PWSREC			14302:57:018F	01-320/07:40:00	2T
203	320 16:48:22	32				B- DRGS4B			14302:57:018F	01-320/07:40:00	2TB

SOE YEAR-DAY: 2001-320

PRINTED ON DAY: 247 PAGE 14

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
204	320 16:49:06	32				BEGIN RECORDING PWS DATA			14302:57:751F	01-320/07:40:44	2T
205	320 16:49:11	32				B- DRGRUS			14302:58:034F	01-320/07:40:49	2TB
206	320 16:49:59	32				END PWSREC			14302:59:034F	01-320/07:41:37	2T
207	320 19:21:10	31	60 SET			10 DEGREE SET DSC-60					1V
208	320 21:57:52	32	40RISE			10 DEGREE RISE DSC-40					2V
209	320 22:40:00	31	43 AO	OPCH ACE		AOS DSS-43 PASS-8863 (D/L ONLY)					1DP
210	320 22:45:28	31	40RISE			10 DEGREE RISE DSC-40					1V
211	321 00:00:00	31				VGR-31 OWLT IS 11H 36M 10S					1L
212	321 00:00:00	32				VGR-32 OWLT IS 09H 09M 51S					2L
213	321 02:47:25	31	10 SET			10 DEGREE SET DSC-10					1V
214	321 03:30:00	31	43 LO	OPCH ACE		LOS DSS-43 PASS-8863					1DP
215	321 05:16:00	31			CC16C	(2211) DTR STATE SELECT: SLEW	DTR		20460:23:002F	01-320/17:39:48	1ECd
216	321 05:16:00	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:F TRK:1 TIC:1448	DTR		20460:23:002F	01-320/17:39:48	1ESd
217	321 06:53:16	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		20462:24:473F	01-320/19:17:04	1ECd
218	321 06:53:16	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:3550	DTR		20462:24:473F	01-320/19:17:04	1ESd
219	321 07:30:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-8879 (D/L ONLY)					2DP
220	321 07:44:47	31	60RISE			10 DEGREE RISE DSC-60					1V
221	321 07:54:06	31	40 SET			10 DEGREE SET DSC-40					1V
222	321 08:13:25	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
223	321 08:13:25	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
224	321 08:14:13	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESF
225	321 08:14:13	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
226	321 08:16:01	31			CC16C	(7026) DTR STATE SELECT: READY	DTR		20464:08:002F	01-320/20:39:48	1ECd
227	321 08:16:01	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:6 TIC:3550	DTR		20464:08:002F	01-320/20:39:48	1ESd
228	321 08:16:49	31				AHEL11 PWSREC 01			20464:09:001F	01-320/20:40:35	1T
229	321 08:16:49	31				B- PWSREC.31			20464:09:001F	01-320/20:40:35	1TB
230	321 08:16:49	31				BEGIN PWSREC.31			20464:09:001F	01-320/20:40:35	1T
231	321 08:16:49	31			SC32AJ	(10) PLS CONFIG CMD	FDS		20464:09:009F	01-320/20:40:36	1ECF
232	321 08:17:37	31				B- DRGS4B			20464:10:001F	01-320/20:41:23	1TB
233	321 08:17:37	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACRS READOUT MODE : TELEMETRY	FDS		20464:10:009F	01-320/20:41:24	1ECF
234	321 08:18:21	31				BEGIN RECORDING PWS DATA			20464:10:734F	01-320/20:42:07	1T
235	321 08:18:21	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		20464:10:735F	01-320/20:42:08	1ECd
236	321 08:18:21	31				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:6 TIC:3550	DTR		20464:10:735F	01-320/20:42:08	1ESd

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
237	321 08:18:25	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	20464:11:001F	01-320/20:42:11	1ESf
238	321 08:18:25	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		20464:11:002F	01-320/20:42:12	1ECs
239	321 08:18:26	31				B- DRCRUS			20464:11:018F	01-320/20:42:12	1TB
240	321 08:18:26	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		20464:11:026F	01-320/20:42:13	1ECf
241	321 08:19:13	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	20464:12:001F	01-320/20:42:59	1ESf
242	321 08:19:13	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		20464:12:002F	01-320/20:43:00	1ECs
243	321 08:19:13	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		20464:12:002F	01-320/20:43:00	1ECd
244	321 08:19:13	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:6 TIC:3257	DTR		20464:12:002F	01-320/20:43:00	1ESd
245	321 08:20:01	31			SC32AJ	(11) PLS CONFIG CMD	FDS		20464:13:009F	01-320/20:43:48	1ECf
246	321 08:20:02	31				END PWSREC.31			20464:13:018F	01-320/20:43:48	1T
247	321 10:11:40	32			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		14324:41:001F	01-321/01:03:11	2ECd

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
248	321 10:11:40	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:3540	DTR		14324:41:001F	01-321/01:03:11	2ESd
249	321 10:24:59	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		14324:57:497F	01-321/01:16:29	2ECd
250	321 10:24:59	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:3252	DTR		14324:57:497F	01-321/01:16:29	2ESd
251	321 10:25:37	31			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		20466:50:002F	01-320/22:49:24	1ECd
252	321 10:25:37	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:3251	DTR		20466:50:002F	01-320/22:49:24	1ESd
253	321 11:49:04	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		20468:34:230F	01-321/00:12:49	1ECd
254	321 11:49:04	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:1448	DTR		20468:34:230F	01-321/00:12:49	1ESd
255	321 12:00:00	31				VGR-31 OWLT IS 11H 36M 14S					1L
256	321 12:00:00	32				VGR-32 OWLT IS 09H 09M 56S					2L
257	321 13:08:18	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
258	321 13:08:18	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
259	321 13:09:06	32		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
260	321 13:09:06	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
261	321 13:11:42	32			CC16C	(7017) DTR STATE SELECT: READY	DTR		14328:26:001F	01-321/04:03:11	2ECd
262	321 13:11:42	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:3252	DTR		14328:26:001F	01-321/04:03:11	2ESd
263	321 13:12:30	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		14328:27:009F	01-321/04:04:00	2ECf
264	321 13:13:14	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		14328:27:735F	01-321/04:04:43	2ECd
265	321 13:13:14	32				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:7 TIC:3252	DTR		14328:27:735F	01-321/04:04:43	2ESd
266	321 13:13:18	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	14328:28:001F	01-321/04:04:47	2ESf
267	321 13:13:18	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		14328:28:002F	01-321/04:04:47	2ECs
268	321 13:13:19	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		14328:28:025F	01-321/04:04:49	2ECf

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
269	321 13:14:06	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	14328:29:001F	01-321/04:05:35	2ESf
270	321 13:14:06	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		14328:29:001F	01-321/04:05:35	2ECd
271	321 13:14:06	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:3543	DTR		14328:29:001F	01-321/04:05:35	2ESd
272	321 13:14:06	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		14328:29:002F	01-321/04:05:35	2ECs
273	321 13:20:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-8879					2DP
274	321 13:25:38	31			CC16C	(7011) DTR STATE SELECT: READY	DTR		20470:35:002F	01-321/01:49:24	1ECd
275	321 13:25:38	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:1448	DTR		20470:35:002F	01-321/01:49:24	1ESd
276	321 13:50:24	32	40 SET			10 DEGREE SET DSC-40					2V
277	321 15:05:00	31	54 AO	OPCH ACE		AOS DSS-54 PASS-8863 (D/L ONLY)					1DP
278	321 15:17:19	31	10RISE			10 DEGREE RISE DSC-10					1V
279	321 15:21:19	32			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		14331:08:001F	01-321/06:12:47	2ECd
280	321 15:21:19	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:3550	DTR		14331:08:001F	01-321/06:12:47	2ESd
281	321 15:21:46	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		14331:08:452F	01-321/06:13:14	2ECd

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
282	321 15:21:46	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:3540	DTR		14331:08:452F	01-321/06:13:14	2ESd
283	321 16:30:00	31	25	AO	OPCH ACE	AOS DSS-25 PASS-8864 (D/L ONLY)					1DP
284	321 16:50:00	31	54	LO	OPCH ACE	LOS DSS-54 PASS-8863					1DP
285	321 18:21:20	32			CC16C	(7022) DTR STATE SELECT: READY	DTR		14334:53:001F	01-321/09:12:47	2ECd
286	321 18:21:20	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:2 TIC:3540	DTR		14334:53:001F	01-321/09:12:47	2ESd
287	321 19:17:17	31	60	SET		10 DEGREE SET DSC-60					1V
288	321 19:45:00	31	25	LO	OPCH ACE	LOS DSS-25 PASS-8864					1DP
289	321 21:54:01	32	40	RISE		10 DEGREE RISE DSC-40					2V
290	321 22:40:00	31	43	AO	OPCH ACE	AOS DSS-43 PASS-8864 (D/L ONLY)					1DP
291	321 22:41:34	31	40	RISE		10 DEGREE RISE DSC-40					1V
292	322 00:00:00	31				VGR-31 OWLT IS 11H 36M 17S					1L
293	322 00:00:00	32				VGR-32 OWLT IS 09H 10M 01S					2L
294	322 02:43:31	31	10	SET		10 DEGREE SET DSC-10					1V
295	322 03:30:00	31	43	LO	OPCH ACE	LOS DSS-43 PASS-8864					1DP
296	322 07:40:00	32	34	AO	OPCH ACE	AOS DSS-34 PASS-8880 (D/L ONLY)					2DP
297	322 07:40:55	31	60	RISE		10 DEGREE RISE DSC-60					1V
298	322 07:50:14	31	40	SET		10 DEGREE SET DSC-40					1V
299	322 11:15:03	32			AC7SSB	(3 -007) SS BIAS CONTROL - PITCH	AACS		14356:00:003F	01-322/02:06:23	2ECa
300	322 11:45:00	32	34	LO	OPCH ACE	LOS DSS-34 PASS-8880					2DP

INTEGRATED SEQUENCE FOR JST A041F JSX B113F/B114F WEEK 46 DOY 01-316/00:00 - 01-323/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
301	322 12:00:00	31				VGR-31 OWLT IS 11H 36M 20S					1L
302	322 12:00:00	32				VGR-32 OWLT IS 09H 10M 06S					2L
303	322 13:46:30	32	40	SET		10 DEGREE SET DSC-40					2V
304	322 15:13:27	31	10	RISE		10 DEGREE RISE DSC-10					1V
305	322 16:10:00	31	25	AO	OPCH ACE	AOS DSS-25 PASS-8865 (D/L ONLY)					1DP
306	322 19:13:23	31	60	SET		10 DEGREE SET DSC-60					1V
307	322 19:32:59	31			AC7SSB	(4 +156) SS BIAS CONTROL --- YAW	AACS		20508:14:003F	01-322/07:56:36	1ECa
308	322 19:45:00	31	25	LO	OPCH ACE	LOS DSS-25 PASS-8865					1DP
309	322 21:50:10	32	40	RISE		10 DEGREE RISE DSC-40					2V
310	322 22:30:00	31	24	AO	OPCH ACE	AOS DSS-24 PASS-8865 (D/L ONLY)					1DP
311	322 22:37:40	31	40	RISE		10 DEGREE RISE DSC-40					1V
312	323 00:00:00	31				VGR-31 OWLT IS 11H 36M 24S					1L
313	323 00:00:00	32				VGR-32 OWLT IS 09H 10M 11S					2L