

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	351 00:00:00	31				VGR-31 OWLT IS 09H 08M 34S					1L
2	351 00:00:00	32				VGR-32 OWLT IS 07H 07M 33S					2L
3	351 00:40:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7061					1DP
4	351 00:41:38	31	10 SET			10 DEGREE SET DSC-10					1V
5	351 05:42:02	31	60RISE			10 DEGREE RISE DSC-60					1V
6	351 05:49:14	31	40 SET			10 DEGREE SET DSC-40					1V
7	351 06:20:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7077 (D/L ONLY)					2DP
8	351 08:01:59	31			AC7SSB	(3 +008) SS BIAS CONTROL - PITCH	AACS		32092:55:002F	96-350/22:53:24	1ECa
9	351 08:05:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7061 (D/L ONLY)					1DP
10	351 11:06:02	32	40 SET			10 DEGREE SET DSC-40					2V
11	351 11:20:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7077					2DP
12	351 12:00:00	31				VGR-31 OWLT IS 09H 08M 36S					1L
13	351 12:00:00	32				VGR-32 OWLT IS 07H 07M 37S					2L
14	351 13:14:22	31	10RISE			10 DEGREE RISE DSC-10					1V
15	351 16:05:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7062 (D/L ONLY)					1DP
16	351 16:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7061					1DP
17	351 16:51:15	31	60 SET			10 DEGREE SET DSC-60					1V
18	351 20:05:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7062					1DP
19	351 20:07:35	32	10RISE			10 DEGREE RISE DSC-10					2V
20	351 20:16:13	32	40RISE			10 DEGREE RISE DSC-40					2V
21	351 20:37:48	31	40RISE			10 DEGREE RISE DSC-40					1V
22	351 20:50:00	32	25 AOS	OPCH ACE		AOS DSS-25 PASS-7078 (D/L ONLY)					2DP
23	351 22:39:49	32	10 SET			10 DEGREE SET DSC-10					2V

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	351 23:10:01	31			AC7SSB	(4 +165) SS BIAS CONTROL --- YAW	AACS		32111:50:002F	96-351/14:01:24	1ECa
25	351 23:25:00	32	25 LOS	OPCH ACE		LOS DSS-25 PASS-7078					2DP
26	352 00:00:00	31				VGR-31 OWLT IS 09H 08M 37S					1L
27	352 00:00:00	32				VGR-32 OWLT IS 07H 07M 40S					2L
28	352 00:37:46	31	10 SET			10 DEGREE SET DSC-10					1V
29	352 00:43:33	32			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		25971:19:001F	96-351/17:33:35	2ECa
30	352 04:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7078 (D/L ONLY)					2DP
31	352 05:38:10	31	60RISE			10 DEGREE RISE DSC-60					1V
32	352 05:45:22	31	40 SET			10 DEGREE SET DSC-40					1V
33	352 07:55:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7062 (D/L ONLY)					1DP
34	352 10:17:48	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
35	352 10:17:48	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
36	352 10:22:00	32				B- FULMRO			25983:22:001F	96-352/03:11:59	2TB
37	352 10:22:00	32				BEGIN FULMRO			25983:22:001F	96-352/03:11:59	2T
38	352 10:22:00	32			SC06BB	(16 0 14 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : MOD CRUISE AACS READOUT MODE : TELEMETRY	FDS		25983:22:009F	96-352/03:12:00	2ECf
39	352 10:22:48	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	MC-12	25983:23:001F	96-352/03:12:47	2ESf

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
40	352 10:22:48	32			CC3A	(39310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25983:23:001F	96-352/03:12:47	2ECs
41	352 10:25:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-7078 (U/L PASS) XMTR ON PER TELECOM TRKING FORM					2DP
42	352 10:32:12	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
43	352 10:36:24	32			SC06BB	(16 0 14 1) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : MOD CRUISE AACS READOUT MODE : MEMORY	FDS		25983:40:009F	96-352/03:26:24	2ECf
44	352 10:37:11	32				START AACS MEM R/O			25983:40:784F	96-352/03:27:10	2T
45	352 10:37:12	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	AA-12	25983:41:001F	96-352/03:27:11	2ESf
46	352 10:37:12	32			AC7MLD	(0000) MISC LOGIC CNTL MEM DUMP	AACS		25983:41:002F	96-352/03:27:11	2ECa
47	352 10:40:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7078					2DP
48	352 10:52:12	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
49	352 10:56:24	32			SC06PV	(8004) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		25984:05:008F	96-352/03:46:24	2ECf
50	352 10:56:25	32			SC06BB	(16 0 02 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CCS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		25984:05:019F	96-352/03:46:24	2ECf
51	352 10:57:10	32				END AACS R/O			25984:05:768F	96-352/03:47:09	2T
52	352 10:57:11	32				BEGIN CCS MEM R/O			25984:05:784F	96-352/03:47:10	2T

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
53	352 10:57:12	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	CCS R/O	25984:06:001F	96-352/03:47:11	2ESf
54	352 11:02:00	32			SC06PV	(8005) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		25984:12:009F	96-352/03:52:00	2ECf
55	352 11:02:13	32	40 SET			10 DEGREE SET DSC-40					2V
56	352 11:03:24	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
57	352 11:06:48	32			SC06PU	(0000) FDS R/O START ADDRESS	FDS		25984:18:009F	96-352/03:56:48	2ECf
58	352 11:07:36	32			SC06BB	(16 0 00 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT :FDS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		25984:19:009F	96-352/03:57:36	2ECf
59	352 11:08:23	32				END CCS MEM R/O			25984:19:784F	96-352/03:58:22	2T
60	352 11:08:24	32				BEGIN FDS MEM R/O			25984:20:001F	96-352/03:58:23	2T
61	352 11:08:24	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	FDS R/O	25984:20:001F	96-352/03:58:23	2ESf
62	352 11:16:12	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
63	352 11:16:12	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
64	352 11:20:24	32				B- DRCSR			25984:35:001F	96-352/04:10:23	2TB

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
65	352 11:20:24	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25984:35:009F	96-352/04:10:24	2ECf
66	352 11:21:12	32				END FDS MEM R/O			25984:36:001F	96-352/04:11:11	2T
67	352 11:21:12	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	25984:36:001F	96-352/04:11:11	2ESf
68	352 11:21:12	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		25984:36:001F	96-352/04:11:11	2ECs
69	352 11:21:13	32				END FULMRO			25984:36:018F	96-352/04:11:12	2T
70	352 11:25:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-7078					2DP
71	352 12:00:00	31				VGR-31 OWLT IS 09H 08M 39S					1L
72	352 12:00:00	32				VGR-32 OWLT IS 07H 07M 44S					2L
73	352 12:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7062					1DP
74	352 13:10:30	31	10RISE			10 DEGREE RISE DSC-10					1V
75	352 16:05:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7063 (D/L ONLY)					1DP
76	352 16:47:23	31	60 SET			10 DEGREE SET DSC-60					1V
77	352 20:03:45	32	10RISE			10 DEGREE RISE DSC-10					2V
78	352 20:05:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7063					1DP
79	352 20:12:24	32	40RISE			10 DEGREE RISE DSC-40					2V
80	352 20:33:56	31	40RISE			10 DEGREE RISE DSC-40					1V
81	352 20:50:00	32	25 AOS	OPCH ACE		AOS DSS-25 PASS-7079 (D/L ONLY)					2DP
82	352 22:36:00	32	10 SET			10 DEGREE SET DSC-10					2V

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
83	352 23:20:00	32	25 LOS	OPCH ACE		LOS DSS-25 PASS-7079					2DP
84	352 23:33:52	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
85	352 23:33:52	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
86	352 23:34:40	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
87	352 23:34:40	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
88	352 23:38:04	32				BEGIN PWSREC			25999:57:001F	96-352/16:27:59	2T
89	352 23:38:04	32				B- DRGS4B			25999:57:001F	96-352/16:27:59	2TB
90	352 23:38:04	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		25999:57:010F	96-352/16:28:00	2ECf
91	352 23:38:48	32				BEGIN RECORDING PWS DATA			25999:57:734F	96-352/16:28:43	2T
92	352 23:38:48	32			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		25999:57:734F	96-352/16:28:43	2ECd
93	352 23:38:48	32				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:2 TIC:2646	DTR		25999:57:734F	96-352/16:28:43	2ESd
94	352 23:38:52	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	25999:58:001F	96-352/16:28:47	2ESf

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
107	353 00:10:40	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
108	353 00:10:40	31		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
109	353 00:13:16	31				BEGIN PWSREC.31			32143:09:001F	96-352/15:04:35	1T
110	353 00:13:16	31			SC32AJ	(10) PLS CONFIG CMD	FDS		32143:09:009F	96-352/15:04:36	1ECf
111	353 00:14:04	31				B- DRGS4B			32143:10:001F	96-352/15:05:23	1TB
112	353 00:14:04	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		32143:10:009F	96-352/15:05:24	1ECf
113	353 00:14:48	31				BEGIN RECORDING PWS DATA			32143:10:734F	96-352/15:06:07	1T
114	353 00:14:48	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		32143:10:735F	96-352/15:06:08	1ECd
115	353 00:14:48	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:1 TIC:2644	DTR		32143:10:735F	96-352/15:06:08	1ESd
116	353 00:14:52	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	32143:11:001F	96-352/15:06:11	1ESf
117	353 00:14:52	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		32143:11:001F	96-352/15:06:11	1ECs
118	353 00:14:53	31				B- DRCRUS			32143:11:018F	96-352/15:06:12	1TB

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
119	353 00:14:53	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		32143:11:026F	96-352/15:06:13	1ECf
120	353 00:15:40	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	32143:12:001F	96-352/15:06:59	1ESf
121	353 00:15:40	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		32143:12:001F	96-352/15:06:59	1ECs
122	353 00:15:40	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		32143:12:002F	96-352/15:07:00	1ECd
123	353 00:15:40	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:2936	DTR		32143:12:002F	96-352/15:07:00	1ESd
124	353 00:16:28	31			SC32AJ	(11) PLS CONFIG CMD	FDS		32143:13:009F	96-352/15:07:48	1ECf
125	353 00:16:29	31				END PWSREC.31			32143:13:018F	96-352/15:07:48	1T
126	353 00:20:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7079 (D/L ONLY)					2DP
127	353 00:33:55	31	10 SET			10 DEGREE SET DSC-10					1V
128	353 01:04:16	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
129	353 01:04:16	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
130	353 01:04:28	32				BEGIN PMPCALLR			26001:45:001F	96-352/17:54:23	2T
131	353 01:08:28	32				B- DRCR5T			26001:50:001F	96-352/17:58:23	2TB

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
132	353 01:08:28	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		26001:50:009F	96-352/17:58:24	2ECf
133	353 01:09:16	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	26001:51:001F	96-352/17:59:11	2ESf
134	353 01:09:16	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		26001:51:001F	96-352/17:59:11	2ECs
135	353 01:15:40	32			SC06BY	(7) FDS PLS/MAG/PESCAL FLAG PLSCAL ENABLED MAGCAL ENABLED PESCAL ENABLED	FDS		26001:59:008F	96-352/18:05:36	2ECf
136	353 01:16:28	32				BEGIN PLS/MAG/PESCAL			26002:00:001F	96-352/18:06:23	2T
137	353 02:58:53	32				END PLSCAL			26004:08:001F	96-352/19:48:47	2T
138	353 04:18:53	32				END MAGCAL			26005:48:001F	96-352/21:08:47	2T
139	353 04:32:17	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
140	353 04:32:17	32		ACE OPCH		>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
141	353 04:36:29	32				END PESCAL			26006:10:001F	96-352/21:26:23	2T
142	353 04:36:29	32				B- DRCRUS			26006:10:001F	96-352/21:26:23	2TB
143	353 04:36:29	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		26006:10:010F	96-352/21:26:24	2ECf

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
144	353 04:37:17	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	26006:11:001F	96-352/21:27:11	2ESf
145	353 04:37:17	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		26006:11:001F	96-352/21:27:11	2ECs
146	353 04:37:18	32				END PMPCALLR			26006:11:018F	96-352/21:27:12	2T
147	353 05:34:18	31	60RISE			10 DEGREE RISE DSC-60					1V
148	353 05:41:29	31	40 SET			10 DEGREE SET DSC-40					1V
149	353 06:07:42	32			AC7SSB	(4 +182) SS BIAS CONTROL --- YAW	AACS		26008:04:002F	96-352/22:57:35	2ECa
150	353 07:50:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7063 (D/L ONLY)					1DP
151	353 10:58:23	32	40 SET			10 DEGREE SET DSC-40					2V
152	353 11:05:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7079					2DP
153	353 12:00:00	31				VGR-31 OWLT IS 09H 08M 42S					1L
154	353 12:00:00	32				VGR-32 OWLT IS 07H 07M 50S					2L
155	353 12:15:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7063					1DP
156	353 13:06:38	31	10RISE			10 DEGREE RISE DSC-10					1V
157	353 16:00:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7064 (D/L ONLY)					1DP
158	353 16:43:31	31	60 SET			10 DEGREE SET DSC-60					1V
159	353 19:19:45	32			AC7SSB	(3 +000) SS BIAS CONTROL - PITCH	AACS		26024:34:002F	96-353/12:09:35	2ECa
160	353 19:59:55	32	10RISE			10 DEGREE RISE DSC-10					2V
161	353 20:00:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7064					1DP
162	353 20:08:34	32	40RISE			10 DEGREE RISE DSC-40					2V
163	353 20:30:04	31	40RISE			10 DEGREE RISE DSC-40					1V

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
164	353 20:45:00	32	25 AOS	OPCH ACE		AOS DSS-25 PASS-7080 (D/L ONLY)					2DP
165	353 22:32:11	32	10 SET			10 DEGREE SET DSC-10					2V
166	353 23:15:00	32	25 LOS	OPCH ACE		LOS DSS-25 PASS-7080					2DP
167	354 00:00:00	31				VGR-31 OWLT IS 09H 08M 43S					1L
168	354 00:00:00	32				VGR-32 OWLT IS 07H 07M 54S					2L
169	354 00:20:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7080 (D/L ONLY)					2DP
170	354 00:30:03	31	10 SET			10 DEGREE SET DSC-10					1V
171	354 05:30:25	31	60RISE			10 DEGREE RISE DSC-60					1V
172	354 05:37:37	31	40 SET			10 DEGREE SET DSC-40					1V
173	354 10:54:33	32	40 SET			10 DEGREE SET DSC-40					2V
174	354 11:10:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7080					2DP
175	354 11:30:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7064 (D/L ONLY)					1DP
176	354 12:00:00	31				VGR-31 OWLT IS 09H 08M 44S					1L
177	354 12:00:00	32				VGR-32 OWLT IS 07H 07M 57S					2L
178	354 12:45:00	31	14 AOS	OPCH ACE		AOS DSS-14 PASS-7065 (U/L PASS)					1DP
179	354 13:00:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7064					1DP
180	354 13:02:46	31	10RISE			10 DEGREE RISE DSC-10					1V
181	354 15:00:00	31	14	OPCH 14		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
182	354 15:00:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
183	354 15:01:00	31	14	OPCH 14		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
184	354 15:02:00	31	14	OPCH 14		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
185	354 15:27:00	31	14	OPCH 14		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
186	354 15:43:45	31			AC7SSB	(3 +007) SS BIAS CONTROL - PITCH	AACS		32192:32:003F	96-354/06:35:00	1ECa
187	354 15:50:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7065 (D/L ONLY)					1DP
188	354 15:55:00	31	14 LOS	OPCH ACE		LOS DSS-14 PASS-7065					1DP
189	354 16:06:28	32		ACE ALL		>>>>>>>> 1 HR WARNING <<<<<<<<< FOR S/C-32 COMMAND MORATORIUM					2T
190	354 16:39:39	31	60 SET			10 DEGREE SET DSC-60					1V
191	354 17:06:28	32		ACE ALL		BEGIN S/C-32 COMMAND MORATORIUM					2T
192	354 19:56:06	32	10RISE			10 DEGREE RISE DSC-10					2V
193	354 20:04:45	32	40RISE			10 DEGREE RISE DSC-40					2V
194	354 20:26:12	31	40RISE			10 DEGREE RISE DSC-40					1V
195	354 20:35:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-7081 (D/L ONLY)					2DP
196	354 22:28:22	32	10 SET			10 DEGREE SET DSC-10					2V
197	354 23:10:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-7081					2DP
198	355 00:00:00	31				VGR-31 OWLT IS 09H 08M 46S					1L

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
199	355 00:00:00	32				VGR-32 OWLT IS 07H 08M 00S					2L
200	355 00:10:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7081 (D/L ONLY)					2DP
201	355 00:25:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7065					1DP
202	355 00:26:11	31	10 SET			10 DEGREE SET DSC-10					1V
203	355 00:40:29	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
204	355 00:40:29	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
205	355 00:43:53	32				B- MAGROLAB.32			26061:19:001F	96-354/17:33:35	2TB
206	355 00:43:53	32				BEGIN MAGROLAB32			26061:19:001F	96-354/17:33:35	2T
207	355 00:43:53	32				B- YAW10			26061:19:001F	96-354/17:33:35	2TB
208	355 00:43:53	32				YAW10			26061:19:001F	96-354/17:33:35	2T
209	355 00:43:53	32			AC7PAR	(6741 001700) +YAW DB=.10 DEG	AACS		26061:19:003F	96-354/17:33:35	2ECa
210	355 00:44:42	32				B- DRRC5T			26061:20:018F	96-354/17:34:24	2TB
211	355 00:44:42	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		26061:20:025F	96-354/17:34:25	2ECf
212	355 00:45:29	32		ACE OPCH			FDS	CR-5T	26061:21:001F	96-354/17:35:11	2ESf
						FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11					
213	355 00:45:29	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		26061:21:002F	96-354/17:35:11	2ECs

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
214	355 00:51:54	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR COMMANDED TURN D/L AGC VARIATIONS EXPECTED					22EC
215	355 00:53:54	32			AC7MDP	(6) AACS MODE: ALL AXIS INERTIAL	AACS		26061:31:418F	96-354/17:43:36	2ECa
216	355 00:53:54	32				AACS STATUS MODE : AAI GYRO A: ON HYBIC: 2 GYRO B: ON CST : ON GRYO C: OFF	AACS	26061:31:418F	96-354/17:43:36	2ESa	
217	355 00:53:54	32			CC7GCRP	GYRO C OFF	PWR		26061:31:419F	96-354/17:43:36	2ECp
218	355 00:53:54	32			CC7GCRP	GYRO C OFF	PWR		26061:31:421F	96-354/17:43:36	2ECp
219	355 00:53:54	32			CC7PC	(372) GYRO C OFF	AACS		26061:31:423F	96-354/17:43:37	2ECa
220	355 00:56:54	32			AC7TCD	(322 033096) TURN COMMAND AXIS=ROLL POL=NEG RNG SCALE=X10	AACS		26061:35:219F	96-354/17:46:36	2ECa
221	355 05:21:54	32			SC32AJ	(10) PLS CONFIG CMD	FDS		26067:06:392F	96-354/22:11:35	2ECf
222	355 05:26:33	31	60RISE			10 DEGREE RISE DSC-60					1V
223	355 05:33:45	31	40 SET			10 DEGREE SET DSC-40					1V
224	355 05:55:01	32			SC32AJ	(11) PLS CONFIG CMD	FDS		26067:47:708F	96-354/22:44:42	2ECf
225	355 06:28:10	32				ROLL TURN COMPLETE (NOMINAL)			26068:29:251F	96-354/23:17:50	2T
226	355 06:29:53	32			CC7PC	(345) CMDED TURN COMPLETE	AACS		26068:31:379F	96-354/23:19:34	2ECa
227	355 06:35:56	32			SC32AJ	(15) PLS CONFIG CMD	FDS		26068:39:025F	96-354/23:25:37	2ECf
228	355 06:44:56	32				RESET CALIB			26068:50:218F	96-354/23:34:36	2T
229	355 06:44:56	32			AC7PAR	(7530 000000) PARAMETER LOAD	AACS		26068:50:219F	96-354/23:34:36	2ECa
230	355 06:45:26	32			CC7SS	(1) SS SEARCH ENABLE	AACS		26068:50:718F	96-354/23:35:06	2ECa

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
231	355 06:45:26	32					AACS		26068:50:718F	96-354/23:35:06	2ESa
						AACS STATUS MODE : RAI GYRO A: ON HYBIC: 2 GYRO B: ON CST : ON GRYO C: OFF					
232	355 06:45:26	32			CC7PC	(327) IDET ACQUIRED	AACS		26068:50:718F	96-354/23:35:06	2ECa
233	355 06:45:26	32			CC7GCRP	GYRO C OFF	PWR		26068:50:719F	96-354/23:35:06	2ECp
234	355 06:45:26	32			CC7GCRP	GYRO C OFF	PWR		26068:50:721F	96-354/23:35:07	2ECp
235	355 06:45:26	32			CC7PC	(372) GYRO C OFF	AACS		26068:50:723F	96-354/23:35:07	2ECa
236	355 06:51:26	32			CC7CT	(07) CST FLYBACK AND SWEEP	AACS		26068:58:318F	96-354/23:41:06	2ECa
237	355 06:52:31	32				GYROS OFF			26068:59:601F	96-354/23:42:11	2T
238	355 06:52:31	32					AACS		26068:59:601F	96-354/23:42:11	2ESa
						AACS STATUS MODE : CRU GYRO A: ON HYBIC: 2 GYRO B: ON CST : ON GRYO C: OFF					
239	355 06:52:31	32			CC7PC	(307) STAR ACQUIRED	AACS		26068:59:601F	96-354/23:42:11	2ECa
240	355 06:52:31	32			CC7GCRP	GYRO C OFF	PWR		26068:59:602F	96-354/23:42:11	2ECp
241	355 06:52:31	32			CC7GCRP	GYRO C OFF	PWR		26068:59:604F	96-354/23:42:11	2ECp
242	355 06:52:31	32			CC7PC	(372) GYRO C OFF	AACS		26068:59:606F	96-354/23:42:12	2ECa
243	355 06:52:31	32					AACS		26068:59:606F	96-354/23:42:12	2ESa
						AACS STATUS MODE : CRU GYRO A: ON HYBIC: 2 GYRO B: OFF CST : ON GRYO C: OFF					
244	355 06:52:31	32			CC7GBRP	GYRO B OFF	PWR		26068:59:607F	96-354/23:42:12	2ECp
245	355 06:52:31	32			CC7GBRP	GYRO B OFF	PWR		26068:59:609F	96-354/23:42:12	2ECp
246	355 06:52:31	32			CC7PC	(362) GYRO B OFF	AACS		26068:59:611F	96-354/23:42:12	2ECa

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
247	355 06:52:31	32				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: OFF	AACS		26068:59:611F	96-354/23:42:12	2ESa
248	355 06:52:31	32			CC7GARP	GYRO A OFF	PWR		26068:59:612F	96-354/23:42:12	2ECp
249	355 06:52:32	32			CC7GARP	GYRO A OFF	PWR		26068:59:614F	96-354/23:42:12	2ECp
250	355 06:52:32	32			CC7PC	(352) GYRO A OFF	AACS		26068:59:616F	96-354/23:42:12	2ECa
251	355 06:59:43	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
252	355 06:59:43	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
253	355 07:00:56	32				B- YAWDB			26069:10:218F	96-354/23:50:36	2TB
254	355 07:00:56	32				YAWDB - .10			26069:10:218F	96-354/23:50:36	2T
255	355 07:00:56	32			AC7PAR	(6741 001700) +YAW DB=.10 DEG	AACS		26069:10:220F	96-354/23:50:36	2ECa
256	355 07:03:56	32				B- DR CRUS			26069:14:018F	96-354/23:53:36	2TB
257	355 07:03:56	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		26069:14:026F	96-354/23:53:37	2ECf
258	355 07:04:43	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	26069:15:001F	96-354/23:54:23	2ESf
259	355 07:04:43	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		26069:15:001F	96-354/23:54:23	2ECs

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
260	355 07:04:44	32				END MAGROLAB32			26069:15:018F	96-354/23:54:24	2T
261	355 07:06:07	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN D/L CARRIER SIG LEVEL					22EC
262	355 07:11:07	32				X BAND LOW POWER			26069:23:001F	96-355/00:00:47	2T
263	355 07:11:07	32			DC2HR	X-BAND TWT LOW POWER	RFS		26069:23:001F	96-355/00:00:47	2ECr
264	355 07:15:07	32			CC1T	BAY 1 HTR ON	PWR		26069:28:001F	96-355/00:04:47	2ECp
265	355 07:15:08	32				END XHIPWR32			26069:28:018F	96-355/00:04:48	2T
266	355 07:50:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7065 (D/L ONLY)					1DP
267	355 09:17:23	31				B- RFSTLC			32214:29:001F	96-355/00:08:35	1TB
268	355 09:44:35	31	65	OPCH 65		== START TLC TEST DOWN-LINK ==					1TD
269	355 10:45:35	31	65	OPCH 65		== END TLC TEST DOWN-LINK ==					1TD
270	355 10:50:44	32	40 SET			10 DEGREE SET DSC-40					2V
271	355 11:05:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7081					2DP
272	355 12:00:00	31				VGR-31 OWLT IS 09H 08M 47S					1L
273	355 12:00:00	32				VGR-32 OWLT IS 07H 08M 03S					2L
274	355 12:58:54	31	10RISE			10 DEGREE RISE DSC-10					1V
275	355 13:20:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7065					1DP
276	355 13:20:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-7066 (D/L ONLY)					1DP
277	355 15:07:57	32			AC7SSB	(4 +181) SS BIAS CONTROL --- YAW	AACS		26079:19:003F	96-355/07:57:35	2ECa
278	355 15:50:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-7066					1DP
279	355 16:35:47	31	60 SET			10 DEGREE SET DSC-60					1V
280	355 19:52:16	32	10RISE			10 DEGREE RISE DSC-10					2V

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
281	355 20:00:56	32	40RISE			10 DEGREE RISE DSC-40					2V
282	355 20:22:20	31	40RISE			10 DEGREE RISE DSC-40					1V
283	355 22:24:32	32	10 SET			10 DEGREE SET DSC-10					2V
284	356 00:00:00	31				VGR-31 OWLT IS 09H 08M 48S					1L
285	356 00:00:00	32				VGR-32 OWLT IS 07H 08M 07S					2L
286	356 00:22:19	31	10 SET			10 DEGREE SET DSC-10					1V
287	356 05:15:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7082 (D/L ONLY)					2DP
288	356 05:22:41	31	60RISE			10 DEGREE RISE DSC-60					1V
289	356 05:29:53	31	40 SET			10 DEGREE SET DSC-40					1V
290	356 06:10:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-7066 (D/L ONLY)					1DP
291	356 08:25:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7066 (D/L ONLY)					1DP
292	356 08:40:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-7066					1DP
293	356 10:46:54	32	40 SET			10 DEGREE SET DSC-40					2V
294	356 11:00:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7082					2DP
295	356 12:00:00	31				VGR-31 OWLT IS 09H 08M 49S					1L
296	356 12:00:00	32				VGR-32 OWLT IS 07H 08M 10S					2L
297	356 12:55:02	31	10RISE			10 DEGREE RISE DSC-10					1V
298	356 16:31:55	31	60 SET			10 DEGREE SET DSC-60					1V
299	356 16:35:50	31			AC7SSB	(4 +166) SS BIAS CONTROL --- YAW	AACS		32253:37:003F	96-356/07:27:00	1ECa
300	356 16:45:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7066					1DP
301	356 16:45:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7067 (D/L ONLY)					1DP
302	356 16:58:52	32		ACE ALL							2T
						END S/C-32 COMMAND MORATORIUM					

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
303	356 19:48:26	32	10RISE			10 DEGREE RISE DSC-10					2V
304	356 19:57:06	32	40RISE			10 DEGREE RISE DSC-40					2V
305	356 20:18:28	31	40RISE			10 DEGREE RISE DSC-40					1V
306	356 20:25:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-7083 (D/L ONLY)					2DP
307	356 22:20:43	32	10 SET			10 DEGREE SET DSC-10					2V
308	356 23:00:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-7083					2DP
309	356 23:24:54	32			AC7SSB	(3 +001) SS BIAS CONTROL - PITCH	AACS		26119:40:002F	96-356/16:14:23	2ECa
310	357 00:00:00	31				VGR-31 OWLT IS 09H 08M 50S					1L
311	357 00:00:00	32				VGR-32 OWLT IS 07H 08M 13S					2L
312	357 00:15:00	31	25 LOS	OPCH ACE		LOS DSS-25 PASS-7067					1DP
313	357 00:18:27	31	10 SET			10 DEGREE SET DSC-10					1V
314	357 05:05:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-7083 (D/L ONLY)					2DP
315	357 05:18:49	31	60RISE			10 DEGREE RISE DSC-60					1V
316	357 05:26:01	31	40 SET			10 DEGREE SET DSC-40					1V
317	357 06:05:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-7067 (D/L ONLY)					1DP
318	357 08:05:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-7067 (D/L ONLY)					1DP
319	357 08:20:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-7067					1DP
320	357 10:43:05	32	40 SET			10 DEGREE SET DSC-40					2V
321	357 10:55:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-7083					2DP
322	357 12:00:00	31				VGR-31 OWLT IS 09H 08M 52S					1L
323	357 12:00:00	32				VGR-32 OWLT IS 07H 08M 16S					2L
324	357 12:51:09	31	10RISE			10 DEGREE RISE DSC-10					1V
325	357 16:28:00	31	60 SET			10 DEGREE SET DSC-60					1V

INTEGRATED SEQUENCE FOR JST A024F JSX B026F WEEK 51 DOY 96-351/00:00 - 96-358/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
326	357 16:40:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-7067					1DP
327	357 16:45:00	31	25 AOS	OPCH ACE		AOS DSS-25 PASS-7068 (D/L ONLY)					1DP
328	357 19:44:37	32	10RISE			10 DEGREE RISE DSC-10					2V
329	357 19:53:17	32	40RISE			10 DEGREE RISE DSC-40					2V
330	357 20:14:37	31	40RISE			10 DEGREE RISE DSC-40					1V
331	357 20:25:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-7084 (D/L ONLY)					2DP
332	357 22:16:53	32	10 SET			10 DEGREE SET DSC-10					2V
333	357 22:55:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-7084					2DP
334	357 23:25:29	31			AC7SSB	(3 +006) SS BIAS CONTROL - PITCH	AACS		32292:09:002F	96-357/14:16:36	1ECa
335	358 00:00:00	31				VGR-31 OWLT IS 09H 08M 53S					1L
336	358 00:00:00	32				VGR-32 OWLT IS 07H 08M 19S					2L