

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	352 00:00:00	31				VGR-31 OWLT IS 08H 38M 31S					1L
2	352 00:00:00	32				VGR-32 OWLT IS 06H 43M 00S					2L
3	352 00:34:21	31	10	SET		10 DEGREE SET DSC-10					1V
4	352 00:50:00	31	15	LOS	OPCH ACE	LOS DSS-15 PASS-6696					1DP
5	352 02:39:08	31				B- UVSLEW			21166:49:001F	351 18:00:35.945	1TB
6	352 02:39:08	31				SLEW TO HELIO-17B			21166:49:001F	351 18:00:35.945	1T
7	352 02:39:08	31				B- PLATPOA			21166:49:001F	351 18:00:35.945	1TB
8	352 02:39:08	31			AC7SPK	(1 12 1 127 093) EL SLEW R=LOW	AACS		21166:49:002F	351 18:00:36.055	1ECa
9	352 02:43:53	31				B- SLEND			21166:54:751F	351 18:05:20.945	1TB
10	352 02:43:53	31			SLEWEND	AZ=125.000 EL=91.051 CO=87.404			21166:54:751F	351 18:05:20.945	1T
11	352 05:30:00	31	65	AOS	OPCH ACE	AOS DSS-65 PASS-6696 (D/L ONLY)					1DP
12	352 05:35:05	31	60	RISE		10 DEGREE RISE DSC-60					1V
13	352 05:42:17	31	40	SET		10 DEGREE SET DSC-40					1V
14	352 06:22:20	31			AC7SSB	(4 +166) SS BIAS CONTROL --- YAW	AACS		21171:28:003F	351 21:43:48.066	1ECa
15	352 09:00:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6712					2DP
16	352 09:00:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6712 (D/L ONLY)					2DP
17	352 10:30:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6712					2DP
18	352 10:50:15	32	40	SET		10 DEGREE SET DSC-40					2V
19	352 11:30:00	31	65	LOS	OPCH ACE	LOS DSS-65 PASS-6696					1DP
20	352 12:00:00	31				VGR-31 OWLT IS 08H 38M 33S					1L
21	352 12:00:00	32				VGR-32 OWLT IS 06H 43M 04S					2L
22	352 12:15:00	32	65	AOS	OPCH ACE	AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
23	352 12:50:00	31	15	AOS	OPCH ACE	AOS DSS-15 PASS-6697 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	352 13:07:24	31	10RISE			10 DEGREE RISE DSC-10					1V
25	352 14:39:09	31				B- UVSLEW			21181:49:001F	352 06:00:35.945	1TB
26	352 14:39:09	31				SLEW TO HELIO-18B			21181:49:001F	352 06:00:35.945	1T
27	352 14:39:09	31				B- PLATPOA			21181:49:001F	352 06:00:35.945	1TB
28	352 14:39:09	31			AC7SPK	(1 12 2 141 138) EL SLEW R=LOW	AACS		21181:49:002F	352 06:00:36.055	1ECa
29	352 14:43:18	31				B- SLEND			21181:54:151F	352 06:04:44.945	1TB
30	352 14:43:18	31			SLEWEND	AZ=125.000 EL=71.042 CO=67.549			21181:54:151F	352 06:04:44.945	1T
31	352 15:15:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
32	352 16:44:25	31	60 SET			10 DEGREE SET DSC-60					1V
33	352 18:50:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6697					1DP
34	352 19:31:37	32	10RISE			10 DEGREE RISE DSC-10					2V
35	352 19:35:00	32	15 AOS	OPCH ACE		AOS DSS-15 PASS-6713 (D/L ONLY)					2DP
36	352 20:15:26	32	40RISE			10 DEGREE RISE DSC-40					2V
37	352 20:30:28	31	40RISE			10 DEGREE RISE DSC-40					1V
38	352 21:14:09	32			AC7SSB	(4 +182) SS BIAS CONTROL --- YAW	AACS		15047:27:002F	352 14:27:59.877	2ECa
39	352 22:10:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6697 (D/L ONLY)					1DP
40	352 22:59:13	32	10 SET			10 DEGREE SET DSC-10					2V
41	352 23:45:00	32	15 LOS	OPCH ACE		LOS DSS-15 PASS-6713					2DP
42	353 00:00:00	31				VGR-31 OWLT IS 08H 38M 34S					1L
43	353 00:00:00	32				VGR-32 OWLT IS 06H 43M 07S					2L
44	353 00:30:29	31	10 SET			10 DEGREE SET DSC-10					1V
45	353 02:39:11	31				B- UVSLEW			21196:49:001F	352 18:00:35.945	1TB
46	353 02:39:11	31				SLEW TO HELIO-19B			21196:49:001F	352 18:00:35.945	1T

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
47	353 02:39:11	31				B- PLATPOA			21196:49:001F	352 18:00:35.945	1TB
48	353 02:39:11	31			AC7SPK	(1 12 2 157 158) EL SLEW R=LOW	AACS		21196:49:002F	352 18:00:36.055	1ECa
49	353 02:43:56	31				B- SLEND			21196:54:751F	352 18:05:20.945	1TB
50	353 02:43:56	31			SLEWEND	AZ=125.000 EL=48.031 CO=44.702			21196:54:751F	352 18:05:20.945	1T
51	353 03:30:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6713 (D/L ONLY)					2DP
52	353 03:55:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6697					1DP
53	353 05:31:14	31	60RISE			10 DEGREE RISE DSC-60					1V
54	353 05:38:25	31	40 SET			10 DEGREE SET DSC-40					1V
55	353 05:45:00	31	65 AOS	OPCH ACE		AOS DSS-65 PASS-6697 (D/L ONLY)					1DP
56	353 10:46:26	32	40 SET			10 DEGREE SET DSC-40					2V
57	353 11:10:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6713					2DP
58	353 11:25:00	31	65 LOS	OPCH ACE		LOS DSS-65 PASS-6697					1DP
59	353 12:00:00	31				VGR-31 OWLT IS 08H 38M 36S					1L
60	353 12:00:00	32				VGR-32 OWLT IS 06H 43M 10S					2L
61	353 12:10:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
62	353 12:45:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6698 (D/L ONLY)					1DP
63	353 13:03:32	31	10RISE			10 DEGREE RISE DSC-10					1V
64	353 14:39:12	31				B- UVSLEW			21211:49:001F	353 06:00:35.945	1TB
65	353 14:39:12	31				SLEW TO HELIO-20B			21211:49:001F	353 06:00:35.945	1T
66	353 14:39:12	31				B- PLATPOA			21211:49:001F	353 06:00:35.945	1TB
67	353 14:39:12	31			AC7SPK	(1 12 2 173 176) EL SLEW R=LOW	AACS		21211:49:002F	353 06:00:36.055	1ECa
68	353 14:43:57	31				B- SLEND			21211:54:751F	353 06:05:20.945	1TB
69	353 14:43:57	31			SLEWEND	AZ=125.000 EL=25.026 CO=22.115			21211:54:751F	353 06:05:20.945	1T

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
70	353 15:10:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
71	353 16:00:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6698					1DP
72	353 16:40:33	31	60 SET			10 DEGREE SET DSC-60					1V
73	353 19:27:48	32	10RISE			10 DEGREE RISE DSC-10					2V
74	353 19:45:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6714 (D/L ONLY)					2DP
75	353 20:11:37	32	40RISE			10 DEGREE RISE DSC-40					2V
76	353 20:26:37	31	40RISE			10 DEGREE RISE DSC-40					1V
77	353 22:22:04	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
78	353 22:22:04	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
79	353 22:22:52	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
80	353 22:22:52	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
81	353 22:26:16	32				BEGIN PWSREC			15078:57:001F	353 15:39:59.774	2T
82	353 22:26:16	32				B- DRGS4B			15078:57:001F	353 15:39:59.774	2TB
83	353 22:26:16	32			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B FDS PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY			15078:57:010F	353 15:40:00.308	2ECf
84	353 22:27:00	32				BEGIN RECORDING PWS DATA			15078:57:734F	353 15:40:43.774	2T
85	353 22:27:00	32			CC16C	(3000) DTR STATE SELECT:115.2REC DTR			15078:57:734F	353 15:40:43.795	2ECd

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
86	353 22:27:00	32				DTR STATUS MODE:REC RATE:115.2K DIR:R TRK:2 TIC:2348	DTR		15078:57:734F	353 15:40:43.795	2ESd
87	353 22:27:04	32		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PB/FDS11 SA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	15078:58:001F	353 15:40:47.768	2ESf
88	353 22:27:04	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		15078:58:002F	353 15:40:47.830	2ECs
89	353 22:27:05	32				B- DRCRUS			15078:58:018F	353 15:40:48.774	2TB
90	353 22:27:05	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		15078:58:025F	353 15:40:49.208	2ECf
91	353 22:27:52	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	15078:59:001F	353 15:41:35.768	2ESf
92	353 22:27:52	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		15078:59:001F	353 15:41:35.798	2ECd
93	353 22:27:52	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:2 TIC:2057	DTR		15078:59:001F	353 15:41:35.798	2ESd
94	353 22:27:52	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		15078:59:002F	353 15:41:35.852	2ECs

SOE YEAR-DAY: 1995-353

PRINTED ON DAY: 192 PAGE 6

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
95	353 22:27:53	32				END PWSREC			15078:59:018F	353 15:41:36.774	2T
96	353 22:50:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6698 (D/L ONLY)					1DP
97	353 22:51:49	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
98	353 22:51:49	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
99	353 22:52:37	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
100	353 22:52:37	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
101	353 22:55:13	31				BEGIN PWSREC.31			21222:09:001F	353 14:16:35.945	1T
102	353 22:55:13	31			SC32AJ	(10) PLS CONFIG CMD	FDS		21222:09:009F	353 14:16:36.419	1ECf
103	353 22:55:24	32	10 SET			10 DEGREE SET DSC-10					2V
104	353 22:56:01	31				B- DRGS4B			21222:10:001F	353 14:17:23.945	1TB
105	353 22:56:01	31			SC06BB	(03 0 07 0) FDS MODE TO: GS-4B PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		21222:10:009F	353 14:17:24.419	1ECf
106	353 22:56:45	31				BEGIN RECORDING PWS DATA			21222:10:734F	353 14:18:07.945	1T
107	353 22:56:45	31			CC16C	(3000) DTR STATE SELECT:115.2REC	DTR		21222:10:734F	353 14:18:07.966	1ECd
108	353 22:56:45	31				DTR STATUS MODE:REC RATE:115.2K DIR:F TRK:1 TIC:2644	DTR		21222:10:734F	353 14:18:07.966	1ESd

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
109	353 22:56:49	31		ACE OPCH		FDS STATUS GS-4B/X2.8K/S40 MEM:PA/FDS11 -----> GS-4B NOT RECOVERABLE ----> RETAIN CR-5T CONFIGURATION	FDS	GS-4B	21222:11:001F	353 14:18:11.939	1ESf
110	353 22:56:49	31			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21222:11:001F	353 14:18:11.995	1ECs
111	353 22:56:50	31				B- DRCRUS			21222:11:018F	353 14:18:12.945	1TB
112	353 22:56:50	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		21222:11:025F	353 14:18:13.379	1ECf
113	353 22:57:37	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	21222:12:001F	353 14:18:59.939	1ESf
114	353 22:57:37	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		21222:12:001F	353 14:18:59.972	1ECd
115	353 22:57:37	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:2936	DTR		21222:12:001F	353 14:18:59.972	1ESd
116	353 22:57:37	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21222:12:002F	353 14:19:00.025	1ECs
117	353 22:58:25	31			SC32AJ	(11) PLS CONFIG CMD	FDS		21222:13:009F	353 14:19:48.419	1ECf
118	353 22:58:26	31				END PWSREC.31			21222:13:018F	353 14:19:48.945	1T
119	354 00:00:00	31				VGR-31 OWLT IS 08H 38M 37S					1L

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
120	354 00:00:00	32				VGR-32 OWLT IS 06H 43M 14S					2L
121	354 00:26:37	31	10	SET		10 DEGREE SET DSC-10					1V
122	354 03:55:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6698					1DP
123	354 05:27:22	31	60	RISE		10 DEGREE RISE DSC-60					1V
124	354 05:34:34	31	40	SET		10 DEGREE SET DSC-40					1V
125	354 05:45:00	32	43	AOS	OPCH ACE	AOS DSS-43 PASS-6714 (D/L ONLY)					2DP
126	354 06:00:00	32	45	LOS	OPCH ACE	LOS DSS-45 PASS-6714					2DP
127	354 06:55:00	31	63	AOS	OPCH ACE	AOS DSS-63 PASS-6698 (D/L ONLY)					1DP
128	354 07:05:26	31		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
129	354 07:05:26	31		ACE	OPCH	>>>>>>> 5 MIN WARNING <<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
130	354 07:08:50	31				B- SUNMON03			21232:26:001F	353 22:30:11.945	1TB
131	354 07:08:50	31				BEGIN SUNMON03			21232:26:001F	353 22:30:11.945	1T
132	354 07:08:50	31				SC34AE03			21232:26:001F	353 22:30:11.945	1T
133	354 07:08:50	31			SC34AE	(0 3) UVS COMMAND WORD MODE: PULSE HEIGHT HV LEVEL: 3	FDS		21232:26:009F	353 22:30:12.419	1ECf
134	354 07:09:38	31				B- DRUV5A			21232:27:001F	353 22:30:59.945	1TB
135	354 07:09:38	31			SC06BB	(50 0 07 0) FDS MODE TO: UV-5A PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		21232:27:009F	353 22:31:00.419	1ECf
136	354 07:10:26	31		ACE	OPCH	FDS STATUS UV-5A/X600/S10 MEM:PA/FDS11	FDS	UV-5A	21232:28:001F	353 22:31:47.939	1ESf

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
137	354 07:10:26	31			CC3A	(36310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=36 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21232:28:001F	353 22:31:47.995	1ECs
138	354 07:24:50	31				SLEW OCC PORT TO SUN +1 EL			21232:46:001F	353 22:46:11.945	1T
139	354 07:24:50	31				B- PLATPOB			21232:46:001F	353 22:46:11.945	1TB
140	354 07:24:50	31			AC7SPK	(2 12 1 140 162) AZ SLEW R=LOW	AACS		21232:46:003F	353 22:46:12.066	1ECa
141	354 07:24:50	31			AC7SPL	(1 12 2 255 099) EL SLEW R=LOW	AACS		21232:46:004F	353 22:46:12.154	1ECa
142	354 07:37:22	31				B- SLEND			21233:01:534F	353 22:58:43.945	1TB
143	354 07:37:22	31			SLEWEND	AZ=183.509 EL=27.211 CO=1.046			21233:01:534F	353 22:58:43.945	1T
144	354 08:08:50	31				BEGIN HV-03 SWATHS			21233:41:001F	353 23:30:11.945	1T
145	354 08:08:50	31				SLEW VLO -2 DELTA EL ACROSS SUN			21233:41:001F	353 23:30:11.945	1T
146	354 08:08:50	31				B- PLATPOA			21233:41:001F	353 23:30:11.945	1TB
147	354 08:08:50	31			AC7SPL	(1 27 2 255 168) EL SLEW R=VLOW	AACS		21233:41:002F	353 23:30:12.056	1ECa
148	354 08:16:48	31				B- SLEND			21233:50:768F	353 23:38:09.945	1TB
149	354 08:16:48	31			SLEWEND	AZ=183.509 EL=25.252 CO=0.963			21233:50:768F	353 23:38:09.945	1T
150	354 08:17:38	31				SLEW VLO +2 DELTA EL ACROSS SUN			21233:52:001F	353 23:38:59.945	1T
151	354 08:17:38	31				B- PLATPOA			21233:52:001F	353 23:38:59.945	1TB
152	354 08:17:38	31			AC7SPL	(1 27 2 255 100) EL SLEW R=VLOW	AACS		21233:52:003F	353 23:39:00.059	1ECa
153	354 08:24:38	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					1ESf
154	354 08:24:38	31		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					11EC
155	354 08:25:31	31				B- SLEND			21234:01:684F	353 23:46:52.945	1TB
156	354 08:25:31	31			SLEWEND	AZ=183.509 EL=27.182 CO=1.024			21234:01:684F	353 23:46:52.945	1T

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
157	354 08:25:38	31				END HV-03 SWATHS			21234:02:001F	353 23:46:59.945	1T
158	354 08:26:26	31				END SUNMON03 SLEWS			21234:03:001F	353 23:47:47.945	1T
159	354 08:26:26	31				SC34AE13			21234:03:001F	353 23:47:47.945	1T
160	354 08:26:26	31			SC34AE	(1 3) UVS COMMAND WORD MODE: PULSE COUNT HV LEVEL: 3	FDS		21234:03:009F	353 23:47:48.419	1ECf
161	354 08:27:14	31				SLEW AWAY TO SAFE			21234:04:001F	353 23:48:35.945	1T
162	354 08:27:14	31				B- PLATPOB			21234:04:001F	353 23:48:35.945	1TB
163	354 08:27:14	31			AC7SPK	(2 12 2 130 083) AZ SLEW R=LOW	AACS		21234:04:003F	353 23:48:36.066	1ECa
164	354 08:27:14	31			AC7SPK	(1 12 1 163 045) EL SLEW R=LOW	AACS		21234:04:004F	353 23:48:36.154	1ECa
165	354 08:28:50	31				B- DRCRUS			21234:06:001F	353 23:50:11.945	1TB
166	354 08:28:50	31			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		21234:06:009F	353 23:50:12.419	1ECf
167	354 08:28:51	31				END SUNMON03			21234:06:018F	353 23:50:12.945	1T
168	354 08:29:38	31		ACE	OPCH	FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	21234:07:001F	353 23:50:59.939	1ESf
169	354 08:29:38	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		21234:07:001F	353 23:50:59.993	1ECs
170	354 08:32:44	31				B- SLEND			21234:10:701F	353 23:54:05.945	1TB
171	354 08:32:44	31			SLEWEND	AZ=170.010 EL=39.997 CO=33.528			21234:10:701F	353 23:54:05.945	1T
172	354 10:42:37	32	40	SET		10 DEGREE SET DSC-40					2V
173	354 11:05:00	32	43	LOS	OPCH ACE	LOS DSS-43 PASS-6714					2DP

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
174	354 12:00:00	31				VGR-31 OWLT IS 08H 38M 38S					1L
175	354 12:00:00	32				VGR-32 OWLT IS 06H 43M 17S					2L
176	354 12:05:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
177	354 12:59:40	31	10RISE			10 DEGREE RISE DSC-10					1V
178	354 15:10:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
179	354 15:20:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6699 (D/L ONLY)					1DP
180	354 15:28:03	31			AC7SSB	(3 +007) SS BIAS CONTROL - PITCH	AACS		21242:50:003F	354 06:49:24.067	1ECa
181	354 15:35:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6698					1DP
182	354 16:36:41	31	60 SET			10 DEGREE SET DSC-60					1V
183	354 19:23:59	32	10RISE			10 DEGREE RISE DSC-10					2V
184	354 20:07:48	32	40RISE			10 DEGREE RISE DSC-40					2V
185	354 20:10:00	32	43 AOS	OPCH ACE		AOS DSS-43 PASS-6715 (D/L ONLY)					2DP
186	354 20:22:45	31	40RISE			10 DEGREE RISE DSC-40					1V
187	354 20:39:46	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
188	354 20:39:46	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
189	354 20:43:58	32				B- FULMRO			15106:49:001F	354 13:57:35.774	2TB
190	354 20:43:58	32				BEGIN FULMRO			15106:49:001F	354 13:57:35.774	2T
191	354 20:43:58	32			SC06BB	(16 0 14 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : MOD CRUISE AACS READOUT MODE : TELEMETRY	FDS		15106:49:009F	354 13:57:36.248	2ECf

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
192	354 20:44:46	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	MC-12	15106:50:001F	354 13:58:23.768	2ESf
193	354 20:44:46	32			CC3A	(39310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=39 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		15106:50:001F	354 13:58:23.801	2ECs
194	354 20:54:10	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
195	354 20:58:22	32			SC06BB	(16 0 14 1) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : MOD CRUISE AACS READOUT MODE : MEMORY	FDS		15107:07:009F	354 14:12:00.248	2ECf
196	354 20:59:09	32				START AACS MEM R/O			15107:07:784F	354 14:12:46.774	2T
197	354 20:59:10	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	AA-12	15107:08:001F	354 14:12:47.768	2ESf
198	354 20:59:10	32			AC7MLD	(0000) MISC LOGIC CNTL MEM DUMP	AACS		15107:08:002F	354 14:12:47.887	2ECa
199	354 21:14:10	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
200	354 21:18:22	32			SC06PV	(8004) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		15107:32:008F	354 14:32:00.188	2ECf
201	354 21:18:23	32			SC06BB	(16 0 02 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CCS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		15107:32:019F	354 14:32:00.848	2ECf
202	354 21:19:08	32				END AACS R/O			15107:32:768F	354 14:32:45.774	2T
203	354 21:19:09	32				BEGIN CCS MEM R/O			15107:32:784F	354 14:32:46.774	2T

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
204	354 21:19:10	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	CCS R/O	15107:33:001F	354 14:32:47.768	2ESf
205	354 21:23:58	32			SC06PV	(8005) FDS TREE SWITCH ID CCS MEMORY READ OUT	FDS		15107:39:009F	354 14:37:36.248	2ECf
206	354 21:25:22	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
207	354 21:28:46	32			SC06PU	(0000) FDS R/O START ADDRESS	FDS		15107:45:009F	354 14:42:24.248	2ECf
208	354 21:29:34	32			SC06BB	(16 0 00 0) FDS MODE TO: EH-12 PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : FDS MEM R/O AACS READOUT MODE : TELEMETRY	FDS		15107:46:009F	354 14:43:12.248	2ECf
209	354 21:30:21	32				END CCS MEM R/O			15107:46:784F	354 14:43:58.774	2T
210	354 21:30:22	32				BEGIN FDS MEM R/O			15107:47:001F	354 14:43:59.774	2T
211	354 21:30:22	32		ACE OPCH		FDS STATUS EH-12/X1.2K/S(N/A) MEM:PB/FDS11 SA/FDS11	FDS	FDS R/O	15107:47:001F	354 14:43:59.768	2ESf
212	354 21:38:10	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR FDS MODE OR FDS STATUS CHG					2ESf
213	354 21:38:10	32		ACE OPCH		>>>>>>> 5 MIN WARNING <<<<<<<<<<<< FOR CHG IN X-BD D/L CONFIG MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ					22EC
214	354 21:42:22	32				B- DRCSR			15108:02:001F	354 14:55:59.774	2TB
215	354 21:42:22	32			SC06BB	(53 0 07 0) FDS MODE TO: CR-5T PLS INTEGRATION MODE: 0.96 SEC PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		15108:02:009F	354 14:56:00.248	2ECf

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
216	354 21:43:10	32				END FDS MEM R/O			15108:03:001F	354 14:56:47.774	2T
217	354 21:43:10	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	15108:03:001F	354 14:56:47.768	2ESf
218	354 21:43:10	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		15108:03:001F	354 14:56:47.824	2ECs
219	354 21:43:11	32				END FULMRO			15108:03:018F	354 14:56:48.774	2T
220	354 22:51:34	32	10 SET			10 DEGREE SET DSC-10					2V
221	354 22:55:11	32			AC7SSB	(3 +000) SS BIAS CONTROL - PITCH	AACS		15109:33:002F	354 16:08:47.875	2ECa
222	354 23:50:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6699 (D/L ONLY)					1DP
223	355 00:00:00	31				VGR-31 OWLT IS 08H 38M 39S					1L
224	355 00:00:00	32				VGR-32 OWLT IS 06H 43M 20S					2L
225	355 00:05:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6699					1DP
226	355 00:22:46	31	10 SET			10 DEGREE SET DSC-10					1V
227	355 03:45:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6699					1DP
228	355 05:23:30	31	60RISE			10 DEGREE RISE DSC-60					1V
229	355 05:30:42	31	40 SET			10 DEGREE SET DSC-40					1V
230	355 06:50:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6699 (D/L ONLY)					1DP
231	355 10:20:00	32	43 LOS	OPCH ACE		LOS DSS-43 PASS-6715					2DP
232	355 10:38:48	32	40 SET			10 DEGREE SET DSC-40					2V
233	355 11:41:38	32			AC7SSB	(4 +181) SS BIAS CONTROL --- YAW	AACS		15125:31:002F	355 04:55:11.877	2ECa
234	355 12:00:00	31				VGR-31 OWLT IS 08H 38M 41S					1L
235	355 12:00:00	32				VGR-32 OWLT IS 06H 43M 23S					2L

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
236	355 12:00:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
237	355 12:55:48	31	10RISE			10 DEGREE RISE DSC-10					1V
238	355 14:45:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6700 (D/L ONLY)					1DP
239	355 15:00:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6699					1DP
240	355 15:05:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
241	355 16:32:49	31	60 SET			10 DEGREE SET DSC-60					1V
242	355 19:20:10	32	10RISE			10 DEGREE RISE DSC-10					2V
243	355 20:03:58	32	40RISE			10 DEGREE RISE DSC-40					2V
244	355 20:05:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6716 (D/L ONLY)					2DP
245	355 20:18:53	31	40RISE			10 DEGREE RISE DSC-40					1V
246	355 22:47:44	32	10 SET			10 DEGREE SET DSC-10					2V
247	355 23:45:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6700 (D/L ONLY)					1DP
248	356 00:00:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6700					1DP
249	356 00:00:00	31				VGR-31 OWLT IS 08H 38M 42S					1L
250	356 00:00:00	32				VGR-32 OWLT IS 06H 43M 26S					2L
251	356 00:18:54	31	10 SET			10 DEGREE SET DSC-10					1V
252	356 03:45:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6700					1DP
253	356 05:19:38	31	60RISE			10 DEGREE RISE DSC-60					1V
254	356 05:26:50	31	40 SET			10 DEGREE SET DSC-40					1V
255	356 06:45:00	31	63 AOS	OPCH ACE		AOS DSS-63 PASS-6700 (D/L ONLY)					1DP
256	356 10:34:59	32	40 SET			10 DEGREE SET DSC-40					2V
257	356 10:55:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6716					2DP
258	356 12:00:00	31				VGR-31 OWLT IS 08H 38M 43S					1L

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
259	356 12:00:00	32				VGR-32 OWLT IS 06H 43M 29S					2L
260	356 12:40:00	31	24 AOS	OPCH ACE		AOS DSS-24 PASS-6701 (D/L ONLY)					1DP
261	356 12:45:00	31	63 LOS	OPCH ACE		LOS DSS-63 PASS-6700					1DP
262	356 12:51:56	31	10RISE			10 DEGREE RISE DSC-10					1V
263	356 13:30:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
264	356 15:00:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
265	356 16:28:57	31	60 SET			10 DEGREE SET DSC-60					1V
266	356 19:16:22	32	10RISE			10 DEGREE RISE DSC-10					2V
267	356 19:24:08	31			AC7SSB	(4 +167) SS BIAS CONTROL --- YAW	AACS		21307:45:002F	356 10:45:24.043	1ECa
268	356 19:35:00	32	45 AOS	OPCH ACE		AOS DSS-45 PASS-6717 (D/L ONLY)					2DP
269	356 20:00:09	32	40RISE			10 DEGREE RISE DSC-40					2V
270	356 20:15:02	31	40RISE			10 DEGREE RISE DSC-40					1V
271	356 22:43:55	32	10 SET			10 DEGREE SET DSC-10					2V
272	356 23:40:00	31	42 AOS	OPCH ACE		AOS DSS-42 PASS-6701 (D/L ONLY)					1DP
273	356 23:55:00	31	24 LOS	OPCH ACE		LOS DSS-24 PASS-6701					1DP
274	357 00:00:00	31				VGR-31 OWLT IS 08H 38M 44S					1L
275	357 00:00:00	32				VGR-32 OWLT IS 06H 43M 32S					2L
276	357 00:15:03	31	10 SET			10 DEGREE SET DSC-10					1V
277	357 03:40:00	31	42 LOS	OPCH ACE		LOS DSS-42 PASS-6701					1DP
278	357 05:15:46	31	60RISE			10 DEGREE RISE DSC-60					1V
279	357 05:22:58	31	40 SET			10 DEGREE SET DSC-40					1V
280	357 06:45:00	31	61 AOS	OPCH ACE		AOS DSS-61 PASS-6701 (U/L PASS)					1DP

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
281	357 08:00:00	31	61	OPCH 61		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
282	357 08:00:00	31	61	OPCH 61		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
283	357 08:01:00	31	61	OPCH 61		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
284	357 08:02:00	31	61	OPCH 61		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
285	357 08:27:00	31	61	OPCH 61		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
286	357 10:31:10	32	40	SET		10 DEGREE SET DSC-40					2V
287	357 10:55:00	32	45	LOS OPCH ACE		LOS DSS-45 PASS-6717					2DP
288	357 12:00:00	31				VGR-31 OWLT IS 08H 38M 45S					1L
289	357 12:00:00	32				VGR-32 OWLT IS 06H 43M 36S					2L
290	357 12:00:00	32	65	AOS OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
291	357 12:48:04	31	10	RISE		10 DEGREE RISE DSC-10					1V
292	357 13:00:00	31	24	AOS OPCH ACE		AOS DSS-24 PASS-6702 (D/L ONLY)					1DP
293	357 13:15:00	31	61	LOS OPCH ACE		LOS DSS-61 PASS-6701					1DP
294	357 14:55:00	32	65	LOS OPCH ACE		LOS DSS-65 PASS-6446					2DP

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
295	357 16:25:05	31	60	SET		10 DEGREE SET DSC-60					1V
296	357 19:12:33	32	10	RISE		10 DEGREE RISE DSC-10					2V
297	357 19:30:00	32	45	AOS	OPCH ACE	AOS DSS-45 PASS-6718 (D/L ONLY)					2DP
298	357 19:35:22	31			AC7SSB	(3 +006) SS BIAS CONTROL - PITCH	AACS		21337:59:002F	357 10:56:36.042	1ECa
299	357 19:56:20	32	40	RISE		10 DEGREE RISE DSC-40					2V
300	357 20:11:10	31	40	RISE		10 DEGREE RISE DSC-40					1V
301	357 22:40:05	32	10	SET		10 DEGREE SET DSC-10					2V
302	357 23:07:29	32			AC7SSB	(3 +001) SS BIAS CONTROL - PITCH	AACS		15199:48:002F	357 16:20:47.877	2ECa
303	357 23:40:00	31	42	AOS	OPCH ACE	AOS DSS-42 PASS-6702 (D/L ONLY)					1DP
304	357 23:55:00	31	24	LOS	OPCH ACE	LOS DSS-24 PASS-6702					1DP
305	358 00:00:00	31				VGR-31 OWLT IS 08H 38M 46S					1L
306	358 00:00:00	32				VGR-32 OWLT IS 06H 43M 38S					2L
307	358 00:11:11	31	10	SET		10 DEGREE SET DSC-10					1V
308	358 01:44:11	31				B- RFSTLC			21345:40:001F	357 17:05:23.945	1TB
309	358 01:44:35	31	42		OPCH 42	== START TLC TEST DOWN-LINK ==					1TD
310	358 02:09:06	32			AC7SSB	(4 +180) SS BIAS CONTROL --- YAW	AACS		15203:35:002F	357 19:22:23.875	2ECa
311	358 02:45:35	31	42		OPCH 42	== END TLC TEST DOWN-LINK ==					1TD
312	358 03:35:00	31	42	LOS	OPCH ACE	LOS DSS-42 PASS-6702					1DP
313	358 05:11:54	31	60	RISE		10 DEGREE RISE DSC-60					1V
314	358 05:19:06	31	40	SET		10 DEGREE SET DSC-40					1V
315	358 06:40:00	31	61	AOS	OPCH ACE	AOS DSS-61 PASS-6702 (D/L ONLY)					1DP

INTEGRATED SEQUENCE FOR JST A022F JSX B024F WEEK 51 DOY 95-352/00:00 - 95-359/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
316	358 07:45:00	32	45 LOS	OPCH ACE		LOS DSS-45 PASS-6718					2DP
317	358 10:27:21	32	40 SET			10 DEGREE SET DSC-40					2V
318	358 11:50:00	32	65 AOS	OPCH ACE		AOS DSS-65 PASS-6446 (D/L ONLY)					2DP
319	358 12:00:00	31				VGR-31 OWLT IS 08H 38M 47S					1L
320	358 12:00:00	32				VGR-32 OWLT IS 06H 43M 41S					2L
321	358 12:44:12	31	10RISE			10 DEGREE RISE DSC-10					1V
322	358 12:55:00	31	15 AOS	OPCH ACE		AOS DSS-15 PASS-6703 (D/L ONLY)					1DP
323	358 13:10:00	31	61 LOS	OPCH ACE		LOS DSS-61 PASS-6702					1DP
324	358 14:50:00	32	65 LOS	OPCH ACE		LOS DSS-65 PASS-6446					2DP
325	358 16:21:12	31	60 SET			10 DEGREE SET DSC-60					1V
326	358 19:08:45	32	10RISE			10 DEGREE RISE DSC-10					2V
327	358 19:52:30	32	40RISE			10 DEGREE RISE DSC-40					2V
328	358 20:07:19	31	40RISE			10 DEGREE RISE DSC-40					1V
329	358 22:36:15	32	10 SET			10 DEGREE SET DSC-10					2V
330	358 23:50:00	31	15 LOS	OPCH ACE		LOS DSS-15 PASS-6703					1DP
331	359 00:00:00	31				VGR-31 OWLT IS 08H 38M 48S					1L
332	359 00:00:00	32				VGR-32 OWLT IS 06H 43M 44S					2L