		00 01	_ , , ,
1.01	DIAGNOSTIC TESTING, MALFUNCTION	22.01	By loopback
	INDICATION, OR ELECTRICAL	22.02	By analysis of injected tone
	CONDITION MEASUREMENT		signal
1.02	.Of audio message storage and	22.03	Fault detection or fault
	retrieval		location on telephone link
1.03	.Of data transmission		(e.g., continuity, leakage)
1.04	Qualifying line for data	22.04	Of digital loop carrier
	transmission	22.05	Pair gain test controller
2	.Including fault responsive	22.06	Having special connector
_	disconnection of tested	22.07	Telephone multiconducting
	component		wires (e.g., tip, ring and
3	.Of hybrid or echo suppressor or		ground wires)
9	canceller	22.08	Noise
4	.Of repeater	23	Of line signalling
7	.For detection of eavesdropping	24	Electrical parameter
,	device		measurement (e.g.,
8	.With blocking of normal usage		attenuation)
9		25	Conductor identification or
9.01	.Of centralized switching systemSoftware compatibility		location
9.01	Maintenance console	26.01	.Testing of network terminating
			interface, subscriber trunk
9.03	Trouble ticket reporting		interface, or service function
9.04	. Record or report generation	26.02	With a programmable or self-
9.05	Backup system	20102	test device
9.06	Of line interface circuitry	27.01	.Testing of subscriber loop or
14	Of plural exchange network	27.01	terminal
14.01	Fault segmentation (e.g.,	27.02	By generating call signal
	error location in network)	27.02	By analysis of testing signal
10.01	By automatic testing sequence	27.03	By automatic testing sequence
10.02	By call generator	27.04	(e.g., programmable, test,
10.03	Script file generation or		script or test call generation
	execution		program)
11	Routiner	27.05	Having protection circuit
12	With dedicated testing line or	27.03	(e.g., surge or short circuit
	trunk		protector)
13	Of call timing or charging	27.06	Having electromechanical switch
	equiment	27.00	or relay
15.01	Of switching equipment or	27.07	Having plugging maintenance or
	network element	27.07	test module
15.02	Advanced intelligent network	27.08	Including sampling measurement
	(AIN)	27.00	technique
15.03	Provisioning of service	28	Of data transmission instrument
15.04	Of plural AIN elements	29.01	Terminal arrangement to enable
15.05	Determining fault location	29.01	remote testing (e.g., testing
16	Of switching path		interface)
17	Of switching selector	29.02	By simulator (e.g., computer
18	By use of call address signal	29.02	simulates testing personnel)
19	Rapid manual connecting	29.03	
	structure for test equipment	29.03	Voltage or current
20	Of switchboard element	20 04	determination
	condition (e.g., lamp)	29.04 29.05	Voltage or current detector
21	.Using portable test set (e.g.,		Metallic loop testing
	handset type)	29.06	By dialing back the calling
22	.Of trunk or long line		terminal
	~		

29.07	For a fault caused by an off-	51	.With automatic dialing or
	hook status		transmission of recorded audio
29.08	For a fault caused by new		message
	added service or equipment	52	INCLUDING AID FOR HANDICAPPED
	(e.g., software compatible)		USER (E.G., VISUAL, TACTILE,
29.09	With historical operating	1	HEARING AID COUPLING)
	information database	55.1	HAVING NEAR FIELD LINK (E.G.,
29.1	Visual output (e.g., printing,	1	CAPACITIVE, INDUCTIVE)
	displaying)	56.1	HAVING LIGHT WAVE OR ULTRASONIC
29.11	Having telephone maintenance		LINK FOR SPEECH OR PAGING
2.0	termination unit (e.g., MTU)	F.C. 0	SIGNAL
30	Loop impedance (e.g.,	56.2	.Including fiber optic link
0.4	resistance, capacitance)	56.2	within telephone network
31	Of line signalling generator	56.3	.Including infra-red link with
	(e.g., dial, tone code	C7 1	landline telephone network
20.01	generator)	67.1	AUDIO MESSAGE STORAGE, RETRIEVAL,
32.01	.Monitoring	60	OR SYNTHESIS
32.02	Trunk or long line	68	.Dynamic audio signal recording
32.03	AIN link	60	or reproduction
32.04	Subscriber line	69	Call originating
32.05	Call tracing	70	Call intercept or answering
33	Alarm or emergency (e.g., cut	71	Consecutive use of recorded
0.5	line)		phrases or words to form
35	Listening-in or eavesdropping	72	message
2.5	type	1 2	Sequential or repeated
36	FREE CALLING FROM PAYSTATION		announcement during single
37	EMERGENCY OR ALARM COMMUNICATIONS	73	call initiated cyclePlural record carrier channels
	(E.G., WATCHMAN'S CIRCUIT)	73 74	
38	.Personal monitoring (e.g., for	74	Remote control over telephone line
2.0	the ill or infirm)	75	Remote dictation
39	Responsive to sensed nonsystem	75 76	Announcement selection or
4.0	condition	70	replacement
40	Automatic dialing	77	Control by generated tone
41	Transmission of recorded audio	78	Acoustic coupling
4.0	message	78 79	With specified call initiated
42	Plural conditions	19	cycle control circuitry
43	Fire	80	Voice signal presence
44	Intrusion	80	responsive
45	.Central office responsive to	81	Call termination responsive
	emergency call or alarm (e.g.,	01	(e.g., hang-up)
	"911", operator position	82	Having specified call
46	display) .Called line or station condition	02	initiation (e.g., ringing)
40			responsive circuitry
	responsive (e.g., recall if busy)	83	Structural detail of storage
47	.Plural alarms over single line	03	medium drive
48	.Announcement or alarm received	84	At switching facility (e.g.,
40	at terminal station (e.g.,	04	central office, switchboard)
	"butt-in", alarm)	85	Recording of telephone signal
49	.Central station with plural	55	during normal operation
せノ	substations	86	Inductive pickup
50	By pulse or digital signal	87	Reproduced signal distributed
50	.2, parse or argreat signar	٠,	over telephone line
		88.01	.Voice activation or recognition

88.02	Voice verification (e.g., voice	92.03	Having central station
	authorization, voiceprint,		equipment
	etc.)	92.04	Having subscriber station
88.03	Voice dialing		equipment
88.04	Voice controlled message	93.01	.Having transmission of a digital
	management		message signal over a
88.05	.Multilingual system or operation		telephone line
88.06	Language selection	93.02	Access restricting
88.07	.Digital signal processing (DSP)	93.03	Personal identification
88.08	.Message signal analysis	93.04	Two or more calls
88.09	Statistical analysis (e.g.,	93.05	Terminal interface circuitry
	time, date, length of message,	93.06	Digital
	etc.)	93.07	To plural lines or networks
88.1	Including data compression	93.08	Transmission scheme (e.g.,
88.11	.Display of message related		compression/decompression,
	information		transmission rate)
88.12	.Indication or notification of	93.09	Switching between different
	message		terminal types (e.g., voice/
88.13	.Multimedia system (e.g., voice		data switch)
	output combined with fax,	93.11	Among at least three terminal
	<pre>video, text, etc.)</pre>		types
88.14	Presentation format conversion	93.12	Sales, ordering, or banking
88.15	Pager activation		system
88.16	.Voice message synthesis	93.13	Amusement (e.g., game, lottery)
88.17	.Interaction with an external	93.14	Having switching station
	nontelephone network (e.g.,	93.15	Having format conversion
	Internet)	93.17	Having station display
88.18	.Interacting voice message	93.18	Having tone code recognition
	systems		for generating alphanumeric
88.19	.Call source identification		characters
88.2	Automatic Number Identification	93.19	Having pressure or position
	(ANI)		sensitive surface (e.g.,
88.21	Caller identification received		touch-screen, light pen)
	at substation	93.21	Having conferencing
88.22	.Message management	93.22	At pay station
88.23	Controlled by subscriber or	93.23	Having user information
	caller		display (e.g., telephone
88.24	By generated tone		number, name, address, etc.)
88.25	Message storage in centralized	93.24	Having electronic mail
	location (e.g., central	93.25	Having remote database (e.g.,
	office, PBX, etc.)		videotex system)
88.26	Recording voice message from	93.26	By voice frequency signal
	non subscriber caller		(e.g., tone code)
88.27	Separate storage for voice and	93.27	Alphanumeric
	control information	93.28	Modulated audio tone
88.28	Solid state memory storage	93.29	Reconfigurable
90.01	TELEPHONE LINE OR SYSTEM COMBINED	93.31	Protocol
	WITH DIVERSE ELECTRICAL SYSTEM	93.32	Initial setup
	OR SIGNALLING (E.G.,	93.33	Having adjustable speed
	COMPOSITE)	93.34	Having recognition and
91.01	.Credit authorization		selection
91.02	At switching station	93.35	Having call-waiting
92.01	.Polling	93.36	Line powered
92.02	Televoting	93.37	Having acoustic link

100.01	<pre>.To produce visual-graphic copy (e.g., facsimile)</pre>	112.01	.Call traffic recording by computer or control processor
100.02	Having detachable device (e.g., detachable storage medium,	112.02	Redundant processor or backup processor
	scanner)	112.03	Estimating blocking probability
100.03	Usage system	112.04	Threshold or limiting control
100.04	Communication charge	112.01	(e.g., gapping control)
	calculation	112.05	Optimization network
100.05	Monitoring		configuration
100.06	Communication status	112.06	Generalized statistics about
	notification		telephone network usage
100.07	Using mark sheet	112.07	Carrier usage data
100.08	Electronic mailbox	112.08	Trunk or path usage data
100.09	Relay system	112.09	Specialized exchange
100.11	From a library	112.1	Traffic rate for overload
100.12	Connection to plural networks	114.01	.Call charge metering or
	or lines		monitoring
100.13	Format conversion	114.02	Least cost
100.14	Call signal generation (e.g.,	114.03	Billing computing software or
	auto-dial)		program
100.15	Having switching to other	114.04	Charge error detection
	communication modes	114.05	Special service fees (e.g.,
100.16	Voice mode		customized feature)
100.17	Transmission scheme	114.06	Variable rate
101.01	.Audio program distribution	114.07	Bandwidth
102.01	.Remote control	114.08	Traffic
102.02	Communication device	114.09	Time controlled
102.03	Entertainmemt appliance (e.g.,	114.1	Incentive billing
100 04	TV, VCR, radio, etc.)	114.11	Gaming
102.04	Power source	114.12	Discount or bargaining
102.03	Of heating, ventilation, air conditioner (e.g., HVAC)	114.13 114.14	Advertisement
102.06	Of physical entrance or exit	114.14	Fraud detection or controlCalling card
102.00	lock	114.15	Recharging or replenishing an
102.07	Having indication	114.10	account or calling card
106.01	Remote indication over telephone	114.17	Monitoring account or card
	line (e.g., telemetry)	,	usage balance
106.02	Patient monitoring	114.18	Having complementary item
106.03	Meter reading		(e.g., novelty)
106.04	Having power supply circuitry	114.19	Credit card
106.05	Having ringing suppression	114.2	Pre-paid calling account or
106.06	Having time window		card
106.07	Having interrogation signal	114.21	Redirect billing
106.08	Having line status detection	114.22	Split billing or cost sharing
106.09	Ringing suppression	114.23	Third party billing
106.11	Interrogation signal	114.24	1-800 billing
108.01	.Telegraphy	114.25	1-900 billing
108.02	Over telephone line	114.26	Based on unique account code
110.01	COMPOSITE SUBSTATION OR TERMINAL	114.27	Portable number billing
	(E.G., HAVING CALCULATOR,	114.28	Advanced intelligent billing
444	RADIO)		network (e.g., a billing
111	WITH USAGE MEASUREMENT (E.G.,		service control processor)
	CALL OR TRAFFIC REGISTER)		

114.29	Using more than one advanced intelligent elements (e.g.,	130 131	At subscriber stationTime controlled
	accessing multiple AIN databases)	132	Paystation (e.g., escrow control)
115.01 115.02	Interexchange billing operationLong distance billing	133	.Call traffic recording or monitoring
115.03	Interfacing with foreign	134	At central station
	exchange	135	With hardcopy record
116	Hardcopy record generating	133	generation (e.g., ticket
117	Of station on polystation or		printing)
	party line	136	With display
118	Identification of station	137	Trunk usage (e.g., peg count)
119	Hardcopy record generating	138	All trunks busy metering
	(e.g., ticket printing)	139	Counting the number of
120	With line identification or		completed connections
	class of service determination	140	At subscriber
121.01	At local exchange carrier	141	Mechanical register
	(e.g., central switching	142.01	RECEPTION OF CALLING INFORMATION
	office)		AT SUBSTATION IN WIRELINE
121.02	Discount charge rate or		COMMUNICATIONS SYSTEM
	billing plan	142.02	.Blocking caller ID transmission
121.03	Multiple billing account	142.03	Using a trigger code
121.04	Detail of call history and	142.04	.Extracting call ID from
	rates database		transmitted signal
121.05	Call record modification	142.05	Authentication or authorization
121.06	Having network terminating	142.06	Matching and retrieving stored
	point receiving registration		caller ID information from a
100	from subscriber terminal		database
122	With display	142.07	Routing an incoming call on
123	Paystation (e.g., escrow		multiple lines to a particular
124	control)		appliance (e.g., facsimile,
124	Pulse counting or accumulating (e.g., "message metering")	142.08	computer, or telephone) .Call waiting associated with
125	Local or zone	142.00	caller ID information
126	Assembling billing record	142.09	.Non-assigned telephone number
120	(e.g., automatic message	142.00	indication
	account (AMA), call detail	142.1	.Caller location indication
	record (CDR), etc.)	142.1	(e.g., city, state, etc.)
127.01	Having line identification	142.11	.Caller local time indication
	associated with call billing	142.12	.Including master-slave modules,
	(e.g., automatic number		parent-child terminals, or
	identification (ANI)		controller-adjunct units
127.02	Fraud control or billing	142.13	.Adaptive module coupled to
	restriction		telephone line or telephone
127.03	Billing code or trigger		device
	code	142.14	Format conversion
127.04	Pricing a call made from	142.15	.Connecting to an external
	different account (e.g.,		information processing
	calling card, credit card)		terminal (e.g., computer)
127.05	Billing option selection	142.16	.Having broadband premise
127.06	Having terminal		equipment (e.g., TV)
	identification	142.17	.Having display unit
128	Time of day controlled	142.18	.Including DTMF signal
129	Manually set (e.g., key and	143	WITH CHECK OPERATED CONTROL
	lock)		(E.G., PAYSTATION)

144.01	.Other than coin	167.03	.At booth (e.g., at theater, gas
144.02	Collect calling from payphone		station, etc.)
144.03	Fraud detection in payphone	167.04	Having intercom switch
144.04	Card reader	167.05	.Doorbell system
144.05	Payphone service associated or	167.06	Having access code
	integrated with other	167.07	Having remote controlling
	communication device (e.g.,	20,10,	station (e.g., gate guard or
	computer, fax, etc.)		attendant)
144.06	Special circuitry for	167.08	Call addressing or announcing
144.00	processing accounting data	167.11	
144.07		107.11	Having connection to telephone line
144.07	Information message	165 10	
144 00	notification at paystation	167.12	Having display
144.08	Visual display	167.13	.Having telephone adaptor system
145	.Fraud or interference prevention	167.14	.Two-way voice channel
146	.Coin signalling or control	167.15	.Having transducer circuitry
147	Coin box audit or totalizer	168	.Lockout
148	Denomination	169	Central power source
149	Post-pay coin collection	170	.With paging
150	Coin disposition (i.e., return	171	.Having plural stations with
	or collection)		selective calling (e.g.,
151	Upon connection to called		master)
	station	172	With call addressing
152	Magnet, electromagnet, or	173	.With call addressing
	relay controlled from central	174	.Including body or apparel
	office		supported terminal (e.g.,
153	Paystation (e.g., controlled		headgear)
	by refund key)	175	For underwater use (e.g., in
154	.At central office		diver's suit)
		176	
155	.At terminal station (e.g., coin	176 177	.With central power source
155	.At terminal station (e.g., coin paystation)	176 177	.With central power source POLYSTATION LINE SYSTEM (I.E.,
	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION	177	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE)
155	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE	177 178	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call
155	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL	177 178 179	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)
155 156	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION	177 178	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing) Full selective or tuned (e.g.,
155 156 157	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service	177 178 179 180	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing) Full selective or tuned (e.g., harmonic)
155 156 157 158	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing	177 178 179	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing) Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line
155 156 157 158 159	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system	177 178 179 180 181	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized)
155 156 157 158	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom	177 178 179 180 181	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattended
155 156 157 158 159 160	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line	177 178 179 180 181 182 183	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identification
155 156 157 158 159	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority	177 178 179 180 181 182 183 184	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout
155 156 157 158 159 160	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or	177 178 179 180 181 182 183 184 185	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile
155 156 157 158 159 160	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy)	177 178 179 180 181 182 183 184 185 186	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout
155 156 157 158 159 160 161	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry	177 178 179 180 181 182 183 184 185	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile
155 156 157 158 159 160 161	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic	177 178 179 180 181 182 183 184 185 186	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source
155 156 157 158 159 160 161	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call	177 178 179 180 181 182 183 184 185 186 187	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office
155 156 157 158 159 160 161 162 163 164	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting	177 178 179 180 181 182 183 184 185 186 187	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR
155 156 157 158 159 160 161	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL
155 156 157 158 159 160 161 162 163 164	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating
155 156 157 158 159 160 161 162 163 164 165	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control, digital)	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue
155 156 157 158 159 160 161 162 163 164	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control,	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue box", "black box")
155 156 157 158 159 160 161 162 163 164 165	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control, digital) .Detail of line circuit or line card	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue box", "black box") .Time out
155 156 157 158 159 160 161 162 163 164 165	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control, digital) .Detail of line circuit or line	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic)Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue box", "black box") .Time outAt switching centerOf call duration (e.g.,
155 156 157 158 159 160 161 162 163 164 165	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control, digital) .Detail of line circuit or line card	177 178 179 180 181 182 183 184 185 186 187 188	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue box", "black box") .Time outAt switching centerOf call duration (e.g., conversation timer)
155 156 157 158 159 160 161 162 163 164 165	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control, digital) .Detail of line circuit or line card PRIVATE (E.G., HOUSE OR INTERCOM)	177 178 179 180 181 182 183 184 185 186 187 188 189	With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue box", "black box") .Time outAt switching centerOf call duration (e.g., conversation timer)Of specific equipment
155 156 157 158 159 160 161 162 163 164 165	.At terminal station (e.g., coin paystation) MULTI-LINE OR KEY SUBSTATION SYSTEM WITH SELECTIVE SWITCHING AND CENTRAL SWITCHING OFFICE CONNECTION .With special service Conferencing .With intercom system With connection of intercom station to subscriber line .With exclusion or priority feature (e.g., lockout or privacy) .Detail of hold circuitry Electronic .Line status indication or call alerting .Switching or supervision feature (e.g., common control, digital) .Detail of line circuit or line card PRIVATE (E.G., HOUSE OR INTERCOM) OR SINGLE LINE SYSTEM	177 178 179 180 181 182 183 184 185 186 187 188 189	.With central power source POLYSTATION LINE SYSTEM (I.E., PARTY LINE) .Revertive call .Call alerting (e.g., ringing)Full selective or tuned (e.g., harmonic) Semi-selective (e.g., line side, polarized) .Automatic or unattendedStation identificationLockout .Portable or mobile .Central power source .Connected to central office CALL OR TERMINAL ACCESS ALARM OR CONTROL .Fraud or improper use mitigating or indication (e.g., "blue box", "black box") .Time outAt switching centerOf call duration (e.g., conversation timer)

196	.At switching center	207.13	Party identification or
197	Central office		validation (e.g., personal
198	PBX		identification number (PIN))
199	.At substation	207.14	Dialed number identification
200	Restrictive dialing circuit		service (DNIS)
201.01	SPECIAL SERVICES	207.15	Automatic number identification
201.02	.Service profile (e.g., calling		or calling number
	service)		identification (ANI or CLID)
201.03	Creation of service (e.g.,	207.16	Ringing signal (e.g. having a
	using object oriented		predetermined cadence or
	programming, primitive,		distinctive ring)
	function)	208.01	.Priority override (e.g., butt-
201.04	Display arrangement		in)
201.05	Distribution of service (e.g.,	209.01	.Repetitive call attempts (e.g.,
	downloading, uploading)		camp-on-busy, retry)
201.06	.Locating using diverse	210.01	.Reserved call (e.g., return
	technology (e.g., using		call, call back, scheduled
	infrared badge, sensor, card		call, reestablished call)
	reader)	210.02	.Call blocking
201.07	Called party	210.03	Call from anonymous caller
201.08	Calling party	211.01	.Call diversion (e.g., call
201.09	Object		capture)
201.1	Detecting presence or absence	211.02	Call forwarding
	of party or object	211.03	Sequential ringing
201.11	.Anonymous party (e.g.,	211.04	Simultaneous ringing
	protection of called or	211.05	Smart card
	calling party's identity,	212.01	Call transfer
	privacy)	213.01	Intercept (e.g., dead or
201.12	.Provisioning		changed number)
202.01	.Conferencing	214.01	Secretarial or answering
203.01	Operator control		service
204.01	Subscriber control	215.01	.Call Waiting
205.01	Conferencing initiation by	216.01	.Abbreviated dialing or direct
	single calling station		call (e.g., hot line)
206.01	At substation	217.01	.Audible paging
207.01	.Three-way calling	218.01	.Automatic directory service
207.02	.Service trigger (activation or		(e.g., on-line)
	deactivation)	218.02	.Performed by operator (e.g.,
207.03	Time (e.g., time of day,		butt-in, busy verification)
	expiration of time period,	219	PLURAL EXCHANGE NETWORK OR
	time zone, date)		INTERCONNECTION
207.04	Time or loop gondition		
207.04	Line or loop condition	220.01	.With interexchange network
207.05	Busy signal (e.g., off hook)	220.01	.With interexchange network routing
	-	220.01	_
207.05	Busy signal (e.g., off hook)		routing
207.05	Busy signal (e.g., off hook)Transition from off-hook to	221.01	routingAlternate routing
207.05	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle,	221.01	routingAlternate routingService provider selection
207.05	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)	221.01	routingAlternate routingService provider selection (e.g., local or long distance,
207.05	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)Transition from on-hook to	221.01	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate
207.05 207.06 207.07	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)Transition from on-hook to off-hook (e.g., idle to busy)	221.01 221.02	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate carriers)
207.05 207.06 207.07	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)Transition from on-hook to off-hook (e.g., idle to busy)No answer (e.g., ringing	221.01 221.02	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate carriers)Failure (e.g., disaster,
207.05 207.06 207.07 207.08	 Busy signal (e.g., off hook) Transition from off-hook to on-hook (e.g., busy to idle, hook flash) Transition from on-hook to off-hook (e.g., idle to busy) No answer (e.g., ringing signal, on-hook, idle) 	221.01 221.02 221.03	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate carriers)Failure (e.g., disaster, overload, blockage)
207.05 207.06 207.07 207.08 207.09	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)Transition from on-hook to off-hook (e.g., idle to busy)No answer (e.g., ringing signal, on-hook, idle)Number of rings	221.01 221.02 221.03	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate carriers)Failure (e.g., disaster, overload, blockage)Restoration (e.g., backup,
207.05 207.06 207.07 207.08 207.09	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)Transition from on-hook to off-hook (e.g., idle to busy)No answer (e.g., ringing signal, on-hook, idle)Number of ringsExpiration of predetermined	221.01 221.02 221.03 221.04	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate carriers)Failure (e.g., disaster, overload, blockage)Restoration (e.g., backup, recovery)
207.05 207.06 207.07 207.08 207.09 207.1	Busy signal (e.g., off hook)Transition from off-hook to on-hook (e.g., busy to idle, hook flash)Transition from on-hook to off-hook (e.g., idle to busy)No answer (e.g., ringing signal, on-hook, idle)Number of ringsExpiration of predetermined time period	221.01 221.02 221.03 221.04 221.05	routingAlternate routingService provider selection (e.g., local or long distance, primary and alternate carriers)Failure (e.g., disaster, overload, blockage)Restoration (e.g., backup, recovery)Based upon historical data

221.07	Parameter optimization or	251	.With generating of call
	enhancement (e.g., capacity or		associated substation signal
	bandwidth)	252	For alerting signal at called
221.08	Advanced intelligent network		station (e.g., ringing)
	(AIN)	253	Electronic
221.09	Service control point (SCP,	254	Associated with connector
	ISCP, external database)	255	With interrupter
221.1	Signal transfer point (STP,	256	Having automatic or through
	ISTP)		ringing
221.11	Adjunct or intelligent	257	For calling station (e.g.,
	peripheral (IP)		status or progress tones)
221.12	Service switching point (SSP)	265.01	.Call distribution to operator
221.13	Local number portability (LNP)	265.02	Automatic call distributor
221.14	.Routing parameter (e.g., area	200102	(ACD) system
	code, address, service	265.03	Reporting status (e.g.,
	provider identifier)	203.03	supervisory reporting)
221.15	.Connection call model (e.g.,	265.04	Log-on or log-off of agent
	virtual network, displayed	265.05	Agent assignment (e.g.,
	models)	203.03	allocation of agent's time to
222	.Toll center		a specific task)
223	With operator assistance	265.06	Monitoring agent performance
224	.Tandem switching center	203.00	(e.g., quality of agent's
225	.Multi-PBX interconnection		performance)
226	.Having a manual exchange	265.07	Speech of agent or customer
227	With an automatic exchange	203.07	(e.g., talk time)
228	5	265.08	_
229	Having signalling to operator	265.09	Average call length
	.Interexchange signalling	203.09	Having a multimedia feature
230	Signalling path distinct from		(e.g., connected to Internet,
0.2.1	trunk (e.g., CCIS)	265.1	E-mail, etc.)
231	Central office-to-PBX	203.1	Predictive (e.g., anticipating
0.2.0	signalling	265.11	next available agent)
232	PBX trunk groups		Routing to available agent
233	Direct inward dialing	265.12	Based on agent's skill (e.g.,
234	PBX to central office	265 12	language spoken by agent)
	signalling (e.g., direct	265.13	Based on type of call
0.2.5	outward dialing)	265.14	Based on time (e.g., longest
235	Voice frequency signalling over	0.66 0.1	waiting agent)
	trunk	266.01	Call or agent queuing
236	D.C. signalling over trunk	266.02	
237	Pulse or digital signalling	266.03	Based on time (e.g., age of
238	Having signalling repeater		queued call, time of day,
239	Using register-sender		date)
240	Interexchange trunk circuit	266.04	Overflow (e.g., queue-to-
241	Glare or simultaneous seizure		queue, ACD-to-ACD)
	mitigation	266.05	Split
242	CENTRALIZED SWITCHING SYSTEM	266.06	Estimating or reporting
243	.Class of service determination		waiting time
	or transmission	266.07	Call campaign (e.g., script,
244	In common control system		application, inbound/outbound
245	.Identification		balancing)
246	Of line or trunk	266.08	\ldots Predictive algorithm
247	With display	266.09	Home agent
248	Using matrix	266.1	Call record
249	For nuisance call mitigation		
250	.Four-wire switching		
	<u> </u>		

258	.Switching controlled in response to called station addressing	292	<pre>Electronic crosspoint (e.g., solid-state)</pre>
	signal	293	Having line finder
259	Including deflected electron beam switching device or	294	Including electronic element (e.g., tube or semiconductor)
	mechanical or optical	295	Plural
	switching control (e.g.,	296	With repeater
	fluidic)	297	Having specified busy-idle test
260	With operator position or	298	Direct control
	completion of call (e.g., dial	299	Step-by-step system
	"O", semiautomatic)	300	Having plural wiper sets
261	Operator controlled register-	301	Having potential control
	sender	302	Having rotary switch
262	Call extension by operator	302	
263	With call indicator or	304	Coordinate system (e.g., X-Y)
	announcer	305	All relay typeHaving motor-driven switch
264	A to B operator	306	5
267	Operator's console	307	With crosspoint switch detail
268	Having shared or common	307	With power supply
	switching control	300	.Switching apparatus for
269	Distributed control		connecting calling line to operator's position
270	In-stage or interstage	309	Call distribution or queuing
	scanning (e.g., link scanning)	310	carr distribution or queuingDivided central (e.g.,
271	Having multistage switching	310	communication between
272	Path selection or routing		switchboards)
273	Alternate routing	311	Having signalling path feature
274	With busy or idle test	312	naving signaliting path reactivehaving multiple answering jacks
275	Including marking circuit	312	for multiplied line
276	End-to-end marking (e.g.,	313	.Multiple section switchboard
	self-seeking)	314	
277	With busy or idle test	315	Auxiliary (e.g., overflow) .With line-signal control
278	Interstage junctor or "trunk"	316	Spring-jack cut-off
279	Control reliability (e.g.,	317	Relay cut-off
	redundancy)	318	Central power source
280	Including registering or	319	.Single switchboard (e.g., cord
	storing device for call address signal		circuit)
281	Conversion between dial pulse	320	Switchboard circuit
	and voice frequency signal	321	Connection to operator's terminal
282 283	Voice frequency receiver	322	.Power supply
283	Dual tone multifrequency	323	Power to switching equipment
284	(DTMF) receiver	324	Central power source (e.g.,
	With processor		common battery, line current
285 286	With magnetic memory		feed)
200	Signal processing (e.g., dial	325	.Structure of equipment
287	<pre>pulse analysis)Electronic</pre>	326	Wire or cable distribution
		327	Main or intermediate
288 289	Register-senderTranslator		distribution frame
	With time division of control	328	Equipment mounting or support
290		329	Allowing movement of equipment
291	or supervisory signals		(e.g., movable, modular)
ムタエ	With detail of crosspoint	330	Housing
	<pre>switching structure (e.g., crossbar)</pre>	331	.Having protective circuit
	CIOSSDUI /	332	.Plug and socket

333	CONCENTRATOR OR TRUNK SELECTOR	352	.Substation originated
334	.Concentrator-distributor pair	353	Conversion of signal form
	(e.g., line concentrator)	354	With called number display
335	.Using crossbar or crosspoint	355.01	Repertory or abbreviated call
	switching		signal generation
336	.With magnet, electromagnet, or relay	355.02	Call address signal stored in terminal
337	.With busy-idle test (e.g., idle	355.03	Including terminal other than
000	trunk finder)	055 04	telephone
338	REPEATER (E.G., VOICE FREQUENCY)	355.04	Call address signal stored in
339	.With signal conversion (e.g.,	255 05	network
2.4.0	dial to DTMF, analog to PCM)	355.05	Modification of call address
340	.Having line length compensation	255 06	signal for abbreviated dialing
2.41	or equalization	355.06	Modification by other than
341	.Pulse or tone repeater (e.g., electromechanical relay)	355.07	key inputIncluding modification of
342	- ·	333.07	indicia associated with a call
342	<pre>Electronic (e.g., logic circuitry)</pre>		address
343	.Controlled by a pilot or	355.08	Including prefix in the call
	reference signal		address signal
344	.Component processes	355.09	Selection of registered call
	bidirectional signals		address signal
345	Including two-to-four wire	355.1	Selection of multiple call
	conversion or hybrid circuit		address signals
346	.With frequency discriminator or	356.01	Including dynamic memory
	negative impedance element	357.01	Insertable control element or
347	.With gain or attenuation control	0.5.5	circuitry (e.g., card)
348	.Transmission of power to distant repeater	357.02	Personal computer memory card (PCMCIA)
349	.Having voice frequency	357.03	Acoustical generation
	transformer	357.04	Circuitry of call signal
406.01	ECHO CANCELLATION OR SUPPRESSION		generator
406.02	.Combined diverse function	357.05	Including solid state memory
406.03	Additional signal enhancement	0.50	storage
	<pre>(e.g., voice processing or recognition)</pre>	358	By motor driven dial rotating device
406.04	.Disable or inhibit function	359	Pulse signal generating (e.g.,
406.05	.Residual echo cancellation		dialing)
406.06	.Using digital signal processing	360	Voice frequency band signalling
406.07	Using attenuator		(e.g., reed devices)
406.08	Adaptive filtering	361	Electronic (e.g., tone
406.09	Least mean squares (LMS)		generator)
	algorithm	362	Pulse signal generator (e.g.,
406.1	With training sequence		rotary dial)
406.11	Convolution processing	363	Control of motor driven dial
406.12	Frequency domain analysis		rotating device
406.13	Fourier analysis	364	With nonrotary actuator (e.g.,
406.14	Sub-band analysis		key or slide type)
406.15	Additional analog processing	365	Specified switching contact
406.16	.Having analog variolosser or	266	(e.g., contact spring)
	attenuator	366	With detail of dial return
350	SUPERVISORY OR CONTROL LINE		mechanism (e.g., driving
254	SIGNALING	367	spring, speed governor)
351	.Signalling integrity protection	307	Finger wheel or mechanical adjunct (e.g., finger stop)
	(e.g., voice signal immunity)		adjunct (e.g., ringer scop)

379 380 381 382 383 384 385 386 387.01 387.02 388.01 388.02 388.03	<pre>(e.g., Hall-effect device)With optical link between line and switching systemBy bridge circuitBusy test or make busyFor ring trip or polarity reversal detectionOf plural linesBy scanningRelayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g., A/D, frequency or phase) .For loudspeaking terminalSpeakerphone with build-in microphoneAutomatic gain or volumn (AGC or AVC)Voice control of transmission</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03 414 415 416 417 418	.For line length compensationVoltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)Connection block or module TRANSMISSION LINE CONDITIONING .Reactance neutralizing .Interference suppressionAnticrosstalk CALL SIGNAL GENERATING (E.G., RINGING OR TONE GENERATOR)
380 381 382 383 384 385 386 387.01 387.02 388.01 388.02	<pre>(e.g., Hall-effect device)With optical link between line and switching systemBy bridge circuitBusy test or make busyFor ring trip or polarity reversal detectionOf plural linesBy scanningRelayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g., A/D, frequency or phase) .For loudspeaking terminalSpeakerphone with build-in microphoneAutomatic gain or volumn (AGC or AVC)</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03 414 415 416 417	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)Connection block or module TRANSMISSION LINE CONDITIONING .Reactance neutralizing .Interference suppressionAnticrosstalk
380 381 382 383 384 385 386 387.01 387.02 388.01 388.02	<pre>(e.g., Hall-effect device)With optical link between line and switching systemBy bridge circuitBusy test or make busyFor ring trip or polarity reversal detectionOf plural linesBy scanningRelayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g., A/D, frequency or phase) .For loudspeaking terminalSpeakerphone with build-in microphone</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03 414 415 416	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)Connection block or module TRANSMISSION LINE CONDITIONING .Reactance neutralizing .Interference suppression
380 381 382 383 384 385 386 387.01 387.02	<pre>(e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural linesBy scanning .Relayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g., A/D, frequency or phase) .For loudspeaking terminalSpeakerphone with build-in</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)Connection block or module TRANSMISSION LINE CONDITIONING .Reactance neutralizing
380 381 382 383 384 385 386 387.01 387.02	<pre>(e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural linesBy scanning .Relayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g., A/D, frequency or phase) .For loudspeaking terminal</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)Connection block or module TRANSMISSION LINE CONDITIONING
380 381 382 383 384 385 386 387.01 387.02	<pre>(e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural linesBy scanning .Relayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g., A/D, frequency or phase)</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)Connection block or module
380 381 382 383 384 385 386	<pre>(e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural linesBy scanning .Relayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g.,</pre>	401 402 403 404 405 412 413 413.01 413.02 413.03	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line (e.g., cable)
380 381 382 383 384 385 386	<pre>(e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural linesBy scanning .Relayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY .Conversion of signal form (e.g.,</pre>	401 402 403 404 405 412 413 413.01	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for alternate communication line
380 381 382 383 384 385 386	 (e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural lines .By scanning .Relayless .Signal receiver (e.g., tone decoder) SUBSTATION OR TERMINAL CIRCUITRY	401 402 403 404 405 412 413 413.01	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)Including connection for
380 381 382 383 384 385 386	 (e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural lines By scanning .Relayless .Signal receiver (e.g., tone 	401 402 403 404 405 412 413 413.01	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply .Network interface device (NLD)
380 381 382 383 384 385	 (e.g., Hall-effect device) .With optical link between line and switching system .By bridge circuit .Busy test or make busy .For ring trip or polarity reversal detection .Of plural lines By scanning .Relayless .Signal receiver (e.g., tone 	401 402 403 404 405 412 413	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing current supply
380 381 382 383 384 385	 (e.g., Hall-effect device) With optical link between line and switching system By bridge circuit Busy test or make busy For ring trip or polarity reversal detection Of plural lines By scanning Relayless 	401 402 403 404 405 412 413	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing
380 381 382 383 384	 (e.g., Hall-effect device) With optical link between line and switching system By bridge circuit Busy test or make busy For ring trip or polarity reversal detection Of plural lines By scanning 	401 402 403 404 405 412 413	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)Circuitry to provide ringing
380 381 382 383	(e.g., Hall-effect device)With optical link between line and switching systemBy bridge circuitBusy test or make busyFor ring trip or polarity reversal detectionOf plural lines	401 402 403 404 405 412 413	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit .Power supply (e.g., battery feed)
380 381 382	(e.g., Hall-effect device).With optical link between line and switching system.By bridge circuit.Busy test or make busy.For ring trip or polarity reversal detection	401 402 403 404 405 412	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit
380 381	(e.g., Hall-effect device).With optical link between line and switching system.By bridge circuit.Busy test or make busy.For ring trip or polarity	401 402 403 404 405 412	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive .Protective circuit
380 381	(e.g., Hall-effect device).With optical link between line and switching system.By bridge circuit.Busy test or make busy	401 402 403 404 405	Voltage boosting circuit .Hybrid circuitWith adjustable balance circuitAutomatic adjustmentElectronic noninductive
380	(e.g., Hall-effect device)With optical link between line and switching systemBy bridge circuit	401 402 403 404	Voltage boosting circuit.Hybrid circuitWith adjustable balance circuitAutomatic adjustment
	<pre>(e.g., Hall-effect device)With optical link between line and switching system</pre>	401 402 403	Voltage boosting circuit.Hybrid circuitWith adjustable balance circuit
379	<pre>(e.g., Hall-effect device)With optical link between line</pre>	401 402	Voltage boosting circuit .Hybrid circuit
370	(e.g., Hall-effect device)	401	Voltage boosting circuit
	erectiomagnetic core device	4111	For line length commercial:
210	electromagnetic core device	400	
378	With current controlling	JJJ.UZ	decoder function
511	detection (e.g., line circuit)	399.02	.Circuitry to provide a coder and
370.02	.Using line or loop condition	JJJ•U±	LINE INTERFACE
376.02	Silencing ring signal	399.01	SUBSCRIBER LINE OR TRANSMISSION
3,0.01	call (e.g., LED or light bulb)	330	MATCHING
376.01	Visual indication of incoming	398	LINE EQUALIZATION OR IMPEDANCE
	(e.g., tone "ringer")	397	.Wire distribution
375.01	Having electronic call sounder	396	.Visual signalling (e.g., lamp)
	or sound (e.g., vibration)		circuit
374.03	Alerting by other than sight	395.01	.Power control or detection
	generation	395	.Amplifying (e.g., AGC or AVC)
374.02	Including audible message		equalizing
- '	generation	394	.Impedance matching or line
374.01	Including musical sound	393	.Hold circuit
	local appliance	392.01	.Noise suppression
373.05	Directing incoming call to		antisidetone)
	the alerting signal	392	Suppression (e.g.,
373.04	Recording audio for use as		circuit (e.g., induction coil)
	incoming signal	391	.Sidetone control or hybrid
	signal in association with	390.04	Hybrid circuit
373.03	Registration of alerting	390.03	Automatic gain control
	alerting		Hoff, LMS)
373.02	Distinctive or selective	390.02	Filtering (FIR, HPF, Widrow-
373.01	Incoming call alerting		level control
372	.Signal reception at substation	390.01	Amplification or attenuation
371	Magneto signalling	388.07	Controlling acoustic feedback
370	In handset	200	circuits
	pad or dial		receiving and transmitting
303	Detail of mounting of switch	388.06	Comparing signal level of
369	device (e.g., keypad)		attenuation/amplification
369		388.05	Voice switching by
368	Plural-switch number input		

420.01	.Having loudspeaking conversation capability (e.g., hands- free	434	<pre>Specified terminal configuration (e.g., novelty</pre>
	type or speakerphone)		type)
420.02	Hands-free loudspeaker feature	435	Wall set or convertible type
420.03	Hands-free microphone feature	436	Desk set
420.04	Hands-free accesory or	437	Protective structure
	attachment	438	Of cord or connector
421	.Having muting	439	Antiseptic
422	.Switch or switch actuator	440	Casing or enclosure, per se
	structure	441	TERMINAL ACCESSORY OR AUXILIARY
423	Line selection		EQUIPMENT
424	Receiver or handset position responsive (e.g., hookswitch)	442	.With circuit connection to terminal
425	With mechanism for latching hookswitch or plunger against	443	.Including coupler (e.g., inductive)
	motion	444	Acoustic
426	Movable holder for receiver or	445	.Locking device
120	handset	446	.Telephone receiver support
427	Having plunger and lever	447	.Attachable to terminal housing
127	linkage	447	Hookswitch operator
428.01	.Housing or housing component	449	-
428.02	Handset or headset combined		<pre>Handset holder (e.g., shoulder rest)</pre>
400 03	with telephone base	450	Clips onto terminal structure
428.03	Display on telephone base	451	.Protective structure
428.04	Base having detachable accessory	452	Antiseptic, disinfecting, or disposable
429	Having distinct circuitry	453	.Hood or enclosure (e.g., booth)
	support structure (e.g.,	454	.Support or stand
	circuit board)	455	Handset holder
430	Body supported (e.g., headgear)	456	.Dialing tool
431	Separate housings for earphone	457	MISCELLANEOUS
	<pre>and microphone (e.g., candlestick type)</pre>		
433.01	Handset structure		
433.02	Speaker mounting (i.e., speaker phone feature)	CROSS-I	REFERENCE ART COLLECTIONS
433.03	Microphone mounting	900	INTERNET (E.G., INTERNET PHONE,
433.04	Display on handset	900	
433.05	Connector		WEBPHONE, INTERNET-BASED TELEPHONY)
433.06	Button or switch having specific function	901	VIRTUAL NETWORKS OR VIRTUAL
433.07	Keypad		PRIVATE NETWORKS
433.08	Battery	902	AUTO-SWITCH FOR AN INCOMING VOICE
433.09	Card (e.g., SIM or magnetic		DATA, OR FAX TELEPHONE CALL
433.03	strip card)		(E.G., COMP/FAX/TEL)
433.1	_	903	PASSWORD
433.I	Handset having special feature	904	AUTO-CALLING
433.11	<pre>(e.g., wrist watch)Moveable or removeable element</pre>	905	FAX MAIL
433.II		906	TOUCHTONE MESSAGE TRANSMISSION
433.12	(e.g., cover)	907	SPEECH RECOGNITION VIA TELEPHONE
433.12	Slideable mechanism		SYSTEM OR COMPONENT
433.13	Rotatable mechanism (e.g.,	908	MULTIMEDIA
422	hinge)	909	ALTERNATIVES
432	Loudspeaking set	910	BAR CODE OR OPTICAL CHARACTER
			READER WITH TELEPHONE

911	DISTINCTIVE RINGING
912	GEOGRAPHICALLY ADAPTIVE
913	PERSON LOCATOR OR PERSON-SPECIFIC
914	PROGRAMMABLE TELEPHONE COMPONENT
915	."Soft" key
916	TOUCH SCREEN ASSOCIATED WITH
	TELEPHONE SET
917	VOICE MENUS

FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

Any foreign patents or non-patent literature from subclasses that have been reclassified have been transferred directly to FOR Collections listed below. These Collections contain ONLY foreign patents or non-patent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived.

- FOR 100 HAVING NEAR FIELD LINK (E.G., CAPACITIVE, INDUCTIVE) (379/55)
- FOR 101 HAVING ELECTROMAGNETIC LINK FOR SPEECH OR PAGING SIGNAL (E.G., LIGHT WAVE LINK) (379/56)
- FOR 112 TELEPHONE LINE OR SYSTEM COMBINED
 WITH DIVERSE ELECTRICAL SYSTEM
 OR SIGNALLING (E.G.,
 COMPOSITE) (379/90)
- FOR 113 .Credit authorization (379/91)
- FOR 114 .Polling (e.g., audience survey) (379/92)
- FOR 115 .With transmission of a digital message signal over a telephone line (379/93)
- FOR 116 .. Including switching station (379/94)
- FOR 117 .. Access restricting (379/95)
- FOR 118 ..Including terminal for display of digital information (379/96)
- FOR 119 ..By voice frequency signal (e.g., tone code) (379/97)
- FOR 120 ...By modulated audio tone (379/98)
- FOR 121 ... Having acoustic link (379/99)

- FOR 122 .To produce visual-graphic copy reproduction (e.g., facsimile) (379/100)
- FOR 123 .Audio program distribution (379/ 101)
- FOR 124 .Remote control (379/102)
- FOR 125 .. Of entrance or exit lock (379/ 103)
- FOR 126 .. With indication (379/104)
- FOR 127 ... From terminal (379/105)
- FOR 128 .Remote indication over telephone line (e.g., telemetry) (379/ 106)
- FOR 129 .. Meter reading (379/107)
- FOR 130 .Telegraphy (379/108)
- FOR 131 .. Over telephone line (379/109)
- FOR 132 COMPOSITE SUBSTATION OR TERMINAL
 (E.G., HAVING CALCULATOR,
 RADIO) (379/110)
- FOR 133 WITH AUDIO MESSAGE STORAGE AND RETRIEVAL (379/67)
- FOR 134 .Stored in digital form (379/88)
- FOR 135 .. Subscriber control of central office message storage or retrieval (379/89)
- FOR 136 .DIAGNOSTIC TESTING, MALFUNCTION, INDICATION, OR ELECTRICAL CONDITION MEASUREMENT (379/1)
- FOR 137 .. By loopback (379/5)
- FOR 138 ..By analysis of injected tone signal (379/6)
- FOR 139 ..By automatic testing sequence (e.g., programmable, scanning) (379/10)
- FOR 140 .Of automatic switching equipment (379/15)
- FOR 141 ..Fault detection or location (e.g., continuity, leakage) (379/26)
- FOR 142 .Of subscriber loop or terminal (379/27)
- FOR 143 ..Terminal arrangement to enable remote testing (e.g., testing interface) (379/29)
- FOR 144 .Indication of nonstandard condition of telephone equipment (379/32)
- FOR 145 ...SERVICE MONITORING OR OBSERVATION (379/34)
- FOR 146 .Computer or processor control (379/112)
- FOR 147 ...Call traffic recording (379/ 113)
- FOR 148 ..Call charge metering or monitoring (379/114)

- FOR 149 ...Interexchange operations (379/
- FOR 150 AT CENTRAL OFFICE (379/121)
- FOR 151 .Having line identification (e.g., automatic number identification-"ANI") (379/127)
- FOR 152 WITH CALLING NUMBER DISPLAY OR RECORDING AT CALLED SUBSTATION (379/142)
- FOR 153 .Other than coin (379/144)
- FOR 154 .PRIVATE (E.G., HOUSE OR INTERCOM) OR SINGLE LINE SYSTEM (379/167)
- FOR 155 .SPECIAL SERVICES (379/201)
- FOR 156 .. Conferencing (379/202)
- FOR 157 .. Operator control (379/203)
- FOR 158 .Subscriber control (379/204)
- FOR 159 ..Conference initiation by single calling sation (379/205)
- FOR 160 ... At substation (379/206)
- FOR 161At plural exchange (379/207)
- FOR 162 .. Priority override (e.g., buttin) (379/208)
- FOR 163 ...Repetitive call attempts
 (e.g., camp-on-busy, retry)
 (379/209)
- FOR 164 ...Call diversion (e.g., call capture) (379/210)
- FOR 165 .. Call forwarding (379/211)
- FOR 166 ...Call transfer (379/212)
- FOR 167 ...Intercept (e.g., dead or changed number) (379/213)
- FOR 168 ...Secretarial or answering service (379/214)
- FOR 169 .. Call waiting (379/215)
- FOR 170 .Abbreviated dialing or direct call (e.g., hot line) (379/216)
- FOR 171 .. Audible paging (379/217)
- FOR 172 ..Performed by operator (e.g., butt-in, busy verification) (379/218)
- FOR 173 .With interexchange network routing (379/220)
- FOR 174 .Alternate routing (379/221)
- FOR 175 .. Call distribution to operator (379/265)
- FOR 176 .. Call queuing (379/266)
- FOR 177 ..Repertory or abbreviated call signal generation (379/355)
- FOR 178 ...With dynamic memory (379/356)
- FOR 179 ...Insertable control element or circuitry (e.g., card) (379/ 357)

- FOR 180 .Incoming call alerting (e.g., ringing) (379/373)
- FOR 181 .With music or audible message generation (379/374)
- FOR 182 ..With electronic call sounder (e.g., tone "ringer") (379/ 375)
- FOR 183 ...With visual indication of incoming call (379/376)
- FOR 184 SUBSTATION OR TERMINAL CIRCUITRY (379/387)
- FOR 185 .For loudspeaking terminal (379/ 388)
- FOR 186 ..With circuitry for voice control of transmission direction (379/389)
- FOR 187 ..With amplification or attenuation level control (379/390)
- FOR 188 SUBSCRIBER LINE OR TRANSMISSION LINE INTERFACE (379/399)
- FOR 189 .Echo suppresion, antisinging, or reverse path blocking (379/406)
- FOR 190 .. Disable or inhibit (379/407)
- FOR 191 ..Control by pilot frequency signal (379/408)
- FOR 192 .. Having variolosser or attenuator (379/409)
- FOR 193 .. Echo cancellation (e.g., phase opposition) (379/410)
- FOR 194 ...Having transversal filter (379/411)
- FOR 195 .Having loudspeaking conversation capability (e.g., hands-free type or speakerphone) (379/
- FOR 196 .Housing or housing component (379/428)
- FOR 197 ...Handset structure (379/433)