

# Index

## A

- Achlorhydria, 74, 142
- Adenylate cyclase, 191
- Adequate Intakes (AIs), *see also* Calcium AIs; Fluoride, AIs; Vitamin D, AIs
- applicable population, 22
  - criteria used to derive, 12-13
  - defined, 4, 6, 24, 25, 48, 301, 315, 317
  - derivation of, 4, 5-8, 32-33, 48-50, 317
  - discrepancies between usual intakes and, 324
  - extrapolation from other age groups, 26
  - gender and, 17, 34
  - increasing consumption of nutrients, 10-12, 28, 323
  - indicators used to set, 27, 40, 91, 261-263, 298-301
  - RDAs compared, 5-8, 26
  - replacement of, 25
  - safety factors, 8
  - uncertainty in, 317
  - uses, 4, 5, 11, 28, 317
- Adolescents, 9 through 18 years. *See also* Puberty
- ages 9 through 13 years, 34, 41, 99-106, 169-173, 210-218, 268-269, 303; *see also* Puberty
  - ages 14 through 18 years, 34, 99-106, 169-173, 179, 180, 186-187, 210-218, 219, 239, 240, 241, 303
- Body Mass Index, 36
- bone mass, 102, 104, 105
  - bone mineral content, 100, 101-102, 103, 133-134
  - bone mineral density, 100, 102, 103, 104-105
  - calcium, 41, 73, 75, 87, 99-106, 143, 144, 215, 324, 396
  - fluoride, 295, 296, 303
  - indicators used to set AIs, 100-105
  - indicators used to set EARs, 169-172, 210-212
  - lactation, 133-134, 179, 180, 241
  - magnesium, 194, 195, 206, 210-213, 214-215, 216-219, 240, 241, 244-246, 268
  - phosphorus, 154, 159, 165, 169-173, 177-178, 179, 180, 184-185, 186, 187-189, 321
  - pregnancy, 114, 177-178, 239, 240, 276
  - RDAs, 172-173, 218, 219, 239
  - supplements, 96-97, 215
  - ULs, 141-142, 188, 244-246, 285, 310-311
  - vitamin D, 262, 268-269, 276, 277, 284-285, 286
  - weights and heights, reference, 35-36
- Adults, 19 through 30 years
- Body Mass Index, 36, 37
  - bone mass, peak, 34, 106-107
  - calcium, 75-76, 87, 106-109, 111, 397
  - derivation of DRIs for, 34-35

- energy expenditure, 34-35
  - fluoride, 289, 303
  - indicators used to set AIs, 107-108, 269-270
  - indicators used to set EARs, 173-174, 219-221
  - lactation, 179, 241
  - magnesium, 219-223, 239, 241, 244-246
  - phosphorus, 173-175, 177-179, 186-187, 188-189
  - RDAs, 173, 175, 179, 223, 239
  - ULs, 137-141, 186-187, 244-246, 281-283, 310-311
  - vitamin D, 269-271, 281-283
  - weights and heights, reference, 36
  - Adults, 31 through 50 years
    - calcium, 109-110, 398
    - derivation of DRIs for, 34-35
    - energy metabolism, 35
    - fluoride, 303
    - indicators used to set AIs, 109-110, 269-270
    - indicators used to set EARs, 173-174, 223-226
    - lactation, 179, 241
    - magnesium, 207, 223-228, 239, 241, 244-246
    - phosphorus, 173-175, 177-179, 186-187
    - RDAs, 175, 179, 228, 239
    - ULs, 137-141, 186-187, 244-246, 281-283, 310-311
    - vitamin D, 269-271, 281-283
  - Adults, 51 through 70 years
    - bone loss, 271-272
    - bone mineral density, 112, 113-114
    - calcium, 111-115
    - derivation of DRIs for, 35
    - energy expenditures, 35
    - fluoride, 303
    - indicators used to set EARs, 228
    - indicators used to set AIs, 111-114, 271-272
    - magnesium, 228-231, 244-246
    - phosphorus, 154, 175-176
    - RDAs, 176, 231
    - ULs, 137-141, 186-187, 244-246, 281-283, 310-311
    - vitamin D, 263, 271-272, 281-283
  - Adults, +70 years
    - bone mineral density, 116
    - calcium, 87-88, 115-117, 142
    - fluoride, 303
    - fracture rates, 115-116
    - indicators used to set AIs, 115-116, 231-232, 273-274
    - magnesium, 195, 200, 201-202, 203, 204, 207, 231-234, 245
    - phosphorus, 154, 175-176, 188
    - RDAs, 176, 233-234
    - ULs, 142, 188, 244-246, 281-283, 310-311
    - vitamin D, 255, 273-274, 287
  - Adverse effect, 52, 63
  - African Americans
    - blood pressure, 89
    - bone mass, 73
    - bone mineral content, 97
    - bone fractures, 73, 90
    - calcium, 73, 80, 89, 100
    - lactose intolerance, 80
    - magnesium, 195
    - phosphorus, 149
    - puberty, 34
    - vitamin D, 260, 263, 269, 270
  - Alcohol consumption and alcoholism, 157, 191, 193, 200, 203, 204, 206, 207
  - Aluminum, 148, 157, 219, 243, 245
  - American Academy of Pediatrics, 32, 33, 295, 305
  - American Dental Association, 295, 304, 305
  - Anemia, 157
  - Animal studies
    - extrapolation of data from, 54, 57, 62-63
    - relevance of, 63, 65-66
  - Anorexia, 157, 280
  - Antacids, 139, 148, 157, 243, 245
  - Asians
    - blood pressure, 89
    - calcium, 89, 98
    - magnesium, 200
    - osteoporosis, 83, 200
    - vitamin D, 264, 266
  - Atherosclerosis, 198, 249
  - Athletes, 188, 195, 316
- B**
- Balance studies. *See also* Calcium balance studies
    - adolescents, 169, 212, 214-215
    - adults, 228, 229, 271
    - calcium, 314
    - children, 164, 168, 211-212

- fluoride, 289, 300-301, 304
- infants, 161, 208-209
- lactating women, 17, 240-241
- magnesium, 17, 40-41, 192, 204-205, 208-209, 211-212, 214-215, 218, 219-221, 223-227, 228, 229, 231, 234, 240-241, 245, 249
- methodological considerations, 40-41, 42, 50, 88
- older adults (+70), 231
- phosphorus, 9, 40, 154, 158, 161, 164, 166-167, 168, 169, 171, 176-177
- young adults, 219-221
- Bioavailability of nutrients**
  - calcium, 47-48, 59, 61, 73-74, 80, 94-95
  - cross-cultural differences in, 47-48
  - defined, 60, 69
  - factors affecting, 59, 60-62, 73-74, 151-154
  - fluoride, 291
  - from infant formula, 94-95
  - magnesium, 193, 205, 210, 238
  - phosphorus, 151-152, 153
  - and risk assessment, 59, 60-62, 66
  - from supplements, 62, 74
  - vegetarian diets and, 80
- Bisphosphonate**, 278
- Blood pressure**, 199-200. *See also* Hypertension
- Body mass**. *See* Lean body mass
- Body Mass Index**, 36
- Bone**
  - biologically significant nutrients, 38-39, 288-289
  - collagen by-products, 258
  - malignancy, 278
  - matrix proteins, 38-39
  - metabolism, 41, 38-39, 71, 99-100, 120, 144, 201, 254, 257-258, 284-285
  - pain, 157
  - remodeling, 41, 71, 86-87, 88, 102, 114, 289
- Bone fracture**
  - calcium and, 6, 9, 13, 76, 83, 84-85, 90, 112-113, 115-116, 121, 123, 126-127, 144, 314-315
  - fluoride and, 300
  - gender differences, 90
  - hip, 47-48, 76, 83, 85, 121, 127
  - lactation and, 123, 126-127
  - older adults, 115-116
  - osteoporotic, 9, 47-48, 83, 84-85
  - predictors of risk, 85
  - race/ethnicity and, 73, 83, 84-85, 90
  - vitamin D and, 260, 273, 274
- Bone loss**
  - caffeine and, 76
  - calcium intakes and, 75, 76, 77-80, 82-83, 87-88, 112
  - lactation and, 122
  - menopausal status and, 77-80
  - sodium and, 75
  - vitamin D and, 271-272
- Bone mass**
  - adults, 86, 105, 106-107
  - calcium intake and, 13, 15, 74, 85-87
  - children, 85, 89
  - fluoride and, 307
  - and fractures, 13
  - gender and, 106-107
  - measurements, 9, 85-86, 89, 102, 104
  - peak, 34, 86, 87, 102, 106-107, 259
  - physical activity and, 74-75
  - race/ethnicity and, 73
  - vitamin D and, 259, 263-264, 271-272, 278
- Bone mineral content (BMC)**
  - and body weight, 97
  - calcium, 6, 7, 9, 15, 38, 78-79, 97-98, 100, 101-102, 103, 106-107, 144
  - children, 97-98
  - defined, 85
  - fluoride, 38, 288, 300, 307
  - infants, 95
  - magnesium, 38, 200
  - phosphorus, 38, 68, 146, 151, 153, 161, 163, 164, 170, 189
  - race/ethnicity and, 97
  - vitamin D and, 38, 260, 266
  - young adults, 106-107
- Bone mineral density (BMD)**
  - in adults, 110, 112, 113-114
  - caffeine and, 76
  - calcium and, 6, 9, 71, 74 76, 78-79, 80-81, 102, 103, 104-105, 110, 112, 113-114, 116, 120-121, 123, 126-129, 132, 144
  - defined, 85
  - lactation and, 123, 126-129, 132
  - magnesium and, 200, 201
  - pregnancy and, 127, 132
  - research recommendations, 189

- vegetarian diets and, 80-81
- vitamin D and, 14, 260, 261, 264, 271-272, 274
- Boron, 38, 39
- Breastfeeding. *See also* Human milk; Lactation
  - recommendation, 25, 32, 208
  - twins, 132-133
- British Paediatric Association, 284

## C

- Caffeine, 76, 144, 291, 294
- Calcification of tissues, 136, 180, 183, 184-185, 187, 198, 280, 281, 300, 307
- Calcitonin, 193
- Calcium
  - absorption, 72-73, 76, 77, 85, 92, 93, 94-96, 97, 100, 104, 115, 117, 120, 122, 123, 124-125, 126, 134, 135, 141, 142, 147, 154, 180, 185-186, 250, 254, 255, 275
  - accretion, 6, 7, 9, 15, 87, 92-93, 95, 97, 98, 99, 107, 111, 120
  - adolescents, 49, 71, 75, 99-106, 215
  - bioavailability, 59, 61
  - data availability, 90-91
  - estimating requirements for, 84-91; *see also* Calcium AIs
  - excretion, 72-73, 75, 76, 80, 96-97, 104, 111, 120, 122, 126, 136
  - intakes, *see* Calcium intakes
  - interactions with other nutrients, *see* Calcium interactions
  - intervention studies, 97-98, 110
  - kinetic studies, 182-183
  - metabolism, 48, 73, 87, 134, 259, 261; *see also* Calcium balance studies
  - physiological role, 71
  - research recommendations, 13, 144-145
  - supplements, 45-46, 74, 77-80, 82, 86, 89, 97-98, 102, 110, 112, 114, 116, 120-121, 123, 126, 130-131, 134, 135, 137, 138, 213, 318, 324
  - Tolerable Upper Intake Levels, *see* Calcium ULs
  - uncertainty factor, 68
- Calcium AIs
  - adolescents, 99-106, 118-119, 122, 133-134, 324
  - adults, middle age, 109-115, 118-119
  - balance studies, 6-7, 9, 15, 48-50, 93-94, 96-97, 98, 100-101, 107-108, 109-110, 111-115, 314-315
  - biochemical and absorption studies, 124-125
  - bone mass measurements and, 85-87
  - bone mineral content, 95, 97-98, 100, 101-102, 103, 117, 118-119, 122, 133-134
  - bone mineral density and, 110, 116, 117, 118-119, 120-121, 123, 126-131
  - calcium accretion and, 92-93, 97, 98, 99, 100, 102, 107
  - calcium retention and, 87-89, 93, 99, 100-101, 104, 105, 107-108, 109-110, 394-398
  - for children, 12, 75, 96-99, 118-119
  - chronic disease risk and, 89-90, 99
  - clinical trials, 6, 7, 48, 49, 101-102, 103, 104, 105, 119, 123
  - cross-cultural considerations, 47
  - derivation, 6-7, 41, 48-50, 96-97; *see also* Calcium balance studies; Calcium retention
  - discrepancies between usual intakes and, 324
  - epidemiological evidence, 104-105
  - factorial approach, 6, 15, 48, 49, 102, 104, 105, 108, 109, 110-111, 118-119
  - fracture risk, 84-85, 115-116, 123, 126-127
  - gender differences, 71, 75, 99-100, 104, 107, 109, 111-115, 388-389
  - human milk intake and, 92
  - indicators used to set, 9, 84-91, 91-94, 96-98, 100-105, 107-108, 109-114, 115-116, 117, 120-121, 123, 126-127, 137, 314-315
  - infants, 71, 91-96, 183
  - lactation and, 122-134
  - by life-stage group, 12, 15, 91-134, 388-389
  - older adults (70+), 12, 115-117, 118-119, 127
  - physical activity and, 74-75, 76
  - pregnancy and, 12, 15, 20, 72, 89-90, 117, 120-122, 127, 132
  - puberty and, 49, 71, 99-100
  - racial/ethnic differences, 73, 100
  - sexual maturity and, 99-100
  - special considerations, 115, 127, 132
  - young adults, 108-109, 111

- Calcium balance studies, 215, 314
- AI derivation, 6-7, 9, 15, 48-50, 93-94, 96-97, 100-101, 105, 107-108, 109-110, 111-115
  - adults, middle age, 109-110, 113, 114
  - bone mass measurements and, 86
  - children, 96-97, 98
  - infants, 92, 93-94
  - methodological considerations, 40-41, 50, 88
  - pregnancy, 120
  - protein interaction, 75-76
  - research recommendations, 144-145
  - uncertainties in values from, 7, 50, 91
  - young adults, 75-76, 107-108, 109
- Calcium deficiency, 182, 183
- amenorrheic women, 76
  - and bone loss, 75, 76, 77-80, 82-83, 132-133
  - and fractures, 6, 9, 13, 76, 83, 84-85, 90, 112-113, 115-116, 121, 123, 126-127, 314-315
  - lactose intolerance and, 80
  - and osteopenia, 83
  - and osteoporosis, 9, 47-48, 76, 82, 83, 84-85, 113, 115
  - and prostate cancer, 13
- Calcium for Preeclampsia Prevention trial, 89-90
- Calcium intakes
- and absorption of calcium, 71, 72, 97, 100
  - adolescents, 105-106, 194, 324, 396
  - adults, middle age, 194, 398
  - bioavailability, 47-48, 73-74, 80, 92
  - and bone mass, 13, 15, 74, 85-88, 106-107
  - and bone mineral content, 6, 7, 15, 38, 78-79, 98
  - and bone mineral density, 74, 76, 78-79, 80-81, 112
  - and calcium retention, 111-112, 114
  - children, 99, 136
  - and colon cancer, 90
  - and chronic disease risk, 89-90, 99
  - cross-cultural differences, 47-48, 82
  - disappearance data, 45
  - experimentally derived, 7, 100-101
  - food and water sources, 45, 47, 73-74, 80, 81-82, 110, 318, 324
  - and fracture risk, 84-85, 90
  - gender differences, 44, 81, 82, 105-106, 117, 388-389
  - human milk, 91-94
  - and hypertension, 89-90
  - inadequate, *see* Calcium deficiency
  - increasing, strategies for, 324
  - lactation and, 127
  - lactose intolerance and, 80
  - by life-stage group, 43, 44, 81-82, 388-389
  - menopausal status and, 72, 75, 76, 77-81, 112-113, 201
  - older adults (+70), 117
  - plateau, 87, 101, 108, 109-110, 115, 116, 394
  - pregnancy and, 121-122
  - quality of data, 100
  - vegetarian diets and, 80-81
  - young adults, 75-76, 106-107, 109, 397
- Calcium interactions, 59, 68, 152-154, 195
- boron and, 38, 39
  - caffeine, 76
  - chloride, 61
  - dietary fiber, 135
  - estrogen, 76, 77, 88, 113, 115, 126
  - fluoride, 288, 289, 290, 291
  - iron, 137, 140, 141, 142
  - magnesium, 135, 137, 142, 191, 194, 197, 200, 201, 213, 214-215, 225, 229, 239
  - parathyroid hormone, 72, 73, 75, 82-83, 117, 120, 132
  - phosphorus, 61, 135, 137, 151, 152-154, 156, 158, 160-161, 174, 176, 178, 180, 181-184, 185-186
  - protein, 48, 61, 75-76, 135
  - sodium, 48, 61, 75, 135
  - vitamin D, 14, 38, 39, 77, 83, 85, 116, 117, 122, 132, 250-253, 254, 255, 258-263, 264, 265, 273, 274, 275, 278, 281-282, 285, 286, 287
  - zinc, 137, 140, 141, 142
- Calcium-regulating hormones, 181-184
- Calcium retention
- adolescents, 87, 99, 100-101, 104, 105, 117, 118-119, 396
  - adults, middle age, 109-110, 111-112, 398
  - AI derivation, 87-89, 93, 99, 100-101, 104, 105, 107-108, 394-398
  - bone mass measurements, 85-86

- calcium intakes and, 111-112, 114
- children, 85-86, 96-97, 99
- desirable, 6-7, 15, 48-49, 87-88, 91, 107-108, 110, 111-112, 117, 118-119, 144, 314-315, 394-398
- extrapolation from other age groups, 15
- factors affecting, 49, 71, 72, 87
- gender differences, 111-114, 118-119
- infants, 92, 94, 96
- methodological considerations, 41
- older adults, 87, 115-116
- plateau, 112, 114
- pregnancy and, 120
- protein and, 75-76
- young adults, 87, 107-108, 397
- Calcium ULs, 13, 20, 318. *See also* Calcium interactions
  - adults, 137-141
  - children, 136, 141-142, 143
  - critical endpoint, 137-138, 140
  - data selection, 137-138
  - derivation of, 140-141
  - dose-response assessment, 68, 137-143
  - exposure assessment, 143
  - gender differences, 135
  - hazard identification, 134-137
  - infants, 141
  - and milk-alkali syndrome, 136-137, 138, 139, 140-141
  - and nephrolithiasis (renal stones), 13, 68, 134-136, 137, 138
  - NOAEL/LOAEL, 137-138, 140
  - older adults (70+), 142
  - pregnancy and lactation, 142
  - risk characterization, 143
  - special considerations, 142-143
  - supplements, 137-138, 143
  - uncertainty assessment, 140
- Canada
  - bone mineral content in adolescents, 170
  - dietary intake data, 43, 47, 81, 292-293
  - fluoride, 292-293, 295, 302, 305, 312
  - magnesium standards, 30
  - osteoporosis, 83
  - phosphorus standards, 31
  - reference nutrient values, 29-31
  - weights and heights, reference, 36
- Canadian Paediatric Society, 32, 33, 295, 305
- Cancer. *See individual sites*
- Cardiovascular diseases, 9, 144
  - fluoride and, 300, 310
  - magnesium and, 14, 191, 197-200, 203, 204, 207, 222, 243, 247
  - vitamin D and, 281
- Caucasians
  - blood pressure, 89
  - bone fracture in, 73, 90
  - bone mineral content, 97
  - calcium, 89, 97
  - lactose intolerance, 80
  - magnesium, 195, 199
  - osteoporosis, 83
  - phosphorus, 149
  - vitamin D, 260, 263, 270, 272
- Children, ages 4 through 8 years. *See also* Life-stage groups; Toddlers
  - balance studies, 164, 168, 211-212
  - blood pressure, 89
  - bone mass, 85-86, 88
  - bone mineral accretion, 14, 88, 89, 97-98
  - calcium, 14, 46, 73, 74, 75, 82, 85-86, 88, 89, 96-99, 136, 141-142, 143, 144
  - chronic illness, 99
  - derivation of DRIs for, 34, 37
  - fluoride, 289, 290, 291-292, 293, 294-296, 298-299, 301, 303, 304, 305, 306, 308-309, 311-312
  - growth spurts, 14
  - indicators used to set AIs, 96-98, 266-267
  - indicators used to set EARs, 166-168, 210-212
  - magnesium, 14, 30, 41, 46, 196, 205-206, 210-212, 213, 216, 246, 247-248
  - phosphorus, 14, 30, 31, 46, 149, 156, 158-159, 164, 166-169, 186, 187
  - physical exercise, 74
  - sodium, 75
  - supplements, 46, 82
  - vitamin D, 14, 46, 257-258, 259, 260, 262-263, 266-268, 284-285
  - weights and heights, reference, 35-36, 37
- Cholecalciferol, 250, 251, 252, 255, 256, 259, 271
- Chromium, 66
- Chronic disease. *See also specific diseases*
  - risk reduction as indicator of nutrient adequacy, 8, 40
- Collagen cross-linking, 38, 75-76
- Colon cancer, 90, 258
- Constipation, 136

- Continuing Survey of Food Intakes by  
 Individuals, 42, 43, 387  
 calcium intakes, 81, 109, 115, 117, 121-  
 122, 127, 143, 388-389  
 magnesium intakes, 195, 216, 217-218,  
 219, 222, 227, 230-231, 238, 239, 241-  
 242, 392-393  
 phosphorus intakes, 154, 163, 166, 168,  
 172, 174-176, 177-178, 184, 188-189,  
 321, 390-391
- Copper, 38, 59, 180-181, 189
- Coronary artery disease, 247
- Critical endpoint  
 calcium, 137-138, 140  
 defined, 66  
 fluoride, 308-309  
 magnesium, 244-245  
 phosphorus, 186-187  
 vitamin D, 68, 281-282, 283-284
- Cross-cultural differences. *See* Race/  
 ethnicity
- D**
- Dairy products  
 calcium, 47, 73, 74, 80, 81-82, 89, 110,  
 143  
 fortified, 256, 261-262  
 lactose intolerance, 80  
 magnesium, 200  
 phosphorus, 156  
 vitamin D, 268, 269
- Data and database issues  
 availability of data, 68, 167, 169, 175  
 critical data set, 66  
 for dose-response assessment, 281, 283  
 for hazard identification, 62-63  
 human studies, 62, 65  
 magnesium, 244  
 phosphorus, 68, 167, 169, 175  
 quality and completeness of, 64  
 selection for dose-response assessment,  
 65-66, 244  
 uncertainties in, 54, 58  
 vitamin D, 281, 283
- Dental caries, 8, 19, 288-289, 290, 291, 297-  
 300, 301, 302, 313
- Dental products, fluoride in, 45, 291, 295-  
 296, 300, 311-312, 318
- Diabetes mellitus  
 calcium and, 99  
 magnesium and, 14, 191, 200, 201-202,  
 203, 204, 207, 239-240  
 phosphorus and, 157
- Diarrhea, 157, 242, 243, 244-245, 318
- Diet and Health* report, 8, 40, 63
- Dietary fiber, 127, 192, 193, 199, 219, 221,  
 223, 224, 226, 229
- Dietary intakes. *See also* Supplements; *specific  
 nutrients*  
 adjustment of, 319-323  
 and bioavailability, 61  
 breast-fed infants, 93-94  
 cross-cultural differences, 47-48  
 disappearance data, 45, 155  
 fluoride, 291-296, 301, 308-309  
 food composition databases, 42-43, 262  
 form of, 62, 63 n.1  
 gender differences, 387-393  
 self-reported, 42, 43, 81, 319  
 sources of data, 43-44  
 uses of data, 47
- Dietary Reference Intakes (DRIs)  
 applicable population, 22  
 assessment applications, 10, 11, 21, 314,  
 316-317, 319-322  
 categories; 2-5, 6, 23-27; *see also*  
 Adequate Intakes; Estimated Average  
 Requirements; Recommended  
 Dietary Allowance; Tolerable Upper  
 Intake Levels  
 country reference values compared, 28-  
 31  
 criteria for, 9-10, 21-22, 38  
 defined, 21-22, 37  
 dietary intakes compared, 43  
 extrapolation from other age groups, 33  
 framework, 378-379  
 generalizability to other populations, 2,  
 47  
 group applications, 11, 317, 319-323  
 individuals applications, 11, 315-317  
 international application, 2, 10  
 by national and federal agencies, 323  
 origin, 375-376  
 parameters for, 31-37; *see also* Life-stage  
 groups; Reference weights and  
 heights  
 planning applications, 11, 21, 314, 322-  
 323  
 rationale for, 376-378  
 sources of data, 9-10, 39-40; *see also*  
 Methodological considerations

uses, 10, 11, 21, 27-28, 47, 314-317, 319-323

WHO/FAO/IAEA approach compared, 22

1,25-Dihydroxyvitamin D, 260

biologic role, 250-253, 255

calcium regulation, 38, 77, 117, 120, 122-123, 132, 250

and granulomatous diseases, 255, 285

half-life, 254

and hypercalcemia, 255

and hypercalciuria, 255

and hypervitaminosis D, 278

and hypovitaminosis D, 258, 268

as indicator of vitamin D status, 260

lactation and, 122-123, 132

magnesium and, 192, 197

metabolism, 251, 254-255

phosphorus and, 38, 147-148, 151, 176, 181, 250, 254

pregnancy and, 117, 120, 276

puberty and, 268, 269, 286

24,25-Dihydroxyvitamin D, 254

Diuretics, 142, 193, 198

Dose-response assessment

adolescents, 187-188, 244-246, 310-311

adults, 137-141, 186-187, 281-282, 310-311

calcium, 68, 137-143

children, 187, 284-285, 308-309

components and process, 55, 57, 65-69

critical endpoint, 66, 137-138, 140, 186-187, 244-245, 308-309

data selection, 65-66, 137-138, 244, 281, 283, 308, 309, 310

derivation of UL, 68, 282-283, 309, 310-311

fluoride, 68, 308-311

infants, 187, 283-284, 308-309

lactation, 188, 285, 311

magnesium, 68, 244-247

NOAEL/LOAEL identification, 66, 137-138, 140, 186-187, 244-245, 281-282, 283-284, 308-309, 310

older adults, 188

phosphorus, 68, 186-187

pregnancy, 188, 285, 311

special considerations, 68-69, 285

toddlers, 187, 308-309

uncertainty assessment, 66-68, 187, 245, 282, 284, 309, 310

vitamin D, 68, 281-285

Drinking water

calcium in, 198

fluoride in, 45, 291-292, 293, 295, 297-300, 301, 305, 307, 308, 310, 312-313, 318

magnesium in, 196, 198, 205

Dual-energy x-ray absorptiometry, 9, 85, 89, 97, 102, 104, 164

## E

Early childhood. *See* Children, ages 4 through 8 years

Education of consumers, 10, 28, 323

Elderly people. *See* Adults, +70 years

Enamel fluorosis, 298-299, 300-302, 305-307, 308-309, 311-313, 318

End-stage renal disease, 151, 184-185, 186

Energy metabolism, 9, 12, 20, 23, 24, 28, 29, 34-35, 190, 205, 212, 316

Environmental exposures to dietary agents, 53, 58

Ergocalciferol, 250, 257, 259

Estimated Average Requirements (EARs).

*See also individual nutrients*

coefficient of variation, 3, 322-323

country comparisons, 29

defined, 2-3, 6, 23, 24, 315

derivation of, 3, 13, 40

indicators used to set, 27, 158-159, 164-166

and RDA, 3-4, 23-25, 26

standard deviation, 3

uses, 3, 10, 11, 23, 24, 25, 319-323

Estrogen

and calcium, 76, 77-80, 88, 109-110, 115, 126

and magnesium, 201

Ethnic background. *See* Race/ethnicity

Exposure

duration of, 64

route of, 63, 66

Exposure assessment

calcium, 143

fluoride, 311-312

magnesium, 247-248

phosphorus, 188-189

process, 55, 57-58

vitamin D, 285-286



## F

## Factorial approach

- calcium, 6, 7, 48, 49, 102, 104, 105, 108, 109, 110-111
- phosphorus, 16, 40, 164-166, 168, 170, 172

## Fetal

- calcium needs, 117
- growth retardation, 234, 235-237
- sensitivity to nutrients, 60, 303-304

Fiber. *See* Dietary fiber

## Fluorhydroxyapatite, 288

## Fluoride

- absorption, 289, 291, 313
- adolescents, 295, 296, 303
- adults, 289, 293, 296, 301, 303
- AIs, 8, 14, 19, 40, 50, 298-300, 301-306
- balance studies, 289, 300-301, 304
- bioavailability, 291
- and bone mineral content, 38, 288, 300, 307, 310
- and caffeine, 291, 294
- and calcification of tissues, 300, 307, 313
- and calcium, 288, 289, 290, 291
- children, 289, 290, 291-292, 293, 294-296, 298-299, 301, 303, 304, 305, 306, 308-309, 311-312
- and dental caries, 8, 14, 19, 50, 288-289, 290, 297-300, 301, 302, 313
- in dental products, 45, 291, 295-296, 300, 307, 311-312, 318
- derivation of DRI, 8, 40, 50
- in drinking water, 45, 291-292, 293, 295, 297-300, 301, 305, 307, 308, 310, 318
- and enamel fluorosis, 298-299, 300-302, 305-307, 308-309, 311-313, 318
- excretion, 289-290, 313
- factors affecting nutrient requirement, 291
- food sources, 291, 293-294
- gender differences, 19, 303
- and geographic differences, 298-300, 307-308
- in human milk, 19, 291, 292, 301, 302, 305, 306, 311
- indicators of nutrient requirements, 19, 40, 298-301
- infants, 290, 293, 295, 300, 301-302, 304, 305-306, 309, 311, 312
- intakes, 45, 291-296, 301, 306, 308

## interactions with food components, 291

## international comparisons, 298-300

- lactation and, 12, 19, 305-306
- life-stage group and, 19, 301-306
- menopausal status and, 300
- metabolism, 289-290, 305
- and osteoporosis, 288, 300, 307
- and osteosclerosis, 307, 308, 310
- phosphate, 290
- physiological role, 288-289
- pregnancy and, 12, 19, 303-305
- research recommendations, 14, 313
- skeletal fluorosis, 307-308, 310-311
- sources of, 45, 318
- special considerations, 305-306, 311
- supplements, 295, 298-299, 302, 304, 311-312
- sustained release form, 288
- toddlers, 293, 302-303, 309
- toothpastes, 291, 295-296, 300
- ULs, 13, 20, 68, 306-313, 318
- uncertainty factor, 68, 310
- young adults, 289

## Food additives, 57, 154, 155, 180, 189

## Food and Agriculture Organization, 22, 52, 319, 322

## Food composition databases, 42-43

## Food sources

- calcium, 45, 47, 81-82
- fluoride, 291, 293-294
- magnesium, 193, 196, 199-200
- phosphorus, 151-152, 155-156, 161, 173-174, 180, 181, 183-184, 189
- vitamin D, 256-257, 261-262, 268, 269, 270, 271, 283, 284, 285-286

## Formulas, infant

- bioavailability of nutrients from, 32, 94-95, 96, 210
- calcium, 94-96, 141
- fluoride in, 291, 292, 293, 301-302, 306
- magnesium, 210
- phosphorus, 149, 152, 153, 155, 159, 161, 163, 183
- special considerations, 163, 210, 265
- vitamin D, 257, 262, 265, 266

## Fortified foods, 4, 10-11, 12, 26, 28, 59, 143, 256, 261-262, 283, 284, 285-286, 318.

*See also* Formulas, infantFracture. *See* Bone fracture

## Fruits and vegetables, 82, 193, 196, 199-200, 229

## G

- Gender differences. *See also* Men; Women  
 bone fracture rates, 90  
 bone mass, peak, 106-107  
 calcium, 44, 46, 81, 82, 99-100, 104, 106,  
 107, 109, 388-389  
 extrapolation between groups, 90-91  
 fluoride, 12, 19, 303  
 magnesium, 12, 17, 46, 196, 199, 214-  
 215, 216-231, 392-393  
 phosphorus, 46, 154, 155, 156, 168, 172-  
 173, 174-176, 390-391  
 puberty onset, 34  
 supplement intakes, 46, 82  
 vitamin D, 14, 256, 257, 269, 271, 272,  
 274
- Geographic variables  
 fluoride, 298-300, 307-308  
 vitamin D, 14, 259, 264-267, 269-270,  
 271, 273, 274, 281, 284, 286
- Glomerular filtration rate (GFR), 27, 149,  
 150, 160, 175, 184-185, 280, 289
- Grain products, 73, 81-82, 152, 161, 173,  
 193, 195, 256
- Growth  
 factors, 191  
 linear, 263-264, 283  
 magnesium and, 205-206  
 phosphorus and, 169-170, 172  
 velocity, 169-170, 172  
 vitamin D and, 263-264, 283

## H

- Hazard identification, 69  
 calcium, 134-137  
 components of, 62-64, 65  
 evaluation process, 55, 57, 63-64  
 fluoride, 306-308  
 magnesium, 242-244  
 phosphorus, 180-186  
 vitamin D, 277-281
- Health Canada, 1
- Height. *See* Reference weights and heights
- Hispanics  
 blood pressure, 89  
 bone mineral content, 97  
 calcium, 89, 97  
 magnesium, 195-196  
 vitamin D, 260
- Hormones, calcium-regulating, 181-184
- Human milk. *See also* Breastfeeding;  
 Lactation  
 bioavailability of nutrients, 88  
 calcium, 15, 91-94  
 fluoride, 19, 291, 292, 301, 302, 305, 311  
 magnesium, 17, 208, 240  
 phosphorus, 16, 148, 149, 152, 153, 155,  
 160-163, 178, 183  
 vitamin D, 262, 263, 264, 265-266, 276-  
 277
- Hydroxyapatite, 71, 147, 151, 153, 200, 288
- 25-Hydroxyvitamin D  
 AI indicator, 8, 18, 27, 50  
 and bone mass, 263-264, 273  
 and granulomatous diseases, 285  
 half-life, 254  
 and hypervitaminosis D, 277-278, 285  
 and hypovitaminosis D, 259-260, 263-277  
 lactation and, 276-277  
 and linear growth, 263-264  
 and magnesium, 192, 197  
 metabolism, 251, 253  
 normal range, 286-287  
 parathyroid hormone and, 259-260  
 placental transfer, 276  
 and pregnancy, 275-276  
 and puberty, 286
- Hypercalcemia, 134, 136, 137, 138, 141, 182,  
 192, 255, 278, 280, 281-283, 284, 285
- Hypercalciuria, 120, 135, 138, 140, 141, 255,  
 318
- Hyperlipidemia, 247, 249
- Hypermagnesemia, 192, 243-248
- Hyperparathyroidism, 84, 136, 193, 258,  
 270, 273, 274, 278, 280
- Hyperphosphatemia, 148, 151, 158, 180-189
- Hypertension, 9  
 calcium intake and, 89-90, 144  
 magnesium and, 14, 199-200, 207, 234-  
 237, 244, 249  
 preeclampsia, 89-90, 234, 235-238, 244
- Hypervitaminosis D, 184-185, 186, 256, 277-  
 287
- Hypocalcemia, 96, 182, 183, 197, 239
- Hypomagnesemia, 191, 193, 195, 197-203,  
 206, 235, 239, 249
- Hypoparathyroidism, 193
- Hypophosphatemia, 156-157, 158
- Hypovitaminosis D, 253, 254, 257-258, 259,  
 263-264, 267, 271

## I

- Immune system, 152, 157
- Indicators of nutrient adequacy. *See also*  
*specific indicators, nutrients, and life stages*  
 deficiency-based, 8-9  
 methodological considerations, 39-40  
 risk reduction-based, 8-9, 40
- Infants, premature, 95, 122, 208, 236
- Infants, 0 to 12 months. *See also* Formulas,  
 infant; Human milk  
 accretion of nutrients, 161  
 ages 0 through 6 months, 32-33, 48, 93-  
 94, 163, 209, 263-265, 301-302  
 ages 7 through 12 months, 33, 94, 161,  
 162-163, 209, 265-266, 302  
 AI derivation for, 4, 5, 25, 26, 31-33, 40,  
 48, 91-96, 162-163, 209, 264-265, 266  
 balance studies, 161, 208-209  
 bone mass, 263-264  
 breast-fed, 4, 5, 32, 48, 91-94, 160, 183,  
 208, 263  
 calcium, 72, 91-96, 120, 122, 141, 183  
 country comparison of groups, 29  
 fluoride, 290, 293, 295, 300, 301-302,  
 304, 305, 306, 309, 311, 312  
 formula-fed, 141, 265  
 indicators used to set AIs, 160-161, 208-  
 209, 263-266  
 linear growth, 263-264  
 low birth weight, 122, 235, 265  
 magnesium, 206, 208-210, 234, 235, 236,  
 243, 246  
 phosphorus, 32, 146, 148-149, 152, 153,  
 155, 157, 158-159, 160-163, 176-177,  
 183, 186-187  
 sensitivity to nutrients, 60  
 serum inorganic phosphorus, 160-161  
 serum 25(OH)D, 263-266  
 solid foods, 33, 94, 96, 141, 161, 162,  
 209  
 ULs, 141, 187, 246, 283-284, 308-309  
 vitamin D, 68, 259, 260, 262-266, 269-  
 270, 275, 277, 283-284
- Insulin, 191, 232
- Interactions. *See* Nutrient-nutrient  
 interactions
- International reference values  
 comparison, by country, 28-31  
 fluoride comparisons, 298-300  
 generalizability of DRIs, 10

- magnesium, 30, 209, 234-235  
 phosphorus, 30
- Intracellular magnesium, 17, 203-204, 232,  
 234
- Iron, 59, 61, 64, 66, 137, 140, 141, 142, 180-  
 181, 189

## J

- Japanese-American women, 85, 200
- Joint FAO/WHO Expert Commission on  
 Food Additives, 56-57

## K

- Kinetic studies, 182-183

## L

- Lactation. *See also* Breastfeeding; Human  
 milk  
 adolescents, 133-134, 179, 180, 241  
 balance studies, 17, 240-241  
 biochemical and absorption studies, 124-  
 125  
 and bone fracture, 123, 126-127  
 and bone loss, 122, 132-133  
 and bone mineral density, 126-132  
 and bone mineral mass, 15, 123, 126-127  
 calcium and, 15, 122-134, 142  
 derivation of DRIs for, 35  
 fluoride and, 19, 305-306  
 indicators used to set AIs, 123, 126-127,  
 276-277  
 indicators used to set EARs, 178, 240-241  
 magnesium and, 17, 240-242, 247  
 phosphorus and, 16, 178-180, 188  
 and serum inorganic phosphate, 178  
 serum 25(OH)D, 276-277  
 twins/multiple infants, 180, 242  
 ULs, 142, 188, 246-247, 285, 311  
 vitamin D, 18, 122-123, 276-277, 285
- Lactose intolerance, 80, 260
- Lean body mass, 17, 59-60, 170, 211, 217,  
 238, 316
- Life-stage groups. *See also* Adolescents;  
 Adults; Children; Infants; Toddlers  
 Body Mass Index by, 36  
 calcium, 15, 388-389  
 categories, 31-35, 60

- and derivation of DRIs, 31-35
- fluoride, 19, 301-306
- intakes of nutrients by, 44
- international comparisons, 28-30
- magnesium DRIs by, 17, 208-242, 392-393
- phosphorus, 16, 160-180, 390-391
- vitamin D, 18, 263-277
- weights and heights, reference, 35-37
- Liver failure, 99, 255
- Lowest-Observed-Adverse-Effect Level
  - calcium, 137-138, 140
  - defined, 57
  - identification of, 66
  - intake data and, 47
  - fluoride, 308-309, 310-311
  - magnesium, 244-245
  - phosphorus, 186-187
  - and UL derivation, 68
  - uncertainty factor, 67-68
  - vitamin D, 281-282, 283-284
- Lymphoma, 255, 278

## M

### Magnesium

- absorption, 192, 193-194, 195, 202, 210, 218, 238, 242-243, 245
- accretion, 205-206, 211, 222, 238
- adolescents, 194, 195, 206, 210-213, 214-215, 216-219, 240, 244-246, 268
- adults, 194, 206, 207, 219-231, 244-246
- AIs, 17, 209
- and alcoholism, 191, 193, 200, 203, 204, 206, 207
- aluminum and, 219, 243, 245
- balance studies, 17, 40-41, 193, 204-205, 208-209, 211-212, 214-215, 218, 219-221, 223-227, 228, 229, 231, 234, 240-241, 245, 248
- bioavailability, 193, 205, 210, 238
- and blood pressure, 199-200
- bone mineral content, 38, 200
- and bone mineral density, 200, 201
- calcium and, 135, 137, 142, 191, 194, 197, 200, 201, 213, 214-215, 225, 229, 239
- cardiovascular effects, 14, 191, 197-200, 203, 204, 207, 222, 243, 247
- children, 14, 30, 41, 196, 205-206, 210-213, 216, 246, 247-248, 316
- country reference values compared, 30
- critical endpoints, 244-245
- data selection, 244
- deficiency/depletion, 191, 193, 195, 197-203, 204, 206, 234, 235, 239-240
- and diabetes mellitus, 14, 191, 200, 201-202, 203, 204, 207, 239-240
- and diarrhea, 242, 243, 244-245, 318
- dietary fiber and, 192, 193, 199, 219, 221, 223, 224, 226, 229
- and 1,25-dihydroxyvitamin D, 192, 197
- distribution and function, 190-191
- dose-response relationship, 68, 244-247
- EARs, 9, 17, 211, 212, 216-242
- energy requirements and, 190, 205, 212, 316
- epidemiological studies and meta-analysis, 198, 207-208
- estimating requirements for, 202-208
- estrogen and, 201
- excretion, 193, 194, 202, 204, 206-207, 213, 233, 241, 242
- exposure assessment, 247-248
- factors affecting requirement, 193-195
- food and water sources, 45, 193, 196, 198, 199-200, 207
- gender differences, 17, 30, 193, 195-196, 199, 214-215, 216-232, 392-393
- hazard identification, 242-244
- in human milk, 17, 208, 240
- and 25-hydroxyvitamin D, 192, 197
- and hypertension, 14, 199-200, 207, 234, 235-237, 244, 249
- indicators of nutrient adequacy, 9, 17, 202-209, 210-212, 219-221, 223-226, 228, 231-232, 234-238
- in infant formulas, 209-210
- infants, 206, 208-210, 234, 235, 236, 243, 246, 247
- intakes, 43, 44, 45-46, 48, 193, 195-196, 207, 216, 217-218, 219, 220, 222, 223, 227, 229, 230-231, 233, 234, 235, 238, 239, 241-242, 248, 392-393
- interactions with other nutrients, 191, 192, 193, 194-195, 197, 200, 214-215, 224, 239
- international comparisons, 209, 234-235
- intracellular, 17, 203-204, 232, 234
- lactation and, 17, 20, 240-242, 247
- and lean body mass, 17, 211, 217, 238, 316
- by life-stage group, 17, 20, 208-242, 392-393

- and malabsorption syndromes, 191, 203
- and medicines, 193, 198, 205, 232, 242-244, 245, 247, 249, 318
- menopausal status and, 200, 201, 245
- metabolism, 192-193, 197, 202
- and neuromuscular disorders, 191, 197
- NOAEL/LOAELs, 244-245
- older adults (+70), 195, 200, 201-202, 203, 204, 207, 231-234, 245
- and osteoporosis, 200-201, 207-208, 249
- oxalates and, 192, 223
- and parathyroid hormone, 193
- phosphorus and, 194
- physical activity and, 195
- and phytates/phytic acid, 194, 221
- and potassium, 191, 198, 200
- pregnancy, 234-240, 244, 247
- protein and, 194-195, 212, 213, 215, 217, 218, 221, 223, 224, 226, 229
- race/ethnicity and, 195-196, 200
- RDAs, 9, 17, 211, 216, 218, 219, 223, 228, 231, 233-234, 239, 241, 316
- and renal function/failure, 191, 193, 201-202, 207, 227, 230, 243, 247
- research recommendations, 14, 248-249
- risk characterization, 248
- serum, 200, 202-203, 204, 234
- and skeletal growth, 200-201
- sodium and, 190-191, 192, 194
- special populations, 195, 239-240, 242, 247
- supplements, 45-46, 195, 196, 199, 201, 205, 206-207, 219, 235-237, 238, 243, 244, 246, 247-248
- toddlers, 210-212, 213, 216, 246
- tolerance tests, 203, 206-207, 231-233, 234-235
- ULs, 13, 20, 68, 242-248, 317, 318-319
- uncertainty assessment, 68, 233, 245
- and vitamin D, 192, 197
- weights and heights and, 316
- and zinc, 214
- Malabsorption disorders, 191, 203, 255
- Malnutrition, 84, 120, 311
- Medications, interaction with nutrients, 148, 193, 198, 232, 242-244, 245, 247, 248, 275, 278
- Men. *See also* Gender differences
  - balance studies, 111-112, 219-221, 223-226, 228
  - calcium, 111-112, 135
  - indicators used to set EARs, 219-221, 223-226, 228
  - magnesium, 13, 41, 219-227, 228-232, vitamin D, 272
- Menarche. *See* Puberty/pubertal development
- Menopausal status
  - and bone mass, 76, 86
  - and bone mineral density, 113-114
  - caffeine impacts, 76
  - calcium and, 72, 75, 76, 77-80, 83, 86, 109-110, 112-114
  - and fluoride, 300
  - and magnesium, 200, 201, 245
  - and osteoporosis, 83, 84
  - sodium impacts, 75
  - vegetarian diets, 80-81
  - and vitamin D, 269, 272
- Metabolism of nutrients
  - calcium, 259, 261
  - fluoride, 289-290
  - magnesium, 192-193, 197, 202
  - phosphorus, 147-148
  - vitamin D, 250-255
- Methodological considerations. *See also* Data and data-base issues; Indicators of nutrient adequacy
  - in balance studies, 40-41, 42, 50, 88, 211
  - concordance between observational and experimental data, 50, 91
  - data sources, 39-40
  - epidemiological evidence, 198
  - extrapolation from absorbed intake to ingested intake, 173
  - extrapolation from animal studies, 54, 57, 62-63, 66-67, 69, 383, 384
  - extrapolation from one gender group to another, 90-91, 104, 109
  - extrapolation from other age groups, 69, 171, 172, 212, 213, 216, 267-268
  - factorial approach, 40, 110-111
  - in intracellular magnesium studies, 232
  - longitudinal data, 50, 86, 91
  - in nutrient intake estimates, 42-43, 86
  - in risk assessment, 54, 383-386
  - in tolerance tests, 207, 233
- Mexican Americans, 82, 260
- Milk. *See* Dairy products; Formulas, infant; Human milk
- Milk-alkali syndrome, 134, 136-137, 138, 139, 140-141
- Myocardial infarction, 198-199, 281

## N

- National Caries Program, 297-298
- National Health and Nutrition Examination Survey I, 202
- National Health and Nutrition Examination Survey II, 43, 162, 256
- National Health and Nutrition Examination Survey III, 35, 36, 43, 81, 154, 195
- National Health Interview Survey, 45, 82, 295
- National Heart, Lung, and Blood Institute, 1, 379
- National Institute of Dental Research, 297-298
- National Research Council, 53, 319, 385
- Nephrocalcinosis, 136, 280, 281
- Nephrolithiasis (kidney stones), 68, 134-136, 138, 140, 145, 280
- Neuromuscular disorders, 191, 197
- No-Observed-Adverse-Effect Level (NOAEL)
- calcium, 137-138, 140
  - defined, 57
  - fluoride, 308-309, 310
  - identification of, 66
  - intake data and, 47
  - magnesium, 244-245
  - phosphorus, 186-187
  - and UL derivation, 68
  - uncertainty factor, 67-68
  - vitamin D, 281-282, 283-284
- Nursing homes, 273, 322-323
- Nutrient intakes. *See also* Dietary intakes; *specific nutrients*
- calculation of, 43
  - gender differences, 43-45
  - inadequate, prevalence of, 319, 320
  - increasing, strategies for, 10-12, 28, 323
  - by life stage group, 43, 44
  - methodological considerations, 42-43, 86
  - quality of data, 42-43
  - from supplements, 45-46
- Nutrient-nutrient interactions. *See* Calcium interactions; *specific entries under other nutrients*
- and bioavailability, 61
  - in bone metabolism, 38-39
  - enhancement with unfortified foods, 11-12, 28
  - research recommendations, 145
- Nutrition Canada Survey, 36

- Nutrition During Lactation*, 32, 33
- Nutritional status, and bioavailability of nutrients, 61

## O

- Older adults. *See* Adults, 70+ years
- Osteomalacia, 8, 50, 157, 258, 269, 274
- Osteopenia, 83, 275
- Osteoporosis, 379
- boron status and, 39
  - calcium and, 9, 47-48, 76, 82, 83, 113, 115, 138, 144
  - defined, 83
  - fluoride and, 288, 300, 307
  - phosphorus and, 186
  - magnesium and, 200-201, 207-208, 248
  - menopausal status and, 83
  - protein and, 76
  - vitamin D and, 14, 274, 280
- Osteosclerosis, 307, 308, 310
- Oxalic acid/oxalates, 73, 80, 135, 138, 192, 223

## P

- Parathyroid hormone (PTH)
- calcium and, 72, 73, 75, 82-83, 117, 120, 132
  - magnesium and, 193
  - phosphorus and, 148, 151, 160-161, 178
  - vitamin D and, 252, 253, 254, 258, 259-260, 262, 264, 266, 269, 272, 274, 287
- Phosphorus. *See also* Hyperphosphatemia; Hypophosphatemia
- absorption, 147-148, 151, 154, 165, 168, 171, 172, 173, 175, 176-177, 181
  - accretion, 153, 161, 164-166, 169-171, 172
  - adolescents, 154, 159, 165, 169-173, 177-178, 179, 180, 184-185, 186, 187-189, 321
  - adults, 148-149, 153, 154, 156, 173-176, 177-180, 186-187, 188-189
  - AIs, 16, 160, 162-163
  - balance studies, 9, 40, 154, 158, 161, 164, 166-167, 168, 169, 171, 176-177
  - bioavailability, 151-152, 153
  - bone mineral content, 38, 68, 146, 151, 153, 161, 163, 164, 170, 189

- and calcium, 61, 135, 147, 148, 151, 152-154, 156, 158, 160-161, 174, 176, 178, 180, 181-184, 185-186
- children, 30, 31, 149, 156, 158-159, 164, 166-169, 186, 187
- and copper, 180-181, 189
- country reference values compared, 30, 31
- criteria for deriving, 16, 40
- critical endpoint, 186-187
- data on, 68, 167, 169, 175
- deficiency/depletion, 156-157
- and 1,25-dihydroxyvitamin D, 147-148, 151, 176, 181
- dose-response assessment, 68, 186-188
- EARs, 9, 16, 166, 168, 170, 172, 174-176, 177-179
- estimating requirements for, 158-159
- excretion, 32, 148, 149, 165, 166, 168, 170-171, 179
- exposure assessment, 188-189
- extrapolation of DRIs to other ages, 16
- factorial approach, 16, 40, 164-166, 168, 170, 172
- factors affecting requirement, 151-154
- food and water sources, 45, 151-152, 155-156, 161, 173-174, 180, 181, 183-184, 189
- gender differences, 30, 31, 154, 155, 156, 168, 172-173, 174-176, 321, 390-391
- hazard identification, 180-186
- in human milk, 12, 16, 148, 149, 152, 153, 155, 160-163, 178, 183
- and immune system, 152, 157
- indicators of nutrient adequacy, 9, 158-159, 160-162, 164-168, 169-172, 173-174, 176-177, 178
- infants, 32, 146, 148-149, 152, 153, 155, 157, 158-159, 160-163, 176-177, 183, 186-187
- intakes, 43, 44, 45-46, 154-156, 166, 168, 172, 174-176, 177-178, 180, 184, 188-189, 321-323, 390-391
- interactions with other nutrients, 68, 148, 152-154, 157, 180-181, 189, 194
- and iron, 180-181, 189
- lactation and, 12, 16, 178-180, 188
- by life-stage group, 16, 20, 160-180, 390-391
- magnesium and, 194
- and medicines, 148
- metabolism, 147-148
- and metastatic calcification, 180, 183, 184-185, 187
- NOAEL/LOAEL, 186-187
- older adults (70+), 154, 175-176, 188
- and parathyroid hormone, 148, 151, 160-161, 178
- physiological distribution and role, 146-147
- and phytic acid/phytate, 152, 161, 173
- pregnancy and, 12, 16, 176-178, 188
- race/ethnicity and, 149, 183-184
- RDAs, 9, 16, 166, 169, 172-173, 175, 176, 177-179, 316
- renal disease and, 151, 184-185, 186, 188
- research recommendations, 189
- risk characterization, 189
- and serum inorganic phosphate, 16, 148-151, 157, 158-159, 160-161, 162, 163, 171-172, 173-174, 178, 180, 181
- and skeletal porosity, 180, 181-182, 185
- special considerations, 163, 178, 180, 188
- supplements, 45, 156, 189
- toddlers, 164-166, 187
- ULs, 13, 20, 68, 180-189, 318, 321-322
- uncertainty factor, 68, 155
- vitamin D and, 38, 184-185, 186
- and zinc, 137, 171, 180-181, 189
- Physical activity
  - amenorrheic women, 76
  - and bone mass, 88
  - calcium and, 74-75, 76, 144
  - and energy intakes, 28
  - magnesium and, 195
  - research recommendations, 144
  - and skeletal health, 74-75
- Phytic acid and phytate, 73, 80, 152, 161, 173, 194, 221
- Population Reference Intake, 29
- Potassium, 191, 198, 200
- Pregnancy. *See also* Lactation
  - adolescents, 122, 177, 178, 239, 240, 276
  - balance studies, 120, 176-177
  - and bone fracture, 121
  - and bone mineral density, 120-121, 122
  - and bone mineral mass, 15, 120-121
  - and calcium, 12, 15, 20, 72, 89-90, 117, 120-122, 142, 176
  - derivation of DRIs for, 15, 35

- and 1,25-dihydroxyvitamin D, 176
  - EARs, 177-178, 238-239
  - fluoride, 19, 20, 303-305
  - and gestational diabetes, 235, 239-240
  - hypertension, 85, 234, 235-238, 244
  - indicators used to set AIs, 120-121, 275-276
  - indicators used to set EARs, 176-177, 234-238
  - intakes of nutrients, 177-178
  - kinetic studies, 120
  - and magnesium, 17, 20, 234-240, 244, 247
  - multiple fetuses, 178, 240
  - number and spacing, 121, 127-128
  - outcome studies, 234-238
  - and phosphorus, 12, 16, 20, 176-178, 188
  - preeclampsia, 89-90, 235-238
  - preterm labor and delivery, 234, 235-238, 244
  - and serum 25(OH)D, 275-276
  - supplements during, 89-90, 235-237, 238
  - ULs, 13, 20, 142, 188, 247, 285, 311
  - vitamin D, 12, 18, 20, 120, 263, 275-276, 285
  - Processed and refined foods, 196. *See also*
    - Food additives
  - Prostate cancer, 13, 144, 258
  - Protein, dietary
    - calcium interaction, 61, 75-76, 135, 144
    - magnesium and, 194-195, 212, 215, 217, 218, 221, 223, 224, 226, 229
  - Puberty/pubertal development. *See also*
    - Adolescents
      - age at onset, 34
      - calcium and, 14, 49, 72, 99-100, 102, 141
      - magnesium and 217
      - racial/ethnic differences, 34, 36-37
      - vitamin D and, 14, 268, 269, 286
- R**
- Race/ethnicity
    - and bioavailability of nutrients, 47-48
    - and bone fracture, 73, 84-85
    - and calcium, 73, 82, 89, 144
    - and dietary intakes, 47-48
    - and magnesium, 195-196, 200
    - osteoporosis, 83, 144
    - and phosphorus, 149, 183-184
    - research recommendations, 14, 144
    - and vitamin D, 14, 260, 263, 269-270
  - Recommended Daily Nutrient Intake, 29
  - Recommended Dietary Allowance (RDA)
    - for adolescents, 172-173, 177-179, 218, 239, 241
    - for adults, 175, 176, 177-179, 223, 231, 233-234, 239, 241
  - AIs compared, 5-8, 26
  - applicable population, 22
  - for children, 169, 216, 316
  - coefficient of variation, 23-25, 216, 218
  - country comparisons, 29
  - criteria used to derive, 12, 16
  - defined, 3, 6, 23, 24, 315
  - derivation, 3-4, 23-25, 26
  - EAR and, 3, 3-4, 23-25, 26
  - increasing consumption of nutrients, 10-12, 28
  - gender differences, 17
  - for lactation, 16, 17, 178-179, 241
  - magnesium, 17, 211, 216, 218, 219, 223, 228, 231, 233-234, 239, 241, 316
  - phosphorus, 16, 166, 169, 172-173, 175, 176, 177-179, 316
  - for pregnancy, 16, 17, 177-178, 239
  - replacement with DRIs, 314
  - for toddlers, 166, 216
  - uses, 2, 4, 5, 10, 11, 315-317, 323
  - Recommended Nutrient Intakes (RNI), 29, 32, 376, 377
  - Reference Nutrient Intake (RNI), 29
  - Reference weights and heights, 35-37, 212, 216, 302-303, 309, 316
  - Renal disease/failure/insufficiency, 60, 280
    - calcium and, 13, 99, 134-137, 142
    - magnesium and, 191, 193, 201-202, 207, 227, 230, 243, 247
    - phosphorus and, 151, 184-185, 186, 188
    - vitamin D, 280
  - Requirement, defined, 21
  - Research recommendations
    - balance studies, 144-145
    - bone mineral accretion, 14, 189
    - calcium, 13, 144-145
    - children, 14
    - dietary intakes, 14
    - disease outcomes, 13-14
    - epidemiological, 13
    - fluoride, 14, 313
    - food additives, 189
    - geographical and racial variables, 14
    - interactions between nutrients, 145, 189



magnesium, 14, 248  
 methodologies related to disease  
   outcomes, 14  
 phosphorus, 189  
 sunscreens, 14  
 vitamin D, 14, 286-287  
 Rickets, 8, 50, 157, 254, 257-258, 259, 260,  
   263, 264-265, 277  
 Risk, defined, 69  
 Risk assessment, defined, 53, 69  
 Risk assessment models. *See also* UL  
   modeling  
   application to nutrients, 13, 58-62  
   basic concepts, 53-54  
   bioavailability considerations, 59, 60-62,  
     66  
   and food safety, 53-58  
   nutrient interactions, 61  
   process, 54-56  
   sensitivity of individuals, 59-60  
   thresholds, 56-58  
   uncertainties, 54, 57, 58  
 Risk characterization  
   calcium, 143  
   defined, 53, 69  
   fluoride, 312-313  
   intake data and, 143  
   magnesium, 247-248  
   phosphorus, 189  
   process, 55-56, 57-58  
   vitamin D, 286  
 Risk management, 53-54, 56, 70

## S

Seizures, 197, 275  
 Selenium, 58  
 Sensitive subpopulations. *See* Special  
   considerations  
 Serum  
   calcitriol, 183  
   1,25-dihydroxyvitamin D, 260  
   inorganic phosphate, 16, 148-151, 157,  
     158-159, 160-161, 162, 163, 171-172,  
     173-174, 178, 180, 181  
   magnesium, 200, 202-203, 204, 234  
   25(OH)D, 259-260, 263-264, 265-267,  
     268, 269-270, 271, 273-274, 275-277  
   vitamin D, 260  
 Skeletal health. *See also* Bone; Osteoporosis  
   fluorosis, 307-308, 310-311, 312  
   magnesium and, 200-201  
   phosphorus and, 180, 181-182, 185  
   porosity, 180, 181-182, 185, 258  
   vitamin D and, 257-258, 260-261, 262-  
     264  
 Skin melanin production, 256, 260, 261,  
   267  
 Smoking, 88  
 Sodium, 48, 61, 75, 138, 144, 190-191, 192,  
   194  
 Sodium chloride, 75, 192  
 Soft drinks, 156, 173-174, 180, 183-184, 291,  
   293-294  
 Special considerations  
   adolescent pregnancies, 114, 178, 240  
   breastfeeding twins, 132-133  
   calcium, 142-143  
   closely spaced pregnancies, 127-128  
   diabetes mellitus, 239-240  
   elderly people, 255  
   formula-fed infants, 163, 209-210, 265  
   fluoride, 305-306, 311  
   granulomatous diseases, 285  
   identification of, 64-65  
   lactating adolescents, 180  
   magnesium, 195, 210, 239-240, 247  
   medications, 275  
   multiple infants/births, 178, 180, 240,  
     242  
   phosphorus-related, 163, 178, 180, 188  
   populations with high energy  
     expenditures, 188  
   renal impairment, 247  
   vitamin D and, 255, 265, 275, 285  
 Sprue, 255  
 Steroid hormone metabolism, 39  
 Submariners, 270, 271  
 Sunlight/sun exposure, and vitamin D, 45,  
   50, 250, 252, 253-254, 255-256, 260,  
   262-276, 284, 285, 286  
 Sunscreen, 256, 261, 271, 286  
 Supplements, dietary  
   bioavailability of nutrients, 22, 62, 74  
   calcium, 45-46, 74, 77-80, 82, 86, 89, 97-  
     98, 102, 110, 112, 114, 116, 120-121,  
     123, 126, 130-131, 134, 135, 137, 138,  
     143, 213, 318, 324  
   children, 46, 82  
   data sources on intakes, 45-46  
   doses, 196, 302  
   fluoride, 295, 298-299, 302, 304, 311-312

- gender differences in use, 46, 82, 142  
 lactation and, 123, 126  
 magnesium, 45-46, 195, 196, 199, 201,  
 205, 206-207, 219, 235-237, 238, 243,  
 244, 246, 247-248  
 menopausal status and, 77-80, 86  
 phosphorus, 45-46, 156, 189  
 pregnancy and, 235-237  
 ULs and, 4-5, 26, 46, 59  
 usefulness of, 11, 12, 28  
 vitamin D, 45-46, 255, 257, 262, 264,  
 267, 268, 271-272, 274-277, 281-283,  
 286, 318  
 Surgeon General's *Report on Nutrition and  
 Health*, 40
- T**
- Tea, fluoride in, 293-294, 300  
 Tetany, 197, 247  
 Thyrotoxicosis, 278  
 Toddlers, ages 1 through 3 years, 33, 46. *See*  
*also* Children  
 AIs, 267-268  
 bone formation, 284-285  
 calcium, 96-98  
 fluoride, 293, 302-303, 309  
 indicators used to set AIs, 266-267  
 indicators used to set EARs, 164-166,  
 210-212  
 magnesium, 210-212, 213, 216, 246  
 phosphorus, 164-166, 187  
 ULs, 141-142, 187, 246, 284-285, 308-309  
 vitamin D, 266-268, 284-285  
 Tolerable, defined, 26, 52  
 Tolerable Upper Intake Levels (ULs), 1, 17,  
 32. *See also* UL modeling  
 calcium, 13, 20, 68, 134-143, 318  
 defined, 4, 6, 24, 26, 51-52, 55, 70, 186,  
 315  
 derivation of, 68-69, 246, 282-283, 284,  
 310-311  
 fluoride, 68, 306-313, 318  
 magnesium, 13, 20, 68, 242-248, 317,  
 318-319  
 phosphorus, 13, 20, 68, 180-189, 318  
 selection of, 68  
 supplement use and, 4-5, 26, 46  
 uses, 4-5, 11, 26, 317-319  
 vitamin D, 13, 20, 68, 277-286, 318
- Tolerance tests, magnesium, 203, 206-207,  
 231-233, 234-235  
 Toothpastes, 291, 295-296, 300  
 Total Diet Study, 154, 196  
 Toxicity, mechanisms of action, 64  
*Trace elements in Human Nutrition and Health*,  
 22, 25 n.2, 52, 319  
 Twins/multiple births, 178
- U**
- UL modeling. *See also* Dose-response  
 assessment; Risk assessment models  
 calcium, 134-143  
 critical endpoint, 66, 137-138, 140, 244-  
 245, 310  
 data selection, 65-66, 137-138, 244  
 dose-response assessment, 55, 57, 65-69,  
 137-143, 244-247, 281-285, 308-311  
 exposure assessment, 55, 57-58, 143, 188-  
 189, 247-248, 285-286, 311-312  
 fluoride, 306-312  
 hazard identification, 55, 57, 62-64, 69,  
 134-137, 180-186, 242-244, 277-281,  
 306-308  
 magnesium, 242-248  
 NOAEL or LOAEL, 47, 66, 69, 137-138,  
 140, 244-245, 308-309  
 phosphorus, 180-189  
 selection of UL, 68, 137-138  
 uncertainty assessment, 66, 140, 245, 317  
 vitamin D, 278-286  
 Uncertainties  
 in AIs, 317  
 approaches for dealing with, 383-386  
 assessment, 66, 140, 245, 317  
 for calcium, 68, 91, 109, 110-111  
 in data, 54, 58  
 dose-response assessment, 66-68, 140,  
 187, 245, 282, 284  
 for fluoride, 68  
 inferences from experimental animal  
 studies, 54, 57, 62-63, 66-67  
 for magnesium, 68, 233, 245  
 options for dealing with, 383-386  
 for phosphorus, 68, 155  
 in risk assessment, 54, 57, 58, 66, 383-  
 386  
 for vitamin D, 68, 281, 282, 284  
 Uncertainty Factor (UF), 57, 58, 66-68, 70,  
 140, 282, 309, 310

U.S. Army Medical Research and Materiel  
Command, 1  
U.S. Department of Agriculture, 1, 42, 43,  
81, 379  
U.S. Department of Health and Human  
Services, 2, 43  
U.S. Environmental Protection Agency, 385  
U.S. Food and Drug Administration, 1, 154,  
196, 304, 379

## V

Vegetarian diets, 80-81, 267, 270  
Vitamin A, 139  
Vitamin C, 38  
Vitamin D. *See also* 1,25-Dihydroxyvitamin D;  
25-Hydroxyvitamin D  
absorption, 253-255  
adolescents, 262, 268-269, 276, 277, 284-  
285, 286  
adults, 257, 259, 262, 269-272, 276, 277  
AIs, 8, 14, 18, 27, 50, 261-263, 264-265,  
266, 267-268, 269, 271, 272, 274, 276,  
277  
blood and urinary parameters, 279  
and bone fracture, 8, 27, 50, 116, 260,  
273, 274  
and bone mass, 259, 263-264, 271-272,  
278  
and bone metabolism, 254, 257-258, 284-  
285  
and bone mineral content, 260, 266  
and bone mineral density, 14, 260, 261,  
264, 271-272, 274  
calcium and, 14, 27, 38, 39, 116, 250-  
253, 254, 255, 258-263, 264, 265, 273,  
274, 275, 278, 281-282, 285, 286, 287  
and cancer, 258  
cardiovascular effects, 281  
children, 16, 40-41, 257-258, 259, 260,  
262-263, 266-268, 284-285  
critical endpoints, 68, 281-282, 283-284  
data sources, 43-46, 281, 283  
deficiency, 8, 27, 50, 253, 254, 257-258,  
259, 263-264, 267, 271  
dose-response assessment, 68, 281-285  
estimating requirements for, 259-263  
excretion, 253-255  
exposure assessment, 285-286  
factors affecting requirements, 255  
food sources, 256-257, 261-262, 268, 269,  
270, 271, 283, 284, 285-286  
function, 250-253  
gender differences, 43-45, 256, 257, 269,  
271, 272, 274  
geographic location and, 14, 259, 264-  
267, 269-270, 271, 273, 274, 281, 284,  
286  
and granulomatous diseases, 255, 285  
hazard identification, 277-281  
in human milk, 263, 262, 264, 265-266,  
276-277  
and hypercalcemia, 278, 280, 281-283,  
284, 285  
and hyperparathyroidism, 258, 270, 273,  
274, 278, 280  
indicators of nutrient adequacy, 18, 27,  
50, 259-261, 263-264, 265-267, 268,  
269-270, 271-272, 273-274, 275-277  
infants, 68, 259, 260, 262-266, 269-270,  
275, 277, 283-284  
intakes, 14, 27, 43-46, 50, 253, 255, 256,  
257, 261-262, 267-268, 275, 285-286,  
318  
interaction with other nutrients, 192,  
193, 197  
intoxication, 184-185, 186, 256, 277-287  
lactation and, 12, 18, 276-277, 285  
life-stage group and, 18, 43-45, 263-277  
and linear growth, 263-264, 283  
magnesium and, 192, 197  
malabsorption disorders, 255  
medications and, 275, 278  
menopausal status and, 269, 272  
and metabolic bone disease, 259  
metabolism, 250-255  
NOAEL/LOAELs, 281-282, 283-284  
older adults, 116, 255, 273-274, 287  
and osteomalacia, 8, 50, 258, 269, 274  
and osteopenia, 275  
and osteoporosis, 14, 27, 274, 280  
and parathyroid hormone, 252, 253,  
254, 258, 259-260, 262, 264, 266, 269,  
272, 274, 287  
phosphorus and, 38, 184-185, 186, 250,  
253, 254, 258, 260, 265  
pregnancy and, 12, 18, 117, 263, 275-  
276, 285  
puberty and, 268, 269, 286  
race/ethnicity and, 260, 263, 269-270  
receptor polymorphisms, 14

and renal disease, 280  
 research recommendations, 14, 286-287  
 and rickets, 8, 50, 254, 257-258, 259,  
 260, 263, 264-265, 277  
 risk characterization, 286  
 safety factor, 8, 50  
 serum, 260  
 and skeletal health, 257-258, 260-261,  
 262-264  
 special considerations, 255, 265, 275,  
 285  
 submariners, 270, 271  
 sun exposure and, 45, 50, 250, 252, 253-  
 254, 255-256, 260, 262-276, 284, 285,  
 286  
 sunscreen and, 14, 256, 261, 271, 286  
 supplements, 45-46, 255, 257, 262, 264,  
 267, 268, 271-272, 274-277, 281-283,  
 286, 318  
 toddlers, 266-268, 284-285  
 ULs, 13, 20, 68, 277-286, 318  
 uncertainty and uncertainty factors, 68,  
 281, 282, 284  
 vegetarians, 267, 270  
 Vitamin E, 139  
 Vitamin K, 38-39, 60

## W

Water. *See* Drinking water  
 Weight. *See* Reference weights and heights

Weight-bearing practices, 42, 68  
 Women. *See also* Gender differences;  
 Lactation; Menopausal status;  
 Pregnancy  
 amenorrheic, 76  
 balance studies, 220, 221, 225, 226  
 calcium, 72, 75, 109-110, 111-114, 135,  
 143  
 fluoride, 301-306  
 indicators used to set AIs, 111-114  
 indicators used to set EARs, 221, 226  
 intakes of nutrients, 43-45  
 magnesium, 30, 220, 222-223, 225, 227,  
 230-231, 233  
 phosphorus, 30, 31, 155, 316, 321, 322-  
 323  
 vitamin D, 43-45, 256, 272, 273  
 World Health Organization, 22, 52, 83, 319,  
 322

## Y

Young adults. *See* Adults, 19 through 30  
 years

## Z

Zinc, 38, 59, 137, 140, 141, 142, 171, 180-  
 181, 189, 214  
 Zinc oxide, 53