

HOME BUILDERS ASSOCIATION OF METROPOLITAN DENVER

1400 S. Emerson
Denver, CO 80210
303-778-1400 Fax 303-733-9440
Website: www.hbadenver.com

EXECUTIVE COMMITTEE

Bert Selva, *President*
Larry Fullerton, *President-elect*
David Gertz, *Vice President/Treasurer*
Mark Krivel, *Vice President/Secretary*
Don Barnes, *AMC Chairman*
Stan Meade, *Boulder Chapter President*
Steve Hanson, *Boulder Chapter President Elect*

BOARD OF DIRECTORS

Hope Dunlavey, Tony Dunning, Karen Durfee,
Donn Eley, Steve Hanson, John Happel, Jim
Janco, Michael Jolie, Bob Koelbel, Bob Koran,
Dave Mathews, Cheri Meyn, Dave Oyler, Mick
Richardson, Marty Russell, Bev Saunders, Kristen
Shewfelt, Roger Shimono, Norm Stuard, Toby
Terhune, Dennis Welsch, Merlin Widick

HBA STAFF

Roger Reinhardt, *Executive Vice President*
Vicki Pelletier, *Director of Operations*
JJ Martinez, *Director of Public Affairs*
June Barnes, *Director of Member Services*
Jennifer Gordon, *Government Affairs Specialist*
Sharon Schreiber, *Accounting*
Charlotte Holmes, *Office Manager*
Barbara Frederick, *Comptroller*
Kim Calomino, *Director of Technical Affairs*
Ashley Waggoner, *Administrative Assistant*
Jo Flanagan, *Administrative Assistant*
Michelle Bynum, *Operations Coordinator*
Paul Wolochow, *Director of Information Systems*
Kathryn Schumacher, *Boulder Chapter Executive
Officer*
Joanne Peterson, *Boulder Member Services
Coordinator*

Home Builder magazine serves the Home Builders Association of Metropolitan Denver and is published monthly. Subscriptions \$10.00 per year. Periodical postage paid at Denver CO ISSN 0745-0230/USPS 679-630. Postmaster: Send address changes to Home Builders Association of Metropolitan Denver, 1400 S. Emerson, Denver, CO 80210, (303) 778-1400. *Home Builder* is published in the interest of all segments of the home building industry and is distributed to its members and others associated with the home building industry. The Home Builders Association and the Publishing House do not accept responsibility or endorse any statement or claims made by advertisers or authors of any articles. Every effort has been made to assure accuracy of information, but authenticity cannot be guaranteed. No part of this publication may be reproduced without the written consent of Home Builders Association of Metropolitan Denver. Copyright © 2002 Home Builders Association of Metropolitan Denver, 1400 S. Emerson, Denver, CO 80210, 303-778-1400.

CONTENTS

FEATURES

7 COVER STORY
Raising the Bar

29 SPECIAL ADVERTISING SECTION
Joining the Parade

NEWS


- 16** Colorado Council on Economic Education names new chairman
- 35** U.S. Home Colorado and The Genesee Company join forces

DEPARTMENTS

- 6** From the President
- 8** Energy Waves
- 11** Education Committee
- 14** In The News
- 22** Associate Member Council
- 23** CARE Awards
- 26** Home Builders Foundation
- 38** Calendar
- 40** New Members
- 42** Renewals/Spike Club Report
- 43** Buyer's Guide
- 44** Stats



PAGE 7
Annual Bar Awards



PAGE 23
CARE Awards



PAGE 26
Home Builders Foundation

Home Builder

PATRICK MONTGOMERY, *Publisher*
JOHN MIZE, *Advertising Director*
MICHELLE STOCKER, *Advertising Sales*
MIA FOLEY, *Advertising Sales*
JENNIFER PERRIER, *Advertising Sales*
JOE REID, *Editorial Coordinator*
STACEY L. KRULL, *Production Coordinator*
WILBUR E. FLACHMAN, *President and Owner*



Produced By

7380 Lowell Blvd.
P.O. Box 215
Westminster, Colo. 80036
Phone: 303-428-9529
Fax: 303-430-1676

A growing market for high-performance homes



Steve Andrews

In the long run, men hit only what they aim at.

—Thoreau

The simple explanation follows the complex solution.

—Murphy's Laws

Ask 10 people what "high performance car" means and they'll probably agree it's a fast car that handles well at high speeds. When you put the pedal to the metal, you feel the force. It's probably a gas-guzzler. And it might need a lot of maintenance.

What about "high performance home?" While you may not have heard the phrase yet, it's already being used. But the phrase's meaning doesn't tightly parallel that of the high-per-

formance car.

This article describes E-Star Colorado's initial statement of what "high performance home" means. We've run it by some industry leaders. Though it will evolve further with time, this is a reasonable starting point.

Background

When engineer Joe Lstiburek used the phrase "high performance home" during E-Star seminars last winter, he was talking about homes meeting the goals and criteria of the DOE-funded Building America program. Ren Andersen (National Renewable Energy Laboratory) says the key Building America performance objective is a 30-50 percent reduction in energy consumption — compared to the same home built to the 1995 CABO Model Energy Code.

Building scientist Mark LaLiberte used the phrase "high performance

home" extensively during a May 9 seminar at the HBA, again co-sponsored by E-Star and Building America. (He'll be back in October for more seminars.) To LaLiberte, high-performance home means a house that is healthy, comfortable, affordable, energy efficient, environmentally responsible and durable.

The key publication from the Energy and Environmental Building Association (EEBA) is its excellent *Builder's Guide* series of handbooks (author: Joe Lstiburek). The book's cover provides a description nearly identical to the one LaLiberte uses.

Working definition

Building on the descriptions above, here's E-Star's working definition: A high-performance home relies on systems-engineered design, quality-controlled construction and performance testing to assure that the home is healthy, comfortable, affordable, energy efficient, durable and environmentally responsible. The energy efficiency criterion is a 40 percent energy savings compared to a home built to the 1995 Model Energy Code, or an 88 on the 100-point E-Star scale.

Such a home will come with a higher price tag. But it shouldn't cost more to own.

The 12 steps to higher performance are as follows:

Systems integrated design. During the design stages, the typical home must be reviewed and re-engineered on paper to meet the listed performance goals. Typically, designs are modified to integrate mechanical system requirements with structural and architectural needs. This is the time to think "house as a system."

Modeling, analysis and equipment sizing. While the home is still just on paper, it must be analyzed to make sure that it will meet the high-performance objectives.

Higher insulation levels, properly installed. To achieve a 40 percent savings, higher-than-normal levels of insulation are essential. However, because house tightness and higher HVAC equipment efficiency are other

Better Built



(Houses, that is)

E-Star builders go the extra mile to construct homes with energy-efficient features like extra insulation, better windows, or higher efficiency furnaces. But their home buyers are getting more than they may even know: Energy-rated homes raise mortgage qualifying ratios and

provide buyers with greater purchasing power. An E-Star builder puts customers in a house with lower monthly utility bills, fewer drafts or cold spots, and one that is quieter, more durable and better for our environment. **It's a better way to build.**



Call or visit our web site today.

1-800-877-8450 • 303-297-7360 • www.e-star.com

means to achieve the savings target, the R-values in Table 1 (at right) are recommendations, not requirements. The recommendations vary moderately between mountains and plains climates. Just as important as R-value is the proper installation of all insulation products. All cantilevers and floors above garages must be completely filled with insulation. Blown-in or sprayed insulation systems are recommended.

Solar-smart windows. To improve comfort, reduce equipment sizes and save energy, low-e windows are required. For climates with fewer than 7,000 heating degree-days, a home's windows should have a U-value of 0.35 or lower, with a Solar Heat Gain Coefficient of 0.40 or less. For the mountains, a U-value of 0.32 is required; SHGCs higher than 0.40 are encouraged since solar heat gains reduce the higher heating loads in mountain climates.

Tight construction. Air leakage testing with a blower door should indi-

Table 1: Recommended insulation values

Building element	<7,000 HDD*	>7,000 HDD*
Attics	R-38	R-45
Closed cathedral ceilings	R-30	R-38
Walls**	R-21	R-24
Basements	R-6	R-13
Crawl spaces	R-13	R-19
Edges of at-grade slabs	R-6	R-10
Insulated beneath heated slabs (req.)	R-7	R-10

* HDD: heating degree-days, a measure of climate severity. Nearly all climates between Fort Collins and Trinidad and out to the Kansas border fall below 7,000 HDD. Foothill and mountain communities will have to bump up their R-values.

** In this table, R-value refers only to cavity and insulating sheathing; it excludes drywall, exterior finish, air films, etc.

cate no more than 0.22 natural air changes per hour of leakage (roughly equivalent to 0.25 cfm/ft² of envelope surface area). This is just over 50 percent tighter than the average new Colorado home being built today.

Bulk water management system. As described in EEBA's new *Water Management Guide*, "the fundamental principle of water management is to shed water by layering materials in such a way that water is directed downwards and outwards of the building or away from the building." To provide durability and reduce the potential for mold, a drainage plane covering walls is required for building durability. The drainage plane incorporates appropriate flashings around rough openings and at component intersections. The foundation must include a positive slope to facilitate surface drainage, a capillary break over the footing to prevent moisture movement up into the foundation wall, plus

see ENERGY page 18



The Sign of Quality

Serving the Denver area since 1955

- Commercial Paving
- Street Paving
- Parking Lots
- Subdivisions
- Shopping Centers
- Tennis Courts
- Pavement Repairs
- Driveways
- Rock Product Sales

14802 W. 44th Ave. • (303) 279-6611

www.asphaltpavingco.com

Experts in

Construction Lending

Call

BRENT STARK
303-365-3624

or

JOANIE SHERWOOD
303-365-3724

We provide individual
Construction Loans

"serving the
Metro area"

- Resident and Commercial Construction
- Project approval
- A&D of Individual Lots for Subdivision
- Builder Lines of Credit
- Custom Home Building Loans
- Home Improvement Loans



Member
FDIC
LENDER

CITYWIDE BANKS



ONESOURCE NETWORK

Your ONE STOP solution for all your
**STRUCTURAL REPAIR, FINISHING &
LANDSCAPING RESTORATION** needs!

- Residential • Commercial
- Serving Builders, Property Managers
Structural Engineers & Homeowners

TOWER NURSERY & GARDEN CENTER



- builder discount pricing through our wholesale department
- quality trees available up to 16 feet
- sod sales and installation
- seasonal flower installation
- established in 1942

GROUNDTECH

- complete landscape repairs and restoration
- new and replacement drain systems
- drainage problem repairs
- front yard packages available
- showhome maintenance

PLUMBING/HEATING/AIR CONDITIONING



Our expert service providers respond to emergency calls with same day service! One Source has added a Plumbing/HVAC division as we strive to achieve our goal of providing On-estop solutions to our Builder Clients

ADVANCED STRUCTURAL REPAIR



- foundation repair
- concrete removal and replacement
- interior perimeter drain systems
- mold remediation
- steel and concrete piers
- ventilation systems
- structural floors



(303) 366-0800

1sourcenetWORK.com

17050 Smith Road, Aurora, CO 80011



ENERGY

FROM PAGE 10

perimeter footing drains that provide positive drainage to either daylight or an accessible sump.

Water vapor management. To reduce vapor transport by air movement from the interior into wall and ceiling assemblies, an interior air barrier is required; secondary air barriers that limit wind washing from the exterior are optional. As part of the air barrier system, a durable air barrier must be installed against the framing that will be adjacent to tubs, showers, fireplaces and entertainment centers, plus in ceilings above dropped soffits and within floor systems interior to rim joists. In the mountain zone, a vapor retardant is also required to reduce vapor movement across the wall assembly. In all locations, dirt floors in crawl spaces need a continuous (sealed) impermeable ground cover that serves as both an air and vapor barrier.

Controlled ventilation. Mechanical ventilation must be provided. It should be sized to supply 10 cfm per bedroom plus an additional 0.01 cfm per square foot of conditioned space. If the ventilation system fails, there must be a positive indicator that alerts homeowners (e.g., red light at a panel). Intermittent ventilation is essential for baths (50 cfm) and kitchens (100 cfm).

Safe and efficient appliances. All combustion appliances must have the byproducts of combustion isolated by either power venting, direct venting or sealed combustion. Furnaces should have minimum 90 percent AFUE ratings. The water heater's Energy Factor should be either above EF-0.60, or should have extra tank and pipe insulation added to achieve at least this level of performance. Other supplied appliances should meet the EPA's Energy Star criteria.

Properly sized HVAC equipment with designed and sealed ductwork. HVAC equipment must be sized to be no larger than ACCA Manual J calculations would indicate; as that calculation system is generous, no up-sizing fudge factor for temperature setback is needed. Ducts should be designed based on room-specific load calculations (ACCA Manual D). Ducts must be sealed with a durable sealant

product — a water-based mastic, butyl tape or an aerosolized sealant system. Measured duct leakage must not exceed 10 percent of total system flow.

This means building cavities can't be used for return-air ducts. Ducts against exterior walls or within attics require 100 percent of the component's insulation R-value between the ducts and the exterior.

Efficient use of building materials. Use engineered lumber instead of dimensional lumber for floor joists and roof framing materials. Use advanced framing that incorporates at least 24-inch o.c. spacing, in both exterior and partition walls.

Performance testing. In 1980, an official with the New York State Energy Research and Development Agency stated, "you get what you inspect, not what you expect." It's just as true today as it was 22 years ago. Minimum performance quality control includes testing for house tightness, duct tightness, total airflow through the HVAC equipment and room-to-room house pressures (no more than 3 Pascals of difference between rooms, with doors closed).

Tough standard; any supply?

Presently, no one is consistently building to this definition of a high-performance home. Engle Homes, Centex/Fort Collins and McStain are three production builders who come relatively close to meeting this target. A few custom builders consistently build very efficient homes, though an item or two on this list may not yet be part of their standard construction process.

Educating consumers

Is the market demanding this type of home? Not yet. And it won't until it's re-educated. That's where LaLiberte comes in.

"Consumers have done a poor job of driving change," said LaLiberte. "They assume that all new homes will be healthy, comfortable, durable and energy efficient, so they focus on cosmetic details — what they can see vs. how the home works. They shop for cost per square foot. That's nuts. Does anyone shop for a car by the pound?"

"The assumption is that consumers

can't grasp this concept of a high-performance home," said LaLiberte. "But consumers will recognize quality once it's explained to them."

At the end of the day, a fundamental principle consumers must also grasp is that a high-performance home will cost more to buy, but not necessarily cost more to own. Utility savings will help offset most or all of the higher mortgage payment. But owners walk

away with a better product and builders make more profit with fewer callbacks and less liability. What's not to like?

Steve Andrews consults with builders for E-Star Colorado and writes on energy issues (sbandrews@att.net). E-Star, at 303-297-7470 (www.e-star.com), is a nonprofit home energy rating system that works with both new and existing homes statewide. 🏠

Warm up to an American Standard gas furnace.

American Standard makes a complete line of high efficiency heating and cooling units designed to fit any budget.

Choose American Standard, a name you've trusted in home for over 112 years.

- Improved indoor air quality
- Two stage heating for ultimate comfort
- Leading the way with variable speed technology
- Designed and built to meet your need



Free no-obligation estimates
"Express Comfort"
Consumer Financing:
6 months same as cash, w.a.c.



American Standard

HEATING & AIR CONDITIONING
BUILT TO A HIGHER STANDARD

For a heating contractor in your area
please call our hotline at
303-934-9248

American Standard heating and cooling products distributed exclusively by

