Tania Moulik's Publications List

1. **"Search for the supersymmetric partner of the top quark in dilepton events from p anti-p collisions at s**(1/2) = 1.8-TeV"**
   D. Acosta *et al.* [CDF Collaboration]
   arXiv:hep-ex/0302009

2. **"Cross section for forward J/ psi production in pp collisions at s =1.8 TeV"**
   D. Acosta *et al.* [CDF Collaboration]
   Phys. Rev. D **66**, 092001 (2002)

3. **"Search for a W' boson decaying to a top and bottom quark pair in 1.8-TeV p anti-p collisions"**
   D. Acosta *et al.* [CDF Collaboration]
   Phys. Rev. Lett. **90**, 081802 (2003) [arXiv:hep-ex/0209030]

4. **"Search for radiative b-hadron decays in p anti-p collisions at s**(1/2) = 1.8-TeV"**
   D. Acosta *et al.* [CDF Collaboration]
   Phys. Rev. D **66**, 112002 (2002) [arXiv:hep-ex/0208035]

5. **"Search for radiative b-hadron decays in p anti-p collisions at s**(1/2) = 1.8-TeV"**
   D. Acosta *et al.* [CDF Collaboration]
   FERMILAB-PUB-02-146-E

6. **"Momentum distribution of charged particles in jets in dijet events in p anti-p collisions at s**(1/2) = 1.8-TeV and comparisons to perturbative QCD predictions"**
   D. Acosta *et al.* [CDF Collaboration]
   FERMILAB-PUB-02-096-E

7. **"Measurement of the ratio of b quark production cross sections in anti-p p collisions at s**(1/2) = 630-GeV and s**(1/2) = 1800-GeV"**
   D. Acosta *et al.* [CDF Collaboration]
   Phys. Rev. D **66**, 032002 (2002) [arXiv:hep-ex/0206019]

8. **"Branching ratio measurements of exclusive B+ decays to charmonium with the Collider Detector at Fermilab"**
   D. Acosta *et al.* [CDF Collaboration]
   Phys. Rev. D **66**, 052005 (2002)

9. **"Measurement of B-meson lifetimes using fully reconstructed B decays produced in pp collisions at s =1.8 TeV"**
   D. Acosta *et al.* [CDF Collaboration]
   Phys. Rev. D **65**, 092009 (2002)

10. **"Limits on extra dimensions and new particle production in the exclusive photon and missing energy signature in p anti-p collisions at s**(1/2) = 1.8-TeV"**
    D. Acosta *et al.* [CDF Collaboration]
    Phys. Rev. Lett. **89**, 281801 (2002) [arXiv:hep-ex/0205057]

11. **"Search for new physics in photon lepton events in p anti-p collisions at s**(1/2) = 1.8-TeV"**
    D. Acosta *et al.* [CDF Collaboration]
    Phys. Rev. Lett. **89**, 041802 (2002) [arXiv:hep-ex/0202044]

12. **"Upsilon production and polarization in p anti-p collisions at s**(1/2) = 1.8-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. Lett. **88**, 161802 (2002)

13. **"Comparison of the isolated direct photon cross sections in p anti-p collisions at s**(1/2) = 1.8-TeV and s**(1/2) = 0.63-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 112003 (2002) [arXiv:hep-ex/0201004]

14. **"Soft and hard interactions in p anti-p collisions at s**(1/2) = 1800-GeV and 630-GeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 072005 (2002)

15. **"Measurement of the B+ total cross section and B+ differential cross section dsigma/dp(T) in p anti-p collisions at s**(1/2) = 1.8-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 052005 (2002) [arXiv:hep-ph/0111359]

16. **"Search for single top quark production in p anti-p collisions at s**(1/2) = 1.8-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 091102 (2002) [arXiv:hep-ex/0110067]

17. **"Search for the decay B/s → mu+ mu- Phi in p anti-p collisions at s**(1/2) = 1.8-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 111101 (2002)

18. **"Search for new physics in photon lepton events in proton antiproton collisions at s**(1/2) = 1.8-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **66**, 012004 (2002) [arXiv:hep-ex/0110015]

19. **"Diffractive dijet production at s**(1/2) = 630-GeV and 1800-GeV at the Fermilab Tevatron"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **88**, 151802 (2002) [arXiv:hep-ex/0109025]

20. **"Study of the heavy flavor content of jets produced in association with W bosons in p anti-p collisions at s**(1/2) = 1.8-TeV"**
D. Acosta *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 052007 (2002) [arXiv:hep-ex/0109012]

21. **"Measurement of the strong coupling constant from inclusive jet production at the Tevatron anti-p p collider"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **88**, 042001 (2002) [arXiv:hep-ex/0108034]

22. **"A study of B0 → J/psi K(*)0 pi+ pi- decays with the Collider Detector at Fermilab"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **88**, 071801 (2002) [arXiv:hep-ex/0108022]

23. **"Search for new heavy particles in the W Z0 final state in p anti-p collisions at s**(1/2) = 1.8 TeV"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **88**, 071806 (2002) [arXiv:hep-ex/0108004]

24. **"Observation of diffractive J/psi production at the Fermilab Tevatron"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **87**, 241802 (2001) [arXiv:hep-ex/0107071]

25. **"Double diffraction dissociation at the Fermilab Tevatron collider"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **87**, 141802 (2001) [arXiv:hep-ex/0107070]

26. **“Charged particle multiplicity in jets in p anti-p collisions at s**(1/2) = 1.8-TeV”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **87**, 211804 (2001)

27. **“Search for quark lepton compositeness and a heavy W’ boson using the e nu channel in p anti-p collisions at s**(1/2) = 1.8-TeV”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **87**, 231803 (2001) [arXiv:hep-ex/0107008]

28. **“Searches for new physics in events with a photon and b-quark jet at CDF”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 052006 (2002) [arXiv:hep-ex/0106012]

29. **“Search for gluinos and squarks using like-sign dileptons in p anti-p collisions at s**(1/2) = 1.8-TeV”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **87**, 251803 (2001) [arXiv:hep-ex/0106061]

30. **“Measurement of d(sigma)/dM and forward-backward charge asymmetry for high mass Drell-Yan e+ e- pairs from p anti-p collisions at s**(1/2) = 1.8-TeV”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **87**, 131802 (2001) [arXiv:hep-ex/0106047]

31. **“Cross section and heavy quark composition of gamma + mu events produced in p anti-p collisions”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **65**, 012003 (2002) [arXiv:hep-ex/0106004]

32. **“Search for gluinos and scalar quarks in p anti-p collisions at s**(1/2) = 1.8-TeV using the missing energy plus multijets signature”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **88**, 041801 (2002) [arXiv:hep-ex/0106001]

33. **“Production Of Chi/C1 And Chi/C2 In P Anti-P Collisions At S**(1/2) = 1.8-Tev”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **86**, 3963 (2001)

34. **“Double diffraction dissociation at the Fermilab Tevatron collider”**
T. Affolder *et al.* [CDF Collaboration]
FERMILAB-PUB-01-063-E

35. **“Search for narrow diphoton resonances and for gamma gamma + W / Z signatures in p anti-p collisions at s**(1/2) = 1.8-TeV”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **64**, 092002 (2001) [arXiv:hep-ex/0105066]

36. **“Total cross section in gamma gamma collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **519**, 33 (2001) [arXiv:hep-ex/0102025]

37. **“Study of the e+ e- → Z gamma gamma → q anti-q gamma gamma process at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **505**, 47 (2001) [arXiv:hep-ex/0102024]

38. **“Measurement of the tau branching fractions into leptons”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **507**, 47 (2001) [arXiv:hep-ex/0102023]

39. **“Measurement of the inclusive jet cross section in anti-p p collisions at s**(1/2) = 1.8-TeV”**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **64**, 032001 (2001) [Erratum-ibid. D **65**, 039903 (2002)] [arXiv:hep-ph/0102074]

40. **"Measurement of the t anti-t production cross section in p anti-p collisions at s**(1/2) = 1.8-TeV"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **64**, 032002 (2001) [arXiv:hep-ex/0101036]

41. **"Measurement of the charm production cross section in gamma gamma collisions at LEP"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **514**, 19 (2001) [arXiv:hep-ex/0101025]

42. **"First measurement of the ratio B(t → W b)/B(t → W q) and associated limit on the CKM element |V(tb)|"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. Lett. **86**, 3233 (2001) [arXiv:hep-ex/0012029]

43. **"Search for the standard model Higgs boson in e+ e- collisions at s**(1/2) up to 202-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **508**, 225 (2001) [arXiv:hep-ex/0012019]

44. **"Search for neutral Higgs bosons of the minimal supersymmetric standard model in e+ e- interactions at s**(1/2) = 192-GeV to 202-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **503**, 21 (2001) [arXiv:hep-ex/0012017]

45. **"Measurement of the two-jet differential cross section in proton antiproton collisions at s**(1/2) = 1800-GeV"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **64**, 012001 (2001) [Erratum-ibid. D **65**, 039902 (2002)] [arXiv:hep-ex/0012013]

46. **"Search for excited leptons in e+ e- interactions at s**(1/2) = 192-GeV - 202-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **502**, 37 (2001) [arXiv:hep-ex/0011068]

47. **"Search for R-parity violating decays of supersymmetric particles in e+ e- collisions at s**(1/2) = 189-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Eur. Phys. J. C **19**, 397 (2001) [arXiv:hep-ex/0011087]

48. **"Higgs candidates in e+ e- interactions at s**(1/2) = 206.6-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **495**, 18 (2000) [arXiv:hep-ex/0011043]

49. **"Search for the supersymmetric partner of the top quark in p anti-p collisions at s**(1/2) = 1.8-TeV"**
T. Affolder *et al.* [CDF Collaboration]
Phys. Rev. D **63**, 091101 (2001) [arXiv:hep-ex/0011004]

50. **"Study of Z boson pair production in e+ e- interactions at s**(1/2) = 192-GeV to 202-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **497**, 23 (2001) [arXiv:hep-ex/0010004]

51. **"Search for charged Higgs bosons in e+ e- collisions at centre-of-mass energies up to 202-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **496**, 34 (2000) [arXiv:hep-ex/0009010]

52. **"Measurement of the W pair production cross section and W decay branching fractions in e+ e- interactions at s**(1/2) = 189-GeV"**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **496**, 19 (2000) [arXiv:hep-ex/0008026]

53. **“Measurement of Bose-Einstein correlations in e+ e- → W+ W- at s**(1/2) approx. = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **493**, 233 (2000) [arXiv:hep-ex/0008020]

54. **“Search for anomalous couplings in the Higgs sector at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **489**, 102 (2000) [arXiv:hep-ex/0008023]

55. **“Measurement of the W+ W- gamma cross section and direct limits on anomalous quartic gauge boson couplings at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **490**, 187 (2000) [arXiv:hep-ex/0008022]

56. **“Search for a Higgs boson decaying into two photons in e+ e- interactions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **489**, 115 (2000) [arXiv:hep-ex/0008025]

57. **“Production of single W bosons at s**(1/2) = 189-GeV and measurement of W W gamma gauge couplings”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **487**, 229 (2000) [arXiv:hep-ex/0007005]

58. **“QCD studies in e+ e- annihilation from 30-GeV to 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **489**, 65 (2000) [arXiv:hep-ex/0005045]

59. **“Search for manifestations of new physics in fermion pair production at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **489**, 81 (2000) [arXiv:hep-ex/0005028]

60. **“Search for anomalous Z Z gamma and Z gamma gamma couplings in the process e+ e- → Z gamma at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **489**, 55 (2000) [arXiv:hep-ex/0005024]

61. **“Measurements of the b anti-b production cross section and forward-backward asymmetry at centre-of-mass energies above the Z pole at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **485**, 71 (2000) [arXiv:hep-ex/0005023]

62. **“Search for an invisibly decaying Higgs boson in e+ e- collisions at s**(1/2) = 183-GeV to 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **485**, 85 (2000) [arXiv:hep-ex/0004006]

63. **“Measurement of the photon structure function at high Q**2 at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **483**, 373 (2000) [arXiv:hep-ex/0004005]

64. **“Studies of the response of the prototype CMS hadron calorimeter, including magnetic field effects, to pion, electron, and muon beams”**
V. V. Abramov *et al.* [CMS-HCAL Collaboration]
Nucl. Instrum. Meth. A **457**, 75 (2001) [arXiv:hep-ex/0007045]

65. **“Measurement of the lifetime of the tau lepton”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **479**, 67 (2000) [arXiv:hep-ex/0003023]

66. **“Inclusive Sigma+ and Sigma0 production in hadronic Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **479**, 79 (2000) [arXiv:hep-ex/0002066]

67. **“Measurements of cross sections and forward-backward asymmetries at the Z resonance and determination of electroweak parameters”**
M. Acciarri *et al.* [L3 Collaboration]
Eur. Phys. J. C **16**, 1 (2000) [arXiv:hep-ex/0002046]

68. **“Search for charginos with a small mass difference with the lightest supersymmetric particle at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **482**, 31 (2000) [arXiv:hep-ex/0002043]

69. **“Measurement of the e+ e- → Z gamma gamma cross section and determination of quartic gauge boson couplings at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **478**, 39 (2000) [arXiv:hep-ex/0002037]

70. **“Hard-photon production and tests of QED at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **475**, 198 (2000) [arXiv:hep-ex/0002036]

71. **“Measurement of the running of the fine-structure constant”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **476**, 40 (2000) [arXiv:hep-ex/0002035]

72. **“Measurement of hadron and lepton-pair production at 130-GeV ¡ s**(1/2) ¡ 189-GeV at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **479**, 101 (2000) [arXiv:hep-ex/0002034]

73. **“Direct observation of longitudinally polarized W+- bosons”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **474**, 194 (2000) [arXiv:hep-ex/0001016]

74. **“Measurement of the probability of gluon splitting into charmed quarks in hadronic Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **476**, 243 (2000) [arXiv:hep-ex/9911016]

75. **“Search for extra dimensions in boson and fermion pair production in e+ e- interactions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **470**, 281 (1999) [arXiv:hep-ex/9910056]

76. **“Search for neutral Higgs bosons of the minimal supersymmetric standard model in e+ e- interactions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **471**, 321 (1999) [arXiv:hep-ex/9910053]

77. **“Search for excited leptons at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **473**, 177 (2000) [arXiv:hep-ex/9910021]

78. **“Searches for scalar quarks in e+ e- interactions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **471**, 308 (1999) [arXiv:hep-ex/9910020]

79. **“Single and multi-photon events with missing energy in e+ e- collisions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **470**, 268 (1999) [arXiv:hep-ex/9910009]

80. **“Measurement of triple-gauge-boson couplings of the W boson at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **467**, 171 (1999) [arXiv:hep-ex/9910008]

81. **“Search for charginos and neutralinos in e+ e- collisions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **472**, 420 (2000) [arXiv:hep-ex/9910007]

82. **“Search for scalar leptons in e+ e- collisions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **471**, 280 (1999) [arXiv:hep-ex/9910006]

83. **“Study of Z boson pair production in e+ e- collisions at LEP at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **465**, 363 (1999) [arXiv:hep-ex/9909043]

84. **“Search for charged Higgs bosons in e+ e- collisions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **466**, 71 (1999) [arXiv:hep-ex/9909044]

85. **“Measurement of R(b) and Br(b $\rightarrow$ l nu X) at LEP using double-tag methods”**
M. Acciarri *et al.* [L3 Collaboration]
Eur. Phys. J. C **13**, 47 (2000) [arXiv:hep-ex/9909045]

86. **“Search for low scale gravity effects in e+ e- collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **464**, 135 (1999) [arXiv:hep-ex/9909019]

87. **“Measurement of the spectroscopy of orbitally excited B mesons at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **465**, 323 (1999) [arXiv:hep-ex/9909018]

88. **“Measurement of inclusive D*+- production in two-photon collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **467**, 137 (1999) [arXiv:hep-ex/9909005]

89. **“Search for heavy isosinglet neutrinos in e+ e- annihilation at 130-GeV ¡ s**(1/2) ¡ 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **461**, 397 (1999) [arXiv:hep-ex/9909006]

90. **“Search for standard model Higgs boson in e+ e- interactions at s**(1/2) = 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **461**, 376 (1999) [arXiv:hep-ex/9909004]

91. **“Search for heavy neutral and charged leptons in e+ e- annihilation at s**(1/2) = 183-GeV and 189-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **462**, 354 (1999) [arXiv:hep-ex/9909007]

92. **“Formation of the eta/c in two-photon collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **461**, 155 (1999) [arXiv:hep-ex/9909008]

93. **“Measurement of an elongation of the pion source in Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **458**, 517 (1999) [arXiv:hep-ex/9909009]

94. **“Search for R-parity violating chargino and neutralino decays in e+ e- collisions up to s**(1/2) = 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **459**, 354 (1999)

95. **“Search for scalar leptons in e+ e- collisions at s**(1/2) = 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **456**, 283 (1999)

96. **“Measurement of mass and width of the W boson at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **454**, 386 (1999) [arXiv:hep-ex/9909010]

97. **“Heavy quarkonium production in Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **453**, 94 (1999)

98. **“Measurement of the cross-section for the process gamma* gamma* $\to$ hadrons at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **453**, 333 (1999)

99. **“Study of neutral-current four-fermion and Z Z production in e+ e- collisions at s**(1/2) = 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **450**, 281 (1999)

100. **“chi/c2 formation in two-photon collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **453**, 73 (1999)

101. **“Inclusive charm production in two-photon collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **453**, 83 (1999)

102. **“The Q**2 evolution of the hadronic photon structure function F2(gamma) at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **447**, 147 (1999)

103. **“Measurement of the e+ e- $\to$ Z $\to$ b anti-b forward-backward asymmetry and the B0 anti-B0 mixing parameter using prompt leptons”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **448**, 152 (1999)

104. **“Single and multi-photon events with missing energy in e+ e- collisions at s**(1/2) = 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **444**, 503 (1998)

105. **“Search for charged Higgs bosons in e+ e- collisions at centre-of-mass energies between 130-GeV and 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **446**, 368 (1999)

106. **“QCD results from studies of hadronic events produced in e+ e- annihilations at s**(1/2) = 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **444**, 569 (1998)

107. **“Searches for scalar top and scalar bottom quarks in e+ e- interactions at 161-GeV ¡= s**(1/2) ¡= 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **445**, 428 (1999)

108. **“Measurement of the effective weak mixing angle by jet-charge asymmetry in hadronic decays of the Z boson”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **439**, 225 (1998)

109. **“Upper limit on the lifetime difference of short- and long-lived B/s0 mesons”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **438**, 417 (1998)

110. **“Measurement of radiative Bhabha and quasi-real Compton scattering”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **439**, 183 (1998)

111. **“Test of CP invariance in Z → mu+ mu- gamma decay”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **436**, 428 (1998)

112. **“Production of single W bosons in e+ e- interactions at 130-GeV ¡= s**(1/2) ¡= 183-GeV and limits on anomalous W W gamma couplings”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **436**, 417 (1998)

113. **“Study of the hadronic photon structure function F2(gamma) at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **436**, 403 (1998)

114. **“Measurement of the inclusive charmless semileptonic branching fraction of beauty hadrons and a determination of |V(ub)| at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **436**, 174 (1998)

115. **“Study of anomalous Z Z gamma and Z gamma gamma couplings at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **436**, 187 (1998)

116. **“Photon structure functions and azimuthal correlations of lepton pairs in tagged gamma gamma collisions”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **438**, 363 (1998)

117. **“Search for neutral Higgs bosons of the minimal supersymmetric standard model in e+ e- interactions at s**(1/2) = 130-GeV to 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **436**, 389 (1998)

118. **“Search for the standard model Higgs boson in e+ e- interactions at s**(1/2) = 183-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **431**, 437 (1998)

119. **“Measurement of the anomalous magnetic and electric dipole moments of the tau lepton”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **434**, 169 (1998)

120. **“Search for new physics phenomena in fermion pair production at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **433**, 163 (1998)

121. **“Measurement of tau polarisation at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **429**, 387 (1998)

122. **“Determination of the number of light neutrino species from single photon production at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **431**, 199 (1998)

123. **“Measurement of the B/d0 - anti-B/d0 oscillation frequency”**
M. Acciarri *et al.* [L3 Collaboration]
Eur. Phys. J. C **5**, 195 (1998)

124. **“Angular multiplicity fluctuations in hadronic Z decays and comparison to QCD models and analytical calculations”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **428**, 186 (1998)

125. **“Measurement of the weak dipole moments of the tau lepton”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **426**, 207 (1998)

126. **“Local multiplicity fluctuations in hadronic Z decay”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **429**, 375 (1998)

127. **“Search for scalar leptons, charginos and neutralinos in e+ e- collisions at s**(1/2) = 161-GeV to 172-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Eur. Phys. J. C **4**, 207 (1998)

128. **“Measurement of the average lifetime of b-hadrons in Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **416**, 220 (1998)

129. **“Measurement of eta’(958) formation in two-photon collisions at LEP1”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **418**, 399 (1998)

130. **“Neutral-current four-fermion production in e+ e- interactions at 130-GeV ¡= s**(1/2) ¡= 172-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **413**, 191 (1997)

131. **“Measurements of mass, width and gauge couplings of the W boson at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **413**, 176 (1997)

132. **“Missing mass spectra in hadronic events from e+ e- collisions at s**(1/2) = 161-GeV to 172-GeV and limits on invisible Higgs decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **418**, 389 (1998)

133. **“Search for new physics in energetic single photon production in e+ e- annihilation at the Z resonance”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **412**, 201 (1997)

134. **“Resonance formation in the pi+ pi- pi0 final state in two-photon collisions”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **413**, 147 (1997)

135. **“Measurement of W pair cross sections in e+ e- interactions at s**(1/2) = 172-GeV and W decay branching fractions”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **407**, 419 (1997)

136. **“Search for anomalous four-jet events in e+ e- annihilation at s**(1/2) = 130-GeV to 172-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **411**, 330 (1997)

137. **“Measurement of hadron and lepton-pair production at 161-GeV ¡ s**(1/2) ¡ 172-GeV at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **407**, 361 (1997)

138. **“K0(S) and Lambda production in quark and gluon jets at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **407**, 389 (1997) [Erratum-ibid. B **427**, 409 (1998)]

139. **“Cross section of hadron production in gamma gamma collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **408**, 450 (1997)

140. **“Inclusive J/psi, psi’ and chi/c production in hadronic Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **407**, 351 (1997)

141. **“Production of e, mu and tau pairs in untagged two-photon collisions at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **407**, 341 (1997)

142. **“QCD studies and determination of alpha(s) in e+ e- collisions at s**(1/2) = 161-GeV and 172-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **404**, 390 (1997)

143. **“Production of single W bosons at LEP”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **403**, 168 (1997)

144. **“Pair-production of W bosons in e+ e- interactions at s**(1/2) = 161-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **398**, 223 (1997)

145. **“Search for excited leptons in e+ e- annihilation at s**(1/2) = 161-GeV”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **401**, 139 (1997)

146. **“Measurement of D/s- → tau- anti-nu/tau and a new limit for B- → tau- anti-nu/tau”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **396**, 327 (1997)

147. **“Measurement of inclusive omega and eta’ production in hadronic Z decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **393**, 465 (1997)

148. **“Study of the weak charged hadronic current in b decays”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **393**, 477 (1997)

149. **“Search for neutral B meson decays to two charged leptons”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **391**, 474 (1997)

150. **“Search for exclusive B decays to J and eta or pi0 with the L3 detector”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **391**, 481 (1997)

151. **“Measurement of the lifetime of the tau lepton”**
M. Acciarri *et al.* [L3 Collaboration]
Phys. Lett. B **389**, 187 (1996)

152. **“Beam test results of a Shashlik calorimeter in high magnetic field”**
P. Aspell *et al.* [RD36 Collaboration]
Nucl. Instrum. Meth. A **376**, 361 (1996)

153. **“Energy and spatial resolution of a Shashlik calorimeter and a silicon preshower detector”**
P. Aspell *et al.* [RD36 Collaboration]
Nucl. Instrum. Meth. A **376**, 17 (1996)