

**GLOSSARY**  
**BIBLIOGRAPHY**  
**INDEX**

MONTANA

# GLOSSARY

**7Q10.** A statistical measure for the lowest flow expected for a continuous 7-day period in 10 years.

**ABANDON.** To cease producing gas from a well when it becomes unprofitable. A wildcat (exploration) well may be abandoned after it has been proven nonproductive. Usually, some of the casing is removed and salvaged, and one or more cement plugs placed in the borehole to prevent migration of fluids between formations.

**ABNORMAL PRESSURE.** Pressure exerted by a formation and exceeding or falling below the normal pressure to be expected at a given depth. Normal pressure increases approximately 0.433 psi per foot of depth. Formations with abnormally high pressure must be controlled to prevent a blowout.

**ACID NEUTRALIZING CAPACITY.** The extent to which natural water bodies are able to buffer atmospheric deposition of sulfate and/or nitrate particulate matter from air pollution emission sources.

**ACRE-FOOT.** A term used in measuring the volume of fluid. An acre-foot is the amount of fluid required to cover 1 acre to a depth of 1 foot, or 43,560 cubic feet (325,829 gallons).

**AIR QUALITY.** Air quality is based on the amount of pollutants emitted into the atmosphere and the dispersion potential of an area to dilute those pollutants.

**ALKALINITY.** The quantity and kinds of compounds present in water that collectively shift the pH to the alkaline side of neutrality. See **salinity**.

**ALLOTMENT CATEGORIZATION.** The grouping of livestock grazing allotments into the categories “M” (maintain current satisfactory condition), “I” (improve current unsatisfactory condition), and “C” (manage custodially while protecting existing resource values).

**ALLUVIUM.** General term for debris deposited by streams on river beds, floodplains, and alluvial fans, especially deposits brought down during a flood. Applies to stream deposits of recent time. Does not include below water sediments of seas and lakes.

**ANIMAL UNIT.** A standardized unit of measurement for range livestock or wildlife. Generally, one mature cow, one horse, five sheep, 9.6 antelope, 5.8 deer, or 1.9 elk, based on an average forage consumption of 26 pounds of dry matter per day.

**ANIMAL UNIT MONTH.** A standardized unit of measurement of the amount of forage necessary for the complete sustenance of one animal for one month; also, the measurement of the privilege of grazing one animal for one month.

**ANNULUS OR ANNULAR SPACE.** The space around a pipe in a wellbore, the outer wall of which may be the wall of either the borehole or the casing.

**ANTICLINE.** An arched, inverted-trough configuration of folded and stratified rock layers.

**AQUIFER.** A body of rock that is sufficiently permeable to conduct groundwater and to yield economically significant quantities of water to wells and springs.

**APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK (APD).** The Department of Interior application permit form to authorize oil and gas drilling activities on federal land.

**AREA OF CRITICAL ENVIRONMENTAL CONCERN.** An area that needs special management attention to preserve historic, cultural, or scenic values; to protect fish and wildlife resources or other natural systems or processes; or to protect life and provide safety from natural hazards.

**ARTESIAN.** Groundwater with sufficient pressure to flow without pumping.

**BANKHEAD-JONES FARM TENANT ACT OF 1937.** This Act enabled the government to buy marginal farms and to put the farms back into grazing.

**BASIN.** A closed geologic structure in which the beds dip toward the center; the youngest rocks are at the center of a basin and are partly or completely ringed by progressively older rocks.

**BEDROCK.** The solid, unweathered rock underlying soils.

## GLOSSARY

**BEST AVAILABLE CONTROL TECHNOLOGY (BACT).** The best available air pollution control technology for a given emission source, considering environmental benefits, economic and energy costs, as defined by the applicable air quality regulatory authority.

**BITUMINOUS.** The most abundant rank of coal (synonymous with soft coal). It is dark brown to black and burns with a smoky flame.

**BLOCK MANAGEMENT.** Through cooperation with the Montana Fish, Wildlife, and Parks, a Memorandum of Understanding allows the BLM, the private landowners, and Montana Fish, Wildlife, and Parks to close off some public lands administered by BLM in exchange for opening up private lands to hunting. This is done on a rotating basis from year to year.

**BLOOEY PIT.** The pit that receives cuttings and other discharges from a well drilled with air.

**BLOWOUT.** An uncontrolled expulsion of gas, oil, or other fluids from a drilling well. A blowout, or “gusher,” occurs when formation pressure exceeds the pressure applied to it by the column of drilling fluid and when blowout prevention equipment is absent or fails.

**BLOWOUT PREVENTER.** Equipment installed at the well head to prevent the escape of pressure either from the annular space between the casing and drill pipe or from an open hole during drilling and completion operations.

**BRACKISH WATER.** Water that contains relatively moderate concentrations of any soluble salts. Brackish water is saltier than fresh water but not as salty as salt water or brine water.

**BRINE.** Water containing relatively large concentrations of dissolved salts, particularly sodium chloride. Brine has higher salt concentrations than ordinary ocean water.

**BRINE PIT.** An excavated pit used to hold brine produced from a well.

**BROWSE.** As a verb, to consume or to feed on (as a plant); as a noun, the tender shoots, twigs, and leaves of trees and shrubs, often used as food by cattle, antelope, deer, elk, and other animals.

## **BUFFER ZONE.**

1. An area between two different land uses that is intended to resist, absorb or otherwise preclude developments or intrusions between the two use areas.
2. A strip of undisturbed vegetation that retards the flow of runoff water, causing deposition of transported sediment and reducing sedimentation in the receiving stream.

**CANOPY COVER.** The percentage of ground area under an overstory vegetation that would not be impacted by raindrops falling straight down.

**CASING.** Steel pipe placed in a gas well to prevent the hole from caving.

**CHANNEL INTEGRITY (STABILITY).** A relative term describing erosion or movement of the channel walls or bottom because of water flow.

**CHECKERBOARD PATTERN.** One in which ownership of sections of land alternates between federal and other ownership, usually private. On a map with different colors denoting type of ownership, the pattern resembles a checkerboard.

**CLAYEY.** A soil containing more than 35 percent clay. The textural classes are sandy clay, silty clay, clay loam, and silty clay loam.

**CLEAN AIR ACT.** Public Law 84-159, established July 14, 1955, and amended numerous times since. The Clean Air Act: establishes federal standards for air pollutants emitted from stationary and mobile sources; authorizes states, tribes and local agencies to regulate polluting emissions; requires those agencies to improve air quality in areas of the country which do not meet federal standards; and to prevent significant deterioration in areas where air quality is cleaner than those standards. The Act also requires that all federal activities (either direct or authorized) comply with applicable local, state, tribal and federal air quality laws, statutes, regulations, standards and implementation plans. In addition, before these activities can take place in non-attainment or maintenance areas, the federal agencies must conduct a Conformity Analysis (and possible Determination) demonstrating the proposed activity will comply with all applicable air quality requirements.

**CLOSED MUD SYSTEM.** A drill mud system that reuses or reclaims all the drilling fluid used. Oil-based mud systems are often closed mud systems.

**COAL BED NATURAL GAS.** A clean-burning natural gas found deep inside and around coal seams. The gas has an affinity to coal and is held in place by pressure from groundwater. Mining for coalbed methane involves drilling into coal seams and discharging large volumes of groundwater to release the gas.

**COLLUVIAL.** Loose, incoherent geological deposits at the bottom of a slope or cliff, having fallen from above.

**COMMUNITIZATION.** The pooling of mineral acreages based on the spacing for a well or wells set by the state or BLM.

**COMPACTION.** The process of packing firmly and closely together; the state of being so packed; for example, mechanical compaction of soil by livestock or vehicular activity. Soil compaction results from particles being pressed together so that the volume of the soil is reduced. It is influenced by the physical properties of the soil, moisture content, and the type and amount of compactive effort.

**COMPLETION.** The activities and methods to prepare a well for production. Includes installation of equipment for production from a gas well.

**CONDITION OF APPROVAL (COA).** Conditions or provisions (requirements) under which an Application for a Permit to Drill or a Sundry Notice is approved.

**CONTINENTAL DEPOSITS.** A sedimentary deposit laid down on land (whether a true continent or only an island) or in bodies of water (whether fresh or saline) not directly connected with the ocean, as opposed to a marine deposit; a glacial, stream, lake, or windborne deposit formed in a nonmarine environment.

**CONTROLLED SURFACE USE (CSU).** Use or occupancy is allowed (unless restricted by another stipulation), but identified resource values require special operational constraints that may modify the lease rights. CSU is used for operating guidance, not as a substitute for the NSO or Timing stipulations.

**CONVEYANCE LOSS.** The percentage reduction in water volume between the time it is discharged to the surface and the time it reaches a perennial stream. This reduction in volume is due to the processes of infiltration and evaporation.

**CORRIDOR.** A strip of land through which one or more existing or potential facilities may be located.

**CROW RESERVATION.** The Crow Reservation as established by the September 17, 1851 Ft. Laramie Treaty and by federal statutes and case law.

**CRUCIAL WINTER RANGE.** That portion of the winter range on which a wildlife species is dependent for survival during periods of heaviest snow cover.

**CULTURAL RESOURCE.** A term that includes items of historical, archaeological, or architectural items; a remnant of human activity.

**CUMULATIVE IMPACT.** The impact on the environment that results from the positive or negative impacts of an action when added to other past, present, and reasonable foreseeable future actions, regardless of what agency or person performed such action(s).

**DANCING GROUNDS.** An area used in the spring by sharp-tailed grouse for courtship displays and breeding.

**DECIBEL OR dB.** A unit for measuring sound intensity, usually measured on the decibel A weighted scale (dBA) which approximates the sound levels heard by the human ear at moderate sound levels.

**DECIVEW OR dV.** A visual index appropriate for characterizing visibility through uniform hazes, designed to be linear with respect to perceived visual changes over its entire range (from pristine to polluted conditions) in a way that is analogous to the decibel scale for sound. The deciview haze index is calculated based on the logarithmic distribution of the extinction coefficient, where a 10.0 deciview change is about a 10 percent change in extinction coefficient; a small but perceptible scenic change under many circumstances ("just noticeable change").

**DEEPER COAL SEAM.** Designates a coal seam that is deep enough that it can be drilled to at a directional angle from a well pad in one spacing unit to another spacing unit. This avoids the need for constructing additional roads and well pads. The exact depth that the term "deeper" applies to is relative and will vary according to field spacing requirements and local geology.

**DEVELOPMENT WELL.** A well drilled in proven territory (usually within 1 mile of an existing well).

**DISPOSAL WELL.** A well into which produced water from other wells is injected into an underground formation for disposal.

## GLOSSARY

**DRAINAGE (GEOMORPHIC).** A collective term for all the water bodies by which a region is drained; or, all the water features shown on a map.

**DRAINAGE (OIL AND GAS).** The uncompensated loss of hydrocarbons from Federal, Indian tribal or Indian-allotted mineral lands from wells on adjacent non-jurisdictional lands or jurisdictional lands with lower participation, allocation, royalty rate, or distribution of funds, resulting in revenue losses to the Federal or Indian lessors.

**DRILL DIRECTIONALLY.** The technique of drilling at an angle from a location at the surface to a different subsurface location at a specific target depth. The degree of angle that a well can be drilled is limited, which is why this technique is not employed for shallow coal seams.

**DRILL RIG.** The mast, drawworks, and attendant surface equipment of a drilling or workover unit.

**DRILL STEM TEST.** The use of a drill-stem testing tool to test a formations potential productivity. The tool is lowered to the formation and is packed off from the above formations. The tool is then operated to sample the formation and the results recorded. Also, called a formation test.

**DROP STRUCTURE.** An in-stream structure of various materials designed to reduce the energy and force of stream flow.

**DRY HOLE.** Any well incapable of producing oil or gas in commercial quantities. A dry hole may produce water, gas or even oil, but not enough to justify production.

**ECOLOGICAL CONDITION.** The present state of vegetation of a site in relation to the potential natural community for the site. Ecological status is use independent. It is an expression of the relative degree to which the kinds, proportions, and amounts of plants in a plant community resemble that of the potential natural community. Four ecological status classes correspond to 0-25, 26-50, 51-75, or 76-100 percent similarity to the potential natural community and are generally called early seral, mid-seral, late seral, and potential natural community, respectively.

**ECOLOGICAL SITE.** A kind of land with a specific potential natural community and specific physical site characteristics, differing from other kinds of land in its ability to produce vegetation and to respond to management.

**ECOSYSTEM.** A biological community, together with its nonliving environment, forming an interacting system inhabiting an identifiable space.

**ELECTRICAL CONDUCTIVITY.** A measure of the salt content of water.

**EMERGENT AQUATIC VEGETATION.** An aquatic plant having part of its vegetative parts above water.

**EMISSION.** Air pollution discharge into the atmosphere, usually specified by mass per unit time.

**ENDANGERED SPECIES.** Those species of plants or animals classified by the Secretary of the Interior or the Secretary of Commerce as endangered pursuant to Section 4 of the Endangered Species Act of 1973, as amended. See also Threatened and Endangered Species.

**ENHANCED RECOVERY.** The use of artificial means to increase the amount of hydrocarbons that can be recovered from a reservoir. A reservoir depleted by normal extraction practices usually can be restored to production by secondary or tertiary methods of enhanced recovery.

**ENTRAINED PARTICULATES.** Particulates contained within auto exhaust; mainly made of carbons.

**EPHEMERAL STREAM.** A stream that flows only after a storm or during snowmelt, and whose channel is, at all times, above the water table.

**EPOCH.** An interval of time based on similar rock formations and fossil groups. Used primarily as subdivisions of the Tertiary and Quaternary Periods.

**EXPLORATION.** Building a two-track road to drill test wells for coalbed methane. See also **development**.

**EXPLORATION WELL.** A well drilled in an area where there is no oil or gas production. Same as a "wildcat" well.

**FAULT.** A fracture surface in rocks along which movement of rock on one side has occurred relative to rock on the other side.

**FLOODPLAIN.** The relatively flat area or lowlands adjoining a body of standing or flowing water that has been or might be covered by floodwater.

**FLOW LINE.** A small diameter pipeline through which fluids move on lease before being sold.

**FORAGE.** Forms of vegetation available for animal consumption.

**FORB.** A broad-leaved herb that is not grass or grasslike.

**FORMATION (GEOLOGIC).** A rock body distinguishable from other rock bodies and useful for mapping or description. Formations may be combined into groups or subdivided into members.

**FRAC FLOWBACK.** During the drilling process, fluid or product returns along fractures in the rock to the point where it is difficult to control; for example, flowback from a point high in the borehole or at the ground surface away from the boring.

**FUGITIVE DUST.** Airborne particles emitted from any source other than through a controllable stack or vent.

**GABIONS.** A hollow cylinder of wickerwork or strap iron constructed like a basket, filled with stones and sunk to form a bar, dike, or similar structure.

**GEOMORPHIC.** Pertaining to the form of the earth or its surface features.

**GROUND COVER.** Vegetation, mulch, litter, or rocks.

**GROUNDWATER.** Subsurface water that is in the zone of saturation. The top surface of the groundwater is the "water table." Source of water for wells, seepage, and springs.

**GULLYING.** The erosion process whereby water accumulates in narrow channels and, over short periods, removes the soil from the narrow area to considerable depths, ranging from 2 feet to as much as 80 to 100 feet deep.

**GULLY PLUG.** Any form of material placed in an existing gully to reduce the erosional effects of moving water and thereby starting a healing process of the gully.

**HABITAT.** In wildlife management, the major elements of habitat are considered to be food, water, cover, and living space.

**HAZARDOUS WASTE.** (A) Any substance designated pursuant to section 311(b)(2)(A) of the Federal Water Pollution Control Act. (B) Any element, compound, mixture, solution, or substance designated pursuant to section 102 of this Act. (C) Any hazardous waste having the characteristics identified under or listed pursuant to section 3001 of the Solid Waste Disposal Act (but not including any waste the regulation of which under the Solid Waste Disposal Act has been suspended by Act of Congress. (D) Any toxic pollutant listed under section 307(a) of the Federal Water Pollution Control Act. (E) Any hazardous air pollutant listed under section 112 of the Clean Air Act. (F) Any imminently hazardous chemical substance or mixture with respect to which the Administrator has taken action pursuant to section 7 of the Toxic Substances Control Act. The term does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a hazardous substance under subparagraphs (A) through (F) of this paragraph, and the term does not include natural gas, natural gas liquids, liquefied natural gas, or synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas).

**HYDROGEN SULFIDE or H<sub>2</sub>S.** A colorless, highly flammable, and very toxic gas that smells like rotten eggs at low concentrations. At higher concentrations, the sense of smell is lost, therefore becoming impossible to perceive dangerous concentrations.

**INFILTRATION.** The flow of a fluid into a solid substance through pores or small openings; specifically, the movement of water into soil or porous rock.

**INJECTION WELL.** A well used to inject fluids into an underground formation to increase reservoir pressure.

**INTERMITTENT STREAM.** A stream that flows most of the time but occasionally is dry or reduced to pool stage when losses from evaporation or seepage exceed the available streamflow.

**LAND AND WATER CONSERVATION FUNDS.** Federal revenues generated by a tax on federal off-shore oil and gas development through the Land and Water Conservation Fund Act; used to acquire highly desirable lands for the United States by the various governmental agencies.

## GLOSSARY

**LEASABLE MINERALS.** Federal minerals subject to lease under the Mineral Leasing Act of 1920, as amended, and supplemented. Includes minerals, such as oil, gas, coal, geothermal, tar sands, oil shale, potassium, phosphate, sodium, asphaltic materials.

### **LEASE.**

1. A legal document that conveys to an operator the right to drill for oil and gas.
2. The tract of land, on which a lease has been obtained, where producing wells and production equipment are located.

**LEASE NOTICE.** Provides more detailed information concerning limitations that already exist in law, lease terms, regulations, or operational orders. A lease notice also addresses special items the lessee should consider when planning operations, but does not impose new or additional restrictions. Lease notices attached to leases should not be confused with NTLs (Notices to Lessees).

**LEK.** A traditional breeding area for grouse species where territorial males display and establish dominance.

**LIGNITE.** A brownish-black coal that is intermediate between peat and subbituminous coal.

**LITHIC SCATTER.** The waste material, chips, and flakes resulting from stone tool manufacture.

**LOAMY.** Soil that is intermediate in texture and properties between sandy and clayey soils. Textural classes are sandy loam, fine sandy loam, very fine sandy loam, loam, silt loam, sandy clay loam, and clay loam with clay content between 18 and 35 percent.

**LOCALITY.** The area where paleontologic material is discovered.

**LOCATABLE MINERALS.** Minerals or materials subject to disposal and development through the Mining Law of 1872 (as amended). Generally includes metallic minerals such as gold and silver and other materials not subject to lease or sale.

**MESIC AREA.** A habitat having a moderate amount of moisture available for the support of plant life.

**MINERAL MATERIALS.** Widespread deposits of common clay, sand, gravel, or stone that are not subject to disposal under the 1872 Mining Law, as amended.

**MITIGATION MEASURES.** Methods or procedures developed for the purpose of reducing or lessening the impacts of an action.

**MONITORING.** Specific studies that evaluate the effectiveness of actions taken toward achieving management objectives.

**NATIONAL AMBIENT AIR QUALITY STANDARDS OR NAAQS.** The allowable concentrations of air pollutants in the air specified by the federal government. The air quality standards are divided into primary standards (based on air quality criteria and allowing an adequate margin of safety requisite to protect the public health) and secondary standards (based on air quality criteria and allowing an adequate margin of safety to protect the public welfare from any unknown or expected adverse effects of air pollutants).

**NO SURFACE OCCUPANCY.** Use or occupancy of the land surface for fluid mineral exploration or development is prohibited to protect identified resource values.

**NORTHERN CHEYENNE RESERVATION.** The Northern Cheyenne Reservation as established by Executive Orders of November 26, 1884 and March 19, 1900.

**NOTICE TO LESSEES (NTL).** The NTL is a written notice issued by the Authorized Officer. NTLs implement regulations and operating orders, and serve as instructions on specific item(s) of importance within a State, District, or Area.

**PARENT MATERIAL.** The unconsolidated and chemically-weathered mineral or organic matter from which the horizons of soils develop by natural processes.

**PARTICULATE MATTER.** A particle of soil or liquid matter (e.g., soot, dust, aerosols, fumes and mist).

**PERENNIAL STREAM.** A permanent stream that flows 9 months or more out of the year.

**PERMEABILITY.** The ease with which gases, liquids or plant roots pass through a layer of soil. Accepted as a measure of this property is the rate at which soil transmits water while saturated, and may imply how well water passes through the least permeable soil layer.

**pH.** A measure of acidity or alkalinity. A solution with a pH of 7 is neutral, pH greater than 7 (to 14) is alkaline, and a pH less than 7 (to 0) is acidic.

**PLANNING AREA.** For this supplemental environmental impact statement, the planning area is the Billings and Powder River RMP areas. This is the 13-county area within which the BLM has CBNG development interest.

**POST-FLPMA LEASES.** Oil and gas leases issued after the passage of the Federal Land Policy and Management Act of 1976. Where occurring in Wilderness Study Areas, these leases have no valid existing rights and could not impair wilderness values.

**POTENTIAL NATURAL COMMUNITY.** The biotic community that would become established if all successional sequences were completed without interferences under the present environmental conditions.

**PARTS PER MILLION (PPM).** A measurement to identify the amount of particulates in air or water.

**POD.** Describes the general location of a series of wells that tap individual coal seams within a single 80-acre spacing unit. For example, within the Powder River Basin, three coal seams are layered beneath the surface. On the surface, an operator may drill three separate wells to different depths to tap these individual seams. The wells may be located within 20 feet of each other, representing a pod of wells.

**PRAIRIE DOG COLONY COMPLEX.** A group of prairie dog colonies distributed so that individual black-footed ferrets can migrate among them commonly and frequently. This distance has been determined to be 7 kilometers (4.4 miles).

**PRE-FLPMA LEASES.** Oil and gas leases issued prior to the passage of the Federal Land Policy and Management Act of 1976. Where occurring in Wilderness Study Areas, these leases have valid existing rights which allow development even if wilderness values may be impaired.

**PREVENTION OF SIGNIFICANT DETERIORATION OR PSD.** A regulatory program under the Clean Air Act (Public Law 84-159, as amended) to limit air quality degradation in areas currently achieving the National Ambient Air Quality Standards. The PSD program established air quality classes in which differing amounts of additional air pollution is allowed above a legally defined baseline level. Almost any additional air pollution would be considered significant in PSD Class I areas (certain large national parks and wilderness areas in existence on August 7, 1977, and specific Tribal lands redesignated since then). PSD Class II areas allow that deterioration associated with

moderate, well-controlled growth (most of the country).

**Class I.** An area that allows only minimal degradation above "baseline." The Clean Air Act designated existing national parks over 6,000 acres and national wilderness areas over 5,000 acres in existence on August 7, 1977, as mandatory Federal Class I Areas. These areas also have special visibility protection. In addition, four tribal governments have redesignated their lands as Class I Areas.

**Class II.** An area that allows moderate degradation above "baseline." Most of the United States (outside nonattainment areas) is Class II.

**Class III.** Any area that allows the maximum amount of degradation above "baseline." Although the U.S. Congress allows air quality regulatory agencies to redesignate Class II lands to Class III, none have been designated.

**PRODUCED WATER.** Water produced from oil and gas wells.

**RAPTOR.** Bird of prey with sharp talons and strongly curved beaks (hawks, falcons, owls, and eagles).

**RECLAMATION.** Rehabilitation of a disturbed area to make it acceptable for designated uses. This normally involves regrading, replacement of topsoil, revegetation, and other work necessary to restore it for use.

**RESERVE PIT.**

1. Usually an excavated pit that may be lined with plastic, that holds drill cuttings and waste mud.
2. Term for the pit that holds the drilling mud.

**RIGHT-OF-WAY GRANT.** A document authorizing a nonpossessory, nonexclusive right to use federal lands for the limited purpose of construction, operation, maintenance, and termination of a pipeline, road, or powerline.

**RILL.** Small, conspicuous water channel or rivulet that concentrates runoff; usually less than 6 inches deep.

**RIPARIAN/WETLAND AREA.** An area of land directly influenced by permanent water. It has visible vegetation or physical characteristics reflective of permanent water influence. Lakeshores, streams and permanent springs are typical riparian areas.

## GLOSSARY

Excluded are such sites as ephemeral streams or washes that do not exhibit the presence of vegetation dependent upon free water in the soil.

**ROAD.** A vehicle route that has either been improved and maintained by mechanical means to ensure relatively regular and continuous use, or been established where vehicle travel has created two parallel tracks lacking vegetation.

**SALINITY.** A measure of the salts dissolved in water. See **alkalinity**.

**SEDIMENT.** Soil, rock particles and organic or other debris carried from one place to another by wind, water, gravity, ice, or other geologic agent.

**SEDIMENTARY ROCK.** A layered rock resulting from the consolidation of sediment, such as shale, sandstone, and limestone.

**SEISMIC OPERATIONS.** Use of explosive or mechanical thumpers to generate shock waves that can be read by special equipment to give clues to subsurface conditions.

**SENSITIVE SPECIES.** Species designated by a State Director, usually in cooperation with the State agency responsible for managing the species and State Natural heritage programs, as sensitive. They are those species that: (1) could become endangered in or extirpated from a state, or within a significant portion of its distribution; (2) are under status review by the FWS and or NOAA Fisheries; (3) are undergoing significant current or predicted downward trends in habitat capability that would reduce a species' existing distribution; (4) are undergoing significant current or predicted downward trends in population or density such that federal listed, proposed, candidate, or State listed status may become necessary; (5) typically have small and widely dispersed populations; (6) inhabit ecological refugia or other specialized or unique habitats; or (7) are State listed but which may be better conserved through application of BLM sensitive species status.

**SERIAL COMMUNITY.** One of a series of plant communities that follow one another in time on any given area.

**SERIAL STAGE.** A potential plant community made up of a mix of trees and shrubs.

**SHALLOW COAL SEAM.** Those coal seams that are too shallow to drill to directionally given the area geology and spacing limitations.

**SHEET EROSION.** The detachment of soil material from the land surface by raindrop impact and its subsequent removal by runoff.

**SHUT IN.** To close the valves on a well so it ceases production.

**SHRUB.** A low, woody plant, usually with several stems; may provide food and/or cover for wildlife.

**SODIUM ABSORPTION RATIO.** An expression of relative activity of sodium ions in exchange reactions with soil, indicating the sodium or alkali hazard to soil. It is a particularly important measure in waters used for irrigation purposes.

**SODIUM-AFFECTED SOIL.** A nontechnical term for sodic soil (also called alkali soil) that contains sufficient sodium to interfere with the growth of most crop plants and in which the exchangeable sodium percentage is 15 or higher. It is also a generic way of describing nonsaline-alkali soil or saline-alkali soil.

**SOIL DEPTH CLASSES.** Classes overlap from 0 to 60 or more inches with specific depths as follows: very shallow 0-10 inches, shallow from 5-30 inches, moderately deep from 20-50 inches, deep from 30-60 inches, and very deep from 50 to more than 60 inches.

**SOIL SERIES.** The lowest category of soil classification, being a subdivision of a family and consisting of soils which are essentially alike in all major profile characteristics except in the texture of the "A" horizon (or surface layer).

**SOIL SURVEY.** The systematic examination, description, classification, and mapping of soils in an area, usually a county. Soil surveys are classified according to the level of detail of field examination. Order I is the most detailed, then Order II, on to Order V which is the least detailed. Most BLM soil surveys are Order II or III.

**SOLID WASTE.** Any solid, semi-solid, liquid, or contained gaseous material that is intended for disposal.

**SOUR WELL.** A condition caused by the presence of hydrogen sulfide in an oil or gas well.

**SPACING UNIT.** The number of acres that one oil or gas well will efficiently drain. The Montana Oil and Gas Commission establishes the size of spacing units for each oil and gas field.

**SPECIAL STATUS SPECIES.** Includes the following; (1) species that have been officially proposed for listing as threatened or endangered by the Secretary of the Interior, (2) species officially listed as threatened or endangered by the Secretary of the Interior under the provisions of the ESA, (3) species designated as candidates for listing as threatened or endangered by the FWS or NOAA Fisheries, (4) species listed by a State in a category implying but not limited to potential endangerment or extinction, (5) sensitive species as designated by a state director.

**SPECIES OF SPECIAL INTEREST OR CONCERN.** Plant or animal species not yet listed as endangered or threatened but that are undergoing status review by a federal or state agency. This may include plant or animal species whose populations could become extinct by any major habitat change. A species that is particularly sensitive to some external disturbance factors.

**SPLIT ESTATE.** Surface and minerals of a given area in different ownerships. Frequently, the surface is privately-owned while the minerals are federally-owned.

**SPUDDING.** To begin drilling; to start the hole.

**STEEP SLOPE.** Slope greater than 30 percent.

**STEP OUT WELL.** A well drilled some distance from a proven well to determine the limits of the oil or gas reservoir.

**STIPULATION.** A condition or requirement attached to a lease or contract, usually dealing with protection of the environment, or recovery of a mineral.

**STRUCTURAL IMPROVEMENTS.** Improvements such as fences, reservoirs, springs, pipelines, waterspreaders, wells, water troughs, land treatments and instream structures. These improvements are for the livestock grazing, wildlife, recreation, watershed and soils programs.

**STRUTTING GROUND.** An area used in the spring by sage grouse for courtship displays and breeding. Synonymous with the term "lek."

**SUBBITUMINOUS.** A black coal, intermediate in rank between lignite and bituminous coal. Distinguished from lignite by higher carbon and lower moisture content.

**SULFUR DIOXIDE OR SO<sub>2</sub>.** A colorless gas formed when sulfur oxidizes, often as a result of burning trace amounts of sulfur in fossil fuels.

**SWEET WELL.** An oil or gas well lacking any significant amounts of hydrogen sulfide.

**SYNCLINES.** A downward, trough-shaped configuration of folded, stratified rocks.

**TERRACE DEPOSITS.** A terrace is one of a series of level surfaces in a stream valley, flanking and more or less parallel to the stream channel. It is above the level of the stream, and represents the dissected remnants of an abandoned flood plain, stream bed, or valley floor produced during a former stage of erosion or deposition.

**TOTAL DISSOLVED SOLIDS (TDS).** The dry weight of dissolved material, organic and inorganic, contained in water.

**TMDL (Total Maximum Daily Load).** A TMDL is the total amount of a pollutant that a water body may receive from all sources without exceeding water quality standards. A TMDL can also be defined as a reduction in pollutant loading that results in meeting water quality standards. The TMDL process was established under Section 303(d) of the Clean Water Act. A TMDL includes both a waste load allocation, which focuses on point sources, and a load allocation, which addresses non-point sources.

**TRANSMISSION LINE.** A large diameter pipeline through which oil or gas moves off lease after being sold.

**TURBIDITY.** An interference to the passage of light through water due to insoluble particles of soil, organic material, micro-organisms, and other materials.

**UNDERGROUND INJECTION CONTROL PROGRAM.** A program administered by the Environmental Protection Agency, primacy State, or Indian Tribe under the Safe Drinking Act to ensure that subsurface waste injection does not endanger underground sources of drinking water.

**UNDERSTORY VEGETATION.** Plants, usually grasses, forbs, and low shrubs, growing beneath the canopy of other plants.

**UNITIZATION.** Pooling of mineral acreages proposed by a company to facilitate the efficient development of a reservoir based on geology and reservoir characteristics of a producing formation or formations.

## GLOSSARY

### **UNNECESSARY OR UNDUE DEGRADATION.**

Conditions, activities, or practices that:

- (1) Fail to comply with one or more of the following: The performance standards in Sec. 3809.420 (43 CFR), the terms and conditions of an approved plan of operations, operations described in a complete notice, and other Federal and State laws related to environmental protection and protection of cultural resources;
- (2) Are not “reasonably incident” to prospecting, mining, or processing operations as defined in Sec. 3715.0-5 of this title;
- (3) Fail to attain a stated level of protection or reclamation required by specific laws in areas such as the California Desert Conservation Area, Wild and Scenic Rivers, BLM-administered portions of the National Wilderness System, and BLM-administered National Monuments and National Conservation Areas; or
- (4) Occur on mining claims or millsites located after October 21, 1976 (or on unclaimed lands) and result in substantial irreparable harm to significant scientific, cultural, or environmental resource values of the public lands that cannot be effectively mitigated.

**USABLE WATER.** Those waters containing up to 10,000 parts per million of total dissolved solids.

**VIEWSHED.** Landscape that can be directly seen under favorable atmospheric conditions, from a viewpoint or along a transportation corridor.

**WATER QUALITY.** The chemical, physical, and biological characteristics of water with respect to its suitability for a particular use.

**WATERSHED.** All lands which are enclosed by a continuous hydrologic drainage divide and lie upslope from a specified point on a stream.

**WELL COMPLETION.** See **completion**.

**WELL LIFE.** For the purposes of this plan the well life is defined as from the time the well is drilled until the final abandonment of the well is approved.

**WETLANDS.** Permanently wet or intermittently flooded areas where the water table (fresh, saline, or brackish) is at, near, or above the soil surface for extended intervals; where hydric wet soil conditions are normally exhibited, and where water depths generally do not exceed two meters.

**WILDCAT.** A well drilled in an area where no oil or gas production exists.

**WILDCAT WELL.** An exploratory well drilled in an area where there is no oil or gas production (see exploration well).

**WILDERNESS STUDY AREA (WSA).** An area determined to have wilderness characteristics. WSAs are submitted to the President and Congress for wilderness designation. These areas are an interim designation, valid until either designated as wilderness or released to multiple-use management.

**WORKOVER.** To perform one or more remedial operation on a producing well to increase production. Deepening, plugging back, pulling, and resetting the liner are examples of workover operations.

## BIBLIOGRAPHY

**Aaberg, S. and W. Tallbull**

1993. Northern Cheyenne Ethnobotany of the Tongue River Reservoir Area. Report for Morrison-Maierle Environmental, Helena, MT.

**ACHP**

1980. Treatment of Archeological Properties: A Handbook. American Cultural Heritage Program, Washington, D.C., 1980.

**Admin report BIA-3**

1975. Status of Mineral Resource Information for the Northern Cheyenne Indian Reservation, Montana Administrative Report BIA-3.

**Admin report BIA-7**

1975. Status of Mineral Resource Information for the Crow Indian Reservation, Montana Administrative Report BIA-7.

**Advanced Resources International**

2002. Memorandum to Peter Lagiovanne, "CBM-Type Wells for the Powder River Basin" June 2002.

**Agnew, W.**

1983. Flora and fauna associated with prairie dog ecosystems. M.S. Thesis. Colorado State University, Fort Collins, CO.

**Agnew, W., D.W. Uresk, and R.M. Hansen**

1986. Flora and Fauna Associated with Prairie Dog Colonies and Adjacent Ungrazed Mixed-Grass Prairie in Western South Dakota. *J. Range Manage.* 39:135-139.

**ALL**

- 2001a. Soils Technical Report, Montana statewide oil and gas environmental impact statement and amendment of the Powder River and Billings resource management plans. Prepared for the U.S. Department of the Interior, Bureau of Land Management, Miles City Field Office. ALL Consulting, Tulsa, OK.

**ALL**

- 2001b. Water Resources Technical Report, Montana statewide oil and gas environmental impact statement and amendment of the Powder River and Billings resource management plans. Prepared for the U.S. Department of the Interior, Bureau of Land Management, Miles City Field Office. ALL Consulting, Tulsa, OK.

**ALL**

2006. Air Quality Model Technical Support Document for the Supplement to the Statewide Final Oil and Gas Environmental Impact Statement and Amendment of the Powder River and Billings Resource Management Plans. Prepared for the U.S. Department of the Interior, Bureau of Land Management, Miles City Field Office. ALL Consulting, Tulsa, OK.

**Allen, K.L., T. Weaver, and D. Flath**

1994. Small mammals in Northern Rocky Mountain ecosystems. Unpubl. report to Bureau of Land Management and United States Forest Service, August 31, 1994. Montana State University, Bozeman, MT.

**American Fisheries Society (AFS)**

2005. Montana Chapter of the American Fisheries Society, Fish Species of Special Concern website. <http://www.fisheries.org/AFSMontana/SSC.htm>.

**American Ornithologists' Union (AOU)**

1983. Checklist of North American birds, 6th ed. American Ornithologists' Union, Washington, D.C.

**Anderson, D.W. and J.O. Keith**

1980. "The human influence on seabird nesting success: Conservation implications." *Biological Conservation* 18:65-80.

**AOU**

See American Ornithologists' Union.

**Apple, L.**

2005. Raptor Inventory and Monitoring Report, Bureau of Land Management, Miles City Field Office.

## BIBLIOGRAPHY

### Applied Hydrology Associates

2001. Cumulative Impacts of Coal Bed Methane Development on Water Quality in the Powder and Little Powder Rivers. August 16, 2001.

### Argonne National Laboratory

2002. Air Quality Impact Assessment Technical Support Document, Montana Statewide EIS/RMP Amendment of the Powder River and Billings Resource Management Plans. Prepared for the U.S. Department of the Interior, Bureau of Land Management, Montana State Office.

### ARI, Inc.

2002. PRB Reservoir Performance Model, report by Advanced Resources International, Inc. for US DOE, May, 2002.

### Armstrup, S.

1978. Activities and habitat use of pronghorns on Montana-Wyoming coal lands. Proc. Bienn. Pronghorn Ant. Workshop 8:270-306.

### Autenrieth, R.E.

1981. Sage grouse management in Idaho. Wildl. Bull. 9. Idaho Dep. Fish and Game, Boise.

### Ayers and Westcot

1985. Ayers, R.S., and D.S. Westcot, 1985 Water Quality for Agriculture, FAO Paper 29, Rev.1.Rome.

### Barton and Crispin

2003. Globally Significant Plants in Southeastern Big Horn and Southwestern Rosebud Counties, Montana. Montana Natural Heritage Program, Helena.

### Bauder, J.

2001. Final Report. Recommended In-Stream Standards, Thresholds, and Criteria for Irrigation or Water Spreading to Soils of Alluvial Channels, Ephemeral Streams, Floodplains, and Potentially Irrigable Parcels of Land Within the Boundaries of the Northern Cheyenne Reservation.

### Bauder, J.

1998. Salt problems common in Montana soils. MSU Extension Publication Newsletter. Bozeman, MT.

### Bauder, J.

1999. Coal Bed Methane Gas and Montana Water Quality. Unpublished document.

Extension Soil and Water Quality Specialist, Montana State University. Bozeman, Montana.

### Bauder, J.W.

2001. Recommended in-stream standards, thresholds and criteria for irrigation or water spreading to soils of alluvial channels, ephemeral streams, flood plains, and potentially irrigable parcels of land within the boundaries of the Northern Cheyenne Reservation. Montana State University. Bozeman, MT.

### Bayless, S.

1967. Winter range use of pronghorn antelope in central Montana. M.S. thesis. Montana State University, Bozeman, MT.

### Bell, M.C.

1986. *Fisheries handbook of engineering requirements and biological criteria*. Fish Passage Development and Evaluation Program. U.S. Army Corps of Engineers.

### Berry, J.D., and R.L. Eng

1985. Interseasonal movements and fidelity to seasonal use areas by female Sage Grouse. J. Wildl. Manage. 49:237-240.

### Bevanger, K.

1998. Biological and Conservation Aspects of Bird Mortality Caused by Electricity Power Lines: A Review. *Biological Conservation*. 86:67-76.

### BIA

See U.S. Bureau of Indian Affairs.

### Billings Gazette

2001. "Readers Weigh in on Coalbed Methane." *Billings Gazette*. February 25, 2001.

### Bjornn, T.C., and D.W. Reiser

1991. "Habitat requirements of salmonids in streams." In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. William R. Meehan, ed., U.S. Department of Agriculture, Forest Service. American Fisheries Society Special Publication 19. Bethesda, MD.

### Blend, J.

2001. Personal communication between Jeff Blend/Montana Department of Environmental Quality and Tim Burkhardt/CH2M HILL, April 4, 2001.

**BLM**

See USDI Bureau of Land Management

**Bobst**

2005a. 2004 Overview of Surface Water Monitoring Data for EC and SAR in the Tongue River Watershed. BLM Miles City Field Office, March 2005.

**Bobst**

2005b. 2004 Overview of Surface Water Monitoring Data for EC and SAR in the Powder River Watershed. BLM Miles City Field Office, September 2005.

**Bobst**

2006. Water Year 2005 Overview of Surface Water Monitoring Data for EC, SAR and Flow in the Tongue River Watershed. BLM Miles City Field Office.

**BOGC**

See Montana Board of Oil and Gas Conservation.

**Bohman, R.**

2001. Personal communication between Jon W. Seekins and Mr. Bohman, MDEQ, August 2001.

**Bradbury, J. W., R. M. Gibson, C. E. McCarthy, and S.I. Vehrencamp**

1989. Dispersion of displaying male sage grouse. II. The role of female dispersion. *Behavioral Ecology and Sociobiology* 24:15-24.

**Brady, N. C.**

1990. The nature and properties of soils. New York, McMillan Publishing Co., p. 47.

**Braun, C.E., O.O. Oedekoven, and C.L. Aldridge**

Oil and Gas Development in Western North America: Effects on Sagebrush Steppe Avifauna with Particular Emphasis on Sage-grouse. Available from URL [http://www.uppergreen.org/library/docs/NAmConf\\_Braun.pdf](http://www.uppergreen.org/library/docs/NAmConf_Braun.pdf).

**Brink, et al.**

2004. Tracking CBM Infiltration Pond Impacts Upon Groundwater Using Strontium Isotopes, CBNG Research Conference, Univ. of Wyoming, August 2004.

**Brittingham, M.C. and S.A. Temple**

1983. "Have cowbirds caused forest songbirds to decline?" *Bioscience*, 33:31-35.

**Bruns, E.H.**

1977. "Winger behavior of pronghorns in relation to habitat." *Journal of Wildlife Management*. 41:560-571.

**Busack, S.D. and R.B. Bury**

1974. "Some effects of off-road vehicles and sheep grazing on lizard populations in the Mojave Desert." *Biological Conservation*. 6(3):179-83.

**Calvert, W.R.**

1912a. The Livingston and Trail Creek Coal Fields, Park, Gallatin, and Sweetgrass Counties, Montana. In *Contributions to Economic Geology* 1910. U.S. Geological Survey Bulletin 471.

**Calvert, W.R.**

1912b. The Electric Coal Field, Park County, Montana. In *Contributions to Economic Geology* 1910. U.S. Geological Survey Bulletin 471.

**Campbell, T. M., III, and T. W. Clark**

1981. Colony characteristics and vertebrate associations of white-tailed and black-tailed prairie dogs in Wyoming. *Amer. Midl. Nat.* 105:269-276.

**Campen, E. and J. R. Gruber**

1991. Coal and Coalbed Methane Resources of Montana, Rocky Mountain Association of Geologists.

**Campen, B.**

1990. Exploring the coalbeds of Montana. *Western Oil World*. Pp. 24-26.

**Carlson, J.C. and S.V. Cooper**

2003. Plant and Animal resources and Ecological Condition of the Forks Ranch Unit of the Padlock Ranch, Big Horn County, Montana and Sheridan County, Wyoming. Report to the Padlock Ranch and Montana BLM. Montana Natural Heritage Program, Helena.

**Case, J.C., T. V. Edgar, and R. H. DeBruin**

2000. "Subsidence potential related to water withdrawal in the Powder River Basin," Wyoming State Geological Survey, Wyoming Geonotes (Number 68, December).

## BIBLIOGRAPHY

### **Chamberlin, T.W., R.D. Harr, and F.H. Everest**

1991. "Timber harvesting, silviculture, and watershed processes." In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. William R. Meehan, ed., U.S. Department of Agriculture, Forest Service. American Fisheries Society Special Publication 19. Bethesda, MD.

### **Chappell, K.**

2001. Personal communication between K. Chappell/Agriculture and Grazing Bureau Chief, Department of Natural Resources and Conservation, Helena, MT with David Epperly/ALL Consulting. April 23, 2001.

### **Choate, Raoul, C.A. Johnson, and J.P. McCord**

1984. Geologic overview, coal deposits, and potential for methane recovery from coalbeds—Powder River Basin. Rightmire, C.T., Eddy, G.E., and Kirr, J.N., eds., *Coalbed methane resources of the United States: AAPG Studies in Geology*. Ser. 17. Pp. 335-351.

### **Clark, T. W., T. M. Campbell III, D. G. Socha, and D. E. Casey**

1982. "Prairie dog colony attributes and associated species." *Great Basin Nat.* 42:572-582.

### **Clark, T. W., A. H. Harvey, R. D. Dorn, D. L. Genter, and C. Groves, eds.**

1989. Rare, sensitive, and threatened species of the Greater Yellowstone Ecosystem. Northern Rockies Conservation Cooperative, Montana Natural Heritage Program, The Nature Conservancy, and Mountain West Environmental Services.

### **Clark, W.F., Hemler, T.**

1992. Completing, equipping, and operating Fruitland Formation coal-bed methane wells in the San Juan Basin, New Mexico and Colorado. In Society of Petroleum Engineers. Coalbed methane. Soc. Petro. Eng., Richardson, TX. SPE Reprint Ser. No. 35. pp. 112-119.

### **CMS**

2000. Presentation to the Coal Bed Methane Coordination Group on October 18, 2000.

### **Coal Bed Methane Coordination Group**

2000. CMS Energy Presentation, Coal Bed Methane Coordination Group, October 18, 2000.

### **Coefield, J.**

2005. Personal communication between John Coefield/MDEQ and Jon Seekins/ALL Consulting. November 18, 2005.

### **Cole, E.K., M.D. Pope, and R.G. Anthony**

1997. "Effects of road management on movement and survival of Roosevelt elk." *Journal of Wildlife Management*. 61:1115-1126.

### **Colorado Oil and Gas Conservation Commission**

2000. Summary Report of Bradenhead Testing, Gas Well Remediation, and Ground water Investigation, San Juan Basin, La Plata County, Colorado. COGCC unpublished report, May 26, 2000.

### **Confluence Consulting**

2003. Biological, physical, and chemical integrity of selected streams in the Tongue River basin. Report prepared for the U.S. Department of the Interior, Bureau of Land Management, Miles City, MT.

### **Confluence Consulting**

2004. Powder River Biological Survey and Implications for Coalbed Methane Development. Report prepared for the Powder River Basin Resource Council, Sheridan, WY.

### **Confluence Consulting**

2005. Biological integrity of streams in the Tongue River basin and Rosebud Creek and implications for coalbed natural gas development. Report prepared for the U.S. Department of the Interior, Bureau of Land Management, Miles City, MT.

### **Connelly, J. W., and C. E. Braun**

1997. Long-term changes in sage grouse *Centrocercus urophasianus* populations in western North America. *Wildlife Biology*. 3/4:123-128.

### **Connelly, J. W., H. W. Browsers, and R. J. Gates**

1988. Seasonal movements of sage grouse in southeastern Idaho. *Journal of Wildlife Management*. 52:116-122.

**Connelly, J. W., and O.D. Markham**

1983. Movements and radionuclide concentrations of sage grouse in southeastern Idaho. *Journal of Wildlife Management*. 47:169-177.

**Connelly, J.W., Reese, K.P., Garton, E.O., & Commons-Kemmer, M.L.**

2003. Response of greater sage-grouse *Centrocercus urophasianus* populations to different levels of exploitation in Idaho, USA. *Wildl. Biol.* 9:255-260.

**Connelly, J. W., M. A. Schroeder, A. R. Sands, and C. E. Braun**

2000. Guidelines to manage sage grouse populations and their habitats. *Wildlife Society Bulletin*. 28(4):967-985.

**Coplen, T. B.**

1994. "Reporting of stable hydrogen, carbon, and oxygen isotopic abundances." *Pure Appl. Chem.* 66, 273-276.

**Council on Environmental Quality (CEQ)**

2002. CEQ NEPAnet: Guidance for preparing documents under the National Environmental Policy Act. <http://ceq.eh.doe.gov/nepa/nepanet.htm>. Executive Office of the President, Washington, D.C. September 10, 2002.

**Coyner, J.**

1989. Status check on reported historic populations of *Spiranthes diluvialis*. Memorandum, U.S. Fish and Wildlife Service, Salt Lake City, UT.

**Coyner, J.**

1990. Report for population study *Spiranthes diluvialis*. Unpublished report. Bureau of Land Management and Red Butte Gardens, University of Utah, Salt Lake City, UT.

**Crockett, F.**

2001. DOI, BLM, RMG Casper, WY, personal communication between Fred Crockett, Casper BLM, and Charles Laakso, MCFD, February 2001.

**Crockett, F. and J. Meyer**

2001. Update and revision of interim drainage report on coalbed methane development and drainage of federal land in the South Gillette area, Campbell and Converse counties, Wyoming. T. 40-50 N., R 70-75 W. BLM Wyoming State Office-Reservoir Management Group. Casper Field Office. Casper, WY.

**Crow Tribe of Indians, Crow Conservation District, Big Horn Conservation District, and USDA Natural Resources Conservation Service**

1997. Crow Tribe and Big Horn County Resource Assessment.

**Crow Tribe of Indians**

1999. Constitution and Bylaws of the Crow Tribe of Indians, Crow Indian Reservation, Crow Agency, Montana.

**Crow Tribe of Indians**

2001. Application to EPA for Water Quality Standards Program, Draft, Crow Indian Reservation, Crow Agency, Montana. July 15, 2001.

**Crow Tribe of Indians**

2002. Crow Indian Reservation: Natural, Socio-Economic, and Cultural Resources Assessment and Conditions Report. April 2002. Crow Agency, MT.

**Dalke, P. D., D. B. Pyrah, D. C. Stanton, J. E. Crawford, and E. F. Schlatterer.**

1963. Ecology, productivity, and management of sage grouse in Idaho. *Journal of Wildlife Management*. 27:810-841.

**Darrow, G.**

1954. The Bearcreek coal field. Richards, P.W., ed., *Pryor Mountains-Northern Bighorn Basin, Montana Fifth Annual Field Conference: Billings Geological Society Guidebook, September 9-11, 1954*. Pp. 130-132.

**Davis, L.**

1995. A handbook of constructed : a guide to creating wetlands for: agricultural waste, wastewater, domestic wastewater, coal mine drainage, stormwater in the Mid-Atlantic Region. Vol. 1. General considerations. U.S. Environmental Protection Agency, Wash., D.C. 46 p.

## BIBLIOGRAPHY

### **Deaver, S., and B. Tallbull**

1991. Potential Cultural Effects to the Northern Cheyenne from the Proposed Tongue River Railroad Extension. Ethnoscience for Interstate Commerce Commission, Billings, MT.

### **Dechant, J. A., M. L. Sondreal, D. H. Johnson, L. K. Igl, C. M. Goldade, M. P. Nenneman, and B. R. Euliss**

1998. Effects of management practices on grassland birds: Grasshopper Sparrow. Northern Prairie Wildlife Research Center, Jamestown, ND. (<http://www.npwr.usgs.gov/>)

### **DeWalle, D.R.; Galeone, D.G.**

1990. One-time dormant season application of gas well brine on forest land. J. Environ. Qual. 19:288-295.

### **DeLapp, W.**

2006. Personal communication between William DeLapp/J. M. Huber Corp. and Bruce Langhus/ALL Consulting. May, 2006.

### **Dwight's Well Data**

2001. Petroleum Information/Dwights LLC, [www.pidwights.com](http://www.pidwights.com). The site may contain the copyrighted property of HIS Energy Group, © 2001, HIS Energy Group, All Rights Reserved.

### **Egoscuer, H.J.**

1979. *Vulpes velox*. Mammalian Species 122:1-5.

### **Ellis, M.S., G.D. Stricker, R.M. Flores, and L.R. Bader.**

1998. Sulfur and ash in Paleocene Wyodak-Anderson coal in the Powder River Basin, Wyoming and Montana, Proc. 23rd Internl. Tech. Conf. on Coal Utilization, March 1998.

### **Ellis, M.S., G.L. Gunther, A.M. Ochs, S.B. Roberts, E.M. Wilde, J.H. Schuenemeyer, H.C. Power, G.D. Stricker, and D. Blake**

- 1999a. Coal resources, Powder River Basin. In: U.S. Geological Survey Professional Paper 1625-A.

### **Ellis, M.S., G.L. Gunther, R.M. Flores, A.M. Ochs, G.D. Stricker, S.B. Roberts, T.T. Taber, L.R. Bader, and J.H. Schuenemeyer.**

- 1999b. Preliminary report on coal resources of the Wyodak-Anderson coal zone, Powder River Basin, Wyoming and

Montana, U.S. Geological Survey Open-File Report 98-789A.

### **Elser, A. A., Mark W. Gorges, and Lani M. Morris**

1980. Distribution of fishes in southeastern Montana. Cooperatively compiled by Montana Department of Fish, Wildlife and Parks and the U.S. Department of the Interior, Bureau of Land Management. Revised edition, October 1980.

### **Energy Laboratories, Inc.**

2001. Whole Effluent Toxicity Testing Results of Tongue River Produced Water. Billings, Montana. March 2001.

### **Eng, R. L. and P. Schladweiler**

1972. "Sage grouse winter movements and habitat use in Central Montana." *Journal of Wildlife Management*. 36(1):141-146.

### **ENSR**

- 2005a. Task 1A Report for the Powder River Basin Coal Review Current Air Quality Conditions. Prepared for the BLM Casper Field Office and Wyoming State Office. July 2005.

### **ENSR**

- 2005b. Task 3A Report for the Powder River Basin Coal Review Cumulative Air Quality Effects Prepared for the BLM Casper Field Office and Wyoming State Office.

### **Environmental News Network.**

2001. Coalbed methane boom in Wyoming's Powder River Basin. ENN, Thursday, Oct. 18, 2001.

### **Estes, J. R., R. J. Tyrl, and J. N. Brunken, eds.**

1982. Grasses and grasslands: systematics and ecology. University of Oklahoma Press, Norman, OK. 312 pp.

### **Eustace, C.**

2001. Montana Fish, Wildlife, and Parks, personal communication with Chuck Blair, September 2001.

### **Evans, D. L.**

1982. Status reports on twelve raptors. U.S. Department of the Interior, Fish and Wildlife Service, Special Scientific Report No. 238.

**Federal Register**

1983. Volume 48, Number 41, Department of Interior Part III. National Registry of Natural Landmarks, National Park Service, Public Notice. pp-8682-8704. March 1, 1983.

**Federal Register**

2001. Volume 66, Number 2, Effluent Limitations Guidelines, Pretreatment Standards, and New Source Performance Standards. January 3, 2001.

**Fernandez, C.**

2001. "The choice of nesting cliffs by golden eagles *Aquila chrysaetos*: the influence of accessibility and disturbance by humans." *Alauda*. 61:105-110.

**Fetter, C.W.**

1994. *Applied Hydrogeology*, Third Edition. University of Wisconsin. Macmillan College Publishing Company.

**Fidelity**

2001. Personal Communication with Mr. Bruce Williams of Fidelity Exploration and Production Company, Regarding coal dust suppression and the use of CBM produced water, August 2001.

**Fidelity**

2003. CX Field – 2002 Annual Groundwater Monitoring Report, Fidelity Exploration & Production Company. March 2003.

**Fidelity**

2004. CX Field – 2003 Annual Groundwater Monitoring Report, Fidelity Exploration & Production Company. March 2004.

**Fidelity**

- 2005a. CX Field – 2004 Annual Groundwater Monitoring Report, Fidelity Exploration & Production Company. March 2005.

**Fidelity**

- 2005b. Tongue River – Coal Creek Plan of Development Environmental Assessment, Fidelity Exploration & Production Company for the BLM Miles City Office. January 2005.

**Fidelity**

2006. CX Field – 2005 Annual Groundwater Monitoring Report, Fidelity Exploration & Production Company. March 2006.

**Fischer, R. A., A. D. Apa, W. L. Wakkinen, K. P. Reese, and J. W. Connelly**

1993. Nesting-area fidelity of sage grouse in southeastern Idaho. *Condor* 95:1038-1041.

**Fischer, R. A.**

1994. The effects of prescribed fire on the ecology of migratory sage grouse in southeastern Idaho.

**Fisher, F. B., J. C. Winne, M. M. Thornton, T. P. Tady, Z. Ma, M. M. Hart, and R. L. Redmond**

1998. Montana land cover atlas. Unpublished report. Montana Cooperative Wildlife Research Unit, The University of Montana, Missoula, MT.

**Flath, D. L.**

1991. Species of special interest or concern (draft report). Montana Department of Fish, Wildlife and Parks.

**Flores, R.M. and L.R. Bader.**

1999. Fort Union coal in the Powder River Basin, Wyoming and Montana: a Synthesis, in USGS Prof. Paper 1625-A.

**Flores, R., G. Stricker, J. Meyer, T. Doll, P. Norton, R. Livingston, and M. Jennings**

2001. A Field Conference on Impacts of Coal Bed Methane Development in the Powder River Basin, Wyoming, USGS Open-File Report 01-126.

**Fort Belknap Indian Community**

2001. Fort Belknap Indian Community Web Page. <http://www.mnisose.org/profiles/ftbelnp.htm>. <April 25, 2001>.

**Fox, Douglas G.; Bartuska, Ann M.; Byrne, James G.; and others**

1989. A screening procedure to evaluate air pollution effects on Class I wilderness areas/ Gen. Tech. Rep. RM-168. Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO.

**Free Indian News Web page**

2001. <http://www.freeindiannews.com/page1085.html>, Crow Tribal Information.

**Furniss, M.J., T.D. Roelofs, and C.S. Yee**

1991. "Road construction and maintenance." In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. William R. Meehan, ed., U.S. Department of Agriculture, Forest

## BIBLIOGRAPHY

- Service. American Fisheries Society Special Publication 19. Bethesda, MD.
- FWS**  
See USDI, Fish and Wildlife Service.
- Fyfe, R.W. and R.R. Olendorff**  
1976. Minimizing the dangers of nesting studies to raptors and other sensitive species. Canadian Wildlife Service, Information Canada. Catalogue No. CW69-1/23. Ottawa.
- Fuhlendorf, S.D., A.J.W. Woodward, D.M. Leslie, Jr., and J.S. Shackford**  
2002. Multi-Scale Effects of Habitat Loss and Fragmentation on Lesser Prairie-Chicken Populations of the US Southern Great Plains. *Landscape Ecology*. 17:617-628.
- Gates, R.J.**  
1983. Sage grouse, lagomorph and pronghorn use of a sagebrush-grassland burn site of the Idaho National Engineering Laboratory. M.S. Thesis, Montana State Univ., Bozeman, MT.
- Gelbard, J.L. and J. Belnap**  
2003. Roads as Conduits for Exotic Plant Invasions in a Semiarid Landscape. *Conservation Biology*. 17:420-432.
- Gibbs, J.P.**  
1998. "Amphibian movements in response to forest edges, roads, and streambeds in southern New England." *Journal of Wildlife Management*. 62(2):1998.
- Gill, R.B.**  
1965. Distribution and abundance of a population of sage grouse in North Park, Colorado. M.S. Thesis, Colorado State Univ. Fort Collins, CO.
- Glass, G. B., R. W. Jones, and R. H. De Bruin**  
1987. Investigation of the Potential for Near-Surface Explosive Concentrations of Methane to Occur in the Rawhide Village Subdivision, Campbell County, Wyoming. Unpublished report. Wyoming State Geological Survey Report for the Wyoming Department of Environmental Quality.
- Gray, I.**  
1987. Reservoir Engineering in Coal Seams: Part 1 – The Physical Process of Gas Storage and Movement in Coal Seams, SPERE, pp. 28-34, February, 1987.
- Greystone Environmental Consultants, Inc.**  
2002. Surface Water Quality Analysis Technical Report, Denver, Colorado, November 2002.
- Greystone Environmental Consultants, Inc.**  
2004a. Raptor survey and inventory for Big Horn County, Montana. Prepared for the U.S.D.I. Bureau of Land Management, Miles City Field Office. September 2004.
- Greystone Environmental Consultants, Inc.**  
2004b. Mountain plover habitat evaluation and survey; black-tailed prairie dog survey - Big Horn, Powder River, and Rosebud Counties, Montana. November 2004.
- GRI (Gas Research Institute)**  
2000. Coalbed Methane Potential of the U.S. Rocky Mountain Region, 3 pp. <http://www.gri.org/pub/content/nov/20001109/144821/gtfall2000-art01.htm>.
- Groot Bruinderink, G.W.T.A. and E. Hazebroek**  
1996. "Ungulate traffic collisions in Europe." *Conservation Biology*. 10:1059-1067.
- Grover, K.E. and M.J. Thompson**  
1986. "Factors influencing spring feeding site selection by elk in the Elkhorn Mountains, Montana." *Journal of Wildlife Management*. 50:466-470.
- Gutzwiller, K.J.**  
1991. Assessing recreational impacts on wildlife: The value and design of experiments. Transactions of the 56th North American Wildlife and Natural Resources Conference. 248-255.
- Haas, L.**  
2001. Personal communication between Laurie Haas, Resources Assistant/BLM Butte Field Office, and Dr. David Epperly/ALL Consulting, June 22, 2001.
- Hamlin, K. L.**  
1978. Population ecology and habitat relationships of mule deer and white-tailed deer in the prairie agricultural habitats of eastern Montana, Montana Deer Studies. Montana Department of Fish, Wildlife and Parks. Project W-120-R-10, Job Progress Report.
- Hanf, J. M., P. A. Schmidt, and E. B. Groshens.**  
1994. Sage grouse in the high desert of central Oregon: results of a study, 1988-1993. U.S. Department of Interior, Bureau of

- Land Management Series P-SG-01, Prineville, Oregon. 56 p.
- Hansen, J.**  
2001. Personal communication via email between J. Hansen/Montana Department of Fish, Wildlife and Parks (MFWP) and J. Ferguson/CH2M HILL. April 4, 2001.
- Hayden-Wing Associates**  
2002. Fidelity Exploration & Production Company, Montana 2002 and 2003 Drilling Area, Baseline Wildlife Inventory.
- Hayden-Wing Associates**  
2003. Black-footed ferret survey results. Prepared for Fidelity Exploration & Production Company.
- Hayden-Wing Associates**  
2004a. Fidelity Exploration & Production Company, Proposed Coal Creek POD, Big Horn County, Baseline Wildlife Inventory.
- Hayden-Wing Associates**  
2004b. Black-footed ferret survey results for Fidelity Exploration & Production Company, Pond Creek POD and Dry Creek POD.
- Hayden-Wing Associates**  
2005. Fidelity Exploration & Production Company, Coalbed Natural Gas Development Areas in Bighorn County, Montana, Wildlife Surveys – 2004.
- Hayden-Wing Associates**  
2006. Fidelity Exploration & Production Company, Coalbed Natural Gas Development Areas in Bighorn County, Montana, Wildlife Surveys – 2005
- Heffern, E. L.**  
1999. Methane Seepage and Coal Fires. Unpublished Report for Wyodak CBM Project EIS. Prepared for BLM Buffalo Field Office, Buffalo, WY.
- Heffern, E. L., D. A. Coates, and C. W. Naeser**  
1983. Distribution and age of clinker in the northern Powder River Basin, Montana. American Association of Petroleum Geologist Bulletin. V. 67. no. 8.
- Heidel B., C. Jean, and S. Crispin**  
2002. Plant Species of Concern and Plant Associations of Powder River County, Montana. Report to the Bureau of Land Management. Montana Natural Heritage Program, Helena, Montana.
- Hendricks, P., and J. D. Reichel**  
1996. Preliminary amphibian and reptile survey of the Ashland District, Custer National Forest: 1995. Montana Natural Heritage Program. Helena, MT.
- Herco-Hampton**  
1989. Northern Cheyenne Coalbed Methane Project. Billings, MT.
- Hill, D. G., et al.**  
2000. "Coalbed methane in the Rocky Mountain region: the old, the new, and the future." In: *Proceedings of the RMAG Conference on Coalbed Methane in the Rocky Mountains*. June 20-21, 2000. Denver, CO.
- HKM Associates**  
1972. Inventory of Water Resources, Northern Cheyenne Indian Reservation, Phase I – Water Resource Base: Billings, Montana.
- HKM Associates.**  
1973. Report on Inventory of Water Resources, Northern Cheyenne Indian Reservation, Montana, Off-Stream Storage Supplement to Phase I—Water Resource Base: Billings, Montana. May 1973.
- HKM Associates**  
1982. Shallow Ground Water Study, Northern Cheyenne Indian Reservation, Montana, Part I-Ground Water Basic Data, Northern Cheyenne Indian Reservation: Billings, Montana.
- Hodson, W.G., R.H. Pearl, S.A. Druse.**  
1973. Water resources of the Powder River Basin and adjacent areas, Northeastern Wyoming. USGS Hydrologic Invest. Atlas HA-A65.
- Hoffmann, R. S., and D. L. Pattie**  
1968. A guide to Montana mammals: identification, habitat, distribution, and abundance. University of Montana, Missoula, MT.
- Holloran, M.J. and S.H. Anderson.**  
2004. Greater sage-grouse population response to natural gas development in western Wyoming: Are regional populations affected by relatively localized disturbances? Transactions from the 70th N. Am. Wildl. and Nat. Res. Conf.

## BIBLIOGRAPHY

### Holloran, M.J.

2005. Greater Sage-Grouse (*Centrocercus urophasianus*) Population Response to Natural Gas Development in Western Wyoming. University of Wyoming. December 2005.

### Hopkins, R. B.

1984. "Avian species associated with prairie woodland types." In: Wooded draws: characteristics and values for the northern Great Plains. Daniel L. Noble and Robert R. Winokur, eds. Symposium proceedings, June 12 and 13, 1984. Great Plains Council Publication 111. South Dakota School of Mines and Technology, Rapid City, SD.

### Horpestad, A., D. Skaar, and H. Dawson

2001. Water Quality Technical Report: Water Quality Impacts from Coal Bed Methane Development in the Powder River Basin, Wyoming and Montana, Montana DEQ, Montana Fish Wildlife and Parks, and EPA Region 8.

### Houtcooper, W. C., D. J. Ode, J. A. Pearson, and G. M. Vandel III

1985. "Rare animals and plants of South Dakota." *Prairie Naturalist*. 17(3):143-165.

### Ingelfinger, F.M.

2001. The Effects of Natural Gas Development on Sagebrush Steppe Passerines in Sublette County, Wyoming. M.S. Thesis, Department of Zoology and Physiology, University of Wyoming, Laramie, WY.

### Ingles, L.G.

1965. Mammals of the Pacific States. Stanford, CA. Stanford University Press.

### Interstate Commerce Commission (ICC)

1992. Draft Environmental Impact Statement [Finance Docket No. 30186 (Sub-No. 2)]. Tongue River Railroad Company – Construction and Operation of an Additional Rail Line From Ashland to Decker, MT. Washington, D.C.: Interstate Commerce Commission, Office of Economics, Section of Energy & Environment, July 17, 1992.

### Jaeger, M.

2004. Montana species of concern, sauger. Montana Cooperative Fisheries Research Unit. <http://www.fisheries.org/AFSMontana/SCpages/>.

### Jarrett, A. R.

1995. Water management. Kendall, Iowa. Hunt Publishing Company.

### Jennings, W. F.

1989. Final report. Species studied: *Eustoma grandiflorum*, *Spiranthes diluvialis*, *Malaxis brachypoda*, *Hypoxis hirsuta*, *Physaria bellii*, *Aletes humilis*. Unpublished report prepared for the Nature Conservancy under the Colorado Natural History Small Grants Program. The Nature Conservancy, Boulder, CO.

### Jennings, W. F.

1990. Final report. Species studied: *Spiranthes diluvialis*, *Sisyrinchium pallidum*. Unpublished report prepared for The Nature Conservancy under the Colorado Natural History Small Grants Program. The Nature Conservancy, Boulder, Colorado. 29 pp.

### Jones, A.H., G.B. Bell, and R.A. Schraufnagel

1992. "A review of the physical and mechanical properties of coal with implications for coalbed methane well completion and production." In: Coal Bed Methane. S.A. Holditch et al., eds. Soc. of Petrol Eng. Reprint Series No. 35.

### Jones, R.W., R.H. De Bruin, and G.B. Glass

1987. Investigations of Venting Methane and Hydrogen Sulfide Gas at Rawhide Village, Campbell County, Wyoming. In: Wyoming Department of Environmental Quality. Rawhide II Project Report, Appendix I, Geology. Unpublished report. Wyoming Department of Environmental Quality, Cheyenne, Wyoming.

### Keister, G. P., and M. J. Willis.

1986. Habitat selection and success of sage grouse hens while nesting and brooding. Oregon Department of Fish and Wildlife, Progress Report W-87-R-2, Subproject 285, Portland, OR.

**Kemner, M. C. and B. Lowe**

2002. Sage grouse winter habitat—why we need multiple years of data collection. Presented at the annual meeting of the Idaho Chapter of The Wildlife Society. March 18–19, 2002. Idaho Falls, ID.

**Knick, S.T., D.S. Dobkin, J.T. Rotenberry, M.A. Schroeder, W. M. Vander Haegen, and C. Van Riper III.**

2003. Issues in Conservation: Teetering on the Edge or Too Late? Conservation and Research Issues for Avifauna of Sagebrush Habitats. *The Condor* 105:611-634. The Cooper Ornithological Society.

**Knight, R.L. and D.N. Cole**

1991. Effects of recreational activity on wildlife in wildlands. Transactions of the North American Wildlife and Natural Resources Conference.

**Koford, C. B.**

1958. "Prairie dogs, whitefaces, and blue grama." *Wild. Monogr.* 3:1-78.

**Kohn, S. C.**

1976. Sharp-tailed grouse nesting and brooding habitat in southwest North Dakota. M.S. Thesis, South Dakota State University, Brookings, SD.

**Lahti, T.**

2001. Personal communication between T. Lahti/BLM, Cheyenne, WY, and C. Blair/CH2M HILL, Boise, ID. July 23, 2001.

**Langhus, B.**

2001. Personal communication between Dr. B.G. Langhus/ALL Consulting with Tim Burkhardt/CH2M HILL. May, 2001.

**Langhus, B.**

2006. Summary of personal communications with CBNG Operators in the planning area by Bruce Langhus, PhD. March 9, 2006.

**Leeman, D., M. McKinley, and E. Heffern**

2005. Personal communication between Dan Leeman, Mike McKinley, Ed Heffern/BLM, and Dr. Bruce Langhus/ALL Consulting. November 11, 2005.

**Leythenhaeuser, D., and Welte, D**

1969. Relation between distribution of heavy *n*-paraffins and coalification in carboniferous coals of the SAAR district, Germany. In P. Schrenk and I. Havenaar (eds.), *Advances in Organic Geochemistry*, 1968. NYC, Pergamon Press, pp. 429-442.

**Likwartz, D.**

2005. Personal communication between Don Likwartz/WOGCC and Bruce Langhus/ALL Consulting. November, 2005.

**Little Coyote, J.**

2001. Comprehensive Economic Development Strategy. CEDS document. Prepared by the Economic Development Administration for the Northern Cheyenne Tribe, Lame Deer, MT.

**Luckenbach, R.A.**

1975. What the ORVs are doing to the desert. *Fremontia* 4:3-11.

**Luckenbach, R.A.**

1978. An analysis of off-road vehicle use on desert avifaunas. Transactions of the North American Wildlife and Natural Resources Conference. Wildlife Management Institute, Washington, DC, 43:157-162.

**Lyman, R. M. and Volkmer, John E.**

2001. Pyrophoricity (spontaneous combustion) of Powder River Basin coals—considerations for coalbed methane development, Coal Report CR 01-1, Laramie, Wyoming, March 2001: Wyoming State Geological Survey.

**Lyon, A. G.**

2000. The potential effects of natural gas development on sage grouse (*Centrocercus urophasianus*) near Pinedale, Wyoming. Thesis, University of Wyoming, Laramie.

**Lyon, L.J.**

1979. "Habitat effectiveness for elk as influenced by roads and cover." *Journal of Forestry*. 77:658-60.

**Lyon, L.J.**

1983. "Road density models describing habitat effectiveness for elk." *Journal of Forestry*. 81:592-595, 613.

## BIBLIOGRAPHY

### **Mackie, R.J.**

2004. Survey of Mule Deer on the Southern Portion of the Northern Cheyenne Reservation and Adjacent Public and Private Lands, April 27-29, 2004

### **Mader, H.J.**

1984. "Animal habitat isolation by roads and agricultural fields." *Biological Conservation*. 29:81-96.

### **Madison, C.**

2001. Personal Communication between ALL Consulting and Clark Madison/BIA Realty Office, Billings, MT. April 25, 2001.

### **Madsen, J.**

1985. "Impact of disturbance on field utilization of pink-footed geese in West Jutland, Denmark." *Biological Conservation*. 33:53-64.

### **Martin, N. S.**

1970. "Sagebrush control related to habitat and sage grouse occurrence." *Journal of Wildlife Management*. 34(2):313-320.

### **Mattson, D. J., and D. G. Despain**

1985. Grizzly bear habitat component mapping handbook for the Yellowstone ecosystem. Interagency Grizzly Bear Study Team: National Park Service and U.S. Forest Service, May 1985.

### **MBMG**

See Montana Bureau of Mines and Geology.

### **MBOGC**

See Montana Board of Oil and Gas Conservation.

### **McLellan, M.W., Biewick, L.R.H., Molnia, and Pierce, F.W.**

1990. Cross sections showing the reconstructed stratigraphic framework of Paleocene rocks and coalbeds in the northern and central Powder River Basin, Montana and Wyoming. USGS Misc. Invest., Map I-1959-A.

### **McCracken, J. G. and Daniel W. Uresk**

1984. "Big game habitat use in southeastern Montana." *The Prairie Naturalist*. 16(3):135-139.

### **MDEQ**

See Montana Department of Environmental Quality.

### **MDNRC**

See Montana Department of Natural Resources and Conservation.

### **Meehan, W.R., ed.**

1991. In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. American Fisheries Society Special Publication 19.

### **Memphis State University**

1971. Effects of noise on wildlife and other animals. Washington D.C. U.S. Government Printing Office. NTID300.5.

### **Merriam G., M. Kozakiewicz, E. Tsuchiya, and K. Hawley**

1989. "Barriers as boundaries for metapopulations and demes of *Peromyscus leucopus* in farm landscapes." *Landscape Ecology*. 2:227-236.

### **Meyer, J.**

2000. Testimony before Wyoming Select Water Committee, Gillette, WY. November, 2000.

### **MFWP**

See Montana Department of Fish, Wildlife and Parks

### **Miller, M. et al.**

1977. Compilation of Hydrogeological data for Southeastern MT. MBMG Open File Report Hy77-1.

### **Miller, W.R.**

1981. Water resources of the Southern Powder River area, Southeastern Montana, MBMG, Memoir 47.

### **Milodrgovich, S.**

2001. Montana Power Company. Personal Communication with Larry Ran, BLM.

### **Montana Board of Oil and Gas Conservation**

1989. *Oil and gas drilling and production in Montana: Final programmatic environmental impact statement*. Prepared for the Board of Oil and Gas Conservation. Pursuant to Senate Bill 184, with assistance from the Office of the Governor, the Department of Health and Environmental Sciences, the Department of Fish, Wildlife and Parks,

- the Department of State Lands, and the Department of Natural Resources and Conservation.
- Montana Board of Oil and Gas Conservation**  
1999. Montana Board of Oil and Gas Annual Review, Oil and Gas Conservation Division, Department of Natural Resources and Conservation.
- Montana Board of Oil and Gas Conservation**  
2000. *Activity review—annual review for the year 1999*, Montana Bureau of Oil and Gas Conservation.
- Montana Board of Oil and Gas Conservation**  
2001a. Montana Bureau Of Oil and Gas Database, April 2001.
- Montana Board of Oil and Gas Conservation**  
2001b. CX Ranch second quarter production records, June 2001.
- Montana Board of Oil and Gas Conservation.**  
2002. Montana Board of Oil and Gas Conservation database, June 2002.
- Montana Board of Oil and Gas Conservation**  
2005. MBOGC online database. <http://bogc.dnrc.state.mt.us/OnlineData.htm>.
- Montana Board of Oil and Gas Conservation**  
2006. MBOGC online database. <http://bogc.dnrc.state.mt.us/OnlineData.htm>.
- Montana Board of Oil and Gas Conservation and USDI Bureau of Land Management**  
1987. Cooperative Agreement between U.S. Department of the Interior, Bureau of Land Management, Montana State Office, and the State of Montana, Board of Oil and Gas Conservation concerning Oil and Gas Well Spacing/Well Location Jurisdiction, November 19, 1987.
- Montana Bureau of Mines & Geology**  
1982. Occurrence and characteristics of groundwater in Montana, 1982. Montana Bureau of Mines and Geology. 99(1).
- Montana Bureau of Mines & Geology**  
2001. Montana Bureau of Mines and Geology, groundwater Information Center database, <http://mbmggwic.mtech.edu/March>.
- Montana Bureau of Mines & Geology**  
2002. Potential Ground-water Drawdown and Recovery from Coalbed Methane Development in the Powder River Basin, Montana, Open File Report MBMG 485, John Wheaton & John Metesh.
- Montana Bureau of Mines & Geology**  
2005. Draft Water Year 2005 Surface Water Report for the Tongue River.
- Montana Department of Agriculture**  
2000. Montana agricultural statistics 2000; 1998-1999 county estimates. ISSN: 1095-7278, Volume XXXVII.
- Montana Department of Commerce**  
2001. Montana Department of Commerce, Census and Economic Information Center. Projections by NPA Data Services, Inc. <http://ceic.commerce.state.mt.us>. <April 17, 2001>.
- Montana Department of Commerce, Billings**  
2001. Personal communication between Glenda Craft/Montana Department of Commerce, Billings, and Tim Burkhardt/CH2M HILL. April 24, 2001.
- Montana Department of Commerce, Billings**  
2006. Montana Department of Commerce, Census and Economic Information Center. Data for 2000 - 2006.
- Montana Department of Environmental Quality**  
2001a. Nondegradation of water quality (rules), Administrative Rules of Montana 17.30.501-518.
- Montana Department of Environmental Quality**  
2001b. State of Montana Air Quality Nonattainment Area Maps. [http://www.deq.state.mt.us/ppa/rpp/air\\_nonattainment.asp](http://www.deq.state.mt.us/ppa/rpp/air_nonattainment.asp).
- Montana Department of Environmental Quality**  
2001c. Water Quality White Paper, Powder River Basin Water Quality Criteria, October, 2001.
- Montana Department of Environmental Quality**  
2002. Air Quality Monitoring Data. [http://www.deq.state.mt.us/ppa/mdm/air/nwrev/nw\\_intro.asp](http://www.deq.state.mt.us/ppa/mdm/air/nwrev/nw_intro.asp). <July 9, 2001>.

## BIBLIOGRAPHY

### Montana Department of Environmental Quality

2003. Montana Air Monitoring Network Review 2003. July 2003 Montana DEQ. <http://www.deq.state.mt.us/AirMonitoring/networkRev/network2003.pdf>.

### Montana Department of Environmental Quality

2004. Final 2004 Montana Integrated 303(d)/305(b) Report. Montana DEQ. <http://deq.mt.gov/wqinfo>.

### Montana Department of Environmental Quality

2004. Water Quality Integrated Report for Montana, 2004 <http://nris.state.mt.us/wis/enviromet/2004Home.html>.

### Montana Department of Fish, Wildlife and Parks

2004. Region 7 Sage Grouse Database. Microsoft Access database, R7SageGrouse2004.mdb.

### Montana Department of Fish, Wildlife and Parks

- 2005a. Species ranking status code. <http://fwp.state.mt.us/fieldguide/statusCodes.aspx#msrc>.

### Montana Department of Fish, Wildlife and Parks

- 2005b. Montana animal field guide. <http://fwp.state.mt.us/fieldguide>.

### Montana Department of Fish, Wildlife and Parks

- 2005c. 2003-2005 Fish sampling and habitat collected on Rosebud, Youngs, Hanging Woman, Waddle, Pumpkin, Springs creeks and Little Powder, Powder and Tongue rivers.

### Montana Department of Fish, Wildlife and Parks

2006. An evaluation of eastern Montana prairie streams located within coalbed methane development areas. Montana Fish, Wildlife and Parks, Region 7, Miles City, Montana.

### Montana Department of Labor & Industry, Research & Analysis Bureau, Local Area Unemployment Statistics

- 2001a. Information for 1990 and 2000. <http://rad.dli.state.mt.us/employ/aa901f.htm>. <April 11, 2001>.

### Montana Department of Labor and Industry

- 2001b. Email from Phil Brooks, Chief Economist, to Tim Burkhardt, CH2M HILL, September 20, 2001.

### Montana Department of Natural Resources and Conservation, Minerals Management Bureau

2001. <http://www.dnrc.state.mt.us/trust/mmb.htm>. <April 25, 2001>.

### Montana Department of Natural Resources and Conservation, Minerals Management Bureau

2005. Annual Report for Fiscal Year 2005.

### Montana Department of Natural Resources and Conservation, Trust Land Management Division, Minerals Management.

2000. Montana Department of Natural Resources and Conservation. Trust Land Management Division, Minerals Management. [www.dnrc.state.mt.us/trust/mmb.htm](http://www.dnrc.state.mt.us/trust/mmb.htm). <April 2001>

### Montana Department of Revenue

2000. Biennial report of the Montana Department of Revenue, July 1, 1998 to June 30, 2000. Prepared by Tax Policy and Research. Helena, MT.

### Montana Department of Revenue

2001. Guide to taxes administered by the Montana Department of Revenue. Compiled by Tax Policy and Research, Helena, MT.

### Montana Department of Revenue

2004. Biennial Report of the Montana Department of Revenue, July 1, 2002 to June 30, 2004.

### Montana Fisheries Information System (MFISH)

2005. <http://maps2.nris.state.mt.us/scripts/esrimap.dll?name=MFISH&Cmd=INST>.

### Montana Gap Analysis Project

1998. The Montana gap analysis project final report. Wildlife Spatial Analysis Lab. Montana Cooperative Wildlife Research Unit at the University of Montana, Missoula, MT.

### The Montana NHP

2005. Montana Plant Field Guide. [http://nhp.nris.state.mt.us/plants/plant\\_title.html](http://nhp.nris.state.mt.us/plants/plant_title.html).

### Montana Sage Grouse Work Group

2005. Management Plan and Conservation Strategies for Sage Grouse in Montana – Final. Revised February 1, 2005.

**Montana State Library Natural Resources  
Information System (NRIS)**

2001. Guidebook to Montana's plant species of special concern. <http://orion2.nris.state.mt.us/mtnhp/plants>. <April 9, 2001>.

**Montana State Library Natural Resources  
Information System (NRIS)**

2002. Montana Natural Resources Information System database. <http://nris.state.mt.us/wis/mris1.html>.

**Montana State Library Natural Resources  
Information System (NRIS)**

2005. Montana Natural Resources Information System database. <http://maps2.nris.state.mt.us/WIS/MFISH>.

**Montana State Office Instruction Memorandum  
(MSO IM)**

2000. See MSO IM No. 2000-053, June 1, 2000 for No Surface Occupancy Stipulations.

**Montana State University News Service**

2005. West Nile virus carriers flourish in coal bed methane ponds. <http://www.montana.edu/cpa/news/nwview.php?article=2990> <November 2, 2005>.

**Montana Summit Steering Committee and Weed  
Management Task Force**

2005. The Montana Weed Management Plan, draft.

**Montana-Wyoming Tribal Council**

2001. Montana-Wyoming Tribal Council Web Page. <http://www.tlc.wtp.net/Northern.htm>. <May 2001>.

**Montgomery, S.L., D.E. Tabet, and C.E. Barker.**

2001. Upper Cretaceous Ferron Sandstone: major coalbed methane play in central Utah. A.A.P.G. Bull v. 85, pp. 199-219.

**Mount, D.R., D.D. Gulley, J.R. Hockett, T.D. Garrison, and J. M. Evans**

1997. "Statistical models to predict the toxicity of major ions to *Ceriodaphnia dubia*, *Daphnia magna* and *Pimephales promelas* (fathead minnows)." *Environmental Toxicology and Chemistry*. 16 (10): 2009-2019.

**MT-GAP**

See Montana Gap Analysis Project.

**Murphy, M.L. and W.R. Meehan**

1991. "Stream ecosystems." In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. William R. Meehan, ed., U.S. Department of Agriculture, Forest Service. American Fisheries Society Special Publication 19. Bethesda, MD.

**Naugle, D.E., C.L. Aldridge, B.L. Walker, T.E. Cornish, B.J. Moynahan, M.J. Holloran, K. Brown, G.D. Johnson, E.T. Schmidtman, R.T. Mayer, C.Y. Kato, M.R. Matchett, T.J. Christiansen, W.E. Cook, T. Creekmore, R.D. Falise, E.T. Rinkes, and M.S. Boyce**

2004. West Nile virus: pending crisis for greater sage-grouse. *Ecology Letters*, (7):704-713.

**Nelson, C. R.**

2000. "Coalbed methane potential of the U.S. Rocky Mountain Region." *GasTIPS*. Fall 200. 6(3)4-12.

**Nelson, R.L., M.L. McHenry, and W.S. Platts**

1991. "Mining." In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. William R. Meehan, ed., U.S. Department of Agriculture, Forest Service. American Fisheries Society Special Publication 19. Bethesda, MD.

**Newcombe, C.P. and J.O.T. Jensen**

1996. "Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk." *North American Journal of Fisheries Management*. 16:693-727.

**Noble, R.A., R.N. Bergantino, T.W. Patton, B. Sholes, F. Daniel, and J. Schofield**

1982. Occurrence and characteristics of groundwater in Montana, MBMG 99.

**Norris, L.A., H.W. Lorz, and S.V. Gregory**

1991. "Forest chemicals." In *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. William R. Meehan, ed., U.S. Department of Agriculture, Forest Service. American Fisheries Society Special Publication 19. Bethesda, MD.

**Northern Cheyenne Tribe**

2001. Draft Application to EPA for Water Quality Standards Program, Northern

## BIBLIOGRAPHY

- Cheyenne Reservation, Lame Deer, Montana.
- Northern Cheyenne Tribe**  
2002. The Northern Cheyenne Tribe and Its Reservation. A report to the U.S. Bureau of Land Management and the State of Montana Dept. of Natural Resources and Conservation. April 2002.
- Northern Cheyenne Tribe–State of Montana**  
1991. Water Rights Compact, State of Montana, Northern Cheyenne Tribe, United States of America, 85-20-301, MCA. Northern Cheyenne-Montana Compact, en. sec. 1, ch. 812, l. 1991.
- Northern Cheyenne Tribe**  
2005. Letter from the Northern Cheyenne Tribe to BLM/Miles City Field Office dated October 18, 2005.
- Nussbaum, R. A., E. D. Brodie, Jr., and R. M. Storm**  
1983. *Amphibians and reptiles of the Pacific Northwest*. University of Idaho Press. Moscow, ID.
- Office of Surface Mining Reclamation and Enforcement**  
1998. Annual evaluation summary report for regulatory and abandoned mine land programs administered by the State of Montana. Evaluation Year 1998.
- Oxley, D.J. and M.B. Fenton**  
1974. "The effects of roads on populations of small mammals." *Journal of Applied Ecology*. 11:51-59.
- Padden, L.**  
2001. Personal communication between L. Padden/BLM Billings Field Office with David Epperly/ALL Consulting. April 23, 2001.
- Patricelli, G.**  
2005. Personal communication between G. Patricelli/University of California, Davis and J. Grialou/Parametrix. November 10, 2005.
- Patten, M.A., D.H. Wolfe, E. Shochat, and S.K. Sherrod**  
2005. Habitat Fragmentation, Rapid Evolution and Population Persistence. *Evolutionary Ecology Research*. 7:235–249.
- Perry, E.S.**  
1962. Montana in the geologic past. Montana Bureau of Mines and Geology. Bulletin Number 26.
- Perry, C. and R. Overly**  
1976. Impact of roads on big game distribution in portions of the Blue Mountains of Washington. In *Hieb SR, ed. Proc. Elk-Logging-Roads Symposium*. Univ. of Idaho. For. Wildl. and Range Exp. Sta., Moscow, Idaho. p. 62-8.
- Peterson et al.**  
1995. Cultural Resource Investigations of the Tongue River Dam Project Big Horn County, Montana. Contract report by Ethnoscience for the Montana Department of Natural Resources and Conservation, Helena, MT.
- Peterson L. and S. Deaver**  
2002. An Ethnographic Overview of Southeast Montana, February 2001. Prepared for the BLM State Office, Billings, MT.
- Petroleum Information Corporation**  
2001. Historical Well Data Base for Montana.
- Pinnacle**  
2005a. Coal Creek Field Plan of Development Environmental Assessment, Pinnacle Gas Resources Inc. for the BLM Miles City Office. August 2005.
- Pinnacle**  
2005b. Dietz Plan of Development Environmental Assessment, Pinnacle Gas Resources Inc. for the BLM Miles City Office. September 2005.
- Pitchford, Marc L., and William C. Malm**  
1994. Development and Applications of a Standard Visual Index. *Atmospheric Environment* 28(5):1,049-54.
- Ports, M. A., and S. B. George**  
1990. *Sorex preblei* in the northern Great Basin. *Great Bas. Nat.* 50:93-95.
- Posewitz, J.**  
1999. Beyond fair chase: the ethic and tradition of hunting. Helena, MT.: Falcon Publishing Co., Inc.
- PRG**  
2004. Coal Creek Plan of Development Environmental Assessment, Powder

- River Gas for the BLM Miles City Office. November 2004.
- PTTC**  
2000. Coal bed methane stratigraphic traps in the ferron coals of east-central Utah, PTTC Rocky Mountain Newsletter, September.
- Questa**  
2000. Questa Engineering Corporation, 3M CBM Reservoir Model Final Report, May 2000, prepared for the Southern Ute Indian Tribe, COGCC, and BLM, Durango, CO.
- Ranney, H.J.**  
2001. Discussion of Bicarbonate Issues Relative to CBM Development, Letter to MDEQ, November 14, 2001.
- Rau, L.**  
2004 Coalbed Natural Gas Program Wildlife Monitoring and Protection Plan, 2003 Annual Report.
- Reading, R. P., J. J. Grensten, and T. W. Clark**  
1989. "Attributes of black-tailed prairie dog colonies in north central Montana, with management recommendation for the conservation of biodiversity." *In*: The Prairie Dog Ecosystem: Managing for Biological Diversity. Tim W. Clark, Dan K. Hinckley and Terrell Rich, eds. Montana BLM Wildlife Technical Bulletin No. 2. Billings, MT.
- Reed, G.**  
2002. Personal communication with Mr. George Reed of the Crow Tribe Cultural Department, September 10, 2002.
- Regele, S. and J. Stark**  
2000. "Coal-bed methane gas development in Montana, some biological issues." Symposium proceedings, September 1, 2000: Interactive forum on Surface Mining Reclamation Approaches to Bond Release. Sponsored by USDI Office of Surface Mining, Denver, CO; the MDEQ, Helena, MT; and Montana Bureau of Mines and Geology, Butte, MT.
- Reichel, J. D., D. L. Genter, and E. Atkinson**  
1992. Sensitive animal species in the Elkhorn and Big Belt Mountains of the Helena National Forest. Montana Natural Heritage Program. Helena, MT.
- Reichel, J. D., and D. Flath**  
1995. "Identification of Montana's amphibians and reptiles." *Montana Outdoors* 26(3):15-34.
- Reid, L.M. and T. Dunne**  
1984. Sediment production from forest road surfaces. *Water Resources Research*. 20:1753-1761.
- Rice, D.D.**  
1997. Coalbed methane—an untapped energy resource and an environmental concern: U.S. Geological Fact Sheet FS-019-97. <http://energy.usgs.gov/factsheets/coalbed/coalmeth.html>.
- Rice, D.D. and T.M. Finn**  
1995. Powder River Basin (033). In: Gautier, D.L. G.L. Dolton, K.I. Takahashi, and K.L. Varnes, eds. 1995 National Assessment of United States Oil and Gas Resources Results, Methodology, and Supporting Data. U.S. Geological Survey Digital Data Series DDS-30, CDROM.
- Rice, C. A., M. S. Ellis, and J. H. Bullock**  
2000. Water co-produced with coal bed methane. USGS Open File report 00-372.
- Roberts, Albert E.**  
1966. Geology and Coal Resources of the Livingston Coal Field, Gallatin and Park Counties, Montana. U.S. Geological Survey Professional Paper 526-A.
- Roberts, S.B., G.L. Gunther, T.T. Taber, A.M. Ochs, D. Blake, M.S. Ellis, G.D. Stricker, E.M. Wilde, J.H. Schuenemeyer, and H.C. Power.**  
1999a. Decker Coalfield, Powder River Basin, Montana: geology, coal quality, and coal resources, in USGS Prof. Paper 1625-A.
- Roberts, S.B., E.M. Wilde, G.S. Rossi, D. Blake, M.S. Ellis, G.D. Stricker, A.M. Ochs, G.L. Gunther, J.H. Schuenemeyer, and H.C. Power.**  
1999b. Ashland Coalfield, Powder River Basin, Montana: geology, coal quality, and coal resources, in USGS Prof. Paper 1625-A.
- Roedel, M. D.**  
1999. Montana animal species of special concern [Unpublished list.] Montana Natural Heritage Program, Helena, MT.

## BIBLIOGRAPHY

### **Rost, G.R. and J.A. Bailey**

1979. "Distribution of mule deer and elk in relation to roads." *Journal of Wildlife Management*. 43:634-641.

### **Saab, V.A., C.E. Bock, T.D. Rich, D.S. Dobkin**

1995. "Livestock grazing effects in western North America." In: Martian, Thomas E.; Finch, Deborah M., eds. *Ecology and management of neotropical migratory birds*. New York: Oxford University Press: 311-353.

### **Sage Grouse Winter Habitat—Why We Need Multiple Years of Data Collection**

2002. Presented at the Idaho Chapter, The Wildlife Society Meeting, March 2002. Idaho Falls, Idaho.

### **Sampson, C.**

2005. 2003 and 2004 Southeastern Montana prairie stream survey. Report prepared by Montana Department of Fish, Wildlife, and Parks, Miles City, MT.

### **Sattler, Allan R., Malynda A. Aragon, M. Michael Hightower**

- 2006 Technical Review of Proposed Changes in Montana Water Quality Standards for Coal Bed Natural Gas Produced Water, Sandia National Laboratories

### **Savage, D. E.**

1969. Relation of sage grouse to upland meadows in Nevada. Nevada Fish and Game Commission, Job Completion Report, Project W-39-R-9, Job 12, Reno, NV.

### **Schneider, T. J.**

2001. Coal Bed Methane Produced Water Re-Injection, NPRC White Paper, May 16, 2001.

### **Scire, et al.**

2000. A Users Guide for the CALPUFF Dispersion Model (Version 5). Earth Tech, Inc., Concord, MA.

### **Shafroth, P.B., J.M. Friedman, and L.S. Ischinger**

- "Effects of salinity on establishment of *Populus fremontii* (cottonwood) and *Tamarix ramosissima* (saltcedar) in southwestern United States." *Great Basin Naturalist*. 55(1): 58-65.

### **Schafer, Jerry**

2001. Natural Resource Conservation Service (NRCS), Bozeman via personal

communication with Tom Pick, NRCS, Bozeman.

### **Seekins, J.W.**

2005. Personal communication with Joe Icenogle, Fidelity Exploration and Production Company, Regulatory/Public Affairs Manager. October 2005.

### **Seekins, J.W.**

2006. Personal Communication between Jon Seekins/ALL Consulting and E. Harris/Parametrix. March 8, 2006.

### **Sheley, R.**

2001. Basics of Leafy Spurge. <http://www.weeds.montana.edu/range/spurge.htm>. MSU Weed Sciences. October 2001.

### **Sheley, R.J. Petroff, M. Borman**

1999. Introduction to Biology and Management of Noxious Rangeland Weeds, Corvallis, OR.

### **Sheviak, C. J.**

1984. "*Spiranthes diluvialis* (Orchidaceae), a new species from the western United States." *Brittonia*. 36:8-14.

### **Sika, J.**

2005. E-mail communication from Jenny Sika, Montana State University, to Jayson Parks, BLM Billings Field Office. September 21, 2005.

### **Skaar, D., A. Farag, and D. Harper**

2005. Toxicity of major salt (sodium bicarbonate) from coalbed methane production to fish in the Tongue and Powder River drainages in Montana. National Pollution Discharge Elimination System, Semi-Annual Progress Report to U.S. Environmental Protection Agency by Montana Fish, Wildlife and Parks, and U.S. Geological Survey.

### **Skaar, D.**

2006. Unpublished letter by Don Skaar of Montana Fish, Wildlife and Parks, to the Secretary of the Board of Environmental Review, Helena Montana.

### **Slagle, S.E., B.D. Lewis, and R.W. Lee**

1985. Groundwater resources and potential hydrologic effects of surface coal mining in the northern Powder River Basin, southeastern Montana. U.S. Geological Survey Water Supply Paper 2239.

**Solley, W.B., R.R. Pierce, and H.A. Perlman.**

1995. Estimated use of water in the United States in 1995. U.S. Geological Circular 1200.

**Stewart, Shawn,**

- 2006 Personal Communication between Shawn Stewart, Montana Fish Wildlife & Parks and Jon W. Seekins, ALL Consulting; regarding 2005/2006 Winter bighorn sheep index counts in the Pryor Mountains of Montana. June 15, 2006.

**Stoddart, L. A., A. D. Smith, and T. Box**

1975. *Range Management*. Third edition. McGraw-Hill Book Co., Inc. New York.

**Stone, J. L.**

1971. Winter movements and distribution of moose in upper Rock Creek drainage, Granite County, Montana. M.S. thesis. University of Montana, Missoula, MT.

**Stricker, G.D.**

1999. Bull Mountain Basin, Montana in 1999 Resource Assessment of Selected Tertiary Coal Beds and Zones in the Northern Rocky Mountains and Great Plains Region, USGS Open File Report, 1625-A.

**Surface Transportation Board (STB)**

2004. Tongue River Railroad—Construction and Operation of the Proposed Western Alignment Draft Supplemental EIS. Section of Environmental Analysis.

**Swihart, R.K. and N.A. Slade**

1984. "Road crossing in *Sigmodon hispidus* and *Microtus ochrogaster*." *Journal of Mammalogy*. 65:357-360.

**Thomas, C.E, C.F. Mahoney, and G.W. Winter**

1987. "Water-injection maintenance and waterflood processes." In: *Petroleum Engineering Handbook*. H.B. Bradley, ed.. Soc. of Petrol Eng. Richardson, TX.

**Trent, J.**

1991. Sociology Survey of 100 Respondents in the Planning Area. U.S. Department of the Interior, Bureau of Land Management, Montana State Office, Billings, MT.

**Tribby, D.**

2006. Personal communication between D. Tribby/BLM Miles City Field Office and Dave Bockelmann/ALL Consulting. May 30, 2006..

**Tribby, D.**

2001. Personal communication between D. Tribby/BLM Miles City Field Office with David Epperly/ALL Consulting. April 12, 2001.

**Trombulak, S.C. and C.A. Frissell**

2000. "Review of ecological effects of roads on terrestrial and aquatic communities." *Conservation Biology*. 14:18-30.

**Tudor, M.S.**

1975. Geologic exploration and development of coal in the Sarpy Creek area, Big Horn County, Montana, in J. Doroshenko, W.R. Miller, E.E. Thompson, Jr., J.H. and Rawlins, eds., *Energy Resources of Montana: Montana Geological Society 22nd Annual Publication*, pp. 159-164.

**Tyler, J. D.**

1968. Distribution and vertebrate associations of the black-tailed prairie dog in Oklahoma. PhD. Thesis, University of Oklahoma, Norman, OK.

**University of Montana**

2004. Invaders Database System. <http://invader.dbs.umt.edu/queryarea.asp>.

**Uresk, D.W. and J.C. Sharps.**

1986. Denning habitat and diet of swift fox in western South Dakota. *Great Basin Naturalist* 46:249-253.

**U.S. Bureau of Economic Analysis.**

2001. Regional Economic Information System. <http://www.bea.doc.gov/bea/regional/bearfacts/bf10/index.htm> <March 21, 2001>.

**U.S. Bureau of Indian Affairs**

1994. Land Titles and Records Office. U.S. Department of the Interior, Bureau of Indian Affairs, Rocky Mountain Regional Office.

**U.S. Bureau of Indian Affairs**

1999. Indian Labor Force Report, 1999. U.S. Department of the Interior, Bureau of Indian Affairs Office of Tribal Services.

## BIBLIOGRAPHY

### U.S. Bureau of Reclamation

1994. Indian Trust Asset Policy and NEPA Implementing Procedures, Questions and Answers about the Policy and Procedures. U.S. Department of the Interior, Bureau of Reclamation. August 31, 1994.

### U.S. Census Bureau

1990. Household and housing unit estimates. <http://www.census.gov/population/www/estimates/housing.html>. <March 21, 2001>.

### U.S. Census Bureau

- 2001a. Census 2000 redistricting data (Public Law 94-171) summary file, matrices PL1 and PL2. <http://www.census.gov>. <March 21, 2001>.

### U.S. Census Bureau Small Area Income and Poverty Estimates Program

- 2001b. Small Area Income and Poverty Estimates Program. U.S. Census Bureau website at <http://ceic.commerce.state.mt.us/Demog/estimate/poverty/97allages.htm>, accessed 2001.

### U.S. Department of Agriculture

1991. Record of Decision, Noxious Weed Management Amendment to Lolo National Forest Plan. U.S. Forest Service. Accessed via USDI Bureau of Land Management Weed Plan Web Site. <http://www.blm.gov/nhp/main/WP7weedplan.html> <July 6, 2001>

### U.S. Department of Agriculture and U.S. Department of the Interior

2000. Source habitats for terrestrial vertebrates of focus in the interior Columbia Basin: broad-scale trends and management implications. Vol. 1-Overview. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station and U.S. Department of the Interior, Bureau of Land Management. General Technical Report PNW-GTR-485.

### U.S. Department of Agriculture Forest Service

2000. Screening Methodology for Calculating ANC Change to High Elevation Lakes. Published by the USDA-Forest Service, Rocky Mountain Region. Lakewood, CO.

### U.S. Department of Agriculture Forest Service

2005. Forest Service Region 1 sensitive species list. March 31, 2004.

### U.S. Department of Agriculture Natural Resources Conservation Service

- 1996 (1998 update). The state soils geographic database (STATSGO) (for Montana). U.S. Department of Agriculture, Natural Resource Conservation Service. [http://www.ftw.nrcs.usda.gov/stat\\_data.html](http://www.ftw.nrcs.usda.gov/stat_data.html) < March 2001>.

### U.S. Department of Agriculture Natural Resources Conservation Service (formerly Soil Conservation Service)

1972. Soil Survey of Yellowstone County, Montana. Soil Conservation Service.

### U.S. Department of Agriculture Natural Resources Conservation Service

1982. National Engineering Handbook, Part 630 Hydrology.

### U.S. Department of Commerce

1996. *American Indian Reservations and Trust Areas*. Accessed via Senator Max Baucus' web page. <http://www.baucus.senate.gov/tribes.html>. <November 12, 2001>.

### U.S. Department of Commerce, BEA

2001. U.S. Department of Commerce, Bureau of Economic Analysis, 2001. <http://ceic.commerce.state.mt.us/Economic/BEA/CountyReis/index.htm>. <March 21, 2001; April 25, 2001; April 30, 2001>.

### U.S. Department of Commerce, Bureau of Economic Analysis

2005. <http://www.bea.doc.gov/bea/regional/reis/> <September 29, 2005>.

### U.S. Department of the Interior

2000. Coalbed methane: potential and concerns. Fact Sheet FS-123-00.

### U.S. Department of the Interior and U.S. Department of Agriculture (USDI and USDA)

2001. Off-highway vehicle environmental impact statement and proposed plan amendment for Montana, North Dakota and portions of South Dakota. U.S. Department of the Interior, Bureau of Land Management, Montana State Office and U.S. Department of Agriculture, Forest Service, Northern Region.

### **U.S. Department of Interior and U.S. Department of Agriculture**

1989. Surface Operating Standards for Oil and Gas Exploration and Development, USDOI BLM and USDA Forest Service, Third Edition, January 1989

### **USDI Bureau of Land Management**

1983. *Final environmental impact statement, resources management plan, Billings resource area.* U.S. Department of the Interior, Bureau of Land Management. November 1983. BLM-MT-ES-84-002-4410.

### **USDI Bureau of Land Management**

- 1984a. Record of Decision for the Billings Resource Management Plan, Final Environmental Impact Statement, September 1984, United States Department of Interior, Bureau of Land Management, Miles City District Office, September 1984.

### **USDI Bureau of Land Management**

- 1984b. Powder River Resource Area, Resource Management Plan, Miles City District, Final Environmental Impact Statement, December 1984, United States Department of Interior, Bureau of Land Management, Miles City District Office, BLM-MT-ES-85-0014410.

### **USDI Bureau of Land Management**

1985. Record of Decision for the Powder River Resource Area, Resource Management Plan, Final Environmental Impact Statement, March 1985, United States Department of Interior, Bureau of Land Management, Miles City District Office, September 1985.

### **USDI Bureau of Land Management**

1989. *Powder River I regional draft EIS, economic, social, and cultural supplement.* U.S. Department of the Interior, Bureau of Land Management, Miles City District Office.

### **USDI Bureau of Land Management.**

1989. Final Economic, Social, and Cultural Supplement to the Powder River I Regional EIS.

### **USDI Bureau of Land Management**

1992. *Final Oil and Gas RMP/EIS Amendment for the Billings, Powder River and South Dakota Resource Areas.* U.S.

Department of the Interior, Bureau of Land Management, Miles City District.

### **USDI Bureau of Land Management**

1994. *Record of Decision: Powder River, Billings, and South Dakota Oil and Gas RMP/EIS Amendment.* Miles City District, MT.

### **USDI Bureau of Land Management**

1995. *Big Dry Resource Management Plan/Environmental Impact Statement for the Big Dry Resource Area of the Miles City District.* Final. U.S. Department of the Interior, Bureau of Land Management.

### **USDI Bureau of Land Management**

1996. Partners against weeds: an action plan for the Bureau of Land Management. BLM/MT/ST-96/003+1020.

### **USDI Bureau of Land Management**

1997. Implementation Requirements for Noxious Weed Seed Forage on Public Lands in Montana (EA MT-001-EA97). Montana State Office, Billings, Montana.

### **USDI Bureau of Land Management**

1998. Document H3160-2, Drainage Protection Guidelines Instruction Memorandum, DOI, BLM 3160-2 Drainage Protection Manual, State and Field Office Fluid Minerals staff, Denver Service Center, National Training Center.

### **USDI Bureau of Land Management**

- 1999a. ACEC Record of Decision. March 1999.

### **USDI Bureau of Land Management**

- 1999b. *Wyodak coalbed methane project final EIS.* U.S. Department of the Interior, Bureau of Land Management, Buffalo Field Office.

### **USDI Bureau of Land Management**

- 1999c. Seeding policy. Instruction Memorandum No. MT-020-2000-001. U.S. Department of the Interior, U.S. Bureau of Land Management, Miles City District Office. Miles City, MT.

### **USDI Bureau of Land Management**

- 1999d. Final Environmental Impact Statement - Continental Divide/Wamsutter II Natural Gas Project, Sweetwater and Carbon Counties. Rawlins and Rock Springs Field Offices. Rawlins and Rock Springs, WY.

## BIBLIOGRAPHY

### **USDI Bureau of Land Management**

- 2000a. Guidelines for Identifying Cultural Resources H-81-10, BLM Montana, Draft April 2000.

### **USDI Bureau of Land Management**

- 2000b. WYODAK Drainage Area EA, December.

### **USDI Bureau of Land Management.**

- 2000c. *Oil and Gas Development on the Southern UTE Indian Reservation. Environmental Impact Statement. BLM, Durango, CO.*

### **USDI Bureau of Land Management**

2001. Draft Statewide Oil and Gas Environmental Impact Statement and Amendment of the Powder River and Billings Resource Management Plans. Miles City Field Office, Miles City, MT.

### **USDI Bureau of Land Management**

- 2001a. *Reasonable foreseeable development scenario for oil and gas development in the Buffalo field office area, Campbell, Johnson, and Sheridan counties, Wyoming.* Wyoming State Office, Reservoir Management Group.

### **USDI Bureau of Land Management**

- 2001b. *Record of decision: Wyodak drainage coalbed methane environmental assessment.*

### **USDI Bureau of Land Management**

- 2002a. Draft Environmental Impact Statement and Draft Planning Amendment for the Powder River Basin Oil and Gas Project. Buffalo Field Office. Buffalo, WY.

### **USDI Bureau of Land Management**

- 2002b. Washington Office, Policy on Conflicts Between Coal Bed Methane (CBM) and Coal Development, February 22, 2002.

### **USDI Bureau of Land Management**

- 2002c. Washington Office, Policy on Conflicts Between Coal Bed methane (CBM) and Coal development. Instruction Memorandum WO-IM-2000-81.

### **USDI Bureau of Land Management**

2003. BLM Instruction Memorandum No. 2003-253 (IM 2003-253): Policy and Guidance on Conflicts between Coalbed Natural Gas (CBNG) and Surface Coal Mine Development in the Powder River Basin.

### **USDI Bureau of Land Management**

2003. BLM Instruction Memorandum No. 2003-131 (IM 2003-131): Permitting Oil and Gas on Split Estate Lands and Guidance for Onshore Oil and Gas Order No. 1.

### **USDI Bureau of Land Management**

2003. Instruction Memorandum No. 2003-147, Application for Permit to Drill – Process Improvement #3 – Cultural Resources, April 14, 2003.

### **USDI Bureau of Land Management**

2003. Powder River Basin Oil and Gas Project Final EIS and Proposed Plan Amendment. Available at: <http://www.wy.blm.gov/nepa/prb-feis/>.

### **USDI Bureau of Land Management**

- 2004a. Coalbed Natural Gas Program Wildlife Monitoring and Protection Plan, 2004 Annual Report.

### **USDI Bureau of Land Management**

- 2004b. Environmental Assessment for Powder River Gas, LLC, Coal Creek Project Plan of Development. United States Department of Interior, Bureau of Land Management, Miles City District Office. BLM-MT-020-2004-58.

### **USDI Bureau of Land Management**

- 2004c. Guidelines for Conducting Tribal Consultation. BLM Manual Handbook H-8120, December 3, 2004.

### **USDI Bureau of Land Management.**

- 2005a. 2005 Montana/Dakotas Special Status Plant Species policy. Instruction memorandum No. MT-2005-055. Montana State Office, Billings, Montana.

### **USDI Bureau of Land Management**

- 2005b. Coalbed Natural Gas Program Wildlife Monitoring and Protection Plan, 2005 Annual Report, draft.

### **USDI Bureau of Land Management**

- 2005c. Environmental Assessment for Fidelity Exploration & Production Co., Coal Bed Natural Gas, Tongue River - Coal Creek Project Plan of Development, Big Horn County, Montana,. United States Department of Interior, Bureau of Land Management, Miles City District Office. BLM-MT-020-2004-297.

**USDI Bureau of Land Management**

- 2005d. Environmental Assessment for Fidelity Exploration & Production Co., Coal Bed Natural Gas, Tongue River- Deer Creek North Project and Pond Creek Project Plans of Development, Big Horn County, Montana. United States Department of Interior, Bureau of Land Management, Miles City District Office. BLM-MT-020-2005-0155.

**USDI Bureau of Land Management.**

- 2005e. Task 3C Report for the Powder River Basin Coal Review Cumulative Social and Economic Effects Report. BLM Casper Field Office and Wyoming State Office. December 2005. Denver, Colorado.

**USDI Fish and Wildlife Service**

1978. Terrestrial habitat evaluation criteria handbook Ecoregion M3113, South Rocky Mountains. U.S. Department of the Interior, Fish and Wildlife Service.

**USDI Fish and Wildlife Service**

1980. Rosebud Creek Study, Northern Cheyenne Indian Reservation.

**USDI Fish and Wildlife Service**

1986. Whooping crane recovery plan. U.S. Fish and Wildlife Service, Albuquerque, NM.

**USDI Fish and Wildlife Service**

1988. Black-footed ferret recovery plan. Denver, CO. 154 pp.

**USDI Fish and Wildlife Service**

1990. Draft Guidelines for Oil and Gas Activities in Prairie Dog Ecosystems Managed for Black-footed ferret Recovery.

**USDI Fish and Wildlife Service**

1993. Final recovery plan for the pallid sturgeon (*Scaphirhynchus albus*). Denver, CO.

**USDI Fish and Wildlife Service**

- 1994a. Final rule: Endangered and threatened wildlife and plants; establishment of a nonessential experimental population of gray wolves in central Idaho and southwestern Montana. RIN 1018-AC86.

**USDI Fish and Wildlife Service**

- 1994b. Notice of 90-day finding on the petition to list the sturgeon chub and sicklefin chub as endangered.

**USDI Fish and Wildlife Service**

- 1994c. Notice of 12-month petition finding: Endangered and threatened wildlife and plants; finding on a petition to list the fluvial population of the arctic grayling as endangered.

**USDI Fish and Wildlife Service**

1995. Ute ladies'-tresses (*Spiranthes diluvialis*) agency review draft recovery plan, 1995. Prepared by the Ute ladies'-tresses recovery team for Region 6, U.S. Fish and Wildlife Service, Denver, CO.

**USDI Fish and Wildlife Service**

2001. Letter from Mr. R. Mark Wilson, Field Supervisor, Montana field Office, U.S. Fish and Wildlife Service, to Mr. Larry Rau, Bureau of Land Management, Montana City Field Office, regarding impacts of the proposed action on threatened, endangered, and proposed species. April 17, 2001.

**USDI Fish and Wildlife Service**

2002. Letter from Mr. R. Mark Wilson, Field Supervisor, MTFO, USFWS, to BLM, Miles City Field Office, regarding biological and conference opinions on impacts of the proposed action on threatened and endangered species. September 1, 2002.

**USDI Fish and Wildlife Service**

2003. Endangered and threatened wildlife and plants; withdrawal of the proposed rule to list the mountain plover as threatened. Federal Register 68(174):53083-53101. September 9, 2003.

**USDI Fish and Wildlife Service**

2004. Endangered and threatened wildlife and plants; finding for the resubmitted petition to list the black-tailed prairie dog as threatened. Federal Register 69(159):51217-51226. August 18, 2004.

**USDI Fish and Wildlife Service**

- 2005a. U.S. Fish and Wildlife Service to review status of Yellowstone cutthroat trout. U.S. Fish and Wildlife Service announcement 05-61.

**USDI Fish and Wildlife Service**

- 2005b. Status review completed: greater sage-grouse not warranted for listing as endangered or threatened. News Release, January 7, 2005

## BIBLIOGRAPHY

### **USDI Fish and Wildlife Service**

- 2005c. Endangered and threatened wildlife and plants; 12-month finding for petitions to list the greater sage-grouse as threatened or endangered. Federal Register 70(8):2244-2282. January 12, 2005

### **USDI Fish and Wildlife Service, Nez Perce Tribe, National Park Service, Montana Fish, Wildlife, and Parks, Idaho Fish and Game, and USDA Wildlife Services**

2005. Rocky Mountain Wolf Recovery 2004 Annual Report. D. Boyd, ed. USFWS, Helena, MT.

### **USDI Minerals Management Service**

2001. USDI website at <http://www.mrm.mms.gov/Stats/statsrm.htm>, accessed 2001.

### **USDI Minerals Management Service**

2006. MRM Statistical Information Website at <http://www.mrm.mms.gov/MRMWebStats/StateAndOffshoreRegions.aspx?state=MT&yeartype=FY&year=2005> <January 5 and March 27, 2006>.

### **USDL**

See U.S. Department of Labor.

### **U.S. Department of Labor**

1999. U.S. Department of Labor Website [www.dol.gov](http://www.dol.gov).

### **U.S. District Court**

2000. See September 21, 2000 order in Friends of the Wild Swan, et al., v. U.S. Environmental Protection Agency, et al., CV 97-35-M-DWM, U.S. District Court for the District of Montana, Missoula Division.

### **U.S. Environmental Protection Agency**

1990. Superfund National Oil and Hazardous Substances Pollution Contingency Plan. 40CFR 300, Subchapter J.

### **U.S. Environmental Protection Agency**

- 1997a. National Air Toxics Information Clearinghouse (NATICH) Database. Office of Air Quality Planning and Standards. Research Triangle Park, NC.

### **U.S. Environmental Protection Agency**

- 1997b. Integrated Risk Information System (IRIS) Database. Office of Air Quality Planning and Standards. Research Triangle Park, NC.

### **U.S. Environmental Protection Agency**

2002. Letter from Robert E. Roberts, EPA Regional Administrator, "EPA's Review of the statewide Draft Oil and Gas Environmental Impact Statement and Amendment of the Powder River and Billings Resource Management Plans, (CEQ #020060).

### **U.S. Geological Survey**

Coal Fields of the Conterminous United States, Open File Report 96-92.

### **U.S. Geological Survey**

1963. *Mineral and Water Resources of Montana: Report of the United States Geological Survey*. In collaboration with Montana Bureau of Mines and Geology. Prepared at the request of Senator Lee Metcalf of Montana of the Committee on Interior and Insular Affairs, United States Senate. P. 46.

### **U.S. Geological Survey**

1995. Estimated Use of Water in the United States in 1995, USGS Circular 1200, 1996.

### **U.S. Geological Survey**

1998. Fort Union Coal Assessment Team. U.S. Geological Survey Professional Paper 1625-A, Resource Assessment of Selected Tertiary Coal Beds and Zones in the Northern Rocky Mountains and Great Plains Region.

### **U.S. Geological Survey**

1999. Fort Union Coal Assessment Team. U.S. Geological Survey Professional paper 1625-A, Resource Assessment of Selected Tertiary Coal Beds and Zones in the Northern Rocky Mountains and Great Plains Region.

### **U.S. Geological Survey**

2000. Coal bed methane: potential and concerns, USGS Fact Sheet, FS-123-00, October.

### **U.S. Geological Survey**

2001. USGS Water Resources Database. [http://waterdata.usgs.gov/mt/nwis/monthly?search\\_criteria=huc\\_cd&submitted\\_for=rm=introduction](http://waterdata.usgs.gov/mt/nwis/monthly?search_criteria=huc_cd&submitted_for=rm=introduction) <April 2001>.

**U.S. Geological Survey**

2002. Assessment of Undiscovered Oil and Gas Resources of the Powder River Basin Province of Wyoming and Montana, USGS Fact Sheet FS-146-02, November.

**U.S. Geological Survey**

2004. Powder River Basin Assessment Team USGS Digital Data Series, DDS-69-C. Total Petroleum System and Assessment of Coalbed Gas in the Powder River Basin Province, Wyoming and Montana.

**U.S. Geological Survey**

- 2005a. Powder River fish sampling data. Preliminary unpublished data collected by U.S. Geological Survey, Cheyenne, Wyoming.

**U.S. Geological Survey**

2005. Summary of water-quality data for sites in the Tongue River surface-water-quality monitoring network, March - October 2004 irrigation season. <http://tonguerivermonitoring.cr.usgs.gov/2004waterqualitysummary.htm> <April 11, 2006>.

**USGS**

See U.S. Geological Survey.

**U.S. Supreme Court**

1998. Syllabus Prepared by Reporter of Decisions No. 96-1829 *Montana et al. v. Crow Tribe of Indians et al.* Certiorari to the United States Court of Appeals for Ninth Circuit.

**U.S. Supreme Court**

1998. *Montana et al. v. Crow Tribe of Indians et al.*, certiorari to the United States Court of Appeals for the Ninth Circuit, No. 96—1829. Argued February 24, 1998—Decided May 18, 1998.

**Van der Zande, A. N., W. J. ter Keurs, and W. J. Van der Weijden**

1980. The impact of roads on the densities of four bird species in an open field habitat—evidence of a long distance effect. *Biological Conservation* 18:299-321.

**Van Dyke, F.G., R.H. Brocke, and H.G. Shaw**

1986. "Use of road track counts as indices of mountain lion presence." *Journal of Wildlife Management*. 50:102-109.

**Van Voast, W. A., and Jon C. Reiten**

1988. Hydrogeologic responses: Twenty years of surface coal mining in southeastern Montana: Montana Bureau of Mines and Geology.

**Van Voast, W. and Thale, P.**

2001. Anderson and Knobloch Coal Horizons and Potential for Methane Development, Powder River Basin, MBMG Map 60, 2001.

**Vestjens, W.J.M**

1973. "Wildlife mortality on a road in New South Wales." *Emu*. 73:107-12.

**Wakkinen, W. L., K. P. Reese, and J. W. Connelly.**

1992. Sage grouse nest locations in relation to leks. *Journal of Wildlife Management*. 56:381-383.

**Walker, B.**

2005. Wildlife Biology Program, University of Montana. E-mail correspondence dated December 1, 2005 to study cooperators regarding update on Powder River Basin sage-grouse/CBNG project.

**Walker, B.L, D.E. Naugle, K.E. Doherty, and T.E. Cornish**

2004. From the field: outbreak of west Nile virus in greater sage-grouse and guidelines for monitoring, handling, and submitting dead birds. *Wildlife Society Bulletin* 32(3):1-7.

**Wallestad, R., and D. B. Pyrah**

1974. "Movements and nesting requirements of sage grouse hens in Central Montana." *Journal of Wildlife Management*. 38(4):630-633.

**Wallestad, R., and P. Schladweiler**

1975. "Breeding season movements and habitat use of male sage grouse in Central Montana." *Journal of Wildlife Management*. 38(4):634-637.

**Wallwork, S. S. and Maxine Johnson**

1986. Natural resource development in Montana. Bureau of Business and Economic Research. University of Montana, Missoula, MT.

**Ward, A.L., J.J. Cupal, A.L. Lea, C.A. Oakley, and R.W. Weeks**

1973. "Elk behavior in relation to cattle grazing, forest recreation, and traffic." *Trans. N. Amer. Wildl. Nat. Resour. Conf.* 38:327-37.

## BIBLIOGRAPHY

### Weber, L. M. and B. H. Martin

1991. "Piping plover nest on dry and nearly dry alkaline wetlands in the northern Great Plains 1988-1990." *Prairie Naturalist*. 23: 209.

### Weinstein, M.

1978. Impact of Off-Road Vehicles on the Avifauna of Afton Canyon, California. Bureau of Land Management. Department of the Interior. Final Report #CA-060-CT7-2734.

### Wentland, H. J.

1968. Summer range habits of the pronghorn antelope in central Montana with special reference to proposed sagebrush control study plots. M.S. thesis. Montana State University, Bozeman, MT.

### Wheaton, J. and S. Reddish

2005. Potential effects to ground-water systems resulting from subsurface injection of coalbed methane production water. Report to the Montana Department of Environmental Quality and the Board of Environmental Review. Montana Bureau of Mines and Geology, December, 2005. (<http://www.deq.state.mt.us/ber/Wheaton/CBMInjectionRpt.pdf>).

### Wheaton, J.R., et al.

2005. Stateline Ground-Water Monitoring Network for the Tongue River and Powder River Watersheds, Project Completion Report Contract # RIT-0408653, Big Horn Conservation District and Montana Bureau of Mines and Geology, 2005.

### Wheaton, J.R. and T. Brown

2005. Predicting Changes in Ground-Water Quality Associated with Coalbed Methane Infiltration Ponds, Western Resources Project End of Project Report.

### Wheaton, J.R. and T. A. Donato

2004. Groundwater Monitoring Program in Perspective CBM Areas of Southeastern Montana Year One, Montana Bureau of Mines and Geology Open File Report 508, 2004.

### Wheaton, J., T. Donato, S. Reddish, and L. Hammer

2006. 2005 Annual Coalbed Methane Regional Ground-water Monitoring Report: Northern Portion of the Powder River Basin.

### Wheaton, J. and J. Metesh

2001. Potential groundwater impacts from coal-bed methane development in portions of Montana. MBMG Administrative Report to U.S. Bureau of Land Management.

### Wheaton, J. and J. Metesh

2002. "Potential Groundwater Drawdown and Recovery from Coal Bed Methane Development in the Powder River Basin, Montana," MBMG Open-File Report 458, May 2002.

### Wheaton, J. and W. Van Voast

1998. A quarter century of coal mining and hydrological research in southeastern Montana. National Meeting of the American Society for Surface Mining and Reclamation. St. Louis, MO. May 1998.

### Williams, personal communication

2006. Bruce Williams Fidelity Oil and Gas Exploration and Production Company, discussion with Dr. Bruce Langhus of ALL Consulting regarding the use of water well mitigation agreements to alleviate methane migration in the Powder River Basin. March 2006.

### Williams, J. and P. Diebel

1996. "The economic value of prairie." F.B. Samson and F.L. Knopf, eds. *In: Prairie conservation preserving North America's most endangered ecosystem*. Island Press. Covelo, CA.

### Williams, B.

2001. Personal communication between Mr. Williams/V.P., Redstone and Dr. Langhus/ALL-LLC. March 23, 2001.

### Wisdom, M.J., R.S. Holthausen, B.C. Wales, C.D. Hargis, V.A. Saab, D.C. Lee, W.J. Hann, T.D. Rich, M.M. Rowland, W.J. Murphy, and M.R. Eames

2000. Source habitats for terrestrial vertebrates of focus in the interior Columbia basin: broad-scale trends and management implications. Volume 1—Overview. Gen. Tech. Rep. PNW-GTR-485. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 3 vol.

**Wisdom, M.J., B.C. Wales, M.M. Rowland, M.G. Raphael, R.S. Holthausen, T.D. Rich, and V.A. Saab.**

2002. Performance of Greater Sage-Grouse Models for Conservation Assessment in the Interior Columbia Basin, U.S.A. *Conservation Biology*. 16:1232-1242.

**WOGCC**

2001. Coal Bed Methane Production Statistics, WOGCC web site <http://wogcc.state.wy.us/>, November, 2001.

**Wyoming Game and Fish Department.**

- n.d. Creating wetlands for wildlife with coal bed methane water. Sheridan, WY. Pamphlet.

**Yarmoloy, C., M. Bayer, and V. Geist.**

1988. "Behavior responses and reproduction of mule deer, *Odocoileus herionus*, does following experimental harassment with an all-terrain vehicle." *Canadian Field-Naturalist*. 102:425-429.

**Yashan, Dean.**

2005. Personal communication between Andy Bobst of BLM (Miles City Field Office) and Dean Yashan of MDEQ. December 8, 2005.

**Youmans, H. B., and J. E. Swenson.**

1982. Winter distribution of habitat use by mule deer and white-tailed deer in southeastern Montana. Appendix to Big Game Survey and Inventory (Deer

Region Seven, Progress Report W-130-R-13, Job 1-7. Montana Department of Fish, Wildlife and Parks.

**Zafft, D.**

- 2005a. Unpublished data, Wyoming Department of Game and Fish.

**Zafft, D.**

- 2005b. Personal communication between David Zafft/Wyoming Department of Game and Fish and Bob Sullivan/Parametrix. October 25, 2005.

**Zelt, Ronald B., Greg Boughton, Kirk A. Miller, Jon P. Mason, and Laura M. Gianakos.**

1999. *Environmental setting of the Yellowstone River Basin, Montana, North Dakota, and Wyoming*. U.S. Geological Survey Water-Resources Investigations Report 98-4269.

**Ziewitz, J. W., J. G. Sidle and J. J. Dinan.**

1992. "Habitat conservation for nesting least terns and piping plovers on the Platte River, Nebraska." *Prairie Naturalist*. 24:1-20.

**ZurMuehlen, A.**

2001. Coalbed methane development: economic and social impacts of proposed development in the Powder River Basin of Montana. Anderson ZurMuehlen and Co., PC, Certified Public Accountants and Business Consultants. Billings MT. June 1, 2001.

# INDEX

## A

### **access**

Chapter 1: 13, 15, 17, 18, 20, 21

Chapter 2: 8, 11, 12, 13, 15, 17, 21, 25, 29, 50, 51, 53, 54, 55, 57, 62, 64, 65, 67

Chapter 3: 5, 9, 31, 54, 59, 62, 71, 72, 74

Chapter 4: 14, 25, 56, 129, 131, 137, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 152, 159, 161, 162, 163, 164, 165, 166, 167, 168, 169, 171, 182, 189, 198, 214, 215, 216, 217, 218, 223, 224, 225, 227, 232, 234, 237, 238, 239, 241, 243, 244, 248, 250, 256, 265, 268, 274, 277, 279, 280, 283, 284, 285, 286, 287, 290, 291

### **agriculture**

Chapter 1: 19, 20

Chapter 2: 18

Chapter 3: 36, 38, 39, 59, 65, 66, 96, 104, 109, 123, 136

Chapter 4: 77, 78, 141, 145, 172, 207, 292

### **allotments**

Chapter 3: 56, 58, 62, 65

### **amphibians**

Chapter 2: 62

Chapter 3: 71, 87, 116

Chapter 4: 250, 255, 259, 268, 270, 272, 274, 288, 293

### **Areas of Critical Environmental Concern**

Chapter 2: 9, 53

Chapter 3: 8

### **Assiniboine**

Chapter 3: 63, 66

Chapter 5: 12

## B

### **barren lands**

Chapter 3: 70

Chapter 4: 235

### **Big Horn County**

Chapter 1: 2

Chapter 3: 64, 65, 90, 91, 92, 93, 98, 99, 100, 105, 110, 126, 127, 128, 129, 130

## INDEX

Chapter 4: 169, 172, 174, 175, 176

Chapter 5: 4, 11

### **black-footed ferret**

Chapter 3: 71, 85, 114, 117, 118, 126, 127, 128, 131

Chapter 4: 261, 265, 268

### **bonding**

Chapter 1: 7

Chapter 2: 3, 6

## C

### **Carbon County**

Chapter 3: 8, 87, 90, 91, 92, 93, 98, 99, 110, 112, 114

Chapter 4: 2

Chapter 5: 4, 11

### **Carter County**

Chapter 3: 59, 90, 91, 92, 93, 98, 99

Chapter 5: 12

### **Crow Reservation**

Chapter 1: 13

Chapter 2: 49

Chapter 3: 39, 40, 57, 59, 63, 65, 68, 69, 70, 71, 72, 85, 91, 92, 93, 94, 105

Chapter 4: 28, 33, 35, 38, 45, 47, 52, 57, 58, 59, 60, 61, 66, 67, 68, 69, 71, 73, 74, 89, 94, 100, 102, 105, 114, 117, 119, 123, 125, 126, 129, 130, 132, 143, 145, 146, 148, 149, 150, 152, 153, 154, 155, 156, 159, 160, 161, 163, 164, 165, 166, 167, 171, 176, 182, 184, 185, 186, 192, 197, 201, 204, 205, 206, 207, 208, 209, 217, 218, 219, 220, 221, 222, 223, 226, 227, 234, 237, 238, 239, 240, 242, 244, 245, 246, 247, 263, 268, 270, 271, 274, 277, 280, 289, 291, 294, 295, 296, 297, 298, 299, 301

### **Crow Tribe**

Chapter 1: 1, 2, 5, 11, 12

Chapter 2: 2

Chapter 3: 8, 40, 56, 57, 63, 64, 65, 66, 67, 68, 69, 70, 71, 93, 98

Chapter 4: 56, 59, 60, 61, 71, 72, 74, 75, 135, 136, 138, 149, 156, 182, 206, 208, 209, 213, 277

Chapter 5: 2, 3, 5, 11

### **Custer County**

Chapter 3: 90, 91, 92, 93, 98, 99

Chapter 5: 12

## D

### **demographics**

Chapter 2: 55

Chapter 3: 93

Chapter 4: 144, 168, 174, 193

## E

### **easements**

Chapter 1: 13, 16

Chapter 3: 89

### **education**

Chapter 1: 9, 11

Chapter 3: 65, 73, 75

Chapter 4: 204

### **employment**

Chapter 2: 55

Chapter 3: 65, 73, 74, 94, 95, 96

Chapter 4: 131, 168, 169, 171, 172, 174, 176, 178, 182, 184, 185, 186, 187, 192, 193, 198, 201, 202, 204

### **engineering**

Chapter 1: 7, 15

Chapter 2: 4

Chapter 3: 52, 68, 76, 82

Chapter 4: 21, 71, 74

### **environmental justice**

Chapter 2: 38

Chapter 3: 90, 104

Chapter 4: 203, 204, 206, 207, 208, 210, 211, 212, 213

### **exchanges**

Chapter 1: 16

Chapter 3: 59

## F

### **ferruginous hawk**

Chapter 3: 115, 126

Chapter 4: 266

## INDEX

### **fire management**

Chapter 4: 144

### **fisheries**

Chapter 1: 4, 21

Chapter 2: 10, 71

Chapter 3: 39, 71, 86, 132, 133, 134, 137

Chapter 4: 17, 281, 282, 284, 287, 291, 293

### **Fort Belknap Indian Reservation**

Chapter 2: 33, 35

Chapter 3: 63, 118

Chapter 4: 18, 19, 29, 31, 34, 35, 39, 46, 49, 53, 261

Chapter 5: 12

## G

### **General Permit**

Chapter 1: 6, 10

### **Golden Valley County**

Chapter 3: 88, 90, 91, 92, 93, 98, 99, 112

Chapter 5: 5, 11

### **grasslands**

Chapter 1: 21

Chapter 2: 59

Chapter 3: 108, 113, 114, 116, 126

Chapter 4: 229, 233, 235, 242

## H

### **hazardous materials**

Chapter 1: 19

Chapter 3: 107

Chapter 4: 225, 226, 227

### **hazardous wastes**

Chapter 2: 57

Chapter 3: 107

Chapter 4: 225, 226, 227

# I

## injection

Chapter 1: 7, 13, 15, 19

Chapter 2: 4, 5, 11, 14, 19, 25, 55

Chapter 3: 52, 53, 83

Chapter 4: 14, 65, 68, 69, 80, 81, 92, 93, 94, 95, 105, 108, 109, 110, 111, 112, 113, 116, 117, 118, 120, 122, 124, 131, 145, 153, 168, 178, 183, 185, 217, 220, 223, 236, 291, 296, 297

# L

## leasing stipulations

Chapter 4: 12

## Little Big Horn River

Chapter 2: 69

Chapter 4: 281

## Little Powder River

Chapter 2: 43

Chapter 3: 134, 135

Chapter 4: 83, 86, 87, 98, 103, 104, 110, 113, 118, 122, 126

# M

## mammals

Chapter 2: 62

Chapter 3: 70, 71, 87, 113, 114, 115

Chapter 4: 250, 255, 259, 268, 272

## minority populations

Chapter 3: 104

Chapter 4: 206, 211, 213

## mitigation

Chapter 1: 1, 2, 4, 5, 9, 20, 22, 23

Chapter 2: 1, 2, 3, 6, 7, 8, 9, 10, 12, 14, 15, 18, 19, 20, 22, 30, 31, 38, 47, 54, 61, 64, 65

Chapter 3: 29, 30, 31, 32, 41, 45, 48, 50

Chapter 4: 1, 12, 25, 26, 30, 35, 40, 41, 45, 46, 48, 50, 53, 54, 55, 56, 57, 58, 59, 60, 61, 63, 65, 66, 68, 69, 74, 82, 83, 90, 93, 95, 96, 102, 104, 105, 106, 114, 116, 120, 121, 123, 124, 125, 127, 129, 132, 135, 136, 137, 138, 139, 148, 150, 158, 162, 165, 167, 176, 187, 189, 192, 195, 197, 199, 201, 202, 203, 206, 211, 213, 215, 217, 219, 230, 231, 239, 240, 241, 242, 243, 244, 245, 246, 247, 249, 250, 252, 253,

## INDEX

254, 255, 259, 260, 263, 264, 265, 268, 270, 271, 273, 274, 280, 282, 283, 287,  
289, 291, 292, 294, 296, 297, 298, 299, 301

Chapter 5: 1

### **mitigation measures**

Chapter 1: 5

Chapter 2: 2, 3, 7, 9, 10, 12, 15, 18, 19, 20, 22, 30, 31, 61

Chapter 3: 29

Chapter 4: 1, 12, 25, 26, 30, 35, 40, 45, 48, 53, 54, 56, 57, 58, 59, 60, 61, 66, 68, 114, 124,  
132, 135, 136, 137, 138, 139, 148, 150, 158, 187, 192, 197, 201, 202, 211, 213,  
215, 217, 219, 231, 239, 240, 241, 242, 243, 249, 250, 253, 254, 255, 259, 260,  
263, 264, 265, 268, 270, 271, 273, 274, 280, 282, 283, 287, 289, 291, 292, 294,  
296

### **Mizpah Creek**

Chapter 4: 83, 87, 98, 99, 103, 104, 111, 112, 113, 118, 122, 126

### **Musselshell County**

Chapter 3: 8, 88, 90, 91, 92, 93, 98, 99, 115

Chapter 4: 2

Chapter 5: 7, 11

## N

### **neotropical migrants**

Chapter 3: 114, 116

### **Northern Cheyenne Reservation**

Chapter 1: 13

Chapter 2: 33, 35

Chapter 3: 4, 7, 39, 40, 57, 59, 63, 65, 72, 74, 75, 77, 79, 81, 84, 85, 86, 91, 93, 105, 113,  
128, 131

Chapter 4: 18, 28, 35, 38, 45, 47, 52, 57, 58, 59, 60, 61, 66, 67, 68, 69, 72, 73, 75, 90, 95,  
100, 102, 129, 132, 135, 143, 145, 146, 148, 149, 150, 152, 153, 154, 155, 156,  
159, 160, 161, 163, 164, 165, 166, 167, 171, 176, 182, 184, 185, 186, 192, 197,  
201, 202, 204, 205, 206, 208, 209, 210, 211, 212, 213, 217, 218, 219, 220, 221,  
222, 223, 226, 227, 235, 237, 238, 239, 240, 242, 244, 245, 246, 247, 263, 268,  
269, 270, 271, 274, 277, 280, 289, 292, 294, 295, 296, 298, 299, 301

### **Northern Cheyenne Tribe**

Chapter 1: 1, 2, 5, 11, 12, 22

Chapter 2: 2, 19, 21

Chapter 3: 4, 7, 8, 36, 40, 49, 57, 58, 63, 64, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84,  
85, 86, 95, 98

Chapter 4: 1, 20, 25, 56, 59, 60, 61, 72, 75, 78, 101, 134, 136, 137, 138, 182, 187, 204, 206,  
207, 208, 209, 210, 211, 212, 213, 239, 240, 242, 274, 277, 280, 293

Chapter 5: 1, 2, 3, 7

**noxious weeds**

Chapter 3: 109

# O

**off-road vehicle**

Chapter 3: 70, 88

Chapter 4: 215

**Otter Creek**

Chapter 3: 13

# P

**pallid sturgeon**

Chapter 3: 134

Chapter 4: 288, 294

**per capita income**

Chapter 2: 55

Chapter 3: 57, 65, 98, 99, 104

Chapter 4: 168, 174

**peregrine falcon**

Chapter 3: 71, 85, 117

**permits**

Chapter 1: 6, 7, 8, 9, 12, 13, 14, 15, 16, 18

Chapter 2: 3, 5, 6, 11, 14, 19, 20, 25, 47, 65, 70, 71

Chapter 3: 5, 7, 25, 36, 40, 53, 55, 82, 104

Chapter 4: 2, 8, 20, 23, 26, 60, 61, 69, 70, 77, 78, 80, 81, 92, 96, 103, 106, 110, 111, 116, 117, 118, 119, 120, 121, 123, 124, 125, 126, 127, 128, 129, 132, 136, 151, 156, 219, 220, 241, 250, 287, 288, 290, 295, 297

**planning criteria**

Chapter 5: 1

**Powder River**

Chapter 1: 1, 2, 4, 5, 9, 13, 18, 19, 21

Chapter 2: 1, 3, 4, 10, 16, 17, 19, 22, 25, 44

Chapter 3: 1, 2, 3, 8, 9, 11, 14, 18, 21, 22, 23, 24, 25, 26, 28, 32, 38, 39, 40, 41, 45, 48, 50, 60, 61, 62, 66, 67, 68, 72, 75, 76, 77, 78, 79, 85, 88, 90, 91, 92, 93, 97, 98, 99, 102, 106, 108, 109, 110, 112, 113, 115, 117, 122, 123, 126, 129, 130, 131, 132, 134, 135, 136, 137, 139

## INDEX

Chapter 4: 1, 2, 4, 12, 13, 15, 16, 17, 21, 22, 26, 47, 61, 64, 66, 71, 74, 76, 77, 78, 79, 80, 81, 83, 85, 86, 87, 88, 90, 92, 93, 94, 95, 96, 97, 98, 99, 100, 103, 104, 106, 108, 110, 111, 112, 113, 114, 115, 116, 117, 118, 120, 121, 122, 125, 126, 129, 130, 131, 132, 136, 138, 143, 144, 152, 153, 169, 172, 178, 179, 180, 181, 182, 187, 189, 191, 193, 196, 198, 199, 200, 202, 204, 205, 206, 207, 212, 215, 219, 230, 232, 233, 234, 235, 243, 244, 252, 254, 263, 265, 274, 275, 277, 279, 284, 286, 287, 290, 293, 294, 295

Chapter 5: 1, 7, 11

### **Powder River County**

Chapter 3: 8, 72, 90, 91, 92, 93, 98, 99, 112, 129, 130

Chapter 4: 169

Chapter 5: 7, 11

### **prairie dog**

Chapter 1: 23

Chapter 2: 64

Chapter 3: 71, 85, 114, 115, 118, 119, 123, 126, 127, 128, 130, 131

Chapter 4: 250, 256, 260, 261, 264, 265, 268, 273

### **public participation**

Chapter 5: 1

## R

### **raptors**

Chapter 2: 15, 62

Chapter 3: 114, 115

Chapter 4: 250, 251, 254, 257, 263, 265, 266, 272, 273

### **reptiles**

Chapter 2: 62

Chapter 3: 71, 87, 116

Chapter 4: 250, 255, 272, 288

### **right-of-way**

Chapter 3: 59

Chapter 4: 141, 189, 198

### **Rosebud County**

Chapter 1: 16

Chapter 3: 5, 8, 64, 84, 90, 91, 92, 93, 98, 99, 105, 112

Chapter 4: 169, 192, 197, 202, 204

Chapter 5: 8, 11

**Rosebud Creek**

Chapter 1: 13

Chapter 3: 38, 39, 68, 77, 79, 80, 81, 84, 85, 86, 135

Chapter 4: 83, 88, 89, 95, 100, 101, 102, 103, 104, 109, 110, 113, 114, 116, 118, 119, 122, 123, 125, 127, 135, 208, 210, 219, 220, 221, 222, 223, 293

**S**

**sage-grouse**

Chapter 1: 23

Chapter 2: 3, 4, 7, 15, 18, 20, 21, 22, 24, 26, 31, 36, 37, 62, 64, 65

Chapter 3: 71, 85, 115, 116, 119, 120, 122, 123, 126, 128, 131

Chapter 4: 9, 10, 47, 55, 59, 62, 71, 77, 115, 116, 117, 118, 120, 125, 127, 140, 147, 148, 149, 156, 158, 165, 166, 168, 187, 191, 193, 214, 222, 240, 241, 250, 251, 252, 254, 256, 257, 262, 263, 265, 266, 268, 272, 273, 274, 275, 277, 279, 280

**shrublands**

Chapter 3: 108, 113, 116

**Special Status Species**

Chapter 1: 21

Chapter 3: 71, 85, 119, 132, 137

Chapter 4: 288, 291, 293, 295, 296, 298, 299, 300

**Species of Concern**

Chapter 2: 62

Chapter 3: 109, 113, 115, 116, 119

Chapter 4: 230, 234, 235, 237, 250, 260, 261, 264, 270, 271, 273, 275, 277, 280

**Stillwater County**

Chapter 3: 88, 90, 91, 92, 93, 98, 99, 115

Chapter 5: 12

**Sweetgrass County**

Chapter 3: 90, 92, 93, 98

**T**

**taxes**

Chapter 1: 22

Chapter 2: 55

Chapter 3: 63, 74, 95, 99

Chapter 4: 168, 171, 174, 175, 181, 182, 183, 185, 186, 191, 192, 196, 200, 201, 202

## INDEX

### **threatened and endangered species**

Chapter 5: 2, 10

### **Tongue River**

Chapter 1: 1, 2, 4, 5, 12, 13, 22

Chapter 2: 8, 43, 46, 49

Chapter 3: 8, 10, 18, 21, 23, 24, 30, 32, 36, 37, 38, 39, 40, 41, 45, 49, 50, 57, 61, 67, 68, 72, 75, 76, 77, 78, 79, 80, 81, 82, 84, 85, 86, 88, 105, 115, 117, 131, 134, 135, 136, 137, 139

Chapter 4: 1, 17, 18, 19, 20, 40, 43, 50, 56, 76, 80, 81, 82, 83, 84, 85, 90, 95, 96, 97, 102, 103, 104, 105, 106, 107, 108, 113, 114, 116, 117, 118, 119, 120, 121, 122, 123, 125, 126, 127, 129, 130, 133, 134, 135, 136, 137, 138, 139, 142, 152, 163, 166, 167, 169, 172, 189, 198, 205, 208, 210, 216, 217, 219, 220, 221, 222, 223, 225, 227, 235, 242, 244, 254, 265, 282, 284, 286, 287, 288, 289, 290, 297

Chapter 5: 1, 8

### **Treasure County**

Chapter 3: 90, 91, 92, 93, 98, 99, 109, 115

Chapter 5: 8, 11

## U

### **unemployment**

Chapter 1: 20

Chapter 2: 55

Chapter 3: 57, 63, 65, 73, 96

Chapter 4: 168, 172, 178, 183, 184, 185, 187, 193, 198

### **upland game birds**

Chapter 3: 71, 115

## W

### **Wasatch Formation**

Chapter 3: 18, 21, 22, 24, 68

Chapter 4: 17

### **waterfowl**

Chapter 2: 62

Chapter 3: 38, 114, 115, 116, 118

Chapter 4: 250, 254, 260

### **West Nile virus**

Chapter 2: 18, 64

Chapter 3: 122

Chapter 4: 250, 251, 274, 275, 277, 280

**Wheatland County**

Chapter 3: 90, 91, 92, 93, 98, 99

Chapter 5: 12

**Wilderness Study Areas**

Chapter 1: 21

Chapter 2: 10, 62

Chapter 3: 112

Chapter 4: 248

**workforce**

Chapter 3: 90

Chapter 4: 171, 172

**Y**

**Yellowstone County**

Chapter 3: 5, 8, 64, 87, 90, 91, 92, 93, 98, 99, 109

Chapter 5: 9, 11

**Yellowstone River**

Chapter 2: 69

Chapter 3: 38, 39, 66, 68, 75, 109, 114, 115, 116, 117, 132, 133, 134, 135, 137, 138, 139

Chapter 4: 88, 89, 99, 100, 101, 102, 112, 113, 118, 122, 126, 281, 284, 294