

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 1
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

This file examines in greater detail the behaviors of the Medicare population with respect to various preventative healthcare screeners. In addition to mammograms and Pap smears this file contains data on procedures associated with the prostate and colon cancer, osteoporosis, and diabetes. There is one record for every community interview.

RIC	1	2					C Record Identification Code
VERSION	3	1					C Version Number
BASEID	4	8	\$BSIDFMT				C Unique SP Identification Number

14,500	LOW-HIGH BASEID Count
--------	-----------------------

MAMNNEED	12	2	IND1FMT	HFF5			N Wasn't needed/no need/nothing wrong
					10,592		. Inapplicable
					15		-8 Don't know
					2		-7 Refused
					1,043		1 Indicated
					2,848		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNANUL	14	2	IND1FMT	HFF5			N Not recommended annually/diff schedule
					10,592		. Inapplicable
					15		-8 Don't know
					2		-7 Refused
					456		1 Indicated
					3,435		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNGET	16	2	IND1FMT	HFF5			N Could get cancer anyway/test useless
					10,592		. Inapplicable
					15		-8 Don't know
					2		-7 Refused
					131		1 Indicated
					3,760		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

MAMNRISK	18	2	IND1FMT	HFF5			N Not at risk for breast cancer
					10,592		. Inapplicable
					15		-8 Don't know
					2		-7 Refused
					77		1 Indicated
					3,814		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
First available in 2000

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 2
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNPRES	20	2	IND1FMT		HFF5		N Dr. did not prescribe or recommend it
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				708			1 Indicated
				3,183			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNREC	22	2	IND1FMT		HFF5		N Dr. recommended against getting it
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				48			1 Indicated
				3,843			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNLIKE	24	2	IND1FMT		HFF5		N Don't like mammograms/pain/reactions to
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				402			1 Indicated
				3,489			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNLOCA	26	2	IND1FMT		HFF5		N Inconvenient/unable to get to location
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				130			1 Indicated
				3,761			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNMISS	28	2	IND1FMT		HFF5		N Forgot/missed it/procrastinated
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				488			1 Indicated
				3,403			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 3
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNCOST	30	2	IND1FMT		HFF5		N Cost of mammogram/not covered by ins
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				72			1 Indicated
				3,819			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNFEAR	32	2	IND1FMT		HFF5		N Afraid of results/don't want to know
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				59			1 Indicated
				3,832			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNRADI	34	2	IND1FMT		HFF5		N Mammogram radiation could cause cancer
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				16			1 Indicated
				3,875			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNHEAR	36	2	IND1FMT		HFF5		N Never heard of mammogram
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				11			1 Indicated
				3,880			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			
MAMNAPPT	38	2	IND1FMT		HFF5		N Appointment is scheduled/due soon
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				476			1 Indicated
				3,415			2 Not indicated
				Notes: Applies only if RIC 2, MAMMOGRM = 2			
				First available in 2000			

2004

Health Status & Functioning -- Prevention

Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNMASC	40	2	IND1FMT		HFF5		N SP had a mastectomy
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				68			1 Indicated
				3,823			2 Not indicated
							Notes: Applies only if RIC 2, MAMMOGRM = 2
							First available in 2000
MAMNILL	42	2	IND1FMT		HFF5		N SP was too ill, physically or mentally
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				76			1 Indicated
				3,815			2 Not indicated
							Notes: Applies only if RIC 2, MAMMOGRM = 2
							First available in 2001
MAMNOTHR	44	2	IND1FMT		HFF5		N Reason not had mammogram - other
				10,592			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				187			1 Indicated
				3,704			2 Not indicated
							Notes: Applies only if RIC 2, MAMMOGRM = 2
							First available in 2000
PAPNNEED	46	2	IND1FMT		HFF8		N Wasn't needed/no need/nothing wrong
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				1,276			1 Indicated
				3,723			2 Not indicated
							Notes: Applies only if RIC2, PAPSMEAR = 2
							First available in 2000
PAPNANUL	48	2	IND1FMT		HFF8		N Not recommended annually/diff schedule
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				673			1 Indicated
				4,326			2 Not indicated
							Notes: Applies only if RIC2, PAPSMEAR = 2
							First available in 2000

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 5
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNGET	50	2	IND1FMT	HFF8			N Could get cancer anyway/test useless
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				83			1 Indicated
				4,916			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNRISK	52	2	IND1FMT	HFF8			N Not at risk for cancer
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				57			1 Indicated
				4,942			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNPRES	54	2	IND1FMT	HFF8			N Dr. did not prescribe or recommend it
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				1,224			1 Indicated
				3,775			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNREC	56	2	IND1FMT	HFF8			N Dr. recommended against getting it
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				96			1 Indicated
				4,903			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			
PAPNLIKE	58	2	IND1FMT	HFF8			N Don't like Pap smears/pain/discomfort
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				246			1 Indicated
				4,753			2 Not indicated
				Notes: Applies only if RIC2, PAPSMEAR = 2			
				First available in 2000			

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, PAPSMEAR = 2
First available in 2000

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 7
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

PAPNHYST	70	2	IND1FMT		HFF8		N Had hysterectomy; no uterus or ovaries
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				935			1 Indicated
				4,064			2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
First available in 2000

PAPNHEAR	72	2	IND1FMT		HFF8		N Never heard of Pap smear
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				6			1 Indicated
				4,993			2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
First available in 2000

PAPNILL	74	2	IND1FMT		HFF8		N SP was too ill, physically or mentally
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				67			1 Indicated
				4,932			2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
First available in 2001

PAPNOTHR	76	2	IND1FMT		HFF8		N Reason not had Pap smear - other
				9,475			. Inapplicable
				1			-9 Not ascertained
				23			-8 Don't know
				2			-7 Refused
				84			1 Indicated
				4,915			2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
First available in 2000

PRONNEED	78	2	IND1FMT		HFF14		N Wasn't needed/no need/nothing wrong
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				964			1 Indicated
				1,063			2 Not indicated

Notes: Applies only if RIC2, BLOODTST = 2
First available in 2000

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 8
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONANUL	80	2	IND1FMT		HFF14		N Not recommended annually/diff schedule
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				202			1 Indicated
				1,825			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONGET	82	2	IND1FMT		HFF14		N Could get cancer anyway/test useless
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				30			1 Indicated
				1,997			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONRISK	84	2	IND1FMT		HFF14		N Not at risk for cancer
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				25			1 Indicated
				2,002			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONPRES	86	2	IND1FMT		HFF14		N Dr. did not prescribe or recommend it
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				611			1 Indicated
				1,416			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONREC	88	2	IND1FMT		HFF14		N Dr. recommended against getting it
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				24			1 Indicated
				2,003			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 9
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONLIKE	90	2	IND1FMT		HFF14		N Don't like blood tests/pain/reactions to
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				41			1 Indicated
				1,986			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONLOCA	92	2	IND1FMT		HFF14		N Inconvenient/unable to get to location
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				18			1 Indicated
				2,009			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONMISS	94	2	IND1FMT		HFF14		N Forgot/missed it/procrastinated
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				137			1 Indicated
				1,890			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONCOST	96	2	IND1FMT		HFF14		N Cost of blood test/not covered by ins
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				50			1 Indicated
				1,977			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			
PRONFEAR	98	2	IND1FMT		HFF14		N Afraid of results/don't want to know
				12,440			. Inapplicable
				32			-8 Don't know
				1			-7 Refused
				18			1 Indicated
				2,009			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2			
				First available in 2000			

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, FLUSHOT = 2
First available in 1996

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, FLUSHOT = 2
First available in 1996

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if RIC2, FLUSHOT = 2
First available in 1996

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if PNEUSHOT = 2
First available in 1996

ACCESS
2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if PNEUSHOT = 2
First available in 1996

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if PNEUSHOT = 2
First available in 1996

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if EDOCLAST = 1, 3, or 4
First available in 2002

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 17
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ENOTREC	172	2	IND1FMT		HFB9		N No eye exam: Dr. didn't recommend one
				11,505			. Inapplicable
				9			-8 Don't know
				166			1 Indicated
				2,820			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
EAGAINST	174	2	IND1FMT		HFB9		N No eye exam: Dr. recommended against it
				11,505			. Inapplicable
				9			-8 Don't know
				14			1 Indicated
				2,972			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
EAPPTSET	176	2	IND1FMT		HFB9		N No eye exam: appointment already set
				11,505			. Inapplicable
				9			-8 Don't know
				15			1 Indicated
				2,971			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
ENOTRUST	178	2	IND1FMT		HFB9		N No eye exam: don't trust Drs to help me
				11,505			. Inapplicable
				9			-8 Don't know
				35			1 Indicated
				2,951			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
ETMAPPTS	180	2	IND1FMT		HFB9		N No eye exam: too many other appontments
				11,505			. Inapplicable
				9			-8 Don't know
				34			1 Indicated
				2,952			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
EDISCOMF	182	2	IND1FMT		HFB9		N No eye exam: don't like/drops irritate
				11,505			. Inapplicable
				9			-8 Don't know
				38			1 Indicated
				2,948			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 18
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
EINCONVT	184	2	IND1FMT		HFB9		N No eye exam: can't get there easily
				11,505			. Inapplicable
				9			-8 Don't know
				152			1 Indicated
				2,834			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
ENOFIND	186	2	IND1FMT		HFB9		N No eye exam: didn't know where to go
				11,505			. Inapplicable
				9			-8 Don't know
				25			1 Indicated
				2,961			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
EFORGOT	188	2	IND1FMT		HFB9		N No eye exam: forgot, missed, postponed
				11,505			. Inapplicable
				9			-8 Don't know
				393			1 Indicated
				2,593			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
EHEALTH	190	2	IND1FMT		HFB9		N No eye exam: too ill
				11,505			. Inapplicable
				9			-8 Don't know
				29			1 Indicated
				2,957			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
ECOSTPAY	192	2	IND1FMT		HFB9		N No eye exam: not covered by ins./Medicare
				11,505			. Inapplicable
				9			-8 Don't know
				522			1 Indicated
				2,464			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			
EAFRAID	194	2	IND1FMT		HFB9		N No eye exam: afraid of result
				11,505			. Inapplicable
				9			-8 Don't know
				11			1 Indicated
				2,975			2 Not indicated
				Notes: Applies only if EDOCLAST = 1, 3, or 4			
				First available in 2002			

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if DIATYPES is not equal to . or 3
First available in 2000

2004

Health Status & Functioning -- Prevention

Version: 1

Notes: Applies only if DIATYPES is not equal to . or 3
First available in 2000

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 21
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIAPRESS	219	2	YES1FMT	HFP4h			N Measure blood pressure at home
				11,555			. Inapplicable
				1			-8 Don't know
				1			-7 Refused
				1,155			1 Yes
				1,788			2 No
				Notes: Applies only if DIATYPES is not equal to . or 3			
				First available in 2002			
INSUTAKE	221	2	TAKEFMT	HFP5			N How often SP takes insulin
				13,783			. Inapplicable
				5			-8 Don't know
				680			1 Every day
				23			2 Every week
				9			3 Use insulin pump
				Notes: Applies only if DIAINSUL = 1			
				First available in 2000			
INSUDAY	223	3	NUM2FMT	HFP5			N Insulin - times per day
				13,820			. Missing
				680			Number
				Notes: Applies only if INSUTAKE = 1			
				First available in 2000			
INSUWEEK	226	4	NUM2FMT	HFP5			N Insulin - times per week
				14,477			. Missing
				23			Number
				Notes: Applies only if INSUTAKE = 2			
				First available in 2000			
MEDSTAKE	230	2	OFTENFMT	HFP6			N How often takes meds/pill for diabetes
				12,593			. Inapplicable
				9			-8 Don't know
				1,855			1 Every day
				37			2 Every week
				6			3 Every month
				0			4 Every year
				Notes: Applies only if DIAMEDS = 1			
				First available in 2000			
MEDDAY	232	3	NUM2FMT	HFP6			N Diabetes medicine - per day
				12,645			. Missing
				1,855			Number
				Notes: Applies only if MEDSTAKE = 1			
				First available in 2000			

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 22
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MEDWEEK	235	4	NUM2FMT			HFP6	N Diabetes medicine - per week
				14,463			. Missing
				37			Number
				Notes: Applies only if MEDSTAKE = 2 First available in 2000			
MEDMONTH	239	4	NUM2FMT			HFP6	N Diabetes medicine - per month
				14,494			. Missing
				6			Number
				Notes: Applies only if MEDSTAKE = 3 First available in 2000			
TESTTAKE	243	2	OFTENFMT			HFP7	N How often tests own blood for sugar/gluc
				12,227			. Inapplicable
				13			-8 Don't know
				1,561			1 Every day
				537			2 Every week
				116			3 Every month
				46			4 Every year
				Notes: Applies only if DIATEST = 1 First available in 2000			
TESTDAY	245	3	NUM2FMT			HFP7	N Blood test - times per day
				12,939			. Missing
				1,561			Number
				Notes: Applies only if TESTTAKE = 1 First available in 2000			
TESTWEEK	248	4	NUM2FMT			HFP7	N Blood test - times per week
				13,963			. Missing
				537			Number
				Notes: Applies only if TESTTAKE = 2 First available in 2000			
TESTMNTH	252	4	NUM2FMT			HFP7	N Blood test - times per month
				14,384			. Missing
				116			Number
				Notes: Applies only if TESTTAKE = 3 First available in 2000			
TESTYEAR	256	5	NUM2FMT			HFP7	N Diabetes blood test - per year
				14,454			. Missing
				46			Number
				Notes: Applies only if TESTTAKE = 4 First available in 2000			

2004

Health Status & Functioning -- Prevention

Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
SORECHEK	261	2	OFTENFMT		HFP8		N How often checks feet for sores{diabetes}
				12,279			. Inapplicable
				16			-8 Don't know
				1,569			1 Every day
				464			2 Every week
				129			3 Every month
				43			4 Every year
				Notes: Applies only if DIASORES = 1			
				First available in 2000			
SOREDAY	263	3	NUM2FMT		HFP8		N Check sores - times per day
				12,931			. Missing
				1,569			Number
				Notes: Applies only if SORECHEK = 1			
				First available in 2000			
SOREWEEK	266	4	NUM2FMT		HFP8		N Check sores - times per week
				14,036			. Missing
				464			Number
				Notes: Applies only if SORECHEK = 2			
				First available in 2000			
SOREMNTH	270	4	NUM2FMT		HFP8		N Check sores - times per month
				14,371			. Missing
				129			Number
				Notes: Applies only if SORECHEK = 3			
				First available in 2000			
SOREYEAR	274	5	NUM2FMT		HFP8		N Check sores - times per year
				14,457			. Missing
				43			Number
				Notes: Applies only if SORECHEK = 4			
				First available in 2000			
DIAFEET	279	2	YES1FMT		HFP9		N Problems with feet from diabetes
				11,555			. Inapplicable
				18			-8 Don't know
				2			-7 Refused
				574			1 Yes
				2,351			2 No
				Notes: Applies only if DIATYPES is not equal to 3			
				First available in 2002			

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 24
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

DIATENYR	281	2	YES1FMT		HFP10		N In past year has dr. examined feet
				11,555			. Inapplicable
				12			-8 Don't know
				2,027			1 Yes
				906			2 No

Notes: Applies only if DIATYPES is not equal to 3
First available in 2002

DIADRSAW	283	3	NUM3FMT		HFP11		N # of times saw Dr. last yr. for diabetes
				11,555			. Missing
				88			-8 Don't know
				1			-7 Refused
				201			0 None
				2,655			Number

Notes: Applies only if DIATYPES is not equal to . or 3
First available in 2000

DIATREAT	286	2	YES1FMT		HFP12		N Dr. talked about treatment for diabetes?
				11,555			. Inapplicable
				12			-8 Don't know
				2,075			1 Yes
				858			2 No

Notes: Applies only if DIATYPES is not equal to . or 3
First available in 2000

DIAHEMOC	288	3	NUM3FMT		HFP13		N # times checked {hemoglobin a} last year
				11,555			. Missing
				522			-8 Don't know
				2			-7 Refused
				290			0 None
				2,131			Number

Notes: Applies only if DIATYPES is not equal to . or 3
First available in 2000

DIACTRLD	291	2	TIME2FMT		HFP14		N Is blood sugar controlled
				11,555			. Inapplicable
				80			-8 Don't know
				3			-7 Refused
				822			1 All of the time
				1,516			2 Most of the time
				410			3 Some of the time
				82			4 A little of the time
				32			5 None of the time

Notes: Applies only if DIATYPES is not equal to . or 3
First available in 2002

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: **2P**
Page: 25
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIAEYPRB	293	2	YES1FMT		HFP15		N Probs. w/ eyes because of diabetes
				11,555			. Inapplicable
				68			-8 Don't know
				1			-7 Refused
				595			1 Yes
				2,281			2 No
				Notes: Applies only if DIATYPES is not equal to . or 3			
				First available in 2002			
DIKDPRB	295	2	YES1FMT		HFP16		N Probs. w/ kidney because of diabetes
				11,555			. Inapplicable
				57			-8 Don't know
				1			-7 Refused
				267			1 Yes
				2,620			2 No
				Notes: Applies only if DIATYPES is not equal to . or 3			
				First available in 2002			
DIAMNGE	297	2	YES1FMT		HFP17		N Had diabetes self management course
				11,555			. Inapplicable
				8			-8 Don't know
				945			1 Yes
				1,992			2 No
				Notes: Applies only if DIATYPES is not equal to . or 3			
				First available in 2000			
DIATRAN	299	2	RECFMT		HFP18		N Last time SP had diabetes mgmnt training
				13,555			. Inapplicable
				6			-8 Don't Know
				247			1 Less than 1 year ago
				200			2 Between 1-2 years ago
				138			3 Between 2-3 years ago
				107			4 Between 3-5 years ago
				247			5 5 or more years ago
				Notes: Applies only if DIAMNGE = 1			
				First available in 2000			
DIKNOW	301	2	KNOWFMT		HFP19		N How much knows about managing diabetes
				11,743			. Missing
				1			-9 Not ascertained
				12			-8 Don't know
				747			1 Just about everything necessary
				1,184			2 Most of what is necessary
				574			3 Some of what is necessary
				162			4 A little of what is necessary
				77			5 Almost none of what is necessary
				Notes: Applies only if DIATYPES is not equal to . or 3 and SP is respondent			
				First available in 2000			

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 26
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

DIASUPPS	303	2	YES1FMT		HFP20		N Know Medicare helps pay for supplies
				11,743			. Inapplicable
				1			-9 Not ascertained
				7			-8 Don't know
				2,095			1 Yes
				654			2 No

Notes: Applies only if DIATYPES is not equal to . or 3 and SP is respondent
First available in 2000

DIAEVERT	305	2	YNDIAFMT		HFP21		N Ever had blood test for diabetes
				2,946			. Inapplicable
				619			-8 Don't know
				6			-7 Refused
				8,479			1 Yes
				2,450			2 No
				0			3 SP has diabetes

Notes: Applies only if OCDIABTS /= 1, DIAAGE = 997, DIAPRGNT /= 2 or DIATYP
First available in 2000

DIARECNT	307	2	RECFMT		HFP22		N Most recent time tested for diabetes
				6,021			. Inapplicable
				262			-8 Don't Know
				5,308			1 Less than 1 year ago
				1,744			2 Between 1-2 years ago
				545			3 Between 2-3 years ago
				243			4 Between 3-5 years ago
				377			5 5 or more years ago

Notes: Applies only if DIAEVERT = 1
First available in 2000

DIAAWARE	309	2	YES1FMT		HFP23		N SP aware of diabetes test before today
				10,981			. Inapplicable
				8			-9 Not ascertained
				52			-8 Don't know
				10			-7 Refused
				2,056			1 Yes
				1,393			2 No

Notes: Applies only if DIAEVERT = 2, -7, or -8 and SP is respondent
First available in 2000

DIARISK	311	2	YES1FMT		HFP24		N Ever told at high risk for diabetes
				2,945			. Inapplicable
				55			-8 Don't know
				6			-7 Refused
				665			1 Yes
				10,829			2 No

Notes: Applies only if DIAEVERT is not equal to . or 3
First available in 2000

11/02/05
ACCESS
2004

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 27
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIASIGNS	313	2	YES1FMT			HFP25	N Received info about signs of diabetes
				2,945			. Inapplicable
				92			-8 Don't know
				6			-7 Refused
				2,636			1 Yes
				8,821			2 No

Notes: Applies only if DIAEVERT is not equal to . or 3
First available in 2000