EPA Superfund Record of Decision:

SAVANNAH RIVER SITE (USDOE) EPA ID: SC1890008989 OU 26, 39 AIKEN, SC 08/31/2000

United States Department of Energy

Savannah River Site



AUG 14 2000

DIVISION OF SITE
ASSESSMENT & REMEDIATION

Record of Decision Remedial Alternative Selection for the L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) (U)

WSRC-RP-98-4105 Revision 1 September 1999

Prepared by: Westinghouse Savannah River Company Savannah River Site Aiken, SC 29808



Record of Decision for the L-and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site September 1999 WSRC-RP-98-4105 Revision 1

This page was intentionally left blank

RECORD OF DECISION REMEDIAL ALTERNATIVE SELECTION (U)

L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G)

WSRC-RP-98-4105 Rev.1 September, 1999

Savannah River Site Aiken, South Carolina

Prepared by:

Westinghouse Savannah River Company
for the
U. S. Department of Energy under Contract DE-AC09-96SR18500
Savannah River Operations Office
Aiken, South Carolina

Record of Decision for the L-and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site September 1999 WSRC-RP-98-4105 Revision 1

This page was intentionally left blank

DECLARATION FOR THE RECORD OF DECISION

Unit Names and Locations

September 1999

L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site US EPA ID #SC1890008989 Aiken, South Carolina

Statement of Basis and Purpose

This decision document presents the selected remedial alternatives for the L- and P-Area Bingham Pump Outage Pits (L and P BPOPs) located at the Savannah River Site (SRS) south of Aiken, South Carolina. The selected alternatives were developed in accordance with the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), as amended by the Superfund Act and Reauthorization Amendments (SARA), and to the extent practicable, the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). These decisions are based on the Administrative Record File for these specific units. The United States Environmental Protection Agency (US EPA) and the State of South Carolina concur with the selected remedy.

Assessment of the Sites

The response action selected in this Record of Decision (ROD) is necessary to protect the public health or welfare or the environment from actual or threatened releases of hazardous substances into the environment.

Description of the Selected Remedy

The selected remedy for the L and P BPOPs is as follows:

L BPOPs

- Land Use Controls (access and deed restrictions/notifications) for soil
- No action for groundwater

September 1999 Declaration

WSRC-RP-98-4105

Revision 1

P BPOP

• Land Use Controls (access and deed restrictions/notifications) for soil

• No action for groundwater

These alternatives will meet Remedial Action Objectives (RAOs) by reducing the potential for exposure to buried waste at each unit and polyaromatic hydrocarbons (PAHs) and polychlorinated biphenyls (PCBs) in subsurface soil at the P BPOP. Because of the absence of free liquids or mobile or highly toxic material,

the primary source material (the buried waste) is categorized as Low Level Threat Waste. Therefore, the

preferred alternative is consistent with US EPA guidance that preference be given to remedial alternatives

that center around containment rather than treatment.

The L and P BPOPs are located in a potential residential zone close to but outside of industrial zone

boundaries as identified on the Proposed SRS Future Land Use Map of the SRS FFA Implementation

Plan. The location of the L and P BPOPs adjacent to the Heavy Industrial (Nuclear) Zones, and the

presence of buried debris, make the units unsuitable for residential use. Although the units are located

outside of the defined industrial use zones, it is anticipated that the units will be limited use areas with

restrictions similar to an industrial use zone. Land Use Controls (LUCs) will restrict the L and P BPOPs

to future industrial use and will prohibit residential use of the areas. Unauthorized excavation will also be

prohibited and the waste units will remain undisturbed. LUCs will be maintained until such time that they

are deemed unnecessary.

Statutory Determination

The selected remedy is protective of human health and the environment, complies with Federal and State

requirements that are legally applicable or relevant and appropriate to the remedial action, and is

cost-effective. However, because treatment of the principle threats of the site was not found to be

practicable, this remedy does not satisfy the statutory preference for treatment as a principal element.

September 1999

WSRC-RP-98-4105 Revision 1

Declaration

Because this remedy will result in hazardous substances remaining on-site above levels that allow for unlimited use and unrestricted exposure, a review will be conducted within five years after initiation of remedial action to ensure that the remedy continues to provide adequate protection of human health and the environment.

Per the US EPA-Region 4 LUC Policy, a LUC Assurance Plan (LUCAP) for SRS has been developed and submitted to the regulators for their approval. In addition, a LUC Implementation Plan (LUCIP) for the L- and P- BPOPs will be developed and submitted to the regulators for their approval with the post-ROD documentation. The LUCIP will detail how SRS will implement, maintain, and monitor the LUC elements of the L- and P- BPOPs preferred alternative to ensure that the remedy remains protective of human health and the environment.

In the long term, if the property is ever transferred to nonfederal ownership, the U.S. Government will take those actions necessary pursuant to Section 120(h) of CERCLA. Those actions will include a deed notification disclosing former waste management and disposal activities as well as remedial actions taken on the site. The deed notification shall, in perpetuity, notify any potential purchaser that the property has been used for the management and disposal of waste.

The deed shall also include deed restrictions precluding residential use of the property. However, the need for these deed restrictions may be re-evaluated at the time of transfer in the event that the exposure assumptions differ and/or the residual contamination no longer poses an unacceptable risk under residential use. Any re-evaluation of the need for deed restrictions will be done through an amended ROD with US EPA and SCDHEC review and approval.

In addition, if the site is ever transferred to nonfederal ownership, a survey plan of the area will be prepared, certified by a professional land surveyor and recorded with the appropriate county recording agency.

Data Certification Checklist

The following information is included in the Decision Summary section of this Record of Decision.

Additional information can be found in the Administrative Record file for this site.

- Constituents of concern (COCs) and their respective concentrations
- Baseline risk represented by the COCs
- Cleanup levels established for COCs and the basis for the levels
- Current and future land and groundwater use assumptions used in the baseline risk assessment and ROD
- Land and groundwater use that will be available at the site as a result of the Selected Remedy
- Estimated capital, operation and maintenance (O&M), and total present worth costs; discount rate; and the number of years over which the remedy cost estimates are projected
- Decisive factor(s) that led to selecting the remedy

11/1/99

Date

Thomas F. Heenan

Assistant Manager for Environmental Programs

U. S. Department of Energy, Savannah River Operations Office

Date

Richard D. Green

Division Director

Waste Management Division

U. S. Environmental Protection Agency

Data

R. Lewis Shaw

Deputy Commissioner

Environmental Quality Control

South Carolina Department of Health and Environmental

Control

Record of Decision for the L- and P-Area

WSRC-RP-98-4105

Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G

Savannah River Site

September 1999

Declaration

This page is intentionally left blank

DECISION SUMMARY REMEDIAL ALTERNATIVE SELECTION (U)

L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G)

WSRC-RP-98-4105

Rev.1

September 1999

Savannah River Site Aiken, South Carolina

Prepared by:

Westinghouse Savannah River Company

for the

U. S. Department of Energy under Contract DE-AC09-96SR18500

Savannah River Operations Office

Aiken, South Carolina

Record of Decision for the L- and P-Area WSRC-RP-98-4105
Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Revision 1
Savannah River Site
September 1999 Page ii of viii

This page was intentionally left blank

Page iii of viii

TABLE OF CONTENTS

<u>Section</u>	<u>on</u> Page
TABI	LE OF CONTENTS iii
LIST	OF TABLESv
I.	SAVANNAH RIVER SITE AND OPERABLE UNIT NAME, LOCATION, DESCRIPTION, AND PROCESS HISTORY
II.	SITE AND OPERABLE UNIT COMPLIANCE HISTORY11
III.	HIGHLIGHTS OF COMMUNITY PARTICIPATION
IV	SCOPE AND ROLE OF THE OPERABLE UNIT WITHIN THE SITE STRATEGY
V.	OPERABLE UNIT CHARACTERISTICS
VI.	SUMMARY OF OPERABLE UNIT RISKS23
VII.	REMEDIAL ACTION OBJECTIVES AND DESCRIPTION OF CONSIDERED ALTERNATIVES
VIII.	SUMMARY OF COMPARATIVE ANALYSIS OF THE ALTERNATIVES
IX.	THE SELECTED REMEDY54
X.	STATUTORY DETERMINATIONS
XI.	EXPLANATION OF SIGNIFICANT CHANGES
XII.	RESPONSIVENESS SUMMARY
XIII.	POST-ROD DOCUMENT SCHEDULE
XIV.	REFERENCES
APPE	ENDIX A RESPONSIVENESS SUMMARY
APPE	ENDIX B COST ESTIMATES

Page iv of viii

LIST OF FIGURES

FIGURE 1. LOCATION OF THE K, L, AND P REACTOR AREAS AND SRS	
WATERSHEDS	3
FIGURE 2. MAP OF L-AREA AND THE L BPOPS	4
FIGURE 3. MAP OF P-AREA AND THE P BPOP	5
FIGURE 4. SITE MAP OF THE L BPOPS	7
FIGURE 5. SITE MAP OF THE P BPOP	8
FIGURE 6. PHOTOGRAPH OF THE L BPOPS	9
FIGURE 7. PHOTOGRAPH OF THE P BPOP	10
FIGURE 8. RCRA/CERCLA LOGIC AND DOCUMENTATION	15
FIGURE 9. CSM FOR THE L AND P BPOPS	20
FIGURE 10. DISTRIBUTION OF BENZO(A)PYRENE IN SURFACE AND	
SUBSURFACE SOILS AT THE P BPOP	38
FIGURE 11. POST-ROD DOCUMENT SCHEDULE	57

Page v of viii

LIST OF TABLES

TABLE 1	RISK CHARACTERIZATION SUMMARY FOR THE L BPOPS:
	CURRENT LAND USE SCENARIO - SURFACE SOIL
TABLE 2	RISK CHARACTERIZATION SUMMARY FOR THE L BPOPS:
	FUTURE LAND USE SCENARIOS - SURFACE SOIL AND
	GROUNDWATER
TABLE 3	RISK CHARACTERIZATION SUMMARY FOR THE L BPOPS:
	FUTURE LAND USE SCENARIOS - SUBSURFACE SOIL AND
	GROUNDWATER
TABLE 4	RISK CHARACTERIZATION SUMMARY FOR THE P BPOP:
	CURRENT LAND USE SCENARIO - SURFACE SOIL
TABLE 5	RISK CHARACTERIZATION SUMMARY FOR THE P BPOP:
	FUTURE LAND USE SCENARIOS - SURFACE SOIL AND
	GROUNDWATER
TABLE 6	RISK CHARACTERIZATION SUMMARY FOR THE P BPOP:
	FUTURE LAND USE SCENARIOS - SUBSURFACE SOIL AND
	GROUNDWATER
TABLE 7	PRELIMINARY RGOS FOR HUMAN HEALTH COCS IN SOIL AT
	THE P BPOP
TABLE 8	COMPARATIVE ANALYSIS OF REMEDIAL ALTERNATIVES
	FOR SOIL AT THE L AND P BPOPS

Record of Decision for the L- and P-Area
Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G)
Sevenment Piven Site

WSRC-RP-98-4105 Revision 1

Savannah River Site

September 1999 Page vi of viii

LIST OF ACRONYMS AND ABBREVIATIONS

ARARs Applicable or Relevant and Appropriate Requirements
ASCADTM Approved Standardized Corrective Action Design

bls below land surface

BPOP Bingham Pump Outage Pit BRA Baseline Risk Assessment CAB Citizens Advisory Board

CERCLA Comprehensive Environmental Response, Compensation, and Liability

Act

CM COC Contaminant Migration Constituent of Concern

CMS Corrective Measures Study
COC Constituent of Concern
CSM Conceptual Site Model

EAV E-Area Vaults

ELCR Estimated Lifetime Cancer Risk

ER/WM Environmental Restoration/Waste Management

ERHQ Exposure Route Hazard Quotient

ERR Exposure Route Risk
FFA Federal Facility Agreement
FRR Final Remediation Report

FS Feasibility Study HI Hazard Index HOs Hazard Quotients

K BPOP K-Area Bingham Pump Outage Pit L BPOPs L-Area Bingham Pump Outage Pits

LUC Land Use Control

LUCAP Land Use Control Assurance Plan
LUCIP Land Use Control Implementation Plan

mR/hr milliRoentgen per hour

NCP National Oil and Hazardous Substances Pollution Contingency Plan

OUs Operable Units

P BPOP P-Area Bingham Pump Outage Pit

PAHs polyaromatic hydrocarbons
PCB polychlorinated biphenyl
pCi/g picoCuries per gram
PP Proposed Plan

RAO Remedial Action Objective

RCRA Resource Conservation and Recovery Act

RFI RCRA Facility Investigation

RG Remedial Goal RGO Remedial Goal Option RI Remedial Investigation Record of Decision for the L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site WSRC-RP-98-4105 Revision 1

September 1999 Page vii of viii

RME Reasonable Maximum Exposure

ROD Record of Decision

SCDHEC South Carolina Department of Health and Environmental Control

SRS Savannah River Site SB Statement of Basis

SVOCs Semivolatile Organic Compounds

TRV Toxicity Reference Value USCs Unit-Specific Constituents

US DOE United States Department of Energy

US EPA United States Environmental Protection Agency

UTRA Upper Three Runs Aquifer VOCS volatile organic compounds

WSRC Westinghouse Savannah River Company

Record of Decision for the L- and P-Area

WSRC-RP-98-4105

Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G)

Savannah River Site

September 1999

Page viii of viii

This page was intentionally left blank

I. SAVANNAH RIVER SITE AND OPERABLE UNIT NAME, LOCATION, DESCRIPTION, AND PROCESS HISTORY

Savannah River Site Location, Description, and Process History

Savannah River Site, Aiken, SC US EPA ID #SC 1890008989 United States Department of Energy

The Savannah River Site (SRS) occupies approximately 800 square kilometers (310 square miles) of land adjacent to the Savannah River, principally in Aiken and Barnwell counties of South Carolina. SRS is a secured U.S. Government facility with no permanent residents, and is located approximately 40 kilometers (25 miles) southeast of Augusta, Georgia and 32 kilometers (20 miles) south of Aiken, South Carolina (Figure 1).

SRS is owned by the United States Department of Energy (US DOE). Management and operating services are currently provided by Westinghouse Savannah River Company (WSRC). SRS has historically produced tritium, plutonium, and other special nuclear materials for national defense and the space program. Chemical and radioactive wastes are by-products of nuclear material production processes. Hazardous substances, as defined by the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), are currently present in the environment at SRS.

Operable Unit Name, Location, Description, and Process History

The Federal Facility Agreement (FFA) for the SRS lists the L-Area Bingham Pump Outage Pits (L BPOPs) (643-2G and 643-3G) and the P-Area Bingham Pump Outage Pit (P BPOP) (643-4G) as CERCLA operable units (OUs) requiring further evaluation using an investigation/assessment process that includes a

September 1999

Page 2 of 70

CERCLA Remedial Investigation (RI) to determine the actual or potential impact to human health and the environment.

The L and P BPOPs are burial pits containing waste debris that was generated by major modifications to primary and secondary reactor cooling systems in 1957 and 1958 including the primary system Bingham Pumps. The units were formed by excavating trenches to an average depth of 4.0 m (13 ft), disposing of 2.7 m (9 ft) of debris, and then returning the unit to grade by covering the debris with 1.2 m. (4 ft) of backfill. The waste consists of miscellaneous construction materials such as pipes, cables, ladders, and concrete. No known pumps or liquid wastes were buried in the L and P BPOPs. The radioactive contamination was less than 25 milliRoentgen per hour (mR/hr) with no detected alpha activity. The buried waste is categorized as Low Level Threat Waste (US EPA, 1991) because of the absence of free liquids or mobile or highly toxic material.

The L and P BPOPs are located near the L and P Reactor Areas at the SRS (Figures 1, 2, and 3). They are located in a potential residential zone close to but outside of industrial zone boundaries as identified on the Proposed SRS Future Land Use Map of the SRS FFA Implementation Plan (WSRC, 1997a). The location of the L and P BPOPs adjacent to the Heavy Industrial (Nuclear) Zones, and the presence of buried debris, make the units unsuitable for residential use (US DOE, 1996). Although the units are located outside of the defined industrial use zones, they will not be developed for residential purposes. Rather, industrial zone-type use limitations will be imposed through the Land Use Controls.




FIGURE 1. LOCATION OF THE K, L, AND PREACTORS AREAS AND SRS WATERSHEDS

Page 4 of 70





FIGURE 2. MAP OF L-AREA AND THE L BPOPS

Page 5 of 70



Page 6 of 70

The L BPOPs consist of two pits (643-2G and 643-3G) aligned end-to-end with approximately 38 m (125 ft) between them; one pit is $83.8 \times 6.7 \text{ m}$ (275 x 22 ft) and the other is $114.9 \times 6.1 \text{ m}$ (377 x 20 ft). The PBPOP consists of one pit (643-4G) having dimensions of $143.9 \times 7.9 \text{ in}$ (472 x 26 ft). The mean depth of each pit is approximately 4.0 m (13 ft). Maps of the units are presented as Figures 4 and 5.

The units are not fenced, but are marked with orange marker balls and signs identifying them as CERCLA waste units. SRS employees can access the L and P BPOPs via dirt roads. General public access to SRS is prohibited, with access limited by guards and security fences.

The local topography around the L and P BPOPs is level to gently sloping. The units are grass covered and surrounded mostly by trees. The habitats in the vicinity generally do not meet the needs of most listed SRS threatened and endangered plant and animal species. Ecological field surveys have found little in the way of unique, specialized, or sensitive habitats around the units. There are no ditches, drainage areas, or surface waters associated with either unit. Photographs of the units are provided as Figures 6 and 7.




FIGURE 4. SITE MAP OF THE L BPOPS

Page 8 of 70




FIGURE 5. SITE MAP OF THE P BPOP

Page 9 of 70



Figure 6. Photograph of the L BPOPS

The OU is subject only to the provisions of CERCLA; the RCRA/CERCLA designation on the sign is standard on SRS waste unit postings.

Page 10 of 70



Figure 7. Photograph of the P BPOP

The OU is subject only to the provisions of CERCLA; the RCRA/CERCLA designation on the sign is standard on SRS waste unit postings.

II. SITE AND OPERABLE UNIT COMPLIANCE HISTORY

SRS Operational History

The primary mission of SRS was to produce tritium, plutonium-239, and other special nuclear materials for our nation's defense programs. Production of nuclear materials for the defense programs was discontinued in 1988. SRS has provided nuclear materials for the space program, as well as for medical, industrial, and research efforts up to the present. Chemical and radioactive wastes are by-products of nuclear material production processes. These wastes have been treated, stored, and in some cases, disposed at SRS. Past disposal practices have resulted in soil and groundwater contamination.

SRS Compliance History

On December 21, 1989, SRS was included on the National Priorities List. The inclusion created a need to integrate the established Resource Conservation and Recovery Act Facility Investigation (RFI) Program with CERCLA requirements to provide for a focused environmental program. In accordance with Section 120 of CERCLA, US DOE has negotiated a FFA (FFA, 1993) with the United States Environmental Protection Agency (US EPA) and the South Carolina Department of Health and Environmental Control (SCDHEC) to coordinate remedial activities at SRS into one comprehensive strategy which fulfills these dual regulatory requirements. US DOE functions as the lead agency for remedial actions at SRS with concurrence by US EPA-Region IV and the SCDHEC.

Operable Unit Compliance History

As previously stated, the L and P BPOPs are listed in the FFA as CERCLA units requiring further evaluation to determine the actual or potential impact to human

Page 12 of 70

health and the environment. A RI characterization, Baseline Risk Assessment (BRA), and focused Feasibility Study (FS) were conducted for the units between 1996 and 1998. Pre-Work Plan data were collected from June 26 to August 19, 1996. The Revision 0 RI Work Plan (WSRC, 1997b) was submitted on July 24, 1996, and the Field Start date was March 3, 1997. The results of the RI/BRA and focused FS were presented in *Approved Standardized Corrective Action Design* (ASCADTM) Combined Document for the L- and P-Area Bingham Pump Outage Pits (U) (WSRC, 1999a). This report was submitted in accordance with the FFA and the approved implementation schedule, and was approved by US EPA and SCDHEC in June 1999. The Proposed Plan (PP) for the L and P BPOPs (WSRC, 1999b) was submitted in accordance with the FFA and the approved implementation schedule, and was approved by US EPA and SCDHEC in June 1999.

III. HIGHLIGHTS OF COMMUNITY PARTICIPATION

CERCLA requires the public be given an opportunity to review and comment on the proposed remedial alternative. Public participation requirements are listed in Sections 113 and 117 of CERCLA. These requirements include establishment of an Administrative Record File that documents the investigation and selection of the remedial alternatives for addressing the L and P BPOPs' soil and groundwater. The Administrative Record File must be established at or near the facility at issue. The *SRS Public Involvement Plan* (US DOE, 1994) is designed to facilitate public involvement in the decision-making process for permitting, closure, and the selection of remedial alternatives. Section 117(a) of CERCLA, as amended, requires notice of any proposed remedial action and provides the public an opportunity to participate in the selection of the remedial action. The *Proposed Plan for the L- and P-Area Bingham Pump Outage Pits* (WSRC, 1999b), a part of the Administrative Record File, highlights key aspects of the investigation and identifies the preferred action for addressing the L and P BPOPs.

Page 13 of 70

The FFA Administrative Record File, which contains the information pertaining to the selection of the response action, is available at the US EPA office and at the following locations:

U. S. Department of Energy Public Reading Room Gregg-Graniteville Library University of South Carolina-Aiken 171 University Parkway Aiken, South Carolina 29801 (803) 641-3465

Thomas Cooper Library
Government Documents Department
University of South Carolina
Columbia, South Carolina 29208
(803) 777-4866

The public was notified of the public comment period through mailing of the SRS Environmental Bulletin, a newsletter sent to approximately 3,500 citizens in South Carolina and Georgia, and through the Aiken Standard, the Allendale Citizen Leader, the Barnwell People-Sentinel, The State, and the Augusta Chronicle newspapers. The public comment period was also announced on local radio stations.

The 30-day public comment period began on June 10, 1999 and ended on July 9, 1999. The Proposed Plan was also presented in an open public meeting to the SRS Citizens Advisory Board (CAB ER/WM Subcommittee) on June 22, 1999 and to the full CAB on July 27, 1999.. A Responsiveness Summary was prepared to address comments received during the public comment period. The Responsiveness Summary is provided in Appendix A of this ROD.

IV. SCOPE AND ROLE OF THE OPERABLE UNIT WITHIN THE SITE STRATEGY

RCRA/CERCLA Programs at SRS

RCRA/CERCLA units at SRS are subject to a multi-stage remedial investigation process that integrates the requirements of RCRA and CERCLA as outlined in the FFA (FFA, 1993). The RCRA/CERCLA processes are illustrated on Figure 8 and summarized below.

- investigation and characterization of potentially impacted environmental media (such as soil and groundwater) comprising the waste site and surrounding areas;
- the evaluation of risk to human health and the local ecological community;
- the screening of possible remedial actions to identify the selected technology which will protect human health and the environment;
- implementation of the selected alternative;
- documentation that the remediation has been performed competently;
- evaluation of the effectiveness of the technology.

The steps of this process are iterative in nature, and include decision points which involve concurrence between the US DOE (as owner/manager), the US EPA and SCDHEC (as regulatory oversight), and the public.

Page 15 of 70




FIGURE 8. RCRA/CERCLA LOGIC AND DOCUMENTATION

By agreement between US EPA, SCDHEC, and US DOE, the BPOP waste unit group was evaluated using the Approved Standardized Corrective Action Design (ASCADTM) approach. Under ASCADTM, a representative "lead" unit is subjected to a comprehensive investigation that includes characterization, technology development, and remedial design. Where there are significant similarities between the lead and secondary units, ASCADTM is utilized to streamline the documentation, remedial design, and remedial action for the secondary units.

The lead unit for the BPOP waste group is the K-Area BPOP (643-1G) (K BPOP). A RI/BRA (WSRC, 1997c), Feasibility Study (FS) (WSRC, 1997d), PP (WSRC, 1997e), and ROD (WSRC, 1997f) for the K BPOP were submitted to and approved by SCDHEC and US EPA.

The results of the RI/BRA for the L and P BPOPs indicated that these units are similar to the lead unit, and that subsequent documentation may be streamlined in accordance with the ASCADTM approach.

ASCADTM was applied to the L and P BPOPs by (1) combining the RI/BRA for each OU into a single report, (2) developing a focused FS using the remedial alternatives developed in the K BPOP FS, (3) combining the PP for each OU into a single document, and (4) combining the ROD for each OU into a single document.

L and P BPOPs Remedial Strategy

The RI process provides a method of managing the steps that lead to the ultimate remediation of a specific waste unit. An OU usually consists of the contaminated media (sources, soil, groundwater, sediments, surface water, and air) specific to a waste unit and the proposed actions related to their characterization and ultimate

Page 17 of 70

remediation and/or the timing of those actions. The overall strategy for addressing the L and P BPOPs was to: (1) characterize the waste unit by delineating the nature and extent of contamination and identifying the media of concern (perform the RI); (2) perform a BRA to evaluate media of concern, Constituents of Concern (COCs), and exposure pathways, and to characterize potential risks; and (3) evaluate and perform a final action to remediate, as needed, the identified media of concern.

The L BPOPs is an OU within the Pen Branch watershed; the P BPOP is an OU within the Lower Three Runs watershed (Figure 1). Several OUs within these watersheds will be evaluated to determine impacts, if any, to associated streams and wetlands. SRS will manage all OUs to minimize impact to these watersheds. Based on characterization and BRA information, the L and P BPOPs do not significantly impact their respective watersheds.

At the L BPOPs, no human health or ecological final COCs were identified for any land use/receptor scenario, indicating that surface soil and subsurface soil and groundwater do not pose unacceptable risks to human or environmental receptors under current or future conditions. Furthermore, no final Contaminant Migration Constituents of Concern (CM COCs) were identified; therefore, leaching does not pose a threat to groundwater. Land Use Controls will provide adequate protection against exposure to waste left in place by prohibiting unauthorized excavation through access controls and deed restrictions.

At the P BPOP, no ecological final COCs or final CM COCs were identified; therefore, the unit does not pose unacceptable risks to ecological receptors and does not pose a future threat to groundwater. For the hypothetical on-unit resident and the future industrial worker scenarios, human he alth final COCs in the subsurface soil included polyaromatic hydrocarbons (PAHs) and polychlorinated biphenyls (PCBs). No human health final COCs were identified for the current

Page 18 of 70

land use scenario. Land Use Controls will provide adequate protection against exposure to waste left in place by prohibiting unauthorized excavation through access controls and deed restrictions.

The proposed actions for the L and P BPOPs OUs are final actions.

V. OPERABLE UNIT CHARACTERISTICS

A Conceptual Site Model (CSM) was developed for the L and P BPOPs to identify the primary sources, primary contaminated media, migration pathways, exposure pathways, and potential receptors (Figure 9). The CSM is based on the data that are presented in the CERCLA documentation for these units and is described in the *Approved Standardized Corrective Action Design (ASCADTM) Combined Document for the L- and P-Area Bingham Pump Outage Pits (U)* (WSRC, 1999a), available in the Administrative Record File (See Section III). The CSM and the results of the RI are summarized in the following sections.

Media Assessment

September 1999

The potentially contaminated media at the L and P BPOPs was assessed using soil and groundwater samples. The L BPOPs consist of two pits (643-2G and 643-3G) aligned end-to-end with approximately 38 m (125 ft.) between them; one pit is 83.3 x 6.7 m (275 x 22 ft.) and the other is $114.9 \times 6.1 \text{ m}$ (377 x 20 ft.). The P BPOP consists of one pit (643-4G) having dimensions of 143.9×7.9 (472 x 26 ft.). The mean depth of each pit is approximately 4.0 m (13 ft.), with the top 1.2 m (4 ft) being clean fill.

The media assessment was performed in two phases. Phase I consisted of soil borings inside the pits and at background locations. At the L BPOPs, 57 intra-pit

Page 19 of 70

soil intervals from 6 borings were sampled. Samples were collected from the backfill material, from the waste debris, and from below the base of the pits to a depth of approximately 3.0 to 4.6 m (10 to 15 ft.) above the water table. At the P BPOP, 27 intra-pit soil intervals from 3 borings were sampled. Samples were collected from the backfill material, from waste debris, and from below the base of the pit to a depth of approximately 3.0 m (10 ft.) above the water table.

Phase II sampling was performed to augment the Phase I data set with sufficient data to develop a BRA. This included installation and sampling of monitoring wells, collection of soil samples around the perimeters of the pits, and collection of additional intra-pit and background samples. At the L BPOPs, the following samples were taken: 24 background (all depths), 24 perimeter (all depths), 20 intra-pit (0 to 1.2 m [0 to 4 ft.]), and 75 intra-pit (all depths). At the P BPOP, the following samples were taken: 26 background (all depths); 16 perimeter (all depths), 9 intra-pit (0 to 1.2 m [0 to 4 ft.]), and 36 intra-pit (all depths).

An assessment of the P BPOP produced six final COCs for the soils. These constituents and their maximum observed concentrations are as follows: Aroclor 1254 (1.99 mg/kg), Aroclor 1260 (0.524 mg/kg), benzo(a)anthracene (1560 ug/kg), benzo(a)pyrene (1430 ug/kg), benzo(b)fluoranthene (2580 ug/kg), and dibenzo(a,h)anthracene (214 ug/kg). There were no final COCs retained for the L BPOPs. The investigation revealed miscellaneous construction materials such as pipes, cables, ladders, and concrete buried in the soil. The waste volumes for the L and P BPOPs are 3408 m³ (122,310 ft³) and 3069 m³ (110,448 ft³), respectively. This waste is characterized as Low Level Threat Waste because of the absence of free liquids or mobile or highly toxic material. There are no RCRA hazardous wastes located at the site. No other site-specific factors exist that may affect the response action.




FIGURE 9. CSM FOR THE L AND P BPOPS

Primary Sources and Release Mechanisms

The lateral extent of the pits at each BPOP was delineated by ground penetrating radar surveys and magnetic surveys. The vertical extent of primary source material was established during soil boring activities by identifying the deepest occurrences of debris. Soil descriptions recorded during drilling and sampling activities indicate the nature of the debris in the pits. Items encountered in the borings and brought to the surface included metal, wood, plastic items, and other miscellaneous construction materials. The boring descriptions are consistent with historical records of the waste debris.

The primary source material was placed directly into the pits at depths greater than $1.2 \,\mathrm{m}$ (4 ft) and then covered by $1.2 \,\mathrm{m}$ (4 ft) of backfill. Contaminants associated with the waste debris may have been released into soils greater than $1.2 \,\mathrm{m}$ (4 ft) deep by leaching. Contaminants were not released by the primary source mechanism into soils less than $1.2 \,\mathrm{m}$ (4 ft) deep because the backfill was not in direct contact with the waste debris. Upward migration of contaminants through the soil profile is a result of secondary release mechanisms.

Secondary Sources and Release Mechanisms

Secondary sources of contamination at the L and P BPOPs are identified as surface soil (0 to 0.3 m [0 to 1 ft] below land surface [bls]), subsurface soil (0 to 1.2 m [0 to 4 ft] bls), and deep soil (> 1.2 m [>4 ft] bls).

Environmental media serve both as a reservoir via chemical bonding and biotic uptake, and as a secondary release mechanism of contaminants. Secondary environmental release mechanisms may include the following:

Page 22 of 70

- Generation of contaminated fugitive dust by wind or other surface soil disturbance
- Biotic uptake

September 1999

- Direct contact with surface and subsurface soils
- Leaching

Two phases of soil sampling were performed to characterize the secondary sources. Soil samples were advanced into and below the pits (intra-pit borings), adjacent to the pits (perimeter borings), and at unit-specific background locations.

All intra-pit analytical results were screened against two times average background concentrations for all-depths to determine unit-specific constituents (USCs). At the L BPOPs, the list of USCs for soil included 20 inorganics, 23 sernivolatile organic compounds (SVOCs), 10 volatile organic compounds (VOCs), 10 pesticides, 2 PCBs, and 10 radionuclides. The list of USCs for groundwater included 9 inorganics, 1 SVOC, 1 pesticide, and 2 radionuclides. At the P BPOP, the list of USCs for soil included 24 inorganics, 21 SVOCs, 7 VOCs, 12 pesticides, 2 PCBs, and 4 radionuclides. The list of USCs for groundwater included 7 inorganics, 1 SVOC, 1 pesticide, and 4 radionuclides (WSRC, 1999a).

Contaminant Transport Analysis

The potential for contaminant transport begins with precipitation. The degree to which the processes of infiltration and runoff occur depends primarily upon the type and density of vegetation. The area surrounding the L and P BPOPs is vegetated; thus, infiltration is expected to be high. The average annual percolation to the water table is expected to be 37 cm (15 in). The primary release mechanism at the L and P BPOPs is infiltration with leaching to the groundwater.

Page 23 of 70

At the L BPOPs, the vadose zone is approximately 11.9 m (39 ft) thick and is composed primarily of Upland Unit clay and silt with lesser sand. The water table aquifer represents the "upper" aquifer zone of the Upper Three Runs Aquifer (UTRA) and is composed of silt and clay. The aquifer is approximately 23.5 m (77 ft) thick; it extends from the water table to a locally continuous clay layer at a depth of approximately 35.4 m (116 ft) below land surface (bls). Groundwater flow direction at the L BPOPs is to the northwest. No groundwater constituents of concern were identified for the L BPOPs.

At the P BPOP, the vadose zone is approximately 10.7 m (35 ft) thick and is composed of clay interbedded with lesser sand and silt of the Upland Unit and Tobacco Road sand. The water table aquifer represents the "upper" aquifer zone of the UTRA and is composed of discontinuous layers of clay, silt, and sand. The aquifer is approximately 20.1 m (66 ft) thick; it extends from the water table to the local confining unit at a depth approximately 30.8 m (101 ft) bls. The groundwater flow direction at the P BPOP is generally to the west. No groundwater constituents of concern were identified for P BPOP.

VI. SUMMARY OF OPERABLE UNIT RISKS

As part of the investigation/assessment process for the L and P BPOPs, a BRA was performed using data generated during the assessment phase. The BRA consisted of human health and ecological risk assessments. Detailed information regarding the risk assessments can be found in *Approved Standardized Corrective Action Design (ASCADTM) Combined Document for the L- and P-Area Bingham Pump Outage Pits (U)* (WSRC, 1999a).

Page 24 of 70

Summary of Human Health Risk Assessment

Identification of Constituents of Concern

A human health risk assessment was conducted in order to evaluate the significance of contamination in soil and groundwater. As a result of the human health risk assessment, six final COCs were identified for the P BPOP: Aroclor 1254, Aroclor 1260, benzo(a) anthracene, benzo(a)pyrene, benzo(b)fluoranthene, and dibenzo(a,h)anthracene. No final COCs were identified for the L BPOPs. Human health preliminary COCs are designated as constituents with individual cancer risks greater than or equal to 1×10^{-6} (or exposure route hazard quotients [ERHQs] greater than or equal to 0.1 for noncancer constituents) that are associated with a total media risk greater than or equal to 1×10^{-6} (or a target organ hazard index greater than or equal to 1). Preliminary COCs are subjected to an uncertainty analysis to identify those constituents for which remediation may be warranted (final COCs).

Exposure Assessment

The exposure assessment resulted in the identification of applicable land use scenarios, pathways, and concentrations that were used to derive risk estimates for the unit. The receptors were based on current and future land uses as determined in the CAB Recommendation No. 2, dated January 24, 1995 and included in Figure 3.3 of the FFA Implementation Plan. The current land use is an inactive industrial site. The current receptor is identified as the known on-unit worker. The only current exposure scenario identified was for on-unit workers who may perform periodic maintenance or environmental research such as groundwater sampling. The current worker is evaluated for the surface soil (0 to 0.3 m [0 to 1 ft]) interval. Conservative future exposure scenarios included future on-unit industrial workers and future on-unit resident adults and children. The future

Page 25 of 70

residential scenario includes homegrown produce as an exposure point, which is not considered under the current on-unit worker or future industrial worker scenarios. Future receptors are evaluated for surface soil (0 to 0.3 m [0 to 1 ft]), subsurface soil (0 to 1.2 m [0 to 4 ft]), and groundwater. Summary statistics, including an estimate of the exposure point concentration based on the Reasonable Maximum Exposure (RME) were prepared for each soil and groundwater exposure group. The RME is intended to provide a conservative, yet realistic, estimate of exposure to receptors.

Toxicity Assessment

All final COCs are considered Class B2 carcinogens. Class A carcinogens represent the highest weight of evidence as known human carcinogens, reflecting a high confidence that exposure could result in carcinogenesis. Class B1 and B2 carcinogens represent a somewhat lower weight of evidence, but they are still considered probable human carcinogens.

Risk Characterization

Tables 1, 2, and 3 summarize the results of the human health risk assessment for the L BPOPs. No final COCs were identified for the L BPOPs. Tables 4, 5, and 6 summarize the results of the human health risk assessment for the P BPOP. Results of Risk Characterization indicate that only one final COC (benzo(a)pyrene) was identified for the industrial worker. All six COCs are applicable for the future on-unit resident scenario. The risks associated with the final COCs at the P BPOP are summarized in the following paragraphs.

Benzo(a)anthracene is identified as a final COC for the hypothetical residential adult/child exposed to subsurface soil via ingestion (Exposure Route Risk

Page 26 of 70

[ERR]= 2×10^{-6}), dermal contact (1 x 10^{-6}), and ingestion of tuberous vegetables (2 x 10^{-5}).

Benzo(a)pyrene is identified as a final COC for the future industrial worker exposed to subsurface soil via ingestion (2 x 10^{-6}) and dermal contact (4 x 10^{-6}). It is identified as a final COC for the hypothetical residential adult/child exposed to subsurface soil via ingestion (2 x 10^{-5}), dermal contact (1 x 10^{-5}), and ingestion of tuberous vegetables (1 x 10^{-4}).

Benzo(a)fluoranthene is identified as a final COC for the hypothetical residential adult/child exposed to subsurface soil via ingestion (3 x 10^{-6}), dermal contact (2 x 10^{-6}), and ingestion of tuberous vegetables (1 x 10^{-5}).

Dibenzo(a,h)anthracene is identified as a final COC for the hypothetical residential adult/child exposed to subsurface soil via ingestion (2 x 10^{-6}), dermal contact (2 x 10^{-6}), and ingestion of tuberous vegetables (1 x 10^{-4}).

Aroclor 1254 is identified as a final COC for the hypothetical residential adult/child exposed to subsurface soil via ingestion (2 x 10^{-6}) and ingestion of tuberous vegetables (5 x 10^{-5}). Aroclor 1254 is also a COC for ocular effects by ingestion of tuberous produce by children (ERHQ = 4) and adults (ERHQ = 3)

Aroclor 1260 is identified as a final COC for the hypothetical residential adult/child exposed to subsurface soil via ingestion (1 x 10^{-6}) and ingestion of tuberous vegetables (3 x 10^{-5}).

Page 27 of 70

TABLE 1 RISK CHARACTERIZATION SUMMARY FOR THE L BPOPs: CURRENT LAND USE SCENARIO - SURFACE SOIL

			Cher	nicals		Radionuclides
Medium	Exposure	Noncan	cer HI	Cancer	Risk	Cancer Risk
	Route	On	-Unit	On-	Unit	On-Unit
		W	orker	Wor	rker	Worker
Soil	Ingestion	1E-03	В	4E-09	В	2E-11
	Dermal/Extern	1E-03	В	6E-10	В	1E-08
	Inhalation	U	В	6E-11	В	1E-15
	Subtotal	2E-03	В	5E-09	В	1E-08
Groundwater	Ingestion	NA		NA		NA
	Showing	NA		NA		NA
	Subtotal	NA		NA		NA
Leafy Vegetables	Ingestion	NA		NA		NA
Tuberous	Ingestion	NA		NA		NA
Vegetables	Ingestion	NA		NA		NA
Fruits						
	Subtotal	NA		NA		NA
Chemical Exposi	ures					
Combined Ha	azard Index:	2E-03	В			
Combined Ca	ancer Risk:			5E-09	В	
Radiological Exp	Radiological Exposures					
Combined Ca	ancer Risk					1E-08
						•

NA - pathway not evaluated

U - Unknown - pathway evaluated but no risks could be calculated due to lack of US EPA-approved toxicity values

B - HI <= 1 or ELCR <= 10⁻⁶ for chemical risks

E - HI > 1 or ELCR $> 10^{-6}$ for chemicals

ELCR = Estimated Lifetime Cancer Risk

 $HI = Hazard\ Index$

Page 28 of 70

TABLE 2: RISK Characterization Summary For The L BPOPs: FUTURE LAND USE SCENARIO - SURFACE SOIL AND GROUNDWATER

						Chemic	als					Radio	nuclides
Medium	Exposure			Noncance	er HI				Canc	er Risk		Canc	er Risk
	Route	F	Reside	nt		Industrial				Industria	1		Industrial
		Child		Adu	lt	Worker		Resident		Worker		Resident	Worker
Soil	Ingestion	1E+00	В	1E-01	В	4E-02	В	8E-06	E	9E-07	В	2E-08	5E-09
	Dermal/Exter	2E-01	В	9E-02	В	4E-02	В	4E-07	В	1E-07	В	1E-05	4E-06
	Inhalation	U	В	U	В	U	В	3E-08	В	1E-08	В	4E-13	3E-13
	Subtotal	1E+00	В	2E-01	В	9E-02	В	8E-06	E	1E-06	В	1E-05	4E-06
Groundwater	Ingestion	8E-01	В	4E-01	В	1E-01	В	2E-05	Е	4E-06	Е	2E-06	6E-07
	Showering	NA		NA		NA		NA		NA		NA	NA
	Subtotal	8E-01	В	4E-01	В	1E-01	В	2E-05	Е	4E-06	Е	2E-06	6E-07
Leafy Vegetables	Ingestion	8E-02	В	5E-02	В	NA		6E-06	Е	NA		7E-07	NA
Tuberous	Ingestion	9E-02	В	5E-02	В	NA		5E-06	Е	NA		2E-06	NA
Vegetable Fruits	Ingestion	2E-01	В	1E-01	В	NA		1E-05	E	NA		5E-06	NA
	Subtotal	4E-01	В	2E-01	В	NA		2E-05	E	NA		8E06	NA
Chemical Exposi	ures												
Combined Ha	azard Index:	3E+00	Е	8E-01	В	2E-01	В						
Combined Ca	ancer Risk:							5E-05	Е	5E-06	Е	 	
Radiological Exp	osures												
Combined Ca	ancer Risk											2E-05	4E-06

NA - pathway not evaluated

U - Unknown -pathway evaluated but no risks could be calculated due to lack of US EPA-approved toxicity values

B - HI \leq 1 or ELCR \leq 10⁻⁶ for chemicals risks

E - HI > 1 or ELCR $> 10^{-6}$ for chemicals

Record of Decision for the L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site September 1999 WSRC-RP-98-4105 Revision 1

Page 29 of 70

TABLE 3 RISK CHARACTERIZATION SUMMARY FOR THE L BPOPS: FUTURE LAND USE SCENARIO - SUBSURFACE SOIL AND GROUNDWATER

						Chemic	als					Radio	nuclides
Medium	Exposure			Noncan	cer H	I		C	ance	r Risk		Canc	er Risk
	Route	Re Chi	side: ld	nt Ad	ult	Industri Worke		Resident		Industr Work		Resident	Industrial Worker
Soil	Ingestion	9E-01	В	9E-01	В	3E-02	В	6E-06	Е	7E-07	В	1E-07	3E-08
	Dermal/Exter	1E-01	В	7E-02	В	3E-02	В	3E-07	В	1E-07	В	2E-05	E-06
	Inhalation	U	В	U	В	U	В	3E-08	В	1E-08	В	5E-10	3E-10
	Subtotal	1E+00	В	2E-01	В	7E-02	В	6E-06	E	8E-07	В	2E-05	6E-06
Groundwater	Ingestion	8E-01	В	4E-01	В	1E-01	В	2E-05	Е	4E-06	Е	2E-06	6E-07
	Showering	NA		NA		NA		NA		NA		NA	NA
	Subtotal	8E-01	В	4E-01	В	1E-01	В	2E-05	E	4E-06	Е	2E-06	6E-07
Leafy Vegetables	Ingestion	6E-02	В	4E-02	В	NA		5E-06	E	NA		7E-07	NA
Tuberous Vegetable	Ingestion	7E-02	В	4E-02	В	NA		4E-06	E	NA		2E-06	NA
Fruits	Ingestion	2E-01	В	1E-01	В	NA		9E-06	E	NA		5E-06	NA
	Subtotal	3E-01	В	2E-01	В	NA		2E-05	Е	NA		8E-06	NA
Chemical Exposure	es												
Combined H	azard Index:	2E+00	Е	7E-01	В	2E-01	В						
Combined C	Cancer Risk:							4E-05	Е	5E-06	Е	ı	
Radiological Expos	ures												
Combined C	Cancer Risk											3E-05	7E-06

NA - pathway not evaluated

U - Unknown - pathway evaluated but no risks could be calculated due to lack of US EPA-approved toxicity values

B - HI \leq 1 or ELCR \leq 10⁻⁶ for chemical risks

B - HI > I or ELCR > 10^{-6} for chemicals

Page 30 of 70

TABLE 4 RISK CHARACTERIZATION SUMMARY FOR THE P BOP: CURRENT LAND USE SCENARIO - SURFACE SOIL

			Chemi	icals	_	Radionuclides
Medium	Exposure	Noncancer	HI	Cancer Risk		Cancer Risk
	Route	On-Un	nit	On-Unit	t	On-Unit
	–	Worke	er	Worker		Worker
Soil	Ingestion	1E03	В	6E09	В	U
	Dermal/Extern	6E-04	В	9E-10	В	U
	Inhalation	U	В	5E-12	В	U
	Subtotal	2E-03 B	В	7E-09	В	U
Groundwater	Ingestion	NA		NA		NA
	Showing	NA		NA		NA
	Subtotal	NA		NA		NA
Leafy Vegetables	Ingestion	NA		NA		NA
Tuberous Vegetable	Ingestion	NA		NA		NA
Fruits	Ingestion	NA		NA		NA
	Subtotal	NA		NA		NA
Chemical Exposi	ures					
Combined Ha	azard Index:	2E-03	В			
Combined Ca	ancer Risk:			7E-09 B		
Radiological Exposures						
Combined Ca					0E+00 B	
					-	

NA - pathway not evaluated

U-Unknown - pathway evaluated but no risks could be calculated

due to lack of US EPA-approved toxicity values

B - HI \leq 1 or ELCR \leq 10⁻⁶ for chemical risks

E - HI > 1 or ELCR $> 10^{-6}$ for chemicals

Page 31 of 70

TABLE 5 RISK CHARACTERIZATION SUMMARY FOR THE P BOP: FUTURE LAND USE SCENARIO - SURFACE SOIL AND GROUNDWATER

						Chemic	als					Radio	nuclides
Medium	Exposure			Noncan	cer H	I		C	ancei	Risk		Cance	er Risk
	Route	Re	side	nt		Industrial	l			Industr	ial		Industrial
		Child		Adult		Worke	r	Resident		Work	er	Resident	Worker
Soil	Ingestion	1E+00	В	2E-01	В	6E-02	В	1E-05	Е	1E-06	В	U	U
	Dermal/Exter	9E-02	В	5E-02	В	2E-02	В	6E-07	В	2E-07	В	U	U
	Inhalation	U	В	U	В	U	В	3E-09	В	1E-09	В	U	U
	Subtotal	2E+00	E	2E-01	В	8E-02	В	1E-05	E	1E-06	В	U	U
Groundwater	Ingestion	3E-01	В	1E-01	В	5E-02	В	4E-05	Е	9E-06	Е	4E-06	1E-06
	Showering	NA		NA		NA		NA		NA		NA	NA
	Subtotal	3E-01	В	1E-01	В	5E-02	В	4E-05	E	9E-06	E	4E-06	1E-06
Leafy Vegetables	Ingestion	1E-01	В	6E-02	В	NA		9E-06	Е	NA		U	NA
Tuberous Vegetable	Ingestion	1E-01	В	8E-02	В	NA		7E-06	E	NA		U	NA
Fruits	Ingestion	4E-01	В	2E-01	В	NA		2E-05	Е	NA		U	NA
	Subtotal	6E-01	В	4E-01	В	NA		3E-05	Е	NA		U	NA
Chemical Exposur	es												
Combined 1	Hazard Index:	2E+00	Е	7E-01	В	1E-01	В						
Combined Cancer Risk:								8E-05	Е	1E-06	Е		
Radiological Expos Combined	sures Cancer Risk											4E-05	1E-06

NA - pathway not evaluated

U - Unknown - pathway evaluated but no risks could be calculated due to lack of US EPA-approved toxicity values

B - HI <= 1 or ELCR <= 10⁻⁶ for chemical risks

E - HI > 1 or ELCR $> 10^{-6}$ for chemicals

Page 32 of 70

TABLE 6 RISK CHARACTERIZATION SUMMARY FOR THE P BOP: FUTURE LAND USE SCENARIO - SURFACE SOIL AND GROUNDWATER

						Chemic	als					Radionuclides		
Medium	Exposure]	Noncanc	er H	[Ca	ncei	Risk		Can	cer Risk	
	Route	Re	eside	nt		Industr	ial			Industr	ial		Industrial	
		Child		Adult		Work	er	Resident		Work	er	Resident	Worker	
Soil	Ingestion	2E+00	В	2E-01	В	9E-02	В	4E-05	Е	4E-06	В	5E-08	1E-08	
	Dermal/Exter	2E-02	В	1E-01	В	7E-02	В	2E-07	В	7E-06	В	3E-05	1E-05	
	Inhalation	U	В	U	В	U	В	2E-09	В	1E-09	В	1E-12	7E-13	
	Subtotal	2E+00	E	4E-01	В	2E-02	В	6E-05	E	1E-05	В	3E-05	1E-05	
Groundwater	Ingestion	3E-01	В	1E-01	В	5E-02	В	4E-05	Е	9E-06	Е	4E-06	1E-06	
	Showering	NA		NA		NA		NA		NA		NA	NA	
	Subtotal	3E-01	В	1E-01	В	5E-02	В	4E-05	E	9E-06	Е	4E-06	1E-06	
Leafy Vegetables	Ingestion	1E-01	В	7E-02	В	NA		8E-06	Е	NA		2E-06	NA	
Tuberous	Ingestion	5E+00	E	3E+00	E	NA		4E-04	E	NA		5E-06	NA	
Vegetable	Ingestion	4E-01	В	2E-01	В	NA		1E-05	E	NA		1E-05	NA	
Fruits														
	Subtotal	5E-01	E	4E-01	В	NA		4E-04	Е	NA		2E-05	NA	
Chemical Exposi	ures													
Combined	d Hazard Index:	8E+00	Е	3E+00	Е	2E-01	В							
Combined Cancer Risk:								5E-04	Е	2E-05	Е			
Radiological Exp													45.05	
Combined	d Cancer Risk											5E-05	1E-05	
Combined	d Cancer Risk											5E-05	1E-05	

NA - pathway not evaluated

U - Unknown - pathway evaluated but no risks could be calculated due to lack of US EPA-approved toxicity values

B - HI <= 1 or ELCR <= 10⁻⁶ for chemical risks

E - HI > 1 or $ELCR > 10^{\text{-}6}$ for chemicals

Summary of Ecological Risk Assessment

September 1999

The ecological risk assessment evaluated the likelihood of occurrence for adverse ecological effects from exposure to chemicals associated with the L and P BPOPs. The ecological settings of the units are not unique. There are no known endangered, threatened, or special concern species at either unit, nor are the species that inhabit the unit rare in the region or considered to be of special societal value. The area of each unit is small and the habitat is low in diversity and productivity. No ecological final COCs were retained at either unit; therefore, the units do not pose unacceptable risk to ecological receptors.

Uncertainty Analysis and Final COCs

An uncertainty analysis was performed on preliminary COCs. The uncertainty analysis allows for professional judgment to be used to exclude constituents that may not be clearly unit-related and for which risks may be overstated. Uncertainty for each preliminary COC was evaluated on a case-by-case basis, and is discussed in detail in Chapter 7 of *Approved Standardized Corrective Action Design (ASCAD*TM) Combined Document for the L- and P-Area Bingham Pump Outage Pits (U) (WSRC, 1999a).

Preliminary Remediation Goals

Remedial Goal Options (RGOs) are concentration goals for individual chemicals for specific medium and land use combinations. They are designed to provide conservative, long-term targets for the selection and analysis of remedial alternatives. Final remedial levels for the COCs, which are selected by risk managers, are to be protective of both human health and ecological receptors, as well as comply with Federal and State Applicable or Relevant and Appropriate Requirements (ARARs). Because no final CM COCs or ecological final COCs

Page 34 of 70

were identified at the L and P BPOPs, no contaminant migration RGOs or ecological RGOs were developed.

For each land use/receptor scenario (current on-unit worker, future industrial worker, and hypothetical on-unit resident), a range of potential human health RGOs is provided, corresponding to target HQs of 0.1, 1, and 3 as well as target cancer risks of 1 x 10⁻⁶, 1 x 10⁻⁵, and 1 x 10⁻⁴ (Table 7). However, because the anticipated land use is industrial and exposure will be limited to surface soil, and because there were no final COCs in surface soil, no RGOs were selected (Table 7).

Conclusions and Site-Specific Considerations

The response action selected in this Record of Decision is necessary to protect the public health and welfare or the environment from actual or threatened releases of hazardous substances into the environment. Site-specific considerations for the development of remedial alternatives, based on the conclusions of the RI/BRA for the L and P BPOPs, include:

- Buried waste remains in place at the L and P BPOPs below 1.2 m (4 ft) of backfill. The waste is categorized as Low Level Threat Waste (US EPA, 1991) because of the absence of free liquids or mobile or highly toxic material. The waste consists primarily of miscellaneous construction debris (pipes, cables, ladders, concrete, and miscellaneous construction hardware) which may have low-level fixed contamination such as cesium-137, strontium-90, and cobalt-60.
- No human health final COCs were identified in groundwater for any land use/receptor scenario at either unit, indicating that groundwater does not pose unacceptable risks.

TABLE 7 PRELIMINARY RGOS FOR HUMAN HEALTH COCS IN SOIL AT THE P BPOP

				Nonc	arcinogenic E	Effects	Caı	cinogenic Eff	fects	- 2V Aviono	no Doolcomound		
	Target	Target	Current		Future			Future			ge Background BPOP	Conc.	
	Hazard	Cancer	Worker	Resident	Resident	Industrial	Current		Industrial	_ 1	DI OI	Based	
Constituent	Quotient	Risk	WOIKEI	Child	Adult	Worker	Worker	Resident	Worker	(Surface)	(All Depths)	ARAR	RGC
PCBs (mg/kg)													
Aroclor 1254	0.1	1E-06	100	0.14	0.94	2.4	350	0.26	1.7	ND	ND	10	%
Aroclor 1260	0.1	1E-06	No RfD	No RfD	No RfD	No RfD	350	0.26	1.7	ND	ND	10	%
SVOCs (ug/kg)													
Benzo(a)anthracene	0.1	1E-06	8.34E+07	1.82E+05	8.38E+05	2.00E+06	5.33E+05	519	2.56E+03	ND	ND	none	%
Benzo(a)pyrene	0.1	1E-06	8.34E+07	1.82E+05	8.38E+05	2.00E+06	5.33E+04	52	256	ND	10.9	none	%
Benzo(b)fluoranthene	0.1	1E-06	8.34E+07	1.82E+05	8.38E+05	2.00E+06	5.33E+05	519	2.56E+03	9.98	11.1	none	%
Dibenzo(a,h)anthracene	0.1	1E-06	8.34E+07	1.82E+05	8.38E+05	2.00E+06	5.33E+04	52	256	ND	7.02	none	%
PCBs (mg/kg)													
Arcolor 1254	1	1E-05	995	1.4	9.4	24	3,499	2.6	17	ND	ND	10	%
Arcolor 1260	1	1E-05	No RfD	No RfD	No RfD	No RfD	3,499	2.6	17	ND	ND	10	%
SVOCs (ug/kg)													
Benzo(a)anthracene	1	1E-05	8.34E+08	1.82E+06	8.38E+06	2.00E+07	5.33E+06	5.19E+03	2.56E+04	ND	ND	none	%
Benzo(a)pyrene	1	1E-05	8.34E+08	1.82E+06	8.38E+06	2.00E+07	5.33E+05	519	2.56E+03	ND	10.9	none	%
Benzo(b)fluoranthene	1	1E-05	8.34E+08	1.82E+06	8.38E+06	2.00E+07	5.33E+06	5.19E+03	2.56E+04	9.98	11.1	none	%
Dibenzo (a, h)anthracene	1	1E-05	8.34E+08	1.82E+06	8.38E+06	2.00E+07	5.33E+05	519	2.56E+03	ND	7.02	none	%
PCBs (mg/kg)													
Aroclor 1254	3	1E-04	2,986	4.3	28	72	34,986	26	168	ND	ND	10	%
Aroclor 1260	3	1E-04	No RfD	No RfD	No RfD	No RfD	34,986	26	168	ND	ND	10	%
SVOCs (ug/kg)													
Benzo(a)anthracene	3	1E-04	2.50E+09	5.46E+06	2.51E+07	6.00E+07	5.33E+07	5.19E+04	2.56E+05	ND	ND	none	%
Benzo(a)pyrnen	3	1E-04	2.50E+09	5.46E+06	2.51E+07	6.00E+07	5.33E+06	5.19E+03	2.56E+04	ND	10.9	none	%
Benzo(b)fluoranthene	3	1E-04	2.50E+09	5.46E+06	2.51E+07	6.00E+07	5.33E+07	5.19E+04	2.56E+05	9.98	11.1	none	%
Dibenzo(a, h)anthracene	3	1E-04	2.50E+09	5.46E+06	2.51E+07	6.00E+07	5.33E+06	5.19E+03	2.56E+04	ND	7.02	none	%

ND = Not Detected

September 1999

RfD = Reference Dose

No final COCs were identified at the L BPOPs; therefore, no table of preliminary RGOs for Human Health COCs in soil was developed.

Concentration-based ARARs for PCBs in soil based on US EPA guidance for sites in industrial areas (US EPA, 1990); the guidance states that action levels should be established in the range of 10 to 25 mg/kg, based on site-specific conditions.

[•]RGOs are selected based on the anticipated future land use of the unit (limited use with restrictions similar to an industrial use zone) with exposure to surface soil. Because there were no final COCs for surface soil, no RGOs are listed.

Record of Decision for the L- and P-Area WSRC-RP-98-4105
Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Revision 1
Savannah River Site
September 1999 Page 36 of 70

This page was intentionally left blank

Page 37 of 70

- Fate and transport modeling found that leaching of the constituents present in soils at the L or P BPOPs does not present an unacceptable future risk to groundwater at either unit, and no CM COCs are retained.
- At the L BPOPs, no human health final COCs were identified in soil for any land use/receptor scenario, indicating that surface and subsurface soils do not pose unacceptable risks to human health under current or future conditions.
- At the P BPOP, PAHs (benzo[a]anthracene, benzo[a]pyrene, benzo[a]fluoranthene, and dibenzo[a,h]anthracene) and PCBs (Aroclor 1254 and Aroclor 1260) were retained as human health final COCs in soil. Each of the final COCs is identified as a COC in subsurface soil for the hypothetical on-unit resident scenario; benzo(a)pyrene is also identified as a COC in subsurface soil for the future industrial worker scenario. Potential RGOs were developed for these final COCs for three target risk levels under current and hypothetical future land use scenarios (Table 7).
- The future land use for the L and P BPOPs is anticipated to be limited with restrictions similar to an industrial use zone.
- The one constituent that is identified as a COC for the future industrial scenario (benzo[a]pyrene at the P BPOP) exceeds target risk levels in a small, isolated location in the pit subsurface soils (Figure 10).
- No ecological final COCs were retained at either unit, therefore, the units do not pose unacceptable risks to ecological receptors.

Remedial strategies for the units must focus on the buried waste that remains in place below 1.2 m (4 ft) of backfill at each unit.

Page 38 of 70




Figure 10. Distribution of Benzo(a)pyrene in Surface and Subsurface Solls at the P BPOP

VII. REMEDIAL ACTION OBJECTIVES AND DESCRIPTION OF CONSIDERED ALTERNATIVES

Remedial Action Objectives

Remedial Action Objectives (RAOs) specify unit-specific contaminants, media of concern, potential exposure pathways, and remediation goals. The RAOs are based on the nature and extent of contamination, threatened resources, and the potential for human and environmental exposure. Initially, preliminary remediation goals are developed based upon ARARs, information to-beconsidered, or other information from the RI/BRA. These goals should be modified, as necessary, as more information and potential remedial technologies become available. Final remediation goals are determined when the remedy is selected. Then, acceptable exposure levels that are protective of human health and the environment shall be established.

ARARs are those cleanup standards, standards of control, and other substantive requirements, criteria, or limitations promulgated under Federal, State, or local environmental law that specifically address a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstance at a CERCLA site. Three types of ARARs (action-, chemical-, and location-specific) have been developed to simplify identification and compliance with environmental requirements. Action-specific requirements set controls on the design, performance, and other aspects of implementation of specific remedial activities. Chemical-specific requirements are media-specific and health-based concentration limits developed for site-specific levels of constituents in specific media. Location-specific ARARs must consider Federal, State, and local requirements that reflect the physiographical and environmental characteristics of the unit or the immediate area. There were no action-specific, location-specific, or chemical-

WSRC-RP-98-4105 Revision 1

Page 40 of 70

specific ARARs relevant to establishing RAOs for the L and P BPOPS. Action-specific ARARs have been identified while investigating remedial alternatives

Remedial Alternatives for Soil

September 1999

Six alternatives for soil remediation were developed in the K BPOP FS. These alternatives address a wide range of technologies and general response actions with baseline, containment, treatment, and excavation/removal features. The alternatives were designed to be applicable to each of the units in the BPOP waste unit group, and address both primary sources and secondary sources of contamination.

In the focused FS for the L and P BPOPs, each of the six alternatives was reviewed and then assessed individually for the L and P BPOPs. Table 8 provides a listing of the alternatives and the estimated costs associated with their implementation. The following sections provide a description of each alternative.

Alternative 1 - No Action

Under this alternative, no actions would be conducted and no limitations would be placed on future uses of the site. US EPA policy and regulations require the consideration of No Action to serve as a baseline against which the other alternatives can be compared. Because no action would be taken at the unit, the unit would remain in its present condition and there would be no reduction of risk.

Page 41 of 70

TABLE 8 COMPARATIVE ANALYSIS OF REMEDIAL ALTERNATIVES FOR SOIL AT THE L AND P BPOPS

CERCLA CRITERIA	Alternative 1. No Action	Alternative 2. Land Use Controls	Alternative 3. Placement of Soil Cover	Alternative 4. In-situ solidification of soil and debris; soil cover	Alternative 5. Excavate debris; solidify/stabilize soil; backfill treated soil and debris; soil cover	Alternative 6. Excavate debris and soil, disposal in EAV
Overall Protect	ion of Human Health a	nd the Environment				
Human Health (evaluation focuses on the the primary source material at each unit and the human health final COCs in subsurface soil at the P BPOP)	No long term protection. In the absence of periodic maintenance and access/deed restrictions, erosion of existing backfill or development could increase exposure to primary source material and the final COCs in subsurface soil at P BPOP.	Protective. Access and deed restrictions would greatly reduce the risk of exposure to primary source material at each unit and the final COCs in subsurface soil at P BPOP by prohibiting unauthorized excavation and land use.	Protective. Soil cover would further isolate the primary source material at each unit and the final COCs in subsurface soil at P BPOP. The Land Use Controls would provide the necessary reduction in exposure.	Protective. In-situ grouting would reduce exposure potential by immobilizing COCs and preventing direct contact. The Land Use Controls would provide the necessary reduction in exposure.	Protective. Ex-situ grouting would reduce exposure potential by immobilizing COCs and preventing direct contact. The Land Use Controls would provide the necessary reduction in exposure.	Protective. Risk reduced to background levels through complete source-term removal.
Environment (evaluation focuses on the the primary source material at each unit - no ecological final COCs were identified at either unit)	No long term protection. Erosion of existing backfill or development could increase exposure to primary source material.	Protective. Maintenance, inspections, and land use restrictions would prevent exhumation of primary source material.	Protective. Soil cover would further isolate the primary source material at each unit. The Land Use Controls would provide the necessary reduction in exposure.	Protective. In-situ grouting would reduce exposure potential by preventing direct contact. The Land Use Controls would provide the necessary reduction in exposure.	Protective. Ex-situ grouting would reduce exposure potential py preventing direct contact. The Land Use Controls would provide the necessary reduction in exposure.	Protective. Risk reduced to background levels through complete source term removal.
Control of Source Release (neither unit poses a risk to groundwater - no final CM COCs were identified)	Does not reduce leaching. No actions would be taken to reduce infiltration and percolation, therefore, leaching would continue under current conditions.	Does not reduce leaching. No actions would be taken to reduce infiltration and percolation, therefore, leaching would continue under current conditions.	Provides moderate reduction in infiltration and leaching.	Provides significant reduction in infiltration and leaching.	Provides greater reduction in infiltration and leaching.	Provides the greatest reduction in infiltration and leaching through source term removal.

Page 42 of 70

TABLE 8 COMPARATIVE ANALYSIS OF REMEDIAL ALTERNATIVES FOR SOIL AT THE L AND P BPOPS (CONT'D.)

CERCLA CRITERIA	Alternative 1. No Action	Alternative 2. Land Use Controls	Alternative 3. Placement of Soil Cover	Alternative 4. In-situ solidification of soil and debris; soil cover	Alternative 5. Excavate debris; solidify/stabilize soil; backfill treated soil and debris; soil cover	Alternative 6. Excavate debris and soil, disposal in EAV
Compliance with	Applicable or Releva	nt and Appropriate Req	uirements (ARARs)			
Chemical- Specific	None.	None.	None.	None.	None.	None.
Location- Specific	None.	None.	None.	None.	None.	None.
Action- Specific	None.	None.	Complies with the appropriate ARARs if erosion control and dust emission standards (SC R61-62.6) are instated for any onsite remediation. OSHA (29 CFR 1910), NESHAPs, and Occupational Radiation Protection regulations also apply.	Complies with the appropriate ARARs if erosion control and dust emission standards (SC R61-62.6) are instated for any onsite remediation. OSHA (29 CFR 1910), NESHAPS, Occupational Radiation Protection regulations, and 40 CFR 264.114 also apply.	Complies with the appropriate ARARs if erosion control and dust emission standards (SC R61-62.6) are instated for any onsite remediation. OSHA (29 CFR 1910), NESHAPS, Occupational Radiation Protection regulations, and 40 CFR 264.114, CFR 264.251, and 40 CFR 264.258(a) also apply.	Complies with the appropriate ARARs if erosion control and dust emission standards (SC R61-62.6) are instated for any onsite remediation. OSHA (29 CFR 1910), NESHAPS, Occupational Radiation Protection regulations. RCRA regulations for hazardous waste (SC R61-79.261 through 79.268) generation, transport, characterization, treatment, storage, and disposal, 40 CFR 264.114, and 49 CFR 107, also apply.

Page 43 of 70

TABLE 8 COMPARATIVE ANALYSIS OF REMEDIAL ALTERNATIVES FOR SOIL AT THE L AND P BPOPS (CONT'D.)

CERCLA CRITERIA	Alternative 1. No Action	Alternative 2. Land Use Controls	Alternative 3. Placement of Soil Cover	Alternative 4. In-situ solidification of soil and debris; soil cover	Alternative 5. Excavate debris; solidify/stabilize soil; backfill treated soil and debris; soil cover	Alternative 6. Excavate debris and soil, disposal in EAV
Long-Term Effe	ctiveness and Permano	ence.				
Magnitude of Residual Risks	Residual risk would be the same as that determined in the BRA.	Does not involve any form of treatment that would reduce the risks. However, residential land use is prohibited, and erosion and unauthorized excavation of subsurface soils is prevented.	Does not involve any form of treatment that would permanently reduce the risks. However, surface and subsurface risks would be reduced to risk levels associated with the soil cover (background).	Residual risks are reduced through solidification of soil, immobilization of COCs, reduction in infiltration provided by a soil cover, and access controls.	Residual risks are reduced through treatment and solidification of soil immobilization of COCs, reduction in infiltration provided by a soil cover, and access controls.	Greatest reduction in residual risk because the contaminated material is removed from the waste unit.
Permanence	Not permanent. Threat of exposure would increase if erosion occurs.	Permanent as long as maintenance and administrative controls are maintained.	Permanent as long as soil cover and Land Use Controls are maintained.	Permanent. Solidification of soil provides long-term immobilization.	Permanent. Solidification of soil provides long-term immobilization.	Permanent. Contaminated media is permanently removed from the waste site.
Reduction in Tox	xicity, Mobility, or Vo	lume Through Treatme	ent			
Degree of Expected Reduction in Toxicity	No reduction because media would not be actively treated.	No reduction because media would not be actively treated.	No reduction because media would not be actively treated.	Media treated and isolated but left in place.	Media treated and isolated but left in place.	Media transported to another facility.
Degree of Expected Reduction in Mobility	No reduction.	No reduction.	Soil cover provided moderate reduction in infiltration and leaching.	Greater reduction in mobility by implementing in-situ solidification and the placement of soil cover.	Great reduction in mobility by implementing ex-situ solidification and the placement of soil cover.	No reduction. No form of active treatment applied to the contaminants. Medica removed from the unit.
Degree of Expected Reduction in Volume	No reduction.	No reduction.	No reduction.	An increase in volume of contaminated material up to 100%.	An increase in volume of contaminated material up to 100%.	Reduction of contaminant volume through removal to another location.

Page 44 of 70

TABLE 8 COMPARATIVE ANALYSIS OF REMEDIAL ALTERNATIVES FOR SOIL AT THE L AND P BPOPS (CONT'D.)

CERCLA CRITERIA	Alternative 1. No Action	Alternative 2. Land Use Controls	Alternative 3. Placement of Soil Cover	Alternative 4. In-situ solidification of soil and debris; soil cover	Alternative 5. Excavate debris; solidify/stabilize soil; backfill treated soil and debris; soil cover	Alternative 6. Excavate debris and soil, disposal in EAV
Short-Term Effec	etiveness					
Risk to Workers	None	No exposure concerns because intrusive onsite work is not required; Workers exposed to minor short-term construction related risks (e.g., falls, cuts, heavy equipment operation) associated with site maintenance at both units.	Minor potential risk due to inhalation or direct contact during soil cover placement; applicable work safety regulations would be followed.	Moderate potential risk due to inhalation or direct contact during treatment; in- situ treatment minimizes potential contact; applicable work safety regulations would be followed	High potential risk due to inhalation or direct contact during soil excavation, handling, and treatment; applicable work safety regulations would be followed.	High potential risk due to inhalation or direct contact during soil e3xcavation, handling, and shipment; applicable work safety regulations would be followed.
Risk to Community	None.	None.	None.	None.	None.	None.
Time to Achieve Remedial Action Objectives	RAOs not achieved	2 months	2 months	3 to 4 months	3 to 5 months	2 to 5 months

Page 45 of 70

TABLE 8 COMPARATIVE ANALYSIS OF REMEDIAL ALTERNATIVES FOR SOIL AT THE L AND P BPOPS (CONT'D.)

CERCLA CRITERIA	Alternative 1. No Action	Alternative 2. Land Use Controls	Alternative 3. Placement of Soil Cover	Alternative 4. In-situ solidification of soil and debris; soil cover	Alternative 5. Excavate debris; solidify/stabilize soil; backfill treated soil and debris; soil cover	Alternative 6. Excavate debris and soil, disposal in EAV
Implementability						
Availability of Materials, Equipment, Contractors	Not applicable.	Readily available.	Readily available.	Readily available materials; minor difficulties in the selection of qualified contractors.	Readily available materials; minor difficulties in the selection of qualified contractors.	Readily available materials; minor difficulties in the selection of qualified contractors.
Administrative Feasibility/ Regulatory Requirements	No administrative constraints to implementation.	No administrative constraints to implementation.	No implementation restrictions.	Special requirements may need to be followed for grouting among debris.	No implementation restrictions.	Evaluation of regulatory and acceptance criterial required.
Technical Feasibility	Readily implementable.	Readily implementable.	Implementable. Utilizes proven technologies; no site limitations identified.	Implementable. Utilizes proven technologies; no site limitations identified.	Implementable. Utilizes proven technologies; no site limitations identified.	Implementable. Utilizes proven technologies. Availability of space at disposal facility is limited.
Monitoring Considerations	No applicable.	Periodic inspections and routine maintenance performed.	Monitoring associated with Land Use Controls.	Monitoring of radiation levels; process confirmation testing. Monitoring associated with Land Use Controls.	Air quality monitoring of fugitive dust; monitoring of radiation levels. Monitoring associated with Land Use Controls.	Air quality monitoring; monitoring of radiation levels.
Cost						
Capital	\$0	\$13,900	\$296,600	\$1,762,400	\$2,711,700	\$11,401,800
O & M	\$50,000	\$71,500	\$83,800	\$83,800	\$83,800	\$0
Total Cost for L BPOPs	\$50,000	\$85,400	\$380,400	\$1,846,200	\$2,795,500	\$11,401,800
Capital	\$0	\$13,900	\$281,400	\$1,650,500	\$2,570,900	\$10,410,100
O & M	\$50,000	\$70,00	\$79,200	\$79,200	\$79,200	\$0
Total Cost for P BPOP	\$50,000	\$83,900	\$360,600	\$1,729,700	\$2,650,100	\$10,410,100

State and community acceptance will be evaluated after the public comment period.

Page 46 of 70

Alternative 2 - Land Use Controls (Access and Deed Restrictions/Notifications)

Under this alternative, Land Use Controls would be implemented and the unit would remain undisturbed. Implementation of this alternative would require both near- and long-term actions.

For the near-term, signs would be posted to indicate that the areas were used for disposal of waste material. In addition, existing SRS access controls would be used to maintain the use of the units consistent with their intended land use.

Periodic inspections would be conducted and maintenance would be performed to help ensure that no erosion or soil migration occurs. Maintenance, as needed, would consist primarily of mowing and subsidence repairs. Minor drainage modifications may be conducted as needed to prevent ponding and to promote surface water runoff.

In the long term, if the property is ever transferred to nonfederal ownership, the U.S. Government will take those actions necessary pursuant to Section 120(h) of CERCLA. Those actions will include a deed notification disclosing former waste management and disposal activities as well as remedial actions taken on the site. The deed notification shall, in perpetuity, notify any potential purchaser that the property has been used for the management and disposal of waste. These requirements are also consistent with the intent of the RCRA deed notification requirements at final closure of a RCRA facility if contamination will remain at the unit.

The deed shall also include deed restrictions precluding residential use of the property. However, the need for these deed restrictions may be re-evaluated at the time of transfer in the event that exposure assumptions differ and/or the residual

Page 47 of 70

contamination no longer poses an unacceptable risk under residential use. Any re-evaluation of the need for deed restrictions will be done through an amended ROD with US EPA and SCDHEC review and approval.

In addition, if the site is ever transferred to nonfederal ownership, a survey plat of the area will be prepared, certified by a professional land surveyor, and recorded with the appropriate county recording agency.

All contaminated media would remain onsite and there would be no reduction in the toxicity, mobility, or volume of toxic substances or contaminated media. Long-term protection of human health and the environment would be achieved through deed restrictions and maintenance of the existing soil cover. The residual risk under this alternative is the same as that determined in the BRA. This alternative would reduce the future risks presented by the unit by limiting or preventing future exposure pathways such as those associated with excavation.

No threats to workers, the local community, or the environment would be posed during implementation of this alternative because the existing soil cover would not be disturbed and contaminated materials would not be exposed. There are no technical or administrative constraints to the implementation of this alternative. Inspections of the existing soil cover and vegetation could be performed by SRS personnel or a contractor. Likewise, SRS personnel or local firms could perform routine maintenance. Placement of deed restrictions or notices requires legal assistance. However, no administrative limitations are known.

Alternative 3 - Placement of a Soil Cover

Under this alternative, the units would be covered by a low permeability soil cover with a minimum thickness of 0.9 to 1.2 m (3 to 4 ft) (nominal in-place saturated hydraulic conductivity of 1×10^{-5} cm/sec or less). Limited site clearing and

grading might be required to place the soil cover. The soil cover would have an upper surface with a slope of three to five percent to promote surface water runoff and minimize surface erosion. A topsoil (vegetative soil layer - minimum thickness 3 to 6 inches) would be placed on top of the soil cover.

The topsoil (vegetative soil layer) would be added and the area. would be compacted and seeded with native grasses to increase evapotranspiration. The topsoil layer would also protect the soil cover from damage due to erosion and frost. The topsoil layer would also provide water storage capacity to reduce the rate of runoff which, if too high, could cause erosion of the soil cover.

This alternative is shown to provide adequate protection of human health and the environment in the near- and long-term. The contaminated material would be isolated by the soil cover and contaminant mobility would be minimized by reductions in infiltration and erosion.

Because buried waste would be left in place at depth, Land Use Controls would also be necessary to restrict the area to future industrial use and to prohibit excavation of the soil cover.

Alternative 4 - In-Situ Solidification of Soil and Debris, Soil Cover

Under this alternative, a concrete-based agent would be injected into the units and mixed with the soil to form a solidified mass. The concrete material would be injected into the ground in columns in an overlapping pattern to provide treatment over the entire target area. The solidification process would produce a monolithic structure that would eliminate or reduce the mobility of the contaminants. A soil cover would then be placed over the treated site. The design of the soil cover would be the same as that discussed under Alternative 3.

Page 49 of 70

Solidification would provide effective reduction or elimination of the mobility of site contaminants. The source of leachable contamination would effectively be removed from the unit. The RAOs would not be achieved through treatment, but would be achieved once the soil cover is in place. The total volume of contaminated material would be increased by up to 100 percent of the original volume. The total mass of inorganic contaminants would remain unchanged.

Because buried waste would be left in place at depth, Land Use Controls would also be necessary to restrict the area to future industrial use.

Alternative 5 - Excavate Soil and Debris, Solidify/Stabilize Soil, Backfill Treated Soil and Debris, Soil Cover

Under this alternative, the identified soil and debris would be excavated by backhoe or other similar equipment. Excavation would extend to at least four feet below the base of the debris. The excavation could go deeper if necessary. The excavated material would then be staged at the unit. Impermeable tarps would be placed on the ground prior to placement of the excavated material and similar tarps would be placed over individual piles to limit airborne particulates and contaminated runoff. Other containment measures would be implemented as needed.

The excavated soil would be treated by solidification with Portland cement. The material would be mixed with the cement to form solid blocks that would reduce or eliminate the mobility of the contaminants. Preliminary testing would be required to determine an appropriate ratio of cement to soil. The treated soil would then be backfilled into the excavation and a soil cover would be placed over the unit. The design of the soil cover would be the same as that discussed under Alternative 3.

Solidification would provide effective reduction or elimination of the mobility of site contaminants. In addition, the contaminated material would be isolated by the soil cover. The total volume of contaminated soil would be increased by up to 100 percent of the original volume. The total mass

of inorganic contaminants would remain unchanged.

Excavation of soil and debris for treatment would result in fugitive dust being released to the

atmosphere, potentially exposing onsite workers.

Because buried waste would be left in place at depth, Land Use Controls would also be necessary

to restrict the area to future industrial use.

Alternative 6 - Excavate Soil and Debris, Dispose in E-Area Vaults

This alternative would require excavation by backhoe or similar means and removal of

contaminated soil. Excavation would extend to at least four feet below the base of the debris. The

excavation could go deeper if necessary. The excavated material would be hauled from the site and

disposed at the E-Area Vaults (EAV). The excavation would be backfilled with soil and seeded.

Excavation would present limited short-term exposures to workers. Excavation of soil and debris

would result in fugitive dust being released to the atmosphere, potentially contacting onsite workers.

Because implementation of this alternative would result in complete source term removal, Land Use

Controls would not be necessary.

Remedial Alternatives for Groundwater

The RI/BRA for the L and P BPOPs established that groundwater at these units does not pose

unacceptable risk to human health for any land use/receptor

Page 51 of 70

scenario (no human health final COCs in groundwater were identified). Therefore, groundwater RGOs were not developed and no action was required. Under this remedy, no actions would be conducted. There are no capital or operational and maintenance costs associated with this remedy.

VIII. SUMMARY OF COMPARATIVE ANALYSIS OF THE ALTERNATIVES

Each of the remedial alternatives for soil was evaluated using the nine criteria established by the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). The criteria were derived from the statutory requirements of CERCLA Section 121. The criteria are:

- 1. overall protection of human health and the environment
- 2. compliance with ARARs
- 3. long-term effectiveness and permanence
- 4. reduction of toxicity, mobility, or volume through treatment
- 5. short-term effectiveness
- 6. implementability
- 7. cost
- 8. State acceptance
- 9. community acceptance

In selecting the preferred alternative, the above criteria were used to evaluate the alternatives developed in the focused FS (WSRC, 1999a). Seven of the criteria

Page 52 of 70

were used to evaluate all the alternatives, based on human health and environmental protection, cost, feasibility, and feasibility issues (Table 8). Groundwater alternatives were not carried through a detailed evaluation because no remedies other than No Action were considered.

Overall Protection of Human Health and the Environment

The results of the comparative analysis of alternatives for soil indicate that with the exception of Alternative 1 (No Action), all considered alternatives meet the RAOs. For alternatives 2 through 5, overall protection of human health and the environment is achieved through Land Use Controls, which prohibits unauthorized excavation. Alternatives 3 through 5 provide increasing levels of waste isolation, but all mandate Land Use Controls. Alternative 6 provides the highest overall protection through complete source term removal.

Compliance with ARARs

Alternatives 4, 5 and 6 involve intrusive activities, which trigger action-specific ARARs and higher short-term risk to workers, particularly with Alternatives 5 and 6.

Long-Term Effectiveness and Permanence

The residual risk decreases and the permanence increases with higher levels of treatment, with Land Use Controls in Alternatives 2 through 5,-providing the necessary levels of risk reduction and permanence.

Reduction of Toxicity, Mobility, or Volume Through Treatment

The reduction in toxicity and mobility increases with increasing levels of treatment, but is associated with a greater waste volume in Alternatives 4 and 5.

Revision 1

WSRC-RP-98-4105

September 1999

Because the units do not pose a current or future threat to groundwater, each alternative adequately

addresses contaminant mobility and leaching concerns.

Short-Term Effectiveness

During the construction and implementation period, minor short-term construction related risks

associated with site maintenance at both units exist in Alternatives 2 through 5. The time to achieve

RAOs is in the 2-5 month range for Alternatives 2-5. The time to achieve remedial action

objectives is based upon the time required to implement the remedial alternative.

Implementability

No significant obstacles to implementation are identified, although minor technical and/or

administrative difficulties may be encountered with Alternatives 4, 5, and 6. All alternatives can be

implemented in a short period of time (within several months), and given the large distance to the

nearest SRS boundary, none of the alternatives present a risk to the community.

Cost

The cost of the alternatives include capital and operations and maintenance costs. The costs for

Alternatives 4-6 are significantly higher due to increased treatment. The costs were projected over

a 30-year period with an interest rate of 5 percent.

State Acceptance

For the L and P BPOPs, the State and Federal regulatory agencies have accepted and approved

Alternative 2 (Land Use Controls) for soil and No Action for groundwater because they have

successfully met the comparative analysis criteria as well as the RAOs.

Page 54 of 70

Community Acceptance

Based on the public comments received from the community and the CAB, this remedy has met community acceptance. It provides adequate protection against buried waste left in place at depth.

Based on these criteria, Alternative 2 (Land Use Controls) is selected as the preferred alternative for soil at each unit. Among the alternatives that meet the RAOs (Alternatives 2 through 6), the primary deciding criteria are cost, long-term effectiveness and permanence (magnitude of residual risk), and risk to workers.

The preferred alternative is further evaluated based on the final two criteria (State acceptance and community acceptance) in the following section.

IX. THE SELECTED REMEDY

For the L and P BPOPs, the State and Federal regulatory agencies have accepted and approved Alternative 2 (Land Use Controls) for soil and No Action for groundwater based upon the successful satisfaction of both the comparative analysis criteria and RAOs. A review will be conducted within five years after initiation of remedial action to ensure that the remedy continues to provide adequate protection of human health and the environment. In addition, based on the public comments received from the community and the CAB, this remedy has met community acceptance. It provides adequate protection against buried waste left in place at depth.

Page 55 of 70

Land Use Controls will restrict the L and P BPOPs to future industrial use and will prohibit residential use of the areas. Unauthorized excavation will also be prohibited and the waste units will remain undisturbed. Land Use Controls will be maintained until such time that they are deemed unnecessary.

Per the US EPA Region IV Land Use Controls (LUCs) Policy (US EPA, 1998), a Land Use Control Assurance Plan (LUCAP) for SRS has been developed and submitted to US EPA and SCDHEC for approval. Based on the results of the L and P BPOPs RI/BRA, the selected remedial alternative for these OUs incorporate LUCs, and therefore, a Land Use Control Implementation Plan (LUCIP) for the L and P BPOPs will be developed and submitted to the regulators for approval. The SRS LUCAP has been submitted under separate cover, whereas the unit-specific LUCIP will be included in the L and P BPOPs Final Remediation Report (FRR) in accordance with the post-ROD document schedule provided in Figure 11. The LUCIP details how SRS will implement, maintain, and monitor the land use control elements of the L and P BPOPs ROD to ensure that the remedy remains protective of human health and the environment. Upon regulatory approval, the L and P BPOPs LUCIP will be appended to the SRS LUCAP.

The LUC objectives necessary to ensure the protectiveness of the preferred alternative are:

- ! prevent contact, removal, or excavation of buried waste in the area
- ! preclude residential use of the area

Land Use Controls required to prevent unauthorized exposure to the contaminated media at the L and P BPOPs include the following:

1. installation of warning signs at the most probable access points to indicate that the areas were used for the disposal of waste material (radioactively-

Page 56 of 70

contaminated construction materials) and to advise that the waste unit custodian must be contacted prior to entry

- 2. use of existing SRS access controls (including security gates, guards, and the site use/site clearance program) to maintain the use of each site consistent with its intended land use
- periodic inspections and general maintenance (primarily mowing and subsidence repairs, and minor drainage modifications as needed to prevent ponding and to promote surface water runoff)
- 4. evaluation of the need for deed notifications/restrictions if the property were ever transferred to non-federal ownership, as required under CERCLA Section 120(h)
- 5. preparation of a survey plat of the areas under LUCs, completed by a professional land surveyor, to be included in the post-ROD documents




Figure 11. Post-ROD Document Schedule

Page 58 of 70

In the long-term, if the L or P BPOPs property is ever transferred to non-Federal ownership, the U.S. Government will take those actions necessary pursuant to Section 120(h) of CERCLA. These actions will include a deed notification disclosing former waste management and disposal activities, as well as any remedial actions taken at the waste unit. The deed notification shall, in perpetuity, notify any potential purchaser that the property has been used for the management and disposal of waste. The deed shall also include restrictions precluding residential use of the property. However, the need for these deed restrictions may be re-evaluated at the time of transfer in the event that exposure assumptions differ and/or the residual contamination no longer poses an unacceptable risk under residential use. Any reevaluation of the need for deed restrictions will be done through an amended ROD with US EPA and SCDHEC review and approval. In addition, if the site is ever transferred to nonfederal ownership, a survey plan of the area will be prepared, certified by a professional land surveyor, and recorded with the appropriate county recording agency.

No threats to workers, the local community, or the environment will be posed during implementation of this alternative because the existing soil cover would not be disturbed and contaminated materials will not be exposed. There are no technical or administrative constraints to the implementation of this alternative. Inspections of the cover and vegetation at each unit could be performed by SRS personnel or a contractor. Likewise, SRS personnel or local firms could perform routine maintenance. Placement of deed restrictions or notices requires legal assistance. However, no administrative limitations are known.

At the L BPOPs, Land Use Controls for soil and No Action for groundwater will meet the RAOs. Because no human health final COCs were identified for soil (for either industrial or residential scenarios), current and future industrial workers will not be exposed to final COCs that exceed the US EPA risk level of greater

Page 59 of 70

than or equal to one in one million (1×10^{-6}). The remedy prevents human exposure to the buried waste at depth by prohibiting unauthorized excavation. Because no ecological final COCs were identified for soil, the unit does not pose a threat to current or future ecological receptors. Because no CM COCs were identified, the unit does not pose a risk to groundwater. No Action is protective of groundwater because no final COCs were identified for groundwater.

At the P BPOP, Land Use Controls for soil and No Action for groundwater will meet the RAOs. PAHs (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, and dibenzo[a,h]-anthracene) and PCBs (Aroclor 1254 and Aroclor 1260) were retained as human health final COCs in soil. Each of the final COCs is identified as a COC in subsurface soil for the hypothetical on-unit resident scenario. No final COCs in surface soil pose a risk to the future industrial worker greater than or equal to the US EPA risk level. In subsurface soil, benzo(a)pyrene poses a risk slightly above the US EPA risk level for the future industrial worker (ingestion ERR = 2×10^{-6} ; dermal contact ERR = 4×10^{-6}). The RAOs are met through land use restrictions which will prohibit excavation and exposure to both subsurface soil and buried waste. Because no ecological final COCs were identified for soil, the unit does not pose a threat to current or future ecological receptors. Because no final CM COCs were identified, the unit does not pose a risk to groundwater. No Action is protective of groundwater because no final COCs were identified for groundwater.

These selected remedies are intended to be the final actions. The solution is intended to be permanent and effective in both the short- and long-term. These alternatives are considered to be the lowest cost options which are still protective of human health and the environment with an estimated combined cost of \$169,305. Tables B1 and B2 in Appendix B provide a detailed cost breakdown

Page 60 of 70

for the selected remedy. This document is consistent with US EPA guidance and is an effective use of risk management principles.

X. STATUTORY DETERMINATIONS

Based on the RI/BRA, buried waste at the L and P BPOPs would pose a risk to human health and the environment if receptors were to be exposed to buried debris left in place. In addition, final COCs were identified at the P BPOP that would pose unacceptable carcinogenic risks (at or above 1 x 10⁻⁶ [one excess human cancer in a population of one million]) if exposure to subsurface soils were to occur. For the hypothetical on-unit resident scenario, four PAHs (benzo[a]anthracene, benzo[a]pyrene, benzo[a]fluoranthene, and dibenzo[a,h]anthracene) and two PCBs (aroclor 1254 and aroclor 1260) would pose unacceptable risks if the land use was changed from industrial to residential. For the future industrial worker scenario, benzo(a)pyrene would pose unacceptable risk if contact with subsurface soils were to occur.

Land Use Controls for soil and No Action for groundwater at the L and P BPOPs satisfy the statutory requirements of CERCLA Section 121 in the following manner:

! The selected remedy for each unit is protective of human health and the environment. The selected remedy is necessary to prohibit unauthorized excavation and to maintain the areas for their intended land use. This remedy will prevent unauthorized excavation and exposure to buried debris at both units. Periodic inspections and maintenance will ensure long-term stability of the units. Because no groundwater COCs were identified, No Action is protective of the groundwater at each unit.

Page 61 of 70

- ! The selected remedy complies with Federal and State of South Carolina requirements that are legally applicable or relevant and appropriate to the remedial action.
- ! The selected remedy is cost effective.
- ! The selected remedy does not utilize permanent solutions or alternative treatment technologies because they are not required to implement land use controls.
- ! The selected remedy does not reflect a preference for treatment because the contaminants are considered to be Low Level Threat Waste.
- ! Section 300.430 (f)(4)(ii) of the NCP requires that a five-year review of the ROD be performed if hazardous substances, pollutants, or contaminants remain in the waste unit. US DOE, SCDHEC, and US EPA have determined that a Five Year Review of the ROD for the L and P BPOPs will be performed to ensure continued protection of human health and the environment.

Therefore, a determination has been made that Land Use Controls at each unit are necessary to prohibit unauthorized excavation and to maintain the areas for their intended land use. This remedy will prevent unauthorized excavation and exposure to buried debris at both units. Periodic inspections and maintenance will ensure long-term stability of the units. Because no groundwater COCs were identified, No Action is protective of the groundwater at each unit.

XI. EXPLANATION OF SIGNIFICANT CHANGES

The PP provided for involvement with the community through a document review process and a public comment period. The Proposed Plan was also presented in an open public meeting to the SRS Citizens Advisory Board (CAB ER/WM Subcommittee) on June 22, 1999 and to the full CAB on July 27, 1999.

Page 62 of 70

Comments that were received during the 30-day public comment period (June 10 through July 9, 1999) are addressed in Appendix A of this ROD.

There were no significant changes to the selected remedy as a result of public comments.

XII. RESPONSIVENESS SUMMARY

The Responsiveness Summary of this ROD (see Appendix A) addresses the comments received during the public comment period.

XIII. POST-ROD DOCUMENT SCHEDULE

A FRR will be submitted to the US EPA and SCDHEC after the issuance of the ROD. The FRR will describe the measures that will be taken for implementation of the preferred alternative at each unit (Land Use Controls at the L BPOPs and Land Use Controls at the P BPOP).

The post-ROD document schedule is illustrated in Figure 11. Key components of the schedule include the following:

- ! The Revision.0 FRR for the L and P BPOPs will be submitted for US EPA and SCDHEC review four months after issuance of the ROD. This report will contain the LUCIP as part of the submittal.
- ! US EPA and SCDHEC review of the Revision.0 FRR will be completed 90 days after submittal of the document.
- ! SRS revision of the FRR will be completed 60 days after receipt of all regulatory comments.
- ! US EPA and SCDHEC final review and approval of the Revision. 1 FRR will be completed 30 days after submittal of the document.

Page 63 of 70

XIV. REFERENCES

- FFA, 1993. Federal Facility Agreement for the Savannah River Site, Administrative Docket No. 89-05-FF, WSRC-OS-94-42, Effective Date: August 16, 1993.
- US DOE, 1994. *Public Involvement, A Plan for Savannah River Site*, Savannah River Operations Office, Aiken, South Carolina.
- US DOE, 1996. Savannah River Site: Future Use Project Report, Stakeholder Recommendations for SRS Land and Facilities. January 1996. Cover letter: Fiori, Mario P., "SRS Future Use Project Report (Reference: Transmittal of Final Draft "Forging the Missing Link: A Resource Document for Identifying Future Use Options," Grumbly/Pearlman letter, 1-12-94)", US DOE Letter EB-96-015, Savannah River Site, Aiken, South Carolina, January 29, 1996.
- US EPA, 1990. A Guide to Remedial Actions at Superfund Sites with PCB Contamination, EPA Directive 9355.4-01, United States Environmental Protection Agency, August 1990..
- US EPA, 1991. A Guide to Principal Threat and Low Level Threat Wastes, Superfund Publication 9380.3-06FS, United States Environmental Protection Agency, Office of Solid Waste and Emergency Response, November 1991.
- US EPA, 1998. Assuring Land Use Controls at Federal Facilities, Memorandum from Jon D. Johnston, Chief, Federal Facilities Branch, to Federal Facilities Branch, April 21, 1998.
- WSRC, 1993. *RCRA Facility Investigation/RI Program Plan*. WSRC-RP-89-994, Revision .1. Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina.
- WSRC, 1997a. Savannah River Site Federal Facility Agreement Implementation Plan, WSRC-RP-94-1200, Rev. 1, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina, February 1997.
- WSRC, 1997b. *L-*, *P-*, and *R-Area Bingham Pump Outage Pits Addendum to the RI Work Plan for the K-Area Bingham Pump Outage Pit (U)*, WSRC-RP-96-00173, Rev. 1.2, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina, January 1997.
- WSRC, 1997c. Remedial Investigation Report with Baseline Risk Assessment for the K-Area Bingham Pump Outage Pit (643-IG) (U), WSRC-RP-95-1555, Rev. 1.2, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina, March 1997.

Record of Decision for the L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site September 1999 WSRC-RP-98-4105 Revision 1

Page 64 of 70

- WSRC, 1997d. Feasibility Study for the K-Area Bingham Pump Outage Pit (643-1G) (U), WSRC-RP-96-831, Rev. 1.1, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina, May 1997.
- WSRC, 1997e. *Proposed Plan for the K-Area Bingham Pump Outage Pit (643- 1G) (U)*, WSRC-RP-97-106, Rev. 1.1, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina, June 1997.
- WSRC, 1997f. Record of Decision Remedial Alternative Selection for tile K-Area Bingham Pump Outage Pit (643-lG) (U), WSRC-RP-97-178, Rev. 0, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina, July 1997.
- WSRC, 1999a. *Approved Standardized Corrective Action Design (ASCADTM) Combined Document for the L- and P-Area Bingham Pump Outage Pits*, WSRC-RP-97-443, Rev. 1, Westinghouse Savannah River Company, Aiken, South Carolina, April 1999.
- WSRC, 1999b. *Proposed Plan for the L- and P-Area Bingham Pump Outage Pits*, WSRC-RP-98-4104, Rev. 1, Westinghouse Savannah River Company, Aiken, South Carolina, April 1999.

Page 65 of 70

APPENDIX A RESPONSIVENESS SUMMARY

Responsiveness Summary

The 30-day public comment period for the Proposed Plan for the L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) began on June 10, 1999 and ended on July 9, 1999. The Proposed Plan was also presented in an open public meeting to the SRS Citizens Advisory Board (CAB ER/WM subcommittee) on June 22, 1999 and the full CAB on July 27, 1999. Specific comments and responses and CAB recommendations are found below.

Public Comments

None.

Public Meeting Comments

On July 27, 1999 the SRS Citizens Advisory Board passes a motion to send a letter to US DOE supporting the remedial action selected in the Proposed Plan.

Record of Decision for the L- and P-Area WSRC-RP-98-4105
Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Revision 1
Savannah River Site
September 1999 Page 66 of 70

This page was intentionally left blank

Record of Decision for the L- and P-Area Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Savannah River Site September 1999 WSRC-RP-98-4105 Revision 1

Page 67 of 70

APPENDIX B COST ESTIMATES

Record of Decision for the L- and P-Area WSRC-RP-98-4105
Bingham Pump Outage Pits (643-2G, 643-3G, and 643-4G) Revision 1
Savannah River Site
September 1999 Page 68 of 70

This page intentionally left blank

TABLE B1 L BPOP COST ESTIMATE (LAND USE CONTROLS)

		Quantity	Price	Estimate	Tofals
1.0	. 0 Access Restrictions				
7	1.1 Feines Construction	¥ o	\$17.80 Л	Q\$	
	Sutriotal		:		3
2.0	2.0 Deed Residotions				
2.1	2.1 Deed Restrictions	Ļ	\$5,000 lump sum	\$5,000	
	Subtotal	·	•		\$5,000
	Subtotal of Construction Costs				\$5,000
	Confingency @ 10%				\$500
	Total Construction Costs (1.0+2.0)	i			\$5,500
3.0	3.0 Engineering Costs				
3.1	3.1 Surveying	-	\$2,000 lump sum	\$2,000	•
3.2	3.2 Closure Documents	ad hrs	\$80 Arr	\$6,400	_
Ī	Subtotal	·			\$8,400
	Total Capital Costs (1.0+2.0+3.0)				\$13,900
4.0	4.0 O&M Costs				
4.1	4.1 Mowing & Inspection, semiannual	2 /yr	\$500 /each	\$1,000	
4.2	4.2 Repairs (soll additions/spreading, reseeding, etc.)	0.4 acres	\$1,000 /acre	\$400	
4.3	4.3 Fence Repair/Maintenance	# 0	\$18 Af	2	
	Subtotal Annual O&M Costs				\$1,400
	Interest Rate (I)	0.05 %			•
	Number of Years (n)	30 yrs			
	Present Worth Factor = [[(1+i)*n])-1] / [[i(1+i)*n)	15.37			
	O&M Present Worth (Amusi O&M x PWF)				\$21,521
5.0	5.0 Agency Reporting				
5	5.1 ROD Reviews, Present Worth	-	mns dwn 000'05\$	\$50,000	
	Subtotal				\$50,000
	TOTAL COST ALTERNATIVE L-2			•	\$85,421

TABLE B2 P BPOP COST ESTIMATE (LAND USE CONTROLS)

		Quantity	equ _d	Estimate	Totals
9	1.0 Access Restrictions				
-	1.1 Fence Construction	# 0	\$17.80 #	2	
	Suthotal				S
2.0	Deed Restrictions			 	- i
2.5	2.1 Deed Restrictions	,	mus dmul 000,2\$	\$5,000	
	Subtotal				\$5,000
	Subtotal of Construction Costs	3			\$5,000
	Contingency # 10%				\$200
	Total Construction Costs (1.0+2.0)				\$5,500
3.0	3.0 Engineering Costs				
31	3.1 Surveying	-	\$2,000 fump sum	\$2,000	
e e	3.2 Closure Documents	80 hrs	\$80 Arr	\$6.400	
i	Subjoral				\$6,400
	Total Capital Costs (1.0+2,0+3.0)				\$13,900
4.0	4.0 O&M Costs				
4	4.1 Mowing & Inspection, semiannual	2 1/1	\$500 /each	<u>9</u> 000.	•
4.2	4.2 Repairs (soit additions/spreading, researing, atc.)	0.3 acres	\$1,000 /acre	8300	•
4	4.3 Fence Repair/Maintenance	# C	\$18 A	0\$	
	Subtotal Annual O&M Costs				\$1,300
	Interest Pate (I)	0.05 %			
	(Number of Years (n)	30 yrs			
	$\left\{ \text{Present Worth Factor} = \left(\left(\left(\left(1 + \right) \right) / v_1 \right) / \left\{ \left(\left(\left(1 + \right) \right) / v_1 \right) \right\} \right\}$	15.37			
-	OSM Present Worth (Annual OSM x PWF)				\$19,984
5.0	5.01 Agency Reporting				
5	5.1 ROD Raviews, Present Worth		\$50,000 lump sum	\$50,030	
1	Subtotal				\$50,000
	TOTAL COST ALTERNATIVE P.2				\$83,884