

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management				
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
<b>786 Data Source Entry</b>																	
786	n/a	01	Note controller	Field	Function of field											■	■
786	n/a	02	Display constant controller	Field	Field display constant												■
786	a	n/a	Main entry heading														
786	b	n/a	Edition	⇒Manifestation	Edition/issue designation		■	■	■								
786	c	n/a	Qualifying information														
786	d	n/a	Place, publisher, date ...	⇒Manifestation	Place of publication ... +		■	■	■								
786	g	n/a	Relationship information														
786	h	n/a	Physical description	⇒Manifestation	[Various]		■	■	■								
786	i	n/a	Display text	???													
786	j	n/a	Period of content	⇒Event	Term for event			■									
786	k	n/a	Series data ...	⇒Manifestation	Series statement		■	■	■								
786	m	n/a	Material specific details														
786	n	n/a	Note														
786	o	n/a	Other item identifier	⇒Manifestation	Manifestation identifier		■		■								
786	p	n/a	Abbreviated title	⇒Manifestation	Title of manifestation		■		■								
786	r	n/a	Report number	⇒Manifestation	Manifestation identifier		■		■								
786	s	n/a	Uniform title	≈ ⇒Work	Title of work <sup>83</sup>		■										
786	t	n/a	Title	⇒Manifestation	Title of manifestation +		■		■								
786	u	n/a	Standard tech. report no.	⇒Manifestation	Manifestation identifier		■		■								
786	v	n/a	Source contribution	???													
786	w	n/a	Record control number	⇒Record	Record identifier										■		
786	x	n/a	ISSN	⇒Manifestation	Manifestation identifier		■		■								

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management			
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
786	y	n/a	CODEN designation	⇒Manifestation	Manifestation identifier		■		■								
786	z	n/a	ISBN	⇒Manifestation	Manifestation identifier		■		■								
786	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
786	7	00	Type of main entry	Data element	Type of data element								■	■	■		
786	7	01	Form of name	Data element	Type of data element								■	■	■		
786	7	02	Type of record	⇒Record	Type of record									■			
786	7	03	Bibliographic level	⇒Record	Bibliographic level									■			
786	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>787 Nonspecific Relationship Entry</b>																	
787	n/a	01	Note controller	Field	Function of field										■		■
787	n/a	02	Display constant controller	Field	Field display constant												■
787	a	n/a	Main entry heading														
787	b	n/a	Edition	⇒Manifestation	Edition/issue designation		■	■	■								
787	c	n/a	Qualifying information														
787	d	n/a	Place, publisher, date ...	⇒Manifestation	Place of publication ... +		■	■	■								
787	g	n/a	Relationship information														
787	h	n/a	Physical description	⇒Manifestation	[Various]		■	■	■								
787	i	n/a	Display text														
787	k	n/a	Series data ...	⇒Manifestation	Series statement		■	■	■								
787	m	n/a	Material specific details														
787	n	n/a	Note														
787	o	n/a	Other item identifier	⇒Manifestation	Manifestation identifier		■		■								

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management				
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
787	r	n/a	Report number	⇒Manifestation	Manifestation identifier		■		■									
787	s	n/a	Uniform title	≈ ⇒Work	Title of work <sup>84</sup>		■											
787	t	n/a	Title	⇒Manifestation	Title of manifestation +		■		■									
787	u	n/a	Standard tech. report no.	⇒Manifestation	Manifestation identifier		■		■									
787	w	n/a	Record control number	⇒Record	Record identifier								■					
787	x	n/a	ISSN	⇒Manifestation	Manifestation identifier		■		■									
787	y	n/a	CODEN designation	⇒Manifestation	Manifestation identifier		■		■									
787	z	n/a	ISBN	⇒Manifestation	Manifestation identifier		■		■									
787	6	n/a	Linkage	⇒Field	<i>Parallel</i>									■	■			
787	7	00	Type of main entry	Data element	Type of data element									■	■	■		
787	7	01	Form of name	Data element	Type of data element									■	■	■		
787	7	02	Type of record	⇒Record	Type of record										■			
787	7	03	Bibliographic level	⇒Record	Bibliographic level										■			
787	8	n/a	Field link and sequence	Segment	Segment identifier/type									■	■			
<b>800 Series Added Entry – Personal Name</b>																		
800	n/a	01	Type of personal name ...	Data element	Type of data element									■	■	■		
800	n/a	02	Undefined															
800	a	n/a	Personal name	Person	Name of person	■	■											
800	b	n/a	Numeration	Person	Other designation	■	■											
800	c	n/a	Titles and other words	≈ Person	Title of person <sup>85</sup>	■	■											
800	d	n/a	Dates	Person	Dates of person	■	■											
800	e	n/a	Relator term	⇒Work	<i>[Relationship]</i>		■											

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management				
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
800	f	n/a	Date of a work	⇒Work	Date of work	■	■											
800	g	n/a	Miscellaneous info															
800	h	n/a	Medium	⇒Manifestation	Form of carrier	■	■											
800	j	n/a	Attribution qualifier	Person	Name of person	■	■											
800	k	n/a	Form subheading	⇒Work	Form of work	■	■											
800	l	n/a	Language of a work	⇒Expression	Language of expression	■	■											
800	m	n/a	Medium of performance	⇒Work	Medium of performance	■	■											
800	n	n/a	Number of part/section	⇒Work	Title of work	■	■											
800	o	n/a	Arranged statement ...	⇒Expression	Other distinguishing char.	■	■											
800	p	n/a	Name of part/section	⇒Work	Title of work	■	■											
800	q	n/a	Fuller form of name	Person	Name of person	■	■											
800	r	n/a	Key for music	⇒Work	Key	■	■											
800	s	n/a	Version	⇒Work	Other distinguishing char.	■	■											
800	t	n/a	Title of a work	⇒Work	Title of work	■	■											
800	u	n/a	Affiliation	⇒Corp. Body	<i>Affiliation</i>		■											
800	v	n/a	Volume/sequential ...	⇒Manifestation	Numbering		■											
800	4	n/a	Relator code	⇒Work	<i>[Relationship]</i>		■											
800	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■				
800	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■				
<b>810 Series Added Entry –Corporate Name</b>																		
810	n/a	01	Type of corporate name ...	Data element	Type of data element								■	■	■			
810	n/a	02	Undefined															

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management					
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
810	a	n/a	Corporate name ...	≈ Corporate Body	Name of corporate body <sup>86</sup>	■	■											
810	b	n/a	Subordinate unit	Corporate Body	Name of corporate body	■	■											
810	c	n/a	Location of meeting	Corporate Body	Place associated with ...	■	■											
810	d	n/a	Date of meeting/treaty	≈ Corporate Body	Date associated with ... <sup>87</sup>	■	■											
810	e	n/a	Relator term	⇒Work	[Relationship]		■											
810	f	n/a	Date of a work	⇒Work	Date of work	■	■											
810	g	n/a	Miscellaneous info															
810	h	n/a	Medium	⇒Manifestation	Form of carrier	■	■											
810	k	n/a	Form subheading	⇒Work	Form of work	■	■											
810	l	n/a	Language of a work	⇒Expression	Language of expression	■	■											
810	m	n/a	Medium of performance	⇒Work	Medium of performance	■	■											
810	n	n/a	Number of part/section	⇒Work	Title of work	■	■											
810	o	n/a	Arranged statement ...	⇒Expression	Other distinguishing char.	■	■											
810	p	n/a	Name of part/section	⇒Work	Title of work	■	■											
810	r	n/a	Key for music	⇒Work	Key	■	■											
810	s	n/a	Version	⇒Work	Other distinguishing char.	■	■											
810	t	n/a	Title of a work	⇒Work	Title of work	■	■											
810	u	n/a	Affiliation	⇒Corp. Body	Affiliation		■											
810	v	n/a	Volume/sequential ...	⇒Manifestation	Numbering		■											
810	4	n/a	Relator code	⇒Work	[Relationship]		■											
810	6	n/a	Linkage	⇒Field	Parallel								■	■				
810	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■				

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management					
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
<b>811 Series Added Entry –Meeting Name</b>																		
811	n/a	01	Type of meeting name ...	Data element	Type of data element									■	■	■		
811	n/a	02	Undefined															
811	a	n/a	Meeting name ...	~ Corporate Body	Name of corporate body <sup>88</sup>	■	■											
811	c	n/a	Location of meeting	Corporate Body	Place associated with ...	■	■											
811	d	n/a	Date of meeting	Corporate Body	Date associated with ...	■	■											
811	e	n/a	Subordinate unit	Corporate Body	Name of corporate body	■	■											
811	f	n/a	Date of a work	⇒Work	Date of work	■	■											
811	g	n/a	Miscellaneous info															
811	h	n/a	Medium	⇒Manifestation	Form of carrier	■	■											
811	k	n/a	Form subheading	⇒Work	Form of work	■	■											
811	l	n/a	Language of a work	⇒Expression	Language of expression	■	■											
811	n	n/a	Number of part/section	⇒Work	Title of work	■	■											
811	p	n/a	Name of part/section	⇒Work	Title of work	■	■											
811	q	n/a	Name of meeting following	Corporate Body	Name of corporate body	■	■											
811	s	n/a	Version	⇒Work	Other distinguishing char.	■	■											
811	t	n/a	Title of a work	⇒Work	Title of work	■	■											
811	u	n/a	Affiliation	⇒Corp. Body	<i>Affiliation</i>		■											
811	v	n/a	Volume/sequential ...	⇒Manifestation	Numbering		■											
811	4	n/a	Relator code	⇒Work	<i>[Relationship]</i>		■											
811	6	n/a	Linkage	⇒Field	<i>Parallel</i>									■	■			
811	8	n/a	Field link and sequence	Segment	Segment identifier/type									■	■			

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management					
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
<b>830 Series Added Entry – Uniform Title</b>																		
830	n/a	01	Undefined															
830	n/a	02	Nonfiling characters	Data element	Filing of data element											■	■	
830	a	n/a	Uniform title	~ ⇒Work	Title of work <sup>89</sup>	■	■											
830	d	n/a	Date of treaty signing	⇒Work	Date of work	■	■											
830	f	n/a	Date of a work	⇒Work	Date of work	■	■											
830	g	n/a	Miscellaneous info															
830	h	n/a	Medium	⇒Manifestation	Form of carrier	■	■											
830	k	n/a	Form subheading	⇒Work	Form of work	■	■											
830	l	n/a	Language of a work	⇒Expression	Language of expression	■	■											
830	m	n/a	Medium of performance	⇒Work	Medium of performance	■	■											
830	n	n/a	Number of part/section	⇒Work	Title of work	■	■											
830	o	n/a	Arranged statement ...	⇒Expression	Other distinguishing char.	■	■											
830	p	n/a	Name of part/section	⇒Work	Title of work	■	■											
830	r	n/a	Key for music	⇒Work	Key	■	■											
830	s	n/a	Version	⇒Work	Other distinguishing char.	■	■											
830	t	n/a	Title of a work	⇒Work	Title of work	■	■											
830	v	n/a	Volume/sequential ...	⇒Manifestation	Numbering		■											
830	6	n/a	Linkage	⇒Field	<i>Parallel</i>										■	■		
830	8	n/a	Field link and sequence	Segment	Segment identifier/type										■	■		
<b>841 Holding Coded Date Values</b>																		
841	n/a	01	Undefined															

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management				
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
841	n/a	02	Undefined														
841	a	00	Type of record	? ⇒Record	Type of record									■			
841	a	01-02	Undefined														
841	a	03	Character coding scheme	? ⇒Record	Character coding scheme									■			
841	b	00-31	See 008 00-31														
841	e	00	Encoding level	? ⇒Record	Encoding level									■			
<b>842 Textual Physical Form Designator</b>																	
842	n/a	01	Undefined														
842	n/a	02	Undefined														
842	a	n/a	Textual physical form ...	Manifestation	Form of carrier	■	■	■									
842	6	n/a	Linkage	⇒Field	Parallel								■	■			
842	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>843 Reproduction Note</b>																	
843	n/a	01	Undefined														
843	n/a	02	Undefined														
843	a	n/a	Type of reproduction	⇒Manifestation	Reproduction	■											
843	b	n/a	Place of reproduction	⇒Manifestation	Place of production*	■	■	■									
843	c	n/a	Agency responsible ...	⇒Corp. Body	Production	■	■	■									
843	d	n/a	Date of reproduction	⇒Manifestation	Date of production*	■	■	■									
843	e	n/a	Physical description ..	⇒Manifestation	[Various]	■	■	■									
843	f	n/a	Series statement ...	⇒Manifestation	Series statement	■	■	■									



Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management				
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
843	m	n/a	Dates/sequential ...	⇒Manifestation	Numbering		■		■	■							
843	n	n/a	Note about reproduction														
843	3	n/a	Materials specified	Manifestation	Manifestation designation*		■										
843	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
843	7	00	Type of date/pub. status	Data element	Type of data element									■			
843	7	01-04	Date 1	≈ ⇒Manifestation	Date of publication/dist. <sup>90</sup>		■	■	■								
843	7	05-08	Date 2	≈ ⇒Manifestation	Date of publication/dist. <sup>91</sup>		■	■	■								
843	7	09-11	Place of publication ...	≈ ⇒Manifestation	Place of pub'n/dist. <sup>92</sup>		■	■	■								
843	7	12	Frequency	⇒Expression	Expected frequency		■	■		■							
843	7	13	Regularity	⇒Expression	Expected regularity		■	■		■							
843	7	14	Form of item	≈ ⇒Manifestation	Form of carrier <sup>93</sup>		■										
843	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>844 Name of Unit</b>																	
844	n/a	01	Undefined														
844	n/a	02	Undefined														
844	a	n/a	Name of unit	Manifestation	Title of manifestation		■	■	■								
844	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
844	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>845 Terms Governing Use and Reproduction Note</b>																	
845	n/a	01	Undefined														
845	n/a	02	Undefined														

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management				
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
845	a	n/a	Terms governing use ...	?	Manifest./Item	Access restrictions					■							
845	b	n/a	Jurisdiction	?	Manifest./Item	Access restrictions					■							
845	c	n/a	Authorization	?	Manifest./Item	Access restrictions					■							
845	d	n/a	Authorized users	?	Manifest./Item	Access restrictions					■							
845	3	n/a	Materials specified		Manifestation	Manifestation designation*	■											
845	5	n/a	Institution to which ...	⇒	Corp. Body	Applicability										■		■
845	6	n/a	Linkage	⇒	Field	Parallel									■	■		
845	8	n/a	Field link and sequence		Segment	Segment identifier/type									■	■		
<b>850 Holding Institution</b>																		
850	n/a	01	Undefined															
850	n/a	02	Undefined															
850	a	n/a	Holding institution		Item	Location of item*					■							
850	8	n/a	Field link and sequence		Segment	Segment identifier/type									■	■		
<b>852 Location</b>																		
852	n/a	01	Shelving scheme		Data element	Type of data element									■	■		
852	n/a	02	Shelving order		???													
852	a	n/a	Location		Item	Location of item*	■				■							
852	b	n/a	Sublocation or collection		Item	Location of item*	■				■							
852	c	n/a	Shelving location		Item	Item identifier	■				■							
852	e	n/a	Address		Item	Location of item*	■				■							
852	f	n/a	Coded location qualifier	?	Manifestation	Manifestation designation*	■				■							

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management				
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
852	g	n/a	Non-coded location ...	?	Manifestation	Manifestation designation*	■		■	■							
852	h	n/a	Classification part		Item	Item identifier	■		■	■							
852	i	n/a	Item part		Item	Item identifier	■		■	■							
852	j	n/a	Shelving control number		Item	Item identifier	■		■	■							
852	k	n/a	Call number prefix		Item	Item identifier	■		■	■							
852	l	n/a	Shelving form of title	?	Manifestation	Title of manifestation	■		■	■							
852	m	n/a	Call number suffix		Item	Item identifier	■		■	■							
852	n	n/a	Country code		Item	Location of item*	■		■	■							
852	p	n/a	Piece designation		Item	Item identifier	■		■	■							
852	q	n/a	Piece physical condition		Item	Condition		■		■							
852	s	n/a	© article-fee code		Manifestation	Manifestation identifier	■		■	■							
852	t	n/a	Copy number		Item	Item identifier	■		■	■							
852	x	n/a	Nonpublic note														
852	z	n/a	Public note														
852	2	n/a	Source of ... scheme		Data element	Source of data element							■	■			
852	3	n/a	Materials specified		Manifestation	Manifestation designation*	■										
852	6	n/a	Linkage		⇒Field	<i>Parallel</i>							■	■			
852	8	n/a	Field link and sequence		Segment	Segment identifier/type							■	■			
<b>853 Captions and Pattern – Basic Bibliographic Unit</b>																	
853	n/a	01	Compressibility ...		Data element	Compressibility ...								■			
853	n/a	02	Caption evaluation		Data element	Evaluation of data ...								■			
853	a	n/a	First level of enumeration		Manifestation	Numbering	■		■	■							

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management			
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y
853	b	n/a	Second level ...	Manifestation	Numbering		■		■	■							
853	c	n/a	Third level ...	Manifestation	Numbering		■		■	■							
853	d	n/a	Fourth level ...	Manifestation	Numbering		■		■	■							
853	e	n/a	Fifth level ...	Manifestation	Numbering		■		■	■							
853	f	n/a	Sixth level ...	Manifestation	Numbering		■		■	■							
853	g	n/a	Alternative ... first level	Manifestation	Numbering		■		■	■							
853	h	n/a	Alternative ... second ...	Manifestation	Numbering		■		■	■							
853	i	n/a	First level of chronology	Manifestation	Numbering		■		■	■							
853	j	n/a	Second level ...	Manifestation	Numbering		■		■	■							
853	k	n/a	Third level ...	Manifestation	Numbering		■		■	■							
853	l	n/a	Fourth level ...	Manifestation	Numbering		■		■	■							
853	m	n/a	Alternative ... chronology	Manifestation	Numbering		■		■	■							
853	t	n/a	Copy	Item	Item identifier		■		■	■							
853	u	n/a	Bibliographic units ...	???													
853	v	n/a	Numbering continuity	Manifestation	Numbering continuity*					■							
853	w	n/a	Frequency	Expression	Expected frequency					■							
853	x	n/a	Calendar change	Manifestation	Calendar change ...*					■							
853	y	n/a	Regularity pattern	Expression	Expected regularity					■							
853	z	n/a	Numbering scheme	? Data element	Type of data element								■	■			
853	3	n/a	Materials specified	Manifestation	Manifestation designation*		■										
853	6	n/a	Linkage	⇒Field	Parallel								■	■			
853	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management					
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y		
<b>854 Captions and Pattern – Supplementary Material</b>																			
854	n/a	01	Compressibility ...	Data element	Compressibility ...													■	
854	n/a	02	Caption evaluation	Data element	Evaluation of data ...													■	
854	a	n/a	First level of enumeration	Manifestation	Numbering		■		■	■									
854	b	n/a	Second level ...	Manifestation	Numbering		■		■	■									
854	c	n/a	Third level ...	Manifestation	Numbering		■		■	■									
854	d	n/a	Fourth level ...	Manifestation	Numbering		■		■	■									
854	e	n/a	Fifth level ...	Manifestation	Numbering		■		■	■									
854	f	n/a	Sixth level ...	Manifestation	Numbering		■		■	■									
854	g	n/a	Alternative ... first level	Manifestation	Numbering		■		■	■									
854	h	n/a	Alternative ... second ...	Manifestation	Numbering		■		■	■									
854	i	n/a	First level of chronology	Manifestation	Numbering		■		■	■									
854	j	n/a	Second level ...	Manifestation	Numbering		■		■	■									
854	k	n/a	Third level ...	Manifestation	Numbering		■		■	■									
854	l	n/a	Fourth level ...	Manifestation	Numbering		■		■	■									
854	m	n/a	Alternative ... chronology	Manifestation	Numbering		■		■	■									
854	o	n/a	Type of supplementary ...	Manifestation	Manifestation designation*		■		■	■									
854	t	n/a	Copy	Item	Item identifier		■		■	■									
854	u	n/a	Bibliographic units ...	???															
854	v	n/a	Numbering continuity	Manifestation	Numbering continuity*					■									
854	w	n/a	Frequency	Expression	Expected frequency					■									
854	x	n/a	Calendar change	Manifestation	Calendar change ...*					■									
854	y	n/a	Regularity pattern	Expression	Expected regularity					■									

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management				
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
854	z	n/a	Numbering scheme	?	Data element								■	■			
854	3	n/a	Materials specified		Manifestation	Manifestation designation*	■										
854	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
854	8	n/a	Field link and sequence		Segment	Segment identifier/type							■	■			
<b>855 Captions and Pattern – Indexes</b>																	
855	n/a	01	Undefined														
855	n/a	02	Undefined														
855	a	n/a	First level of enumeration		Manifestation	Numbering	■		■	■							
855	b	n/a	Second level ...		Manifestation	Numbering	■		■	■							
855	c	n/a	Third level ...		Manifestation	Numbering	■		■	■							
855	d	n/a	Fourth level ...		Manifestation	Numbering	■		■	■							
855	e	n/a	Fifth level ...		Manifestation	Numbering	■		■	■							
855	f	n/a	Sixth level ...		Manifestation	Numbering	■		■	■							
855	g	n/a	Alternative ... first level		Manifestation	Numbering	■		■	■							
855	h	n/a	Alternative ... second ...		Manifestation	Numbering	■		■	■							
855	i	n/a	First level of chronology		Manifestation	Numbering	■		■	■							
855	j	n/a	Second level ...		Manifestation	Numbering	■		■	■							
855	k	n/a	Third level ...		Manifestation	Numbering	■		■	■							
855	l	n/a	Fourth level ...		Manifestation	Numbering	■		■	■							
855	m	n/a	Alternative ... chronology		Manifestation	Numbering	■		■	■							
855	o	n/a	Type of supplementary ...		Manifestation	Manifestation designation*	■		■	■							
855	t	n/a	Copy		Item	Item identifier	■		■	■							

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management				
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
855	u	n/a	Bibliographic units ...	???														
855	v	n/a	Numbering continuity	Manifestation	Numbering continuity*					■								
855	w	n/a	Frequency	Expression	Expected frequency					■								
855	x	n/a	Calendar change	Manifestation	Calendar change ...*					■								
855	y	n/a	Regularity pattern	Expression	Expected regularity					■								
855	z	n/a	Numbering scheme	? Data element	Type of data element								■	■				
855	3	n/a	Materials specified	Manifestation	Manifestation designation*	■												
855	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■				
855	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■				
<b>856 Electronic Location and Access</b>																		
856	n/a	01	Access method	Manifestation	Mode of access					■								
856	n/a	02	Relationship	⇒Manifestation	<i>[Relationship]</i>	■	■											
856	a	n/a	Host name	Manifestation	Source for acquisition					■								
856	b	n/a	Access number	Manifestation	Source for acquisition					■								
856	c	n/a	Compression information	Manifestation	File characteristics					■								
856	d	n/a	Path	? Manifestation	Access address					■								
856	f	n/a	Electronic name	Manifestation	Title of manifestation					■								
856	h	n/a	Processor of request	???														
856	i	n/a	Instruction	Manifestation	Access instructions*					■								
856	j	n/a	Bits per second	Manifestation	Access instructions*					■								
856	k	n/a	Password	Manifestation	Access instructions*					■								
856	l	n/a	Logon	Manifestation	Access instructions*					■								

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management				
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
856	m	n/a	Contact for ... assistance	Manifestation	Access instructions*				■									
856	n	n/a	Name of location of host	Manifestation	Source for acquisition				■									
856	o	n/a	Operating system	Manifestation	Access instructions*				■									
856	p	n/a	Port	Manifestation	Access instructions*				■									
856	q	n/a	Electronic format type	Manifestation	File characteristics				■									
856	r	n/a	Settings	Manifestation	Access instructions*				■									
856	s	n/a	File size	???														
856	t	n/a	Terminal emulation	Manifestation	Access instructions*				■									
856	u	n/a	Uniform Resource ID	Manifestation	Manifestation identifier		■		■									
856	v	n/a	Hours access method ...	Manifestation	Hours of availability*				■									
856	w	n/a	Record control number	???														
856	x	n/a	Nonpublic note															
856	y	n/a	Link text															
856	z	n/a	Public note															
856	2	n/a	Access method	Manifestation	Mode of access													
856	6	n/a	Linkage	⇒Field	<i>Parallel</i>									■	■			
856	8	n/a	Field link and sequence	Segment	Segment identifier/type									■	■			
<b>863 Enumeration and Chronology – Basic Bibliographic Unit</b>																		
863	n/a	01	Field encoding level	Field	Field encoding level											■		
863	n/a	02	Form of holdings	Field	Form of field											■		
863	a	n/a	First level of enumeration	Manifestation	Numbering		■		■		■							
863	b	n/a	Second level ...	Manifestation	Numbering		■		■		■							



Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management			
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT
863	c	n/a	Third level ...	Manifestation	Numbering		■		■	■						
863	d	n/a	Fourth level ...	Manifestation	Numbering		■		■	■						
863	e	n/a	Fifth level ...	Manifestation	Numbering		■		■	■						
863	f	n/a	Sixth level ...	Manifestation	Numbering		■		■	■						
863	g	n/a	Alternative ... first level	Manifestation	Numbering		■		■	■						
863	h	n/a	Alternative ... second ...	Manifestation	Numbering		■		■	■						
863	i	n/a	First level of chronology	Manifestation	Numbering		■		■	■						
863	j	n/a	Second level ...	Manifestation	Numbering		■		■	■						
863	k	n/a	Third level ...	Manifestation	Numbering		■		■	■						
863	l	n/a	Fourth level ...	Manifestation	Numbering		■		■	■						
863	m	n/a	Alternative ... chronology	Manifestation	Numbering		■		■	■						
863	o	n/a	Title of supplementary ...	Manifestation	Manifestation designation*		■		■	■						
863	t	n/a	Copy	Item	Item identifier		■		■	■						
863	u	n/a	Bibliographic units ...	???												
863	v	n/a	Numbering continuity	Manifestation	Numbering continuity*					■						
863	w	n/a	Break indicator							■						
863	x	n/a	Nonpublic note													
863	z	n/a	Public note													
863	3	n/a	Materials specified	Manifestation	Manifestation designation*		■									
863	6	n/a	Linkage	⇒Field	Parallel								■	■		
863	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■		
<b>864 Enumeration and Chronology – Supplementary Material</b>																



Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management			
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
864	6	n/a	Linkage	⇒Field	<i>Parallel</i>									■	■		
864	8	n/a	Field link and sequence	Segment	Segment identifier/type									■	■		
<b>865 Enumeration and Chronology – Indexes</b>																	
865	n/a	01	Field encoding level	Field	Field encoding level										■		
865	n/a	02	Form of holdings	Field	Form of field										■		
865	a	n/a	First level of enumeration	Manifestation	Numbering		■		■	■							
865	b	n/a	Second level ...	Manifestation	Numbering		■		■	■							
865	c	n/a	Third level ...	Manifestation	Numbering		■		■	■							
865	d	n/a	Fourth level ...	Manifestation	Numbering		■		■	■							
865	e	n/a	Fifth level ...	Manifestation	Numbering		■		■	■							
865	f	n/a	Sixth level ...	Manifestation	Numbering		■		■	■							
865	g	n/a	Alternative ... first level	Manifestation	Numbering		■		■	■							
865	h	n/a	Alternative ... second ...	Manifestation	Numbering		■		■	■							
865	i	n/a	First level of chronology	Manifestation	Numbering		■		■	■							
865	j	n/a	Second level ...	Manifestation	Numbering		■		■	■							
865	k	n/a	Third level ...	Manifestation	Numbering		■		■	■							
865	l	n/a	Fourth level ...	Manifestation	Numbering		■		■	■							
865	m	n/a	Alternative ... chronology	Manifestation	Numbering		■		■	■							
865	o	n/a	Title of index	Manifestation	Manifestation designation*		■		■	■							
865	t	n/a	Copy	Item	Item identifier		■		■	■							
865	u	n/a	Bibliographic units ...	???													
865	v	n/a	Numbering continuity	Manifestation	Numbering continuity*					■							

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management			
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y
865	w	n/a	Frequency	Expression	Expected frequency					■							
865	x	n/a	Calendar change	Manifestation	Calendar change ...*					■							
865	y	n/a	Regularity pattern	Expression	Expected regularity					■							
865	3	n/a	Materials specified	Manifestation	Manifestation designation*	■											
865	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
865	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>866 Textual Holdings – Basic Bibliographic Unit</b>																	
866	n/a	01	Field encoding level	Field	Field encoding level											■	
866	n/a	02	Type of notation	Data element	Type of data element								■	■			
866	a	n/a	Textual holdings	???													
866	x	n/a	Nonpublic note														
866	z	n/a	Public note														
866	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
866	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>867 Textual Holdings – Supplementary Material</b>																	
867	n/a	01	Field encoding level	Field	Field encoding level											■	
867	n/a	02	Type of notation	Data element	Type of data element								■	■			
867	a	n/a	Textual holdings	???													
867	x	n/a	Nonpublic note														
867	z	n/a	Public note														
867	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management				
						SEARCH	IDENTIFY	SELECT	OBTAIN	RESTRICT	MANAGE	OPERATE	INTERPRET	IDENTIFY	PROCESS	SORT	DISPLAY
867	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>868 Textual Holdings – Indexes</b>																	
868	n/a	01	Field encoding level	Field	Field encoding level										■		
868	n/a	02	Type of notation	Data element	Type of data element								■	■			
868	a	n/a	Textual holdings	???													
868	x	n/a	Nonpublic note														
868	z	n/a	Public note														
868	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■			
868	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■			
<b>876 Item Information – Basic Bibliographic Unit</b>																	
876	n/a	01	Undefined														
876	n/a	02	Undefined														
876	a	n/a	Internal item number	Item	Item identifier		■		■		■						
876	b	n/a	Invalid/cancelled ...	Item	Item identifier		■		■		■						
876	p	n/a	Piece designation	Item	Item identifier		■		■		■						
876	r	n/a	Invalid/cancelled ...	Item	Item identifier		■		■		■						
876	t	n/a	Copy number	Item	Item identifier		■		■		■						
876	c	n/a	Cost	Item	Acquisition price*						■						
876	d	n/a	Date acquired	Item	Date of acquisition*						■						
876	e	n/a	Source of acquisition	? Item	Provenance of item						■						
876	h	n/a	Use restrictions	Item	Access restrictions					■							

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use			Data Management					
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
876	j	n/a	Item status	???														
876	l	n/a	Temporary location	Item	Location of item*		■		■	■								
876	x	n/a	Nonpublic note															
876	z	n/a	Public note															
876	3	n/a	Materials specified	Manifestation	Manifestation designation*		■											
876	6	n/a	Linkage	⇒Field	<i>Parallel</i>									■	■			
876	8	n/a	Field link and sequence	Segment	Segment identifier/type									■	■			
<b>877 Item Information – Supplementary Material</b>																		
877	n/a	01	Undefined															
877	n/a	02	Undefined															
877	a	n/a	Internal item number	Item	Item identifier		■		■	■								
877	b	n/a	Invalid/cancelled ...	Item	Item identifier		■		■	■								
877	p	n/a	Piece designation	Item	Item identifier		■		■	■								
877	r	n/a	Invalid/cancelled ...	Item	Item identifier		■		■	■								
877	t	n/a	Copy number	Item	Item identifier		■		■	■								
877	c	n/a	Cost	Item	Acquisition price*					■								
877	d	n/a	Date acquired	Item	Date of acquisition*					■								
877	e	n/a	Source of acquisition	? Item	Provenance of item					■								
877	h	n/a	Use restrictions	Item	Access restrictions					■								
877	j	n/a	Item status	???														
877	l	n/a	Temporary location	Item	Location of item*		■		■	■								
877	x	n/a	Nonpublic note															

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management				
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y	
877	z	n/a	Public note															
877	3	n/a	Materials specified	Manifestation	Manifestation designation*	■												
877	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■				
877	8	n/a	Field link and sequence	Segment	Segment identifier/type								■	■				
<b>878 Item Information – Indexes</b>																		
878	n/a	01	Undefined															
878	n/a	02	Undefined															
878	a	n/a	Internal item number	Item	Item identifier	■		■		■								
878	b	n/a	Invalid/cancelled ...	Item	Item identifier	■		■		■								
878	p	n/a	Piece designation	Item	Item identifier	■		■		■								
878	r	n/a	Invalid/cancelled ...	Item	Item identifier	■		■		■								
878	t	n/a	Copy number	Item	Item identifier	■		■		■								
878	c	n/a	Cost	Item	Acquisition price*					■								
878	d	n/a	Date acquired	Item	Date of acquisition*					■								
878	e	n/a	Source of acquisition	? Item	Provenance of item					■								
878	h	n/a	Use restrictions	Item	Access restrictions					■								
878	j	n/a	Item status	???														
878	l	n/a	Temporary location	Item	Location of item*	■		■		■								
878	x	n/a	Nonpublic note															
878	z	n/a	Public note															
878	3	n/a	Materials specified	Manifestation	Manifestation designation*	■												
878	6	n/a	Linkage	⇒Field	<i>Parallel</i>								■	■				

Field	Subfield	Position	Data Element	Entity	Attribute/Relationship	Resource Discovery				Resource Use				Data Management					
						S E A R C H	I D E N T I F Y	S E L E C T	O B T A I N	R E S T R I C T	M A N A G E	O P E R A T E	I N T E R P R E T	I D E N T I F Y	P R O C E S S	S O R T	D I S P L A Y		
878	8	n/a	Field link and sequence	Segment	Segment identifier/type									■	■				
<b>880 Alternate Graphic Representation</b>																			
880	n/a	01	[Same as associated field]																
880	n/a	02	[Same as associated field]																
880	a-z	n/a	[Same as associated field]																
880	0-5	n/a	[Same as associated field]																
880	6	n/a	Linkage	⇒Field	Parallel									■	■				
880	7-9	n/a	[Same as associated field]																
<b>886 Foreign MARC Information Field</b>																			
886	n/a	01	Type of field	Field	Type of field									■	■				
886	n/a	02	Undefined																
886	a	n/a	Tag of foreign MARC field	Data element	Type of data element									■	■				
886	b	n/a	Content of foreign ...																
886	2	n/a	Source of data	Data element	Source of data element									■	■				
886	a-z	n/a	Foreign MARC subfield																
886	0-9	n/a	Foreign MARC subfield																



**Notes:**

1. The value “a” (language material) in MARC 006 (Books) character position 00 corresponds to “alpha numeric notation” as a form of expression as defined in FRBR. The value “t” (manuscript language material) concatenates form of expression as defined in FRBR with an attribute that is undefined in FRBR but which would be more appropriately associated with the manifestation.
2. The values “a” (microfilm), “b” (microfiche), and “c” (microopaque) in MARC 006 (Books) character position 06 correspond to form of carrier as defined in FRBR. The value “d” (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value “f” (Braille). The value “r” (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value “s” (electronic) corresponds to capture mode (an attribute of manifestation).
3. The values “a” (numeric data), “c” (representational), “d” (document), and “h” (sound) in MARC 006 (Computer files) character position 09 correspond to form of expression as defined in FRBR. The values “b” (computer program), “e” (bibliographic data), “f” (font), “g” (game), and “i” (interactive media) appear to correspond to form of work as defined in FRBR.
4. The value “e” (cartographic material) in MARC 006 (Maps) character position 00 corresponds to “cartographic image” and “cartographic object” as forms of expression as defined in FRBR. The value “” (manuscript cartographic material) concatenates form of expression as defined in FRBR with an attribute that is undefined in FRBR but which would be more appropriately associated with the manifestation.
5. The values “a” (single map), “d” (globe) and “e” (atlas) in MARC 006 (Maps) character position 08 correspond to form of work as defined in FRBR. The value “b” (map series) concatenates form of work with a manifestation-to-manifestation relationship (whole/part). The value “c” (map serial) concatenates form of work with a sub-category of manifestation (serial). The value “f” (separate map supplement for another work) concatenates form of work with a work-to-work relationship (supplement). The value “g” (map bound as part of another work) concatenates form of work with an item-to-item relationship (reconfiguration).
6. The values “a” (microfilm), “b” (microfiche), and “c” (microopaque) in MARC 006 (Maps) character position 12 correspond to form of carrier as defined in FRBR. The value “d” (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value “f” (Braille). The value “r” (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value “s” (electronic) corresponds to capture mode (an attribute of manifestation).
7. The values “k” (calendar), “l” (puzzle), and “n” (game) in MARC 006 (Maps) character positions 16-17 correspond to form of work as defined in FRBR. The values “j” (picture card, post card), “o” (wall map), “p” (playing cards), and “r” (loose-leaf) correspond to form of carrier (an attribute of manifestation). The value “e” (manuscript) has no corresponding attribute defined in FRBR, but it would be more appropriately associated with manifestation.
8. The values “i” (non-musical sound recording) and “j” (musical sound recording) in MARC 006 (Music) character position 00 concatenate form of expression as defined in FRBR (spoken word and musical sound) with a sub-category of manifestation (sound recording). The values “c” (printed music) and “d” (manuscript music) concatenate form of expression (musical notation) as defined in FRBR with attributes that are undefined in FRBR but which are more appropriately associated with the manifestation.
9. The values “a” (microfilm), “b” (microfiche), and “c” (microopaque) in MARC 006 (Music) character position 06 correspond to form of carrier as defined in FRBR. The value “d” (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value “f” (Braille). The value “r” (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value “s” (electronic) corresponds to capture mode (an attribute of manifestation).

10. The values "a" (microfilm), "b" (microfiche), and "c" (microopaque) in MARC 006 (Serials) character position 05 correspond to form of carrier as defined in FRBR. The value "d" (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value "f" (Braille). The value "r" (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value "s" (electronic) corresponds to capture mode (an attribute of manifestation). Note also that the carrier referenced by the values in MARC 006 (Serials) character position 05 is not the carrier of the manifestation described in the record, but the carrier of the original manifestation of the serial.
11. The values "a" (microfilm), "b" (microfiche), and "c" (microopaque) in MARC 006 (Serials) character position 06 correspond to form of carrier as defined in FRBR. The value "d" (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value "f" (Braille). The value "r" (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value "s" (electronic) corresponds to capture mode (an attribute of manifestation).
12. The value "b" (two-dimensional nonprojectable graphic) in MARC 006 (Visual Materials) character position 00 concatenates form of expression (graphic image) with form of carrier (an attribute of the manifestation). The value "g" (projected medium) corresponds to a sub-category of manifestation as defined in FRBR (visual projection). The value "o" (kit) corresponds to form of carrier (an attribute of manifestation). The value "r" (three-dimensional artifact or naturally occurring object) corresponds to form of expression.
13. The values "a" (microfilm), "b" (microfiche), and "c" (microopaque) in MARC 006 (Visual Materials) character position 12 correspond to form of carrier as defined in FRBR. The value "d" (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value "f" (Braille). The value "r" (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value "s" (electronic) corresponds to capture mode (an attribute of manifestation).
14. The values "d" (diorama), "g" (game), "i" (picture), "l" (technical drawing), "n" (chart), "r" (realia), and "w" (toy) in MARC 006 (Visual Materials) character position 16 correspond to type of work as defined in FRBR. The values "k" (graphic) and "q" (model) correspond to form of expression. The values "b" (kit), "f" (filmstrip), "m" (motion picture), "o" (flash card), "p" (microscope slide), "s" (slide), "t" (transparency), and "v" (videorecording) correspond to form of carrier (an attribute of manifestation). The correspondence between the values "g" (game), "r" (realia), and "w" (toy) to attributes of the entities defined in FRBR is ambiguous. The values "a" (art original) and "c" (art reproduction) concatenate form of work with a manifestation-to-manifestation relationship type (reproduction).
15. The values "a" (microfilm), "b" (microfiche), and "c" (microopaque) in MARC 006 (Mixed Materials) character position 06 correspond to form of carrier as defined in FRBR. The value "d" (large print) corresponds to type size (another attribute of manifestation) as defined in FRBR. There is no attribute defined in FRBR corresponding to the value "f" (Braille). The value "r" (regular print reproduction) corresponds to a manifestation-to-manifestation relationship (reproduction). The value "s" (electronic) corresponds to capture mode (an attribute of manifestation).
16. The value "a" (map) in MARC 007 (Map) character position 00 corresponds to two forms of expression (cartographic image and cartographic object) as defined in FRBR, but it specifically excludes one sub-type of cartographic object (globe).
17. The values in MARC 007 (Map) character position 01 concatenate form of carrier as defined in FRBR with form of expression.
18. The value "d" (globe) in MARC 007 (Globe) character position 00 corresponds to cartographic object as a form of expression defined in FRBR, but it is specifically limited to only one sub-type of cartographic object.
19. The value "k" (nonprojected graphic) in MARC 007 (Nonprojected Graphic) character position 00 corresponds to graphic as a form of expression as defined in FRBR but the category is restricted to images embodied in specific forms of carrier (i.e., nonprojectable carriers).

20. The values "a" (regular print) and "b" (large print) in MARC 007 (Text) character position 01 correspond to type size (an attribute of manifestation) as defined in FRBR. There are no attributes defined in FRBR corresponding to the values "c" (Braille) or "d" (loose leaf).
21. The date recorded in MARC 008 (All) character positions 07-10 may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 1 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
22. The date recorded in MARC 008 (All) character positions 11-14 may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 2 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
23. The place code recorded in MARC 008 (All) character positions 15-17 may correspond to place of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the place code may correspond to place of manufacture (another attribute of manifestation).
24. The place code recorded in MARC 044 subfield ‡a may correspond to place of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the place code may correspond to place of manufacture (another attribute of manifestation).
25. The place code recorded in MARC 044 subfield ‡b may correspond to place of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the place code may correspond to place of manufacture (another attribute of manifestation).
26. The place code recorded in MARC 044 subfield ‡c may correspond to place of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the place code may correspond to place of manufacture (another attribute of manifestation).
27. The date recorded in MARC 046 subfield ‡b may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 1 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
28. The date recorded in MARC 046 subfield ‡c may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 1 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
29. The date recorded in MARC 046 subfield ‡d may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 2 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
30. The date recorded in MARC 046 subfield ‡e may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 2 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
31. In special cases the medium of performance recorded in MARC 048 subfield ‡a may correspond to the medium of performance for an arrangement rather than the medium of performance for which the work was originally composed.

32. In special cases the medium of performance recorded in MARC 048 subfield ‡b may correspond to the medium of performance for an arrangement rather than the medium of performance for which the work was originally composed.
33. In some cases the data recorded in MARC 100 subfield ‡c may correspond to the attribute defined in FRBR as “other designation associated with the person”.
34. The data recorded in MARC 110 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
35. The data recorded in MARC 110 subfield ‡d may include the date of signing of a treaty, which is defined in FRBR as date of work (an attribute of work).
36. The data recorded in MARC 111 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
37. The data recorded in MARC 130 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
38. The data recorded in MARC 240 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
39. The data recorded in MARC 242 subfield ‡h may correspond to a form of expression as defined in FRBR (e.g. “music,” “text”), or it may concatenate a form of work with a manifestation-to-manifestation relationship (e.g., “art reproduction”).
40. The data recorded in MARC 243 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
41. The data recorded in MARC 245 subfield ‡h may correspond to a form of expression as defined in FRBR (e.g. “music,” “text”), or it may concatenate a form of work with a manifestation-to-manifestation relationship (e.g., “art reproduction”).
42. The data recorded in MARC 246 subfield ‡h may correspond to a form of expression as defined in FRBR (e.g. “music,” “text”), or it may concatenate a form of work with a manifestation-to-manifestation relationship (e.g., “art reproduction”).
43. The data recorded in MARC 247 subfield ‡h may correspond to a form of expression as defined in FRBR (e.g. “music,” “text”), or it may concatenate a form of work with a manifestation-to-manifestation relationship (e.g., “art reproduction”).
44. The data recorded in MARC 300 subfield ‡a may also include elements corresponding to extent of expression (an attribute of expression) as defined in FRBR.
45. The data recorded in MARC 300 subfield ‡b may include elements corresponding to physical medium, capture mode, playing speed, groove width, kind of cutting, tape configuration, kind of sound, special reproduction characteristics, colour, polarity, presentation format, and file characteristics (all attributes of manifestation) as defined in FRBR. It may also include elements corresponding to form of work (e.g. “illustration”).

46. The data recorded in MARC 300 subfield ‡e may include elements corresponding to form of work (e.g., “atlas”) for a component as defined in FRBR. It may also include elements corresponding to form of carrier (e.g., “computer disc”).
47. The data recorded in MARC 518 subfield ‡a may also include elements corresponding to term for place (an attribute of place) as defined in FRBR.
48. The date recorded in MARC 533 subfield ‡7, character positions 01-04 may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 1 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
49. The date recorded in MARC 533 subfield ‡7, character positions 05-08 may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 2 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
50. The place code recorded in MARC 533 subfield ‡7, character positions 09-11 may correspond to place of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the place code may correspond to place of manufacture (another attribute of manifestation).
51. The value “r” (regular print reproduction) in MARC 533 subfield ‡7, character position 14 concatenates form of carrier as defined in FRBR with a type of manifestation-to-manifestation relationship (reproduction).
52. The information recorded in MARC 538 subfield ‡a may also include elements corresponding to file characteristics and special reproduction characteristic (attributes of manifestation) as defined in FRBR.
53. One element of the information recorded in MARC 546 subfield ‡b may correspond to file characteristics (an attribute of manifestation) as defined in FRBR.
54. The information recorded in MARC 555 subfield ‡a may also correspond to a whole/part work-to-work relationship as defined in FRBR.
55. In some cases the data recorded in MARC 600 subfield ‡c may correspond to the attribute defined in FRBR as “other designation associated with the person”.
56. The data recorded in MARC 610 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
57. The data recorded in MARC 610 subfield ‡d may include the date of signing of a treaty, which is defined in FRBR as date of work (an attribute of work).
58. The data recorded in MARC 611 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
59. The data recorded in MARC 630 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”

60. In some cases the data recorded in MARC 700 subfield ‡c may correspond to the attribute defined in FRBR as “other designation associated with the person”.
61. The data recorded in MARC 710 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
62. The data recorded in MARC 710 subfield ‡d may include the date of signing of a treaty, which is defined in FRBR as date of work (an attribute of work).
63. The data recorded in MARC 711 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
64. The name recorded in MARC 720 subfield ‡a corresponds to the attributes defined in FRBR as “name of person” if the value of the first indicator is “1”; otherwise the name may correspond to “name of corporate body” (an attribute of corporate body).
65. The data recorded in MARC 730 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
66. The title recorded in MARC 740 subfield ‡a corresponds to the attribute defined in FRBR as “title of work” (pertaining to a component work contained in the manifestation described) if the value of the second indicator is “2”; otherwise the title may correspond to “title of work” for a related work.
67. The title recorded in MARC 740 subfield ‡n corresponds to the attribute defined in FRBR as “title of work” (pertaining to a number for a component work contained in the manifestation described) if the value of the second indicator is “2”; otherwise the title may correspond to “title of work” (i.e., number of work) for a related work.
68. The title recorded in MARC 740 subfield ‡p corresponds to the attribute defined in FRBR as “title of work” (pertaining to a part or section for a component work contained in the manifestation described) if the value of the second indicator is “2”; otherwise the title may correspond to “title of work” (i.e., number of work) for a related work.
69. The data recorded in MARC 760 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
70. The data recorded in MARC 762 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
71. The data recorded in MARC 765 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
72. The data recorded in MARC 767 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
73. The data recorded in MARC 770 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
74. The data recorded in MARC 772 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”

75. The data recorded in MARC 773 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
76. The data recorded in MARC 774 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
77. The relationship reflected in MARC 775 subfield ‡i may also correspond to the reproduction relationship (manifestation-to-manifestation) as defined in FRBR.
78. The data recorded in MARC 775 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
79. The data recorded in MARC 776 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
80. The data recorded in MARC 777 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
81. The data recorded in MARC 780 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
82. The data recorded in MARC 785 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
83. The data recorded in MARC 786 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
84. The data recorded in MARC 787 subfield ‡s may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
85. In some cases the data recorded in MARC 800 subfield ‡c may correspond to the attribute defined in FRBR as “other designation associated with the person”.
86. The data recorded in MARC 810 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
87. The data recorded in MARC 810 subfield ‡d may include the date of signing of a treaty, which is defined in FRBR as date of work (an attribute of work).
88. The data recorded in MARC 811 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “place associated with the corporate body,” “date associated with the corporate body,” or “other designation associated with the corporate body.”
89. The data recorded in MARC 830 subfield ‡a may include elements that correspond to the attributes defined in FRBR as “other distinguishing characteristic.”
90. The date recorded in MARC 843 subfield ‡7, character positions 01-04 may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 1 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).

91. The date recorded in MARC 843 subfield ‡7, character positions 05-08 may correspond to date of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the date recorded as Date 2 may correspond to date of manufacture (another attribute of manifestation) or date of expression (an attribute of expression).
92. The place code recorded in MARC 843 subfield ‡7, character positions 09-11 may correspond to place of publication/distribution (an attribute of manifestation) as defined in FRBR. However, the place code may correspond to place of manufacture (another attribute of manifestation).
93. The value “r” (regular print reproduction) in MARC 843 subfield ‡7, character position 14 concatenates form of carrier as defined in FRBR with a type of manifestation-to-manifestation relationship (reproduction).