



Participant ID

Variable # 1

Usage Notes: none

Sas Name: ID

Categories: Study: Administration

Sas Label: Participant ID

F38 Days since randomization/enrollment

Variable # 2

Usage Notes: none

Sas Name: F38DAYS

Categories: Study: Administration

Sas Label: F38 Days since randomization/enrollment

	N	Min	Max	Mean	Std Dev
	72795	2	3659	556.38393	529.64994

F38 Visit type

Variable # 3

Usage Notes: none

Sas Name: F38VTYP

Categories: Study: Administration

Sas Label: Visit type

Values	N	%
1 Screening Visit	0	0.0%
2 Semi-Annual Visit	397	0.5%
3 Annual Visit	72,382	99.4%
4 Non Routine Visit	16	0.0%
	72,795	

F38 Visit year

Visit year for which this form was collected.

Variable # 4

Usage Notes: none

Sas Name: F38VY

Categories: Study: Administration

Sas Label: Visit year

	N	Min	Max	Mean	Std Dev
	72779	1	10	1.49757	1.44267

F38 Closest to visit within visit type and year

For forms entered with the same visit type and year, indicates the one closest to that visit's target date. Valid for forms entered with an annual or semi-annual visit type.

Variable # 5

Usage Notes: See data preparation document.

Sas Name: F38VCLO

Categories: Study: Administration

Sas Label: Closest to visit within visit type and year

Values	N	%
0 No	155	0.2%
1 Yes	72,640	99.8%
	72,795	



F38 Expected for visit

This form/data was expected for this visit. Form 38 (Daily Life) is expected of all CT at Annual Visit 1, and on a subsample of CT at Annual Visits 3, 6, and 9. A form 38 is expected of all OS at Annual Visit 3.

Variable # 6

Usage Notes: none

Sas Name: F38EXPC

Categories: Study: Administration

Sas Label: Expected for visit

Values		N	%
0	No	1,731	2.4%
1	Yes	71,064	97.6%
		72,795	

F38 Rate quality of life

Overall, how you would rate your quality of life? (Mark one oval in the box below.)

Variable # 7

Usage Notes: none

Sas Name: LIFEQUAL

Categories: Psychosocial/Behavioral

Sas Label: Rate quality of life

Values		N	%
0	Worst	45	0.1%
1	1	49	0.1%
2	2	110	0.2%
3	3	398	0.5%
4	4	693	1.0%
5	Halfway	5,524	7.6%
6	6	3,150	4.3%
7	7	8,653	11.9%
8	8	21,990	30.2%
9	9	17,564	24.1%
10	Best	14,180	19.5%
.	Missing	439	0.6%
		72,795	



F38 How satisfied with quality of life

How satisfied are you with your current quality of life? (Mark one oval in the box below.)

Variable # 8

Usage Notes: none

Sas Name: SATLIFE

Categories: Psychosocial/Behavioral

Sas Label: How satisfied with quality of life

Values		N	%
0	Dissatisfied	361	0.5%
1	1	294	0.4%
2	2	566	0.8%
3	3	1,075	1.5%
4	4	1,419	1.9%
5	Halfway	6,103	8.4%
6	6	3,341	4.6%
7	7	7,528	10.3%
8	8	17,215	23.6%
9	9	16,096	22.1%
10	Satisfied	18,397	25.3%
.	Missing	400	0.5%
		72,795	

F38 In general, health is

In general, would you say your health is (Mark one oval.)

Variable # 9

Usage Notes: none

Sas Name: GENHEL

Categories: Psychosocial/Behavioral

Sas Label: In general, health is

Values		N	%
1	Excellent	10,668	14.7%
2	Very good	30,384	41.7%
3	Good	24,793	34.1%
4	Fair	6,148	8.4%
5	Poor	492	0.7%
.	Missing	310	0.4%
		72,795	



F38 Compare health to 1 year ago

Compared to one year ago, how would you rate your health in general now? (Mark one oval.)

Variable # 10

Usage Notes: none

Sas Name: HLTHC1Y

Categories: Psychosocial/Behavioral

Sas Label: Compare health to 1 year ago

Values		N	%
1	Much better now than 1 year ago	5,402	7.4%
2	Somewhat better now than 1 year ago	11,853	16.3%
3	About the same time	46,377	63.7%
4	Somewhat worse now than 1 year ago	8,236	11.3%
5	Much worse than 1 year ago	591	0.8%
.	Missing	336	0.5%
		72,795	

F38 Limited vigorous activities

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Vigorous activities, such as running, lifting heavy objects, or strenuous sports

Variable # 11

Usage Notes: none

Sas Name: VIGACT

Categories: Physical Activity

Sas Label: Vigorous activities

Values		N	%
1	Yes, limited a lot	20,869	28.7%
2	Yes, limited a little	33,668	46.3%
3	No, not limited at all	17,649	24.2%
.	Missing	609	0.8%
		72,795	

F38 Limited moderate activities

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Moderate activities, such as moving a table, vacuuming, bowling, or golfing

Variable # 12

Usage Notes: none

Sas Name: MODACT

Categories: Physical Activity

Sas Label: Moderate activities

Values		N	%
1	Yes, limited a lot	4,716	6.5%
2	Yes, limited a little	18,307	25.1%
3	No, not limited at all	49,366	67.8%
.	Missing	406	0.6%
		72,795	



F38 Limited lifting or carrying groceries

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Lifting or carrying groceries

Variable # 13

Usage Notes: none

Sas Name: LIFTGROC

Categories: Physical Activity

Sas Label: Lifting or carrying groceries

Values		N	%
1	Yes, limited a lot	2,817	3.9%
2	Yes, limited a little	14,604	20.1%
3	No, not limited at all	54,944	75.5%
.	Missing	430	0.6%
		72,795	

F38 Limited climbing several flights of stairs

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Climbing several flights of stairs

Variable # 14

Usage Notes: none

Sas Name: STAIRS

Categories: Physical Activity

Sas Label: Climbing several flights of stairs

Values		N	%
1	Yes, limited a lot	8,946	12.3%
2	Yes, limited a little	25,540	35.1%
3	No, not limited at all	37,879	52.0%
.	Missing	430	0.6%
		72,795	

F38 Limited climbing one flight of stairs

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Climbing one flight of stairs

Variable # 15

Usage Notes: none

Sas Name: STAIR

Categories: Physical Activity

Sas Label: Climbing one flight of stairs

Values		N	%
1	Yes, limited a lot	2,605	3.6%
2	Yes, limited a little	11,458	15.7%
3	No, not limited at all	58,241	80.0%
.	Missing	491	0.7%
		72,795	



F38 Limited bending, kneeling, stooping

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Bending, kneeling, stooping

Variable # 16

Usage Notes: none

Sas Name: BENDING

Categories: Physical Activity

Sas Label: Bending, kneeling, stooping

Values		N	%
1	Yes, limited a lot	7,139	9.8%
2	Yes, limited a little	26,982	37.1%
3	No, not limited at all	38,264	52.6%
.	Missing	410	0.6%
		72,795	

F38 Limited walking more than one mile

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking more than a mile

Variable # 17

Usage Notes: none

Sas Name: WALK1M

Categories: Physical Activity

Sas Label: Walking more than one mile

Values		N	%
1	Yes, limited a lot	9,319	12.8%
2	Yes, limited a little	17,390	23.9%
3	No, not limited at all	45,580	62.6%
.	Missing	506	0.7%
		72,795	

F38 Limited walking several blocks

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking several blocks

Variable # 18

Usage Notes: none

Sas Name: WALKBLKS

Categories: Physical Activity

Sas Label: Walking several blocks

Values		N	%
1	Yes, limited a lot	5,252	7.2%
2	Yes, limited a little	11,199	15.4%
3	No, not limited at all	55,887	76.8%
.	Missing	457	0.6%
		72,795	



F38 Limited walking one block

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking one block

Variable # 19

Usage Notes: none

Sas Name: WALK1BLK

Categories: Physical Activity

Sas Label: Walking one block

Values		N	%
1	Yes, limited a lot	1,764	2.4%
2	Yes, limited a little	5,725	7.9%
3	No, not limited at all	64,813	89.0%
.	Missing	493	0.7%
		72,795	

F38 Limited bathing or dressing yourself

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Bathing or dressing yourself

Variable # 20

Usage Notes: none

Sas Name: BATHING

Categories: Physical Activity

Sas Label: Bathing or dressing yourself

Values		N	%
1	Yes, limited a lot	583	0.8%
2	Yes, limited a little	2,389	3.3%
3	No, not limited at all	69,461	95.4%
.	Missing	362	0.5%
		72,795	

F38 Extent physical/emotional problems interfered

During the past four weeks, to what extent have your physical health or emotional problems interfered with your normal social activities with family, neighbors, friends, or groups? (Mark one oval.)

Variable # 21

Usage Notes: none

Sas Name: INTSOC

Categories: Lifestyle
Medical History

Sas Label: Extent phys or emotional probs interfere

Values		N	%
1	Not at all	51,659	71.0%
2	Slightly	11,702	16.1%
3	Moderately	5,267	7.2%
4	Quite a bit	3,025	4.2%
5	Extremely	814	1.1%
.	Missing	328	0.5%
		72,795	



F38 How much bodily pain

During the past four weeks, how much bodily pain have you had? (Mark one oval.)

Variable # 22

Usage Notes: none

Sas Name: BODPAIN

Categories: Lifestyle
Medical History

Sas Label: How much bodily pain

Values		N	%
0	None	15,246	20.9%
2	Very mild	26,894	36.9%
3	Mild	15,061	20.7%
4	Moderate	12,599	17.3%
5	Severe	2,682	3.7%
.	Missing	313	0.4%
		72,795	

F38 How much did pain interfere

During the past four weeks, how much did pain interfere with your normal work (both outside your home and at home)? (Mark one oval.)

Variable # 23

Usage Notes: none

Sas Name: PAININT

Categories: Lifestyle
Medical History

Sas Label: How much did pain interfere

Values		N	%
1	Not at all	42,232	58.0%
2	A little bit	17,598	24.2%
3	Moderately	7,798	10.7%
4	Quite a bit	3,924	5.4%
5	Extremely	963	1.3%
.	Missing	280	0.4%
		72,795	

F38 Physical/Cut down on time spent

The next questions are about your regular daily activities like work, child care, or community activities. As a result of you physical health, have any of the following problems occurred during the past 4 weeks? You cut down on the amount of time you spent on work or other activities

Variable # 24

Usage Notes: none

Sas Name: LESSWRKP

Categories: Lifestyle
Medical History

Sas Label: Physical/Cut down on time spent

Values		N	%
0	No	59,869	82.2%
1	Yes	12,322	16.9%
.	Missing	604	0.8%
		72,795	



F38 Physical/Accomplished less

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You accomplished less than you would have liked

Variable # 25

Usage Notes: none

Sas Name: LESSACCP

Categories: Lifestyle
Medical History

Sas Label: Physical/Accomplished less

Values		N	%
0	No	44,766	61.5%
1	Yes	27,337	37.6%
.	Missing	692	1.0%
		72,795	

F38 Physical/Limited kind of work

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You were limited in the kind of work or other activities you did

Variable # 26

Usage Notes: none

Sas Name: LESSKNDP

Categories: Lifestyle
Medical History

Sas Label: Physical/Limited kind of work

Values		N	%
0	No	53,759	73.8%
1	Yes	18,249	25.1%
.	Missing	787	1.1%
		72,795	

F38 Physical/Difficulty performing work

The next questions are about your regular daily activities like work, child care, or community activities. As a result of your physical health, have any of the following problems occurred during the past 4 weeks? You had difficulty performing work or other activities (it took extra effort)

Variable # 27

Usage Notes: none

Sas Name: WRKDIFFP

Categories: Lifestyle
Medical History

Sas Label: Physical/Difficulty performing work

Values		N	%
0	No	52,594	72.2%
1	Yes	19,376	26.6%
.	Missing	825	1.1%
		72,795	



F38 Emotional/Cut down on time spent

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You cut down on the amount of time spent on work or other activities

Variable # 28

Usage Notes: none

Sas Name: LESSWRKE

Categories: Physical Activity
Psychosocial/Behavioral

Sas Label: Emotional/Cut down on time spent

Values		N	%
0	No	62,858	86.3%
1	Yes	9,227	12.7%
.	Missing	710	1.0%
		72,795	

F38 Emotional/Accomplished less

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You accomplished less than you would have liked

Variable # 29

Usage Notes: none

Sas Name: LESSACCE

Categories: Physical Activity
Psychosocial/Behavioral

Sas Label: Emotional/Accomplished less

Values		N	%
0	No	54,117	74.3%
1	Yes	17,904	24.6%
.	Missing	774	1.1%
		72,795	

F38 Emotional/Worked less carefully

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You did work or other things less carefully than usual

Variable # 30

Usage Notes: none

Sas Name: LESSCARE

Categories: Physical Activity
Psychosocial/Behavioral

Sas Label: Emotional/Worked less carefully

Values		N	%
0	No	63,457	87.2%
1	Yes	8,423	11.6%
.	Missing	915	1.3%
		72,795	



F38 I get sick easier than others

Of these statements, how true or false is each for you? I seem to get sick a little easier than other people.

Variable # 31

Usage Notes: none

Sas Name: SICKEASY

Categories: Medical History
Psychosocial/Behavioral

Sas Label: I get sick easier than others

Values		N	%
1	Definitely true	712	1.0%
2	Mostly true	1,748	2.4%
3	Not sure	5,554	7.6%
4	Mostly false	14,815	20.4%
5	Definitely false	49,386	67.8%
.	Missing	580	0.8%
		72,795	

F38 I am as healthy as anybody

Of these statements, how true or false is each for you? I am as healthy as anybody I know.

Variable # 32

Usage Notes: none

Sas Name: HLTHYANY

Categories: Medical History
Psychosocial/Behavioral

Sas Label: I am as healthy as anybody

Values		N	%
1	Definitely true	27,192	37.4%
2	Mostly true	27,477	37.7%
3	Not sure	8,755	12.0%
4	Mostly false	4,658	6.4%
5	Definitely false	4,089	5.6%
.	Missing	624	0.9%
		72,795	

F38 I expect my health to get worse

Of these statements, how true or false is each for you? I expect my health to get worse.

Variable # 33

Usage Notes: none

Sas Name: HLTHWORS

Categories: Medical History
Psychosocial/Behavioral

Sas Label: I expect my health to get worse

Values		N	%
1	Definitely true	1,500	2.1%
2	Mostly true	6,354	8.7%
3	Not sure	19,471	26.7%
4	Mostly false	17,287	23.7%
5	Definitely false	27,449	37.7%
.	Missing	734	1.0%
		72,795	



F38 My health is excellent

Of these statements, how true or false is each for you? My health is excellent.

Variable # 34

Usage Notes: none

Sas Name: HLTHEXCL

Categories: Medical History
Psychosocial/Behavioral

Sas Label: My health is excellent

Values		N	%
1	Definitely true	18,870	25.9%
2	Mostly true	36,502	50.1%
3	Not sure	7,148	9.8%
4	Mostly false	5,786	7.9%
5	Definitely false	3,817	5.2%
.	Missing	672	0.9%
		72,795	

F38 Time physical/emotional problems interfered

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends and relatives)?

Variable # 35

Usage Notes: none

Sas Name: INTSOC2

Categories: Medical History
Psychosocial/Behavioral

Sas Label: Time physical/emotional probs interfere

Values		N	%
1	All of the time	529	0.7%
2	Most of the time	1,845	2.5%
3	Some of the time	7,282	10.0%
4	A little bit of the time	11,269	15.5%
5	None of the time	51,362	70.6%
.	Missing	508	0.7%
		72,795	

F38 Did you feel full of pep

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Did you feel full of pep?

Variable # 36

Usage Notes: none

Sas Name: FULLPEP

Categories: Psychosocial/Behavioral

Sas Label: Did you feel full of pep

Values		N	%
1	All of the time	2,361	3.2%
2	Most of the time	27,369	37.6%
3	A good bit of the time	17,708	24.3%
4	Some of the time	15,274	21.0%
5	A little bit of the time	6,567	9.0%
6	None of the time	2,879	4.0%
.	Missing	637	0.9%
		72,795	



F38 Have you been a very nervous person

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you been a very nervous person?

Variable # 37

Usage Notes: none

Sas Name: NERVOUS

Categories: Psychosocial/Behavioral

Sas Label: Have you been a very nervous person

Values		N	%
1	All of the time	333	0.5%
2	Most of the time	1,066	1.5%
3	A good bit of the time	2,458	3.4%
4	Some of the time	9,397	12.9%
5	A little bit of the time	24,955	34.3%
6	None of the time	34,002	46.7%
.	Missing	584	0.8%
		72,795	

F38 Felt so down in the dumps nothing could cheer

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you felt so down in the dumps that nothing could cheer you up?

Variable # 38

Usage Notes: none

Sas Name: DWNDUMPS

Categories: Psychosocial/Behavioral

Sas Label: Felt down in the dumps

Values		N	%
1	All of the time	153	0.2%
2	Most of the time	455	0.6%
3	A good bit of the time	1,180	1.6%
4	Some of the time	4,551	6.3%
5	A little bit of the time	11,702	16.1%
6	None of the time	54,171	74.4%
.	Missing	583	0.8%
		72,795	



F38 Felt calm and peaceful

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you felt calm and peaceful?

Variable # 39

Usage Notes: none

Sas Name: CALM

Categories: Psychosocial/Behavioral

Sas Label: Felt calm and peaceful

Values		N	%
1	All of the time	4,943	6.8%
2	Most of the time	36,576	50.2%
3	A good bit of the time	14,097	19.4%
4	Some of the time	10,908	15.0%
5	A little bit of the time	4,317	5.9%
6	None of the time	1,269	1.7%
.	Missing	685	0.9%
		72,795	

F38 Did you have a lot of energy

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Did you have a lot of energy?

Variable # 40

Usage Notes: none

Sas Name: ENERGY

Categories: Psychosocial/Behavioral

Sas Label: Did you have a lot of energy

Values		N	%
1	All of the time	3,351	4.6%
2	Most of the time	26,482	36.4%
3	A good bit of the time	15,773	21.7%
4	Some of the time	14,868	20.4%
5	A little bit of the time	7,904	10.9%
6	None of the time	3,818	5.2%
.	Missing	599	0.8%
		72,795	



F38 Felt downhearted and blue

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you felt downhearted and blue?

Variable # 41

Usage Notes: none

Sas Name: FELTBBLUE

Categories: Psychosocial/Behavioral

Sas Label: Felt downhearted and blue

Values		N	%
1	All of the time	223	0.3%
2	Most of the time	828	1.1%
3	A good bit of the time	2,216	3.0%
4	Some of the time	9,266	12.7%
5	A little bit of the time	26,737	36.7%
6	None of the time	32,867	45.2%
.	Missing	658	0.9%
		72,795	

F38 Did you feel worn out

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Did you feel worn out?

Variable # 42

Usage Notes: none

Sas Name: WORNOUT

Categories: Psychosocial/Behavioral

Sas Label: Did you feel worn out

Values		N	%
1	All of the time	713	1.0%
2	Most of the time	2,537	3.5%
3	A good bit of the time	5,587	7.7%
4	Some of the time	18,552	25.5%
5	A little bit of the time	30,590	42.0%
6	None of the time	14,086	19.4%
.	Missing	730	1.0%
		72,795	



F38 Have you been happy

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you been happy?

Variable # 43

Usage Notes: none

Sas Name: HAPPY

Categories: Psychosocial/Behavioral

Sas Label: Have you been happy

Values		N	%
1	All of the time	8,387	11.5%
2	Most of the time	41,858	57.5%
3	A good bit of the time	10,401	14.3%
4	Some of the time	8,163	11.2%
5	A little bit of the time	2,684	3.7%
6	None of the time	756	1.0%
.	Missing	546	0.8%
		72,795	

F38 Did you feel tired

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Did you feel tired?

Variable # 44

Usage Notes: none

Sas Name: TIRED

Categories: Psychosocial/Behavioral

Sas Label: Did you feel tired

Values		N	%
1	All of the time	1,321	1.8%
2	Most of the time	4,080	5.6%
3	A good bit of the time	7,965	10.9%
4	Some of the time	24,609	33.8%
5	A little bit of the time	29,971	41.2%
6	None of the time	4,334	6.0%
.	Missing	515	0.7%
		72,795	

F38 Can you eat

Can you eat:

Variable # 45

Usage Notes: Not collected on all versions of Form 38.

Sas Name: EAT

Categories: Physical Activity

Sas Label: Can you eat

Values		N	%
1	Without help (can feed self completely)	71,351	98.0%
2	With some help (help cutting, etc.)	131	0.2%
3	Completely unable to feed self	343	0.5%
.	Missing	970	1.3%
		72,795	



F38 Can you dress and undress yourself

Can you dress and undress yourself:

Variable # 46

Usage Notes: Not collected on all versions of Form 38.

Sas Name: DRESS

Categories: Physical Activity

Sas Label: Can you dress and undress self

Values		N	%
1	Without help (can pick clothes, dress)	71,425	98.1%
2	With some help	276	0.4%
3	Unable to dress and undress self	133	0.2%
.	Missing	961	1.3%
		72,795	

F38 Can you get in and out of bed

Can you get in and out of bed:

Variable # 47

Usage Notes: Not collected on all versions of Form 38.

Sas Name: INOUTBED

Categories: Physical Activity

Sas Label: Can you get in and out of bed

Values		N	%
1	Without any help or aids	71,489	98.2%
2	With some help (from a person or device)	314	0.4%
3	Totally dependent on someone else	28	0.0%
.	Missing	964	1.3%
		72,795	

F38 Can you take a bath or shower

Can you take a bath or shower:

Variable # 48

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SHOWER

Categories: Physical Activity

Sas Label: Can you take a bath or shower

Values		N	%
1	Without help	71,056	97.6%
2	With some help (help in/out, tub attach)	747	1.0%
3	Completely unable to bathe self	51	0.1%
.	Missing	941	1.3%
		72,795	



F38 Bloating or gas

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Bloating or gas

Variable # 49

Usage Notes: Not collected on all versions of Form 38.

Sas Name: BLOATING

Categories: Medical History: Other Disease/Condition

Sas Label: Bloating or gas

Values		N	%
0	Symptom did not occur	22,270	30.6%
1	Symptom was mild	36,333	49.9%
2	Symptom was moderate	11,523	15.8%
3	Symptom was severe	2,107	2.9%
.	Missing	562	0.8%
		72,795	

F38 Constipation

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Constipation (difficulty having bowel movements)

Variable # 50

Usage Notes: none

Sas Name: CONSTIP

Categories: Medical History: Other Disease/Condition

Sas Label: Constipation

Values		N	%
0	Symptom did not occur	45,680	62.8%
1	Symptom was mild	19,740	27.1%
2	Symptom was moderate	5,540	7.6%
3	Symptom was severe	1,293	1.8%
.	Missing	542	0.7%
		72,795	

F38 Night sweats

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Night sweats

Variable # 51

Usage Notes: none

Sas Name: NIGHTSWT

Categories: Medical History: Other Disease/Condition

Sas Label: Night sweats

Values		N	%
0	Symptom did not occur	53,510	73.5%
1	Symptom was mild	13,853	19.0%
2	Symptom was moderate	3,894	5.3%
3	Symptom was severe	835	1.1%
.	Missing	703	1.0%
		72,795	



F38 General aches or pains

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. General aches or pains

Variable # 52

Usage Notes: none

Sas Name: ACHES

Categories: Medical History: Other Disease/Condition

Sas Label: General aches or pains

Values		N	%
0	Symptom did not occur	13,519	18.6%
1	Symptom was mild	40,041	55.0%
2	Symptom was moderate	15,710	21.6%
3	Symptom was severe	2,791	3.8%
.	Missing	734	1.0%
		72,795	

F38 Breast tenderness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Breast tenderness

Variable # 53

Usage Notes: none

Sas Name: BRSTTEN

Categories: Medical History: Other Disease/Condition

Sas Label: Breast tenderness

Values		N	%
0	Symptom did not occur	54,800	75.3%
1	Symptom was mild	14,001	19.2%
2	Symptom was moderate	2,977	4.1%
3	Symptom was severe	495	0.7%
.	Missing	522	0.7%
		72,795	

F38 Hot flashes

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Hot flashes

Variable # 54

Usage Notes: none

Sas Name: HOTFLASH

Categories: Medical History: Other Disease/Condition

Sas Label: Hot flashes

Values		N	%
0	Symptom did not occur	57,053	78.4%
1	Symptom was mild	11,351	15.6%
2	Symptom was moderate	3,125	4.3%
3	Symptom was severe	775	1.1%
.	Missing	491	0.7%
		72,795	



F38 Diarrhea

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Diarrhea

Variable # 55

Usage Notes: none

Sas Name: DIARRHEA

Categories: Medical History: Other Disease/Condition

Sas Label: Diarrhea

Values		N	%
0	Symptom did not occur	52,593	72.2%
1	Symptom was mild	14,956	20.5%
2	Symptom was moderate	3,705	5.1%
3	Symptom was severe	1,048	1.4%
.	Missing	493	0.7%
		72,795	

F38 Mood swings

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Mood swings

Variable # 56

Usage Notes: none

Sas Name: MOODSWNG

Categories: Medical History: Other Disease/Condition

Sas Label: Mood swings

Values		N	%
0	Symptom did not occur	46,789	64.3%
1	Symptom was mild	20,608	28.3%
2	Symptom was moderate	4,258	5.8%
3	Symptom was severe	524	0.7%
.	Missing	616	0.8%
		72,795	

F38 Nausea

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Nausea

Variable # 57

Usage Notes: none

Sas Name: NAUSEA

Categories: Medical History: Other Disease/Condition

Sas Label: Nausea

Values		N	%
0	Symptom did not occur	63,007	86.6%
1	Symptom was mild	7,612	10.5%
2	Symptom was moderate	1,241	1.7%
3	Symptom was severe	428	0.6%
.	Missing	507	0.7%
		72,795	



F38 Dizziness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Dizziness

Variable # 58

Usage Notes: none

Sas Name: DIZZY

Categories: Medical History: Other Disease/Condition

Sas Label: Dizziness

Values		N	%
0	Symptom did not occur	57,014	78.3%
1	Symptom was mild	12,582	17.3%
2	Symptom was moderate	2,151	3.0%
3	Symptom was severe	467	0.6%
.	Missing	581	0.8%
		72,795	

F38 Feeling tired

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Feeling tired

Variable # 59

Usage Notes: none

Sas Name: TIRED2

Categories: Medical History: Other Disease/Condition

Sas Label: Feeling tired

Values		N	%
0	Symptom did not occur	9,094	12.5%
1	Symptom was mild	44,723	61.4%
2	Symptom was moderate	15,683	21.5%
3	Symptom was severe	2,799	3.8%
.	Missing	496	0.7%
		72,795	

F38 Forgetfulness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Forgetfulness

Variable # 60

Usage Notes: none

Sas Name: FORGET

Categories: Medical History: Other Disease/Condition

Sas Label: Forgetfulness

Values		N	%
0	Symptom did not occur	26,907	37.0%
1	Symptom was mild	37,269	51.2%
2	Symptom was moderate	7,227	9.9%
3	Symptom was severe	855	1.2%
.	Missing	537	0.7%
		72,795	



F38 Increased appetite

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Increased appetite

Variable # 61

Usage Notes: none

Sas Name: HUNGRY

Categories: Medical History: Other Disease/Condition

Sas Label: Increase appetite

Values		N	%
0	Symptom did not occur	48,501	66.6%
1	Symptom was mild	17,155	23.6%
2	Symptom was moderate	5,494	7.5%
3	Symptom was severe	1,048	1.4%
.	Missing	597	0.8%
		72,795	

F38 Heart racing or skipping beats

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Heart racing or skipping beats

Variable # 62

Usage Notes: none

Sas Name: HEARTRAC

Categories: Medical History: Other Disease/Condition

Sas Label: Heart racing or skipping beats

Values		N	%
0	Symptom did not occur	55,449	76.2%
1	Symptom was mild	13,383	18.4%
2	Symptom was moderate	2,868	3.9%
3	Symptom was severe	533	0.7%
.	Missing	562	0.8%
		72,795	

F38 Tremors

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Tremors (shakes)

Variable # 63

Usage Notes: none

Sas Name: TREMORS

Categories: Medical History: Other Disease/Condition

Sas Label: Tremors

Values		N	%
0	Symptom did not occur	67,046	92.1%
1	Symptom was mild	4,086	5.6%
2	Symptom was moderate	970	1.3%
3	Symptom was severe	196	0.3%
.	Missing	497	0.7%
		72,795	



F38 Heartburn

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Heartburn

Variable # 64

Usage Notes: none

Sas Name: HEARTBRN

Categories: Medical History: Other Disease/Condition

Sas Label: Heartburn

Values		N	%
0	Symptom did not occur	44,550	61.2%
1	Symptom was mild	20,348	28.0%
2	Symptom was moderate	5,715	7.9%
3	Symptom was severe	1,572	2.2%
.	Missing	610	0.8%
		72,795	

F38 Restless and fidgety

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Restless or fidgety

Variable # 65

Usage Notes: none

Sas Name: RESTLESS

Categories: Medical History: Other Disease/Condition

Sas Label: Restless and fidgety

Values		N	%
0	Symptom did not occur	46,969	64.5%
1	Symptom was mild	20,502	28.2%
2	Symptom was moderate	4,096	5.6%
3	Symptom was severe	516	0.7%
.	Missing	712	1.0%
		72,795	

F38 Low back pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Low back pain

Variable # 66

Usage Notes: none

Sas Name: LOWBACKP

Categories: Medical History: Other Disease/Condition

Sas Label: Low back pain

Values		N	%
0	Symptom did not occur	31,339	43.1%
1	Symptom was mild	25,276	34.7%
2	Symptom was moderate	11,664	16.0%
3	Symptom was severe	3,944	5.4%
.	Missing	572	0.8%
		72,795	



F38 Neck pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Neck pain

Variable # 67

Usage Notes: none

Sas Name: NECKPAIN

Categories: Medical History: Other Disease/Condition

Sas Label: Neck pain

Values		N	%
0	Symptom did not occur	40,582	55.7%
1	Symptom was mild	21,208	29.1%
2	Symptom was moderate	8,322	11.4%
3	Symptom was severe	2,095	2.9%
.	Missing	588	0.8%
		72,795	

F38 Skin dryness or scaling

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Skin dryness or scaling

Variable # 68

Usage Notes: none

Sas Name: SKINDRY

Categories: Medical History: Other Disease/Condition

Sas Label: Skin dryness or scaling

Values		N	%
0	Symptom did not occur	31,417	43.2%
1	Symptom was mild	29,317	40.3%
2	Symptom was moderate	9,315	12.8%
3	Symptom was severe	2,304	3.2%
.	Missing	442	0.6%
		72,795	

F38 Headaches or migraines

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Headaches or migraines

Variable # 69

Usage Notes: none

Sas Name: HEADACHE

Categories: Medical History: Other Disease/Condition

Sas Label: Headaches or migraines

Values		N	%
0	Symptom did not occur	39,220	53.9%
1	Symptom was mild	25,421	34.9%
2	Symptom was moderate	6,119	8.4%
3	Symptom was severe	1,511	2.1%
.	Missing	524	0.7%
		72,795	



F38 Clumsiness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Clumsiness

Variable # 70

Usage Notes: none

Sas Name: CLUMSY

Categories: Medical History: Other Disease/Condition

Sas Label: Clumsiness

Values		N	%
0	Symptom did not occur	51,522	70.8%
1	Symptom was mild	17,733	24.4%
2	Symptom was moderate	2,439	3.4%
3	Symptom was severe	243	0.3%
.	Missing	858	1.2%
		72,795	

F38 Trouble with vision

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Any trouble seeing that is uncorrected by lenses

Variable # 71

Usage Notes: none

Sas Name: TRBSEE

Categories: Medical History: Other Disease/Condition

Sas Label: Trouble with vision

Values		N	%
0	Symptom did not occur	57,713	79.3%
1	Symptom was mild	10,385	14.3%
2	Symptom was moderate	2,955	4.1%
3	Symptom was severe	795	1.1%
.	Missing	947	1.3%
		72,795	

F38 Vaginal or genital irritation

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital irritation or itching

Variable # 72

Usage Notes: none

Sas Name: VAGITCH

Categories: Medical History: Other Disease/Condition

Sas Label: Vaginal or genital irritation

Values		N	%
0	Symptom did not occur	56,592	77.7%
1	Symptom was mild	12,304	16.9%
2	Symptom was moderate	2,466	3.4%
3	Symptom was severe	756	1.0%
.	Missing	677	0.9%
		72,795	



F38 Difficulty concentrating

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Difficulty concentrating

Variable # 73

Usage Notes: none

Sas Name: CONCEN

Categories: Medical History: Other Disease/Condition

Sas Label: Difficulty concentrating

Values		N	%
0	Symptom did not occur	47,998	65.9%
1	Symptom was mild	20,307	27.9%
2	Symptom was moderate	3,183	4.4%
3	Symptom was severe	508	0.7%
.	Missing	799	1.1%
		72,795	

F38 Joint pain or stiffness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you... Be sure to mark one box on each line. Joint pain or stiffness

Variable # 74

Usage Notes: none

Sas Name: JNTPAIN

Categories: Medical History: Other Disease/Condition

Sas Label: Joint pain or stiffness

Values		N	%
0	Symptom did not occur	18,698	25.7%
1	Symptom was mild	33,849	46.5%
2	Symptom was moderate	15,032	20.6%
3	Symptom was severe	4,562	6.3%
.	Missing	654	0.9%
		72,795	

F38 Decreased appetite

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Decreased appetite

Variable # 75

Usage Notes: none

Sas Name: NOHUNGER

Categories: Medical History: Other Disease/Condition

Sas Label: Decreased appetite

Values		N	%
0	Symptom did not occur	65,205	89.6%
1	Symptom was mild	5,529	7.6%
2	Symptom was moderate	1,106	1.5%
3	Symptom was severe	227	0.3%
.	Missing	728	1.0%
		72,795	



F38 Hearing loss

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Hearing loss

Variable # 76

Usage Notes: none

Sas Name: HEARLOSS

Categories: Medical History: Other Disease/Condition

Sas Label: Hearing loss

Values		N	%
0	Symptom did not occur	55,647	76.4%
1	Symptom was mild	12,527	17.2%
2	Symptom was moderate	3,105	4.3%
3	Symptom was severe	749	1.0%
.	Missing	767	1.1%
		72,795	

F38 Swelling of hands or feet

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Swelling of hands or feet

Variable # 77

Usage Notes: none

Sas Name: SWELLHND

Categories: Medical History: Other Disease/Condition

Sas Label: Swelling of hands or feet

Values		N	%
0	Symptom did not occur	47,435	65.2%
1	Symptom was mild	18,710	25.7%
2	Symptom was moderate	4,833	6.6%
3	Symptom was severe	1,160	1.6%
.	Missing	657	0.9%
		72,795	

F38 Vaginal or genital dryness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital dryness

Variable # 78

Usage Notes: none

Sas Name: VAGDRY

Categories: Medical History: Other Disease/Condition

Sas Label: Vaginal or genital dryness

Values		N	%
0	Symptom did not occur	52,585	72.2%
1	Symptom was mild	14,260	19.6%
2	Symptom was moderate	4,006	5.5%
3	Symptom was severe	1,147	1.6%
.	Missing	797	1.1%
		72,795	



F38 Upset stomach or belly pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Upset stomach or belly pain or discomfort

Variable # 79

Usage Notes: none

Sas Name: UPSTOM

Categories: Medical History: Other Disease/Condition

Sas Label: Upset stomach or belly pain

Values		N	%
0	Symptom did not occur	49,067	67.4%
1	Symptom was mild	17,559	24.1%
2	Symptom was moderate	4,237	5.8%
3	Symptom was severe	1,209	1.7%
.	Missing	723	1.0%
		72,795	

F38 Pain or burning while urinating

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Pain or burning while urinating

Variable # 80

Usage Notes: none

Sas Name: URINPAIN

Categories: Medical History: Other Disease/Condition

Sas Label: Pain or burning while urinating

Values		N	%
0	Symptom did not occur	67,777	93.1%
1	Symptom was mild	3,338	4.6%
2	Symptom was moderate	762	1.0%
3	Symptom was severe	311	0.4%
.	Missing	607	0.8%
		72,795	

F38 Coughing or wheezing

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Cough or wheezing

Variable # 81

Usage Notes: none

Sas Name: COUGH

Categories: Medical History: Other Disease/Condition

Sas Label: Coughing or wheezing

Values		N	%
0	Symptom did not occur	47,614	65.4%
1	Symptom was mild	17,403	23.9%
2	Symptom was moderate	5,521	7.6%
3	Symptom was severe	1,587	2.2%
.	Missing	670	0.9%
		72,795	



F38 Vaginal or genital discharge

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital discharge

Variable # 82

Usage Notes: none

Sas Name: VAGDIS

Categories: Medical History: Other Disease/Condition

Sas Label: Vaginal or genital discharge

Values		N	%
0	Symptom did not occur	61,730	84.8%
1	Symptom was mild	9,084	12.5%
2	Symptom was moderate	1,143	1.6%
3	Symptom was severe	184	0.3%
.	Missing	654	0.9%
		72,795	

F38 Did your spouse or partner die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did your spouse or partner die?

Variable # 83

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SPOUSDIE

Categories: Psychosocial/Behavioral

Sas Label: Did your spouse or partner die

Values		N	%
0	No	70,436	96.8%
1	Yes and upset me: Not too much	185	0.3%
2	Yes and upset me: Moderately	439	0.6%
3	Yes and upset me: Very much	1,121	1.5%
.	Missing	614	0.8%
		72,795	

F38 Did your spouse/partner have a serious illness

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did your spouse or partner have a serious illness?

Variable # 84

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SPOUSILL

Categories: Psychosocial/Behavioral

Sas Label: Did your spouse have a serious illness

Values		N	%
0	No	23,245	31.9%
1	Yes and upset me: Not too much	915	1.3%
2	Yes and upset me: Moderately	1,698	2.3%
3	Yes and upset me: Very much	2,094	2.9%
.	Missing	44,843	61.6%
		72,795	



F38 Did a close friend die or have serious illness

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Over the past year: Did a close friend or family member die or have a serious illness (other than your spouse or partner)?

Variable # 85

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FRIENDIE

Categories: Psychosocial/Behavioral

Sas Label: Did a close friend die

Values		N	%
0	No	39,707	54.5%
1	Yes and upset me: Not too much	7,388	10.1%
2	Yes and upset me: Moderately	13,697	18.8%
3	Yes and upset me: Very much	11,448	15.7%
.	Missing	555	0.8%
		72,795	

F38 Have major problems with money

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have any major problems with money?

Variable # 86

Usage Notes: Not collected on all versions of Form 38.

Sas Name: MONPROB

Categories: Psychosocial/Behavioral

Sas Label: Have major problems with money

Values		N	%
0	No	53,144	73.0%
1	Yes and upset me: Not too much	9,352	12.8%
2	Yes and upset me: Moderately	6,370	8.8%
3	Yes and upset me: Very much	3,364	4.6%
.	Missing	565	0.8%
		72,795	

F38 Have a divorce or break-up

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have a divorce or break-up with a spouse or partner?

Variable # 87

Usage Notes: Not collected on all versions of Form 38.

Sas Name: DIVORCE

Categories: Psychosocial/Behavioral

Sas Label: Have a divorce or break-up

Values		N	%
0	No	70,618	97.0%
1	Yes and upset me: Not too much	386	0.5%
2	Yes and upset me: Moderately	505	0.7%
3	Yes and upset me: Very much	661	0.9%
.	Missing	625	0.9%
		72,795	



F38 Close friend/family have a divorce

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a family member or close friend have a divorce or break-up?

Variable # 88

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FRNDIV

Categories: Psychosocial/Behavioral

Sas Label: Close friend/family have a divorce

Values		N	%
0	No	62,435	85.8%
1	Yes and upset me: Not too much	3,698	5.1%
2	Yes and upset me: Moderately	3,490	4.8%
3	Yes and upset me: Very much	2,623	3.6%
.	Missing	549	0.8%
		72,795	

F38 Have major conflict with children

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have a major conflict with children or grandchildren?

Variable # 89

Usage Notes: Not collected on all versions of Form 38.

Sas Name: CHILCON

Categories: Psychosocial/Behavioral

Sas Label: Have major conflict with children

Values		N	%
0	No	59,041	81.1%
1	Yes and upset me: Not too much	5,598	7.7%
2	Yes and upset me: Moderately	4,446	6.1%
3	Yes and upset me: Very much	3,170	4.4%
.	Missing	540	0.7%
		72,795	

F38 Have a major accident or disaster

Below are some hard things that sometimes happen to people. Pls try to think back over the past yr to remember if any of these things happened. Over the past year: Did you have any major accidents,disasters, muggings, unwanted sexual experiences, robberies or similar events?

Variable # 90

Usage Notes: Not collected on all versions of Form 38.

Sas Name: MAJACC

Categories: Psychosocial/Behavioral

Sas Label: Have a major accident or disaster

Values		N	%
0	No	68,114	93.6%
1	Yes and upset me: Not too much	1,250	1.7%
2	Yes and upset me: Moderately	1,516	2.1%
3	Yes and upset me: Very much	1,438	2.0%
.	Missing	477	0.7%
		72,795	



F38 Did you, family, or friend lose job or retire

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a family member or close friend lose their job or retire?

Variable # 91

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FRNJOB

Categories: Psychosocial/Behavioral

Sas Label: You, family, friend lose job or retire

Values		N	%
0	No	58,378	80.2%
1	Yes and upset me: Not too much	7,193	9.9%
2	Yes and upset me: Moderately	4,202	5.8%
3	Yes and upset me: Very much	2,503	3.4%
.	Missing	519	0.7%
		72,795	

F38 Were you physically abused

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Were you physically abused by being hit, slapped, pushed, shoved, punched or threatened with a weapon by a family member or close friend?

Variable # 92

Usage Notes: Not collected on all versions of Form 38.

Sas Name: PHYAB

Categories: Psychosocial/Behavioral

Sas Label: Were you physically abused

Values		N	%
0	No	71,710	98.5%
1	Yes and upset me: Not too much	227	0.3%
2	Yes and upset me: Moderately	164	0.2%
3	Yes and upset me: Very much	260	0.4%
.	Missing	434	0.6%
		72,795	

F38 Were you verbally abused

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: . Were you verbally abused by being made fun of, severely criticized, told you were a stupid or worthless person, or threatened with harm to yourself, your possessions, or your pets, by a family member or close friend?

Variable # 93

Usage Notes: Not collected on all versions of Form 38.

Sas Name: VERBAB

Categories: Psychosocial/Behavioral

Sas Label: Were you verbally abused

Values		N	%
0	No	66,099	90.8%
1	Yes and upset me: Not too much	2,746	3.8%
2	Yes and upset me: Moderately	1,903	2.6%
3	Yes and upset me: Very much	1,533	2.1%
.	Missing	514	0.7%
		72,795	



F38 Did a pet die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a pet die?

Variable # 94

Usage Notes: Not collected on all versions of Form 38.

Sas Name: PETDIE

Categories: Psychosocial/Behavioral

Sas Label: Did a pet die

Values		N	%
0	No	66,622	91.5%
1	Yes and upset me: Not too much	1,282	1.8%
2	Yes and upset me: Moderately	2,137	2.9%
3	Yes and upset me: Very much	2,199	3.0%
.	Missing	555	0.8%
		72,795	

F38 You felt depressed

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt depressed (blue or down)

Variable # 95

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FELTDEP

Categories: Psychosocial/Behavioral

Sas Label: You felt depressed

Values		N	%
0	Rarely or none of the time	53,197	73.1%
1	Some or a little of the time	13,466	18.5%
2	Occasionally or a moderate amount	4,253	5.8%
3	Most or all of the time	1,235	1.7%
.	Missing	644	0.9%
		72,795	

F38 Your sleep was restless

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. Your sleep was restless

Variable # 96

Usage Notes: Not collected on all versions of Form 38.

Sas Name: RESTSLP

Categories: Lifestyle: Sleep
Psychosocial/Behavioral

Sas Label: Your sleep was restless

Values		N	%
0	Rarely or none of the time	32,535	44.7%
1	Some or a little of the time	25,551	35.1%
2	Occasionally or a moderate amount	9,627	13.2%
3	Most or all of the time	4,501	6.2%
.	Missing	581	0.8%
		72,795	



F38 You enjoyed life

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You enjoyed life

Variable # 97

Usage Notes: Not collected on all versions of Form 38.

Sas Name: ENJLIF

Categories: Psychosocial/Behavioral

Sas Label: You enjoyed life

Values		N	%
0	Rarely or none of the time	6,620	9.1%
1	Some or a little of the time	4,715	6.5%
2	Occasionally or a moderate amount	9,004	12.4%
3	Most or all of the time	51,702	71.0%
.	Missing	754	1.0%
		72,795	

F38 You had crying spells

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You had crying spells

Variable # 98

Usage Notes: Not collected on all versions of Form 38.

Sas Name: CRYSPELL

Categories: Psychosocial/Behavioral

Sas Label: You had crying spells

Values		N	%
0	Rarely or none of the time	65,332	89.7%
1	Some or a little of the time	4,855	6.7%
2	Occasionally or a moderate amount	1,503	2.1%
3	Most or all of the time	464	0.6%
.	Missing	641	0.9%
		72,795	

F38 You felt sad

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt sad

Variable # 99

Usage Notes: Not collected on all versions of Form 38.

Sas Name: FELTSAD

Categories: Psychosocial/Behavioral

Sas Label: You felt sad

Values		N	%
0	Rarely or none of the time	46,469	63.8%
1	Some or a little of the time	20,011	27.5%
2	Occasionally or a moderate amount	4,380	6.0%
3	Most or all of the time	1,283	1.8%
.	Missing	652	0.9%
		72,795	



F38 You felt people disliked you

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt that people disliked you

Variable # 100

Usage Notes: Not collected on all versions of Form 38.

Sas Name: PEOPDIS

Categories: Psychosocial/Behavioral

Sas Label: You felt people disliked you

Values		N	%
0	Rarely or none of the time	64,883	89.1%
1	Some or a little of the time	5,913	8.1%
2	Occasionally or a moderate amount	1,025	1.4%
3	Most or all of the time	371	0.5%
.	Missing	603	0.8%
		72,795	

F38 Felt sad for two weeks or more

In the past year, have you had two weeks or more during which you felt sad, blue, or depressed, or lost pleasure in things that you usually cared about or enjoyed?

Variable # 101

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SAD2WK

Categories: Psychosocial/Behavioral

Sas Label: Felt sad for two weeks or more

Values		N	%
0	No	58,139	79.9%
1	Yes	13,969	19.2%
.	Missing	687	0.9%
		72,795	

F38 Felt sad for two or more years

Have you had two years or more in your life when you felt depressed or sad on most days, even if you felt okay sometimes?

Variable # 102

Usage Notes: Not collected on all versions of Form 38.

Sas Name: SAD2YRS

Categories: Psychosocial/Behavioral

Sas Label: Felt sad for two or more years

Values		N	%
0	No	57,354	78.8%
1	Yes	14,621	20.1%
.	Missing	820	1.1%
		72,795	



F38 Felt sad much of past year

Have you felt depressed or sad much of the time in the past year?

Variable # 103

Sas Name: SADMUCH

Sas Label: Felt sad much of past year

Usage Notes: Sub-question of F38 V6 Q57 "Felt sad two or more years".
Not collected on all versions of Form 38.

Categories: Psychosocial/Behavioral

Values		N	%
0	No	10,271	14.1%
1	Yes	4,233	5.8%
.	Missing	58,291	80.1%
		72,795	

F38 Did you take medication for sleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you take any kind of medication or alcohol at bedtime to help you sleep?

Variable # 104

Sas Name: MEDSLEEP

Sas Label: Did you take medication for sleep

Usage Notes: none

Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	54,864	75.4%
2	Yes, less than once a week	6,604	9.1%
3	Yes 1 or 2 times a week	4,140	5.7%
4	Yes, 3 or 4 times a week	2,112	2.9%
5	Yes, 5 or more times a week	4,594	6.3%
.	Missing	481	0.7%
		72,795	

F38 Did you fall asleep during quiet activity

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you fall asleep during quiet activities like reading, watching TV, or riding in a car?

Variable # 105

Sas Name: FALLSLP

Sas Label: Fall asleep during quiet activity

Usage Notes: none

Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	17,867	24.5%
2	Yes, less than once a week	16,958	23.3%
3	Yes 1 or 2 times a week	18,862	25.9%
4	Yes, 3 or 4 times a week	11,354	15.6%
5	Yes, 5 or more times a week	7,200	9.9%
.	Missing	554	0.8%
		72,795	



F38 Did you nap during the day

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you nap during the day?

Variable # 106

Usage Notes: none

Sas Name: NAP

Categories: Lifestyle: Sleep

Sas Label: Did you nap during the day

Values		N	%
1	No, not in past 4 weeks	33,077	45.4%
2	Yes, less than once a week	16,425	22.6%
3	Yes 1 or 2 times a week	12,696	17.4%
4	Yes, 3 or 4 times a week	6,391	8.8%
5	Yes, 5 or more times a week	3,563	4.9%
.	Missing	643	0.9%
		72,795	

F38 Did you have trouble falling asleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you have trouble falling asleep?

Variable # 107

Usage Notes: none

Sas Name: TRBSLEEP

Categories: Lifestyle: Sleep

Sas Label: Did you have trouble failling asleep

Values		N	%
1	No, not in past 4 weeks	43,088	59.2%
2	Yes, less than once a week	13,186	18.1%
3	Yes 1 or 2 times a week	8,927	12.3%
4	Yes, 3 or 4 times a week	4,196	5.8%
5	Yes, 5 or more times a week	2,769	3.8%
.	Missing	629	0.9%
		72,795	

F38 Did you wake up several times

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you wake up several times at night?

Variable # 108

Usage Notes: none

Sas Name: WAKENIGHT

Categories: Lifestyle: Sleep

Sas Label: Did you wake up several times

Values		N	%
1	No, not in past 4 weeks	16,143	22.2%
2	Yes, less than once a week	12,866	17.7%
3	Yes 1 or 2 times a week	15,162	20.8%
4	Yes, 3 or 4 times a week	12,574	17.3%
5	Yes, 5 or more times a week	15,372	21.1%
.	Missing	678	0.9%
		72,795	



F38 Did you wake up earlier than planned

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you wake up earlier than you planned

Variable # 109

Usage Notes: none

Sas Name: UPEARLY

Categories: Lifestyle: Sleep

Sas Label: Did you wake up earlier than planned

Values		N	%
1	No, not in past 4 weeks	30,889	42.4%
2	Yes, less than once a week	15,470	21.3%
3	Yes 1 or 2 times a week	13,166	18.1%
4	Yes, 3 or 4 times a week	7,580	10.4%
5	Yes, 5 or more times a week	5,087	7.0%
.	Missing	603	0.8%
		72,795	

F38 Did you have trouble getting back to sleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you have trouble getting back to sleep after you woke up too early?

Variable # 110

Usage Notes: none

Sas Name: BACKSLP

Categories: Lifestyle: Sleep

Sas Label: Have trouble getting back to sleep

Values		N	%
1	No, not in past 4 weeks	35,938	49.4%
2	Yes, less than once a week	14,428	19.8%
3	Yes 1 or 2 times a week	11,391	15.6%
4	Yes, 3 or 4 times a week	6,290	8.6%
5	Yes, 5 or more times a week	4,077	5.6%
.	Missing	671	0.9%
		72,795	

F38 Did you snore

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you snore?

Variable # 111

Usage Notes: none

Sas Name: SNORE

Categories: Lifestyle: Sleep

Sas Label: Did you snore

Values		N	%
1	No, not in past 4 weeks	11,975	16.5%
2	Yes, less than once a week	3,364	4.6%
3	Yes 1 or 2 times a week	4,676	6.4%
4	Yes, 3 or 4 times a week	3,854	5.3%
5	Yes, 5 or more times a week	8,811	12.1%
9	Don't know	39,513	54.3%
.	Missing	602	0.8%
		72,795	



F38 Typical night's sleep

Overall, was your typical night's sleep during the past 4 weeks:

Variable # 112

Usage Notes: none

Sas Name: QUALSLP

Categories: Lifestyle: Sleep

Sas Label: Typical night's sleep

Values		N	%
1	Very restless	1,707	2.3%
2	Restless	10,214	14.0%
3	Average quality	29,734	40.8%
4	Sound or restful	20,875	28.7%
5	Very sound or restful	9,897	13.6%
.	Missing	368	0.5%
		72,795	

F38 How many hours of sleep

About how many hours of sleep did you get on a typical night during the past 4 weeks?

Variable # 113

Usage Notes: none

Sas Name: HRSSLP

Categories: Lifestyle: Sleep

Sas Label: How many hours of sleep

Values		N	%
1	5 or less hours	6,975	9.6%
2	6 hours	21,007	28.9%
3	7 hours	26,209	36.0%
4	8 hours	15,243	20.9%
5	9 hours	2,732	3.8%
6	10 or more hours	318	0.4%
.	Missing	311	0.4%
		72,795	

F38 Ever leaked urine

Have you ever leaked even a very small amount of urine involuntarily and you couldn't control it?

Variable # 114

Usage Notes: none

Sas Name: INCONT

Categories: Medical History: Incontinence

Sas Label: Ever leaked urine

Values		N	%
0	No	19,616	26.9%
1	Yes	52,782	72.5%
.	Missing	397	0.5%
		72,795	



F38 How often leaked urine

How often does this leaking urine occur? (Mark one oval.)

Variable # 115

Sas Name: FRQINCON

Sas Label: How often leaked urine

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
1	Not once during past year	3,475	4.8%
2	Less than once a month	15,011	20.6%
3	More than once a month	13,558	18.6%
4	One or more times a week	14,454	19.9%
5	Daily	7,743	10.6%
.	Missing	18,554	25.5%
		72,795	

F38 No longer leak urine

When do you usually leak urine? (Mark all that apply.) No longer leak urine

Variable # 116

Sas Name: NOINCON

Sas Label: No longer leak urine

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Categories: Medical History: Incontinence

Values		N	%
0	No	50,524	69.4%
1	Yes	2,917	4.0%
.	Missing	19,354	26.6%
		72,795	

F38 Leak urine when cough, laugh

When do you usually leak urine? (Mark all that apply.) When I cough, laugh, sneeze, lift, stand up. Or exercise

Variable # 117

Sas Name: CGHINCON

Sas Label: Leak urine when cough, laugh

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 38.

Categories: Medical History: Incontinence

Values		N	%
0	No	22,733	31.2%
1	Yes	30,708	42.2%
.	Missing	19,354	26.6%
		72,795	



F38 Leak urine when can't get to toilet

When do you usually leak urine? (Mark all that apply.) When I feel the need to urinate and can't get to a toilet fast enough

Variable # 118

Sas Name: TOINCON

Sas Label: Leak urine when can't get to toilet

Values		N	%
0	No	24,921	34.2%
1	Yes	28,520	39.2%
.	Missing	19,354	26.6%
		72,795	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
 Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
 Not collected on all versions of Form 38.

Categories: Medical History: Incontinence

F38 Leak urine when I am sleeping

When do you usually leak urine? (Mark all that apply.) When I sleep

Variable # 119

Sas Name: SLPINCON

Sas Label: Leak urine when I am sleeping

Values		N	%
0	No	51,942	71.4%
1	Yes	1,499	2.1%
.	Missing	19,354	26.6%
		72,795	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
 Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
 Not collected on all versions of Form 38.

Categories: Medical History: Incontinence

F38 When leak urine, Other

When do you usually leak urine? (Mark all that apply.) Other

Variable # 120

Sas Name: OTHINCON

Sas Label: When leak urine, Other

Values		N	%
0	No	51,691	71.0%
1	Yes	1,750	2.4%
.	Missing	19,354	26.6%
		72,795	

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
 Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).
 Not collected on all versions of Form 38.

Categories: Medical History: Incontinence



F38 How much urine do you lose

How much urine do you usually lose when it leaks? (Mark one oval.)

Variable # 121

Sas Name: LEAKAMT

Sas Label: How much urine do you lose

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
1	None	597	0.8%
2	Barely noticeable on underpants	38,926	53.5%
3	Soaked underpants	9,790	13.4%
4	Soaked through to outer clothing	1,559	2.1%
.	Missing	21,923	30.1%
		72,795	

F38 Leak Protect/No protection

What protection do you wear in case you leak urine? (Mark all that apply.) None

Variable # 122

Sas Name: NOPRTCT

Sas Label: Leak Protect/No protection

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	23,390	32.1%
1	Yes	27,618	37.9%
.	Missing	21,787	29.9%
		72,795	

F38 Leak Protect/Mini-pad, tissue

What protection do you wear in case you leak urine? (Mark all that apply.) Mini-pad, tissue or towel

Variable # 123

Sas Name: MINIPAD

Sas Label: Leak Protect/Mini-pad, tissue

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	33,389	45.9%
1	Yes	17,619	24.2%
.	Missing	21,787	29.9%
		72,795	



F38 Leak Protect/Menstrual pad

What protection do you wear in case you leak urine? (Mark all that apply.) Menstrual pad or shield

Variable # 124

Sas Name: MENSPAD

Sas Label: Leak Protecti/Menstrual pad

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	45,813	62.9%
1	Yes	5,195	7.1%
.	Missing	21,787	29.9%
		72,795	

F38 Leak Protect/Diaper, Attends

What protection do you wear in case you leak urine? (Mark all that apply.) Diaper, towel, Attends, Depends

Variable # 125

Sas Name: DIAPER

Sas Label: Leak Protect/Diaper, Attends

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	49,209	67.6%
1	Yes	1,799	2.5%
.	Missing	21,787	29.9%
		72,795	

F38 Leak Protect/Other

What protection do you wear in case you leak urine? (Mark all that apply.) Other

Variable # 126

Sas Name: OTHPRTCT

Sas Label: Leak Protect/Other

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
0	No	50,264	69.0%
1	Yes	744	1.0%
.	Missing	21,787	29.9%
		72,795	



F38 How often does leakage limit activities

How often does the leakage of urine limit your daily activities? (Mark one oval.)

Variable # 127

Sas Name: INCONLMT

Sas Label: How often does leakage limit activities

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
1	Never	38,505	52.9%
2	Almost never	8,830	12.1%
3	Sometimes	2,886	4.0%
4	Fairly often	573	0.8%
5	Very often	246	0.3%
.	Missing	21,755	29.9%
		72,795	

F38 How much does leakage bother you

How much does the leakage of urine bother or disturb you? (Mark one oval.)

Variable # 128

Sas Name: INCONDIS

Sas Label: How much does leakage bother

Usage Notes: Sub-question of F38 V6 Q68 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F38 V6 Q70 "No longer leak urine" (skip pattern rule not applied).

Categories: Medical History: Incontinence

Values		N	%
1	Not at all disturbing	12,340	17.0%
2	A little disturbing	23,884	32.8%
3	Somewhat disturbing	9,137	12.6%
4	Very disturbing	4,103	5.6%
5	Extremely disturbing	1,541	2.1%
.	Missing	21,790	29.9%
		72,795	

F38 Currently married or intimate

Are you currently married or in an intimate relationship with at least one person?

Variable # 129

Sas Name: MARRIED

Sas Label: Currently married or intimate

Usage Notes: none

Categories: Lifestyle: Sexual Activity

Values		N	%
0	No	25,348	34.8%
1	Yes	46,983	64.5%
.	Missing	464	0.6%
		72,795	



F38 Sexual activity in last year

Did you have any sexual activity with a partner in the last year?

Variable # 130

Usage Notes: none

Sas Name: SEXACTIV

Categories: Lifestyle: Sexual Activity

Sas Label: Sexual activity in last year

Values		N	%
0	No	33,670	46.3%
1	Yes	34,995	48.1%
9	Don't want to answer	3,670	5.0%
.	Missing	460	0.6%
		72,795	

F38 How satisfied sexually

How satisfied are you with your current sexual activities, either with a partner or alone? (Mark one oval.)

Variable # 131

Usage Notes: none

Sas Name: SATSEX

Categories: Lifestyle: Sexual Activity

Sas Label: How satisfied sexually

Values		N	%
1	Very unsatisfied	8,159	11.2%
2	A little unsatisfied	9,200	12.6%
3	Somewhat satisfied	15,985	22.0%
4	Very satisfied	23,919	32.9%
9	Don't want to answer	13,416	18.4%
.	Missing	2,116	2.9%
		72,795	

F38 Satisfied with sex frequency

Are you satisfied with the frequency of your sexual activity, or would you like to have sex more or less often? (Mark one oval.)

Variable # 132

Usage Notes: none

Sas Name: SATFRQSX

Categories: Lifestyle: Sexual Activity

Sas Label: Satisfied with sex frequency

Values		N	%
1	Less often	2,266	3.1%
2	Satisfied with current frequency	33,669	46.3%
3	More often	16,947	23.3%
9	Don't want to answer	17,132	23.5%
.	Missing	2,781	3.8%
		72,795	



F38 Worried sexual activity will affect health

Are you worried that sexual activities will affect your health? (Mark one oval.)

Variable # 133

Usage Notes: none

Sas Name: SEXWORRY

Categories: Lifestyle: Sexual Activity

Sas Label: Worried sex activity will affect health

Values		N	%
1	Not at all worried	61,011	83.8%
2	A little worried	1,916	2.6%
3	Somewhat worried	1,045	1.4%
4	Very worried	490	0.7%
9	Don't want to answer	6,711	9.2%
.	Missing	1,622	2.2%
		72,795	

Activities of daily living construct

Computed from Forms 36/38, questions 39-42. Source: WHI BAC. Four items describing basic activities (whether can eat, dress, get in and out of bed, and take a bath) each of which has three possible values (1=without help, 2=some help, 3=completely unable) are summed. A lower score indicates greater ability to cope with daily living activities. Missing if any of the four items are missing.

Variable # 134

Usage Notes: none

Sas Name: ACTDLY

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Activities of Daily Living Construct

N	Min	Max	Mean	Std Dev
71661	4	12	4.03551	.30281

Role limitations due to emotional problems

Computed from Form 36/38, questions 22, 23, and 24. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on role limitations due to emotional problems. EMOLIMIT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 135

Usage Notes: none

Sas Name: EMOLIMIT

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Role limitation due to emotional problem

N	Min	Max	Mean	Std Dev
71659	0	100	83.62476	30.55572

Emotional well-being

Computed from Form 36/38, questions 31, 32, 33, 35, and 37. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on emotional well-being. EMOWELL ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 136

Usage Notes: none

Sas Name: EMOWELL

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Emotional well-being

N	Min	Max	Mean	Std Dev
71420	0	100	79.92187	14.77009



Energy/fatigue

Computed from Form 36/38, questions 30, 34, 36, and 38. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on energy/fatigue. ENERFAT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 137

Usage Notes: none

Sas Name: ENERFAT

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Energy/fatigue

N	Min	Max	Mean	Std Dev
71559	0	100	63.50969	19.94241

General health construct

Computed from Form 36/38, questions 3, 25, 26, 27, and 28. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on general health. GENHLTH ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 138

Usage Notes: none

Sas Name: GENHLTH

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: General health construct

N	Min	Max	Mean	Std Dev
71520	0	100	74.12549	17.75818

Life event construct #1 (0,1 scoring)

Computed from Form 36/38, questions 44.1, and 45-54. Source: WHI BAC; based on measures used in the Alameda County Study and BHAT. The eleven items are recoded, setting original responses from 1-3 equal to 1, and then summed. The construct has a range from 0 to 11 with a higher score indicating a greater number of life events. Missing if any of the eleven items are missing.

Variable # 139

Usage Notes: none

Sas Name: LFEVENT1

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Life event construct #1 (0,1 scoring)

N	Min	Max	Mean	Std Dev
70920	0	10	1.49463	1.34986

Life event construct #2 (0-3 scoring)

Computed from Form 36/38, question questions 44.1, and 45-54. Source: WHI BAC; based on measures used in the Alameda County Study and BHAT. This construct is a sum of the eleven items that are coded from 0-3 resulting in a range from 0 to 33 with a higher score indicating a greater number of life events. If any of the eleven items are missing, LFEVENT2 is set to missing.

Variable # 140

Usage Notes: none

Sas Name: LFEVENT2

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Life event construct #2 (0-3 scoring)

N	Min	Max	Mean	Std Dev
70920	0	27	2.86221	2.93448



Pain construct

Computed from Form 36/38, questions 16 and 17. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on pain. PAIN ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 141

Usage Notes: none

Sas Name: PAIN

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Pain construct

N	Min	Max	Mean	Std Dev
72445	0	100	73.38567	24.0562

Role limitations due to physical health

Computed from Form 36/38, questions 18-21. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on role limitations due to physical health. PHYLIMIT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 142

Usage Notes: none

Sas Name: PHYLIMIT

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Role limitations due to physical health

N	Min	Max	Mean	Std Dev
71594	0	100	73.25754	36.4692

Physical functioning construct

Computed from Form 36/38, questions 5-14. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on physical functioning. PHYSFUN ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 143

Usage Notes: none

Sas Name: PHYSFUN

Categories: Computed Variables
Physical Activity
Psychosocial/Behavioral

Sas Label: Physical functioning construct

N	Min	Max	Mean	Std Dev
70931	0	100	79.65333	21.49829

Shortened CES-D/DIS screening instrument

Computed from Form 36/38, questions 55.1-55.6, 56, 57, and 57.1. Source: Center for Epidemiological Studies; depression scale (CES-D, short form). PSHTDEP ranges from 0 to 1 with a higher score indicating a greater likelihood of depression. Cutoff values of .06 and .009 have been used to indicate depression.

Variable # 144

Usage Notes: none

Sas Name: PSHTDEP

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Shortened CES-D/DIS screening instrument

N	Min	Max	Mean	Std Dev
70440	.00028	.95895	.03585	.12108



Sleep disturbance construct

Computed from Form 36/38, questions 61-64 and 66. Sum of five components. Questions 61-64 range from 1-5 and question 66 is recoded and reverse coded resulting in a range from 0-4 before summing. The summary score ranges from 0 to 20 where a higher score indicates greater sleep disturbance. Missing if any of the five components is missing.

Variable # 145

Usage Notes: none

Sas Name: SLPDSTRB

Categories: Computed Variables
Lifestyle: Sleep

Sas Label: Sleep disturbance construct

N	Min	Max	Mean	Std Dev
70930	0	20	6.53656	4.50789

Social functioning

Computed from Form 36/38, questions 15 and 29. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on social functioning. SOCFUNC ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 146

Usage Notes: none

Sas Name: SOCFUNC

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Social functioning

N	Min	Max	Mean	Std Dev
72122	0	100	88.2697	19.66264

Symptom construct

Computed from Form 36/38, questions 43.1-43.34. Source: PEPI, national and other surveys. Average of 34 items measuring occurrence and severity of symptoms. The summary score ranges from 0 to 3 where a higher score indicates more numerous and/or more severe symptoms. Missing if any of the 34 items is missing.

Variable # 147

Usage Notes: none

Sas Name: SYMPTOM

Categories: Computed Variables
Psychosocial/Behavioral

Sas Label: Symptom construct

N	Min	Max	Mean	Std Dev
65727	0	2.64706	.45378	.28207