

Great Basin Industry Database

Page 1 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude North	Longitude West	Elevation Feet	Gradient °F/100'	Total Depth (ft.)
Chevron	Wilson Hot Springs	Lyon, NV	12Rd	38 45.5	119 08.9	5220	13.8	472
Supron	Brady North	Churchill, NV	13-01	39 51.3	119 00.6	4400	5	1682
Earth Power	Baltazor	Humboldt, NV	1500-1	41 55.5	118 43.7	5218	6	1581
Earth Power	McGee	Humboldt, NV	1500-2	41 48.3	118 50.7	4610	5	1680
Supron	Brady South	Churchill, NV	36-01	39 43.4	119 00.9	4200	3	1641
Phillips(?)	Texas Spring	Elko, NV	4566-31-1	41 44.6	114 33.5	5900	3.2	310
Union	Blue Clay	Pershing, NV	53-08	40 39.4	118 10.2	4205	5	500
Union	Blue Clay	Pershing, NV	58-12	40 39.2	118 12.4	4150	5	500
AMAX	McCoy	Churchill, NV	864-19	39 54.1	117 26.8	5160	2.6	155
AMAX	McCoy	Churchill, NV	864-20	39 52.1	117 26.3	5304	1.8	155
AMAX	McCoy	Churchill, NV	864-21	39 49.2	117 30.0	5500	3.8	155
AMAX	McCoy	Churchill, NV	864-23	39 54.2	117 28.7	5000	5.1	155
AMAX	McCoy	Churchill, NV	864-24	39 54.2	117 29.4	4880	9.9	155
AMAX	McCoy	Churchill, NV	864-25	39 53.5	117 30.3	4749	6.4	155
AMAX	McCoy	Churchill, NV	864-26	39 54.1	117 34.2	4360	0.9	155
AMAX	McCoy	Churchill, NV	864-27	39 52.9	117 32.8	4460	6.2	155
AMAX	McCoy	Churchill, NV	864-28	39 52.5	117 31.9	4560	23.3	155
AMAX	McCoy	Churchill, NV	864-29	39 52.3	117 30.4	4800	4.2	155
AMAX	McCoy	Churchill, NV	864-31	39 51.5	117 32.3	4720	5.6	155
AMAX	McCoy	Churchill, NV	864-33	39 51.2	117 30.6	5120	15	120
AMAX	McCoy	Churchill, NV	864-34	39 50.0	117 30.4	5240	11.8	295
AMAX	McCoy	Pershing, NV	864-39	39 49.4	117 31.9	5160	5.5	155
AMAX	McCoy	Churchill, NV	864-40	39 18.8	117 29.4	5775	14.1	144
AMAX	McCoy	Churchill, NV	864-41	39 48.8	117 31.9	5440	4.8	157
AMAX	McCoy	Churchill, NV	864-46	39 47.6	117 31.0	5560	15.1	112
AMAX	McCoy	Churchill, NV	864-47	39 47.1	117 30.0	5798	23.5	171
AMAX	McCoy	Churchill, NV	864-48	39 47.6	117 29.2	5818	12.8	157
AMAX	McCoy	Churchill, NV	864-49	39 46.1	117 30.1	5958	8.7	157
AMAX	McCoy	Churchill, NV	864-50	39 46.1	117 32.0	5740	7.9	157
AMAX	McCoy	Churchill, NV	864-51	39 47.4	117 32.1	5576	5.8	111
AMAX	McCoy	Churchill, NV	864-52	39 44.8	117 34.1	5440	2.8	157
AMAX	McCoy	Churchill, NV	864-53	39 53.0	117 29.7	4870	6.2	157
AMAX	McCoy	Churchill, NV	864-54	39 50.6	117 39.7	4602	2.7	95
AMAX	McCoy	Churchill, NV	864-62	39 50.6	117 39.7	4602	2	2034
AMAX	McCoy	Churchill, NV	864-65	39 47.3	117 28.9	6000	N/A	1970
AMAX	McCoy	Churchill, NV	864-83	39 48.9	117 31.5	5278	8.8	492
AMAX	McCoy	Churchill, NV	864-84	39 52.1	117 29.6	4940	15.1	190
AMAX	McCoy	Churchill, NV	864-85	39 51.9	117 29.6	5050	9.5	106
AMAX	McCoy	Churchill, NV	864-86	39 52.0	117 29.5	5070	6.5	131
Phillips	Adobe Valley	Pershing, NV	A-01	40 09.0	118 56.1	3950	4.8	200
Phillips	Adobe Valley	Pershing, NV	A-02	40 14.2	118 53.8	3950	5.2	300
Phillips	Adobe Valley	Pershing, NV	A-03	40 13.2	118 54.9	3850	14.4	300
Phillips	Adobe Valley	Pershing, NV	A-04	40 12.0	118 55.7	3850	13.1	300
Phillips	Adobe Valley	Pershing, NV	A-05	40 13.2	118 55.5	3850	7.6	670
Phillips	Adobe Valley	Pershing, NV	A-06	40 13.0	118 53.8	3850	16.7	420
Phillips	Adobe Valley	Pershing, NV	A-07	40 13.7	118 54.9	3850	9.2	860
Phillips	Adobe Valley	Pershing, NV	A-08	40 12.9	118 57.1	3850	5.8	260
Phillips	Adobe Valley	Pershing, NV	A-09	40 15.0	118 57.2	3850	7.2	260
Phillips	Adobe Valley	Pershing, NV	A-10	40 10.3	118 56.4	3900	7.2	300
Phillips	Aurora	Mineral, NV	Aurora	38 21.1	118 49.0	6800	12	1741

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Adobe Valley	Pershing, NV	AV-ST-1	40 13.5	118 54.9	3850	N/A	1804
Phillips	Desert Peak	Churchill, NV	B-02	39 50.0	119 02.0	4100	3.1	490
Phillips	Desert Peak	Churchill, NV	B-03	39 52.2	119 02.5	4200	4.1	500
Earth Power	Baltazor	Humboldt, NV	B1500-2	41 55.1	118 43.7	4250	10	1487
Phillips	BV Hills	Pershing, NV	BV ST#1	40 05.0	118 00.1	4220	4	1180
Phillips	Humboldt House	Pershing, NV	Campbell E-2	40 33.0	118 14.9	4800	10	8055
Chevron	Crescent Fault	Eureka, NV	CF-9-1	40 18.8	116 26.9	5000	4.7	1076
Phillips	Dyke Hot Springs	Humboldt, NV	D-01	41 43.8	118 35.8	4340	10.4	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-02	41 41.2	118 29.5	4350	3.6	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-03	41 38.9	118 28.0	4190	2.1	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-04	41 37.2	118 31.7	4130	2.3	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-05	41 31.1	118 34.7	4085	3.7	280
Phillips	Dyke Hot Springs	Humboldt, NV	D-06	41 32.9	118 33.2	4100	6.1	200
Phillips	Dyke Hot Springs	Humboldt, NV	D-07	41 38.7	118 35.2	4200	2.5	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-08	41 41.1	118 33.4	4240	3.0	302
Phillips	Dyke Hot Springs	Humboldt, NV	D-09	41 43.1	118 34.0	4350	7.1	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-10	41 36.0	118 26.9	4100	1.6	270
Phillips	Dyke Hot Springs	Humboldt, NV	D-11	41 33.8	118 27.4	4080	1.5	150
Phillips	Dyke Hot Springs	Humboldt, NV	D-12	41 30.9	118 27.9	4081	7.4	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-13	41 45.6	118 28.9	4420	3.6	198
Phillips	Dyke Hot Springs	Humboldt, NV	D-14	41 45.5	118 33.2	4470	4.8	300
Phillips	Dyke Hot Springs	Humboldt, NV	D-15	41 34.6	118 30.2	4085	4.1	300
Phillips	Dry Lake	Pershing, NV	DL-01	40 19.2	119 02.6	4500	2.8	300
Phillips	Dry Lake	Pershing, NV	DL-02	40 15.4	119 05.6	5500	1.7	300
Phillips	Dry Lake	Pershing, NV	DL-03	40 18.7	119 07.8	4550	2.9	300
Phillips	Dry Lake	Pershing, NV	DL-04	40 23.1	119 14.5	5100	2.0	200
Phillips	Dry Lake	Pershing, NV	DL-05	40 17.8	119 13.9	4500	3.1	300
Phillips	Dry Lake	Pershing, NV	DL-06	40 24.1	119 07.6	4410	3.0	260
Phillips	Dry Lake	Pershing, NV	DL-07	40 33.2	119 07.7	4550	3.5	300
Phillips	Dry Lake	Pershing, NV	DL-08	40 34.7	119 12.8	4800	2.8	300
Phillips	Dry Lake	Pershing, NV	DL-09	40 34.6	119 11.2	4900	1.6	247
Phillips	Dry Lake	Pershing, NV	DL-10	40 24.4	119 01.5	4380	2.2	297
Phillips	Dry Lake	Pershing, NV	DL-11	40 25.0	118 55.5	4200	3.0	298
Phillips	Dry Lake	Pershing, NV	DL-12	40 34.3	118 54.0	4950	2.0	298
Phillips	Dry Lake	Pershing, NV	DL-13	40 39.4	118 51.8	4700	3.2	295
Phillips	Dry Lake	Pershing, NV	DL-14	40 31.6	118 43.5	5000	2.5	245
Phillips	Dry Lake	Pershing, NV	DL-15	40 38.4	118 43.6	5000	3.1	295
Phillips	Dry Lake	Pershing, NV	DL-16	40 10.3	119 10.0	5750	5.8	300
Phillips	Dry Lake	Pershing, NV	DL-17	40 13.1	119 11.7	5200	8.0	300
Phillips	Dry Lake	Pershing, NV	DL-18	40 29.5	119 01.2	4850	4.2	300
Phillips	Dry Lake	Pershing, NV	DL-19	40 35.8	119 05.3	5000	2.9	300
Phillips	Dry Lake	Pershing, NV	DL-20	40 44.3	118 58.4	4400	8.0	300
Phillips	Dry Lake	Pershing, NV	DL-21	40 45.2	118 44.8	4400	3.8	300
Phillips	Dry Lake	Churchill, NV	DL-22	39 55.0	119 03.6	4490	9.3	300
Phillips	Smith Creek Valley	Lander, NV	Drumm East	39 24.4	117 26.3	6150	N/A	70
GRI	Dixie Valley	Churchill, NV	DV-401	39 58.6	117 49.4	3440	4.1	1880
Phillips	Esmeralda Co.	Esmeralda, NV	E-01	38 18.2	117 48.9	5450	2.2	100
Phillips	Esmeralda Co.	Esmeralda, NV	E-02	38 17.1	117 50.2	5640	2.4	500
GRI	Dixie Valley	Churchill, NV	EDV-1	39 59.5	117 42.1	3705	4.6	1410
GRI	Dixie Valley	Churchill, NV	EDV-2	39 58.4	117 42.9	3625	3.8	998

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 3 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
GRI	Dixie Valley	Churchill, NV	EDV-3	39 57.7	117 43.2	3665	3.6	1420
Phillips	Nevada Recon	Elko, NV	EL-01	40 34.3	115 52.4	7250	1.0	400
Phillips	Nevada Recon	Elko, NV	EL-02	41 36.3	116 01.7	6500	2.6	760
Phillips	Nevada Recon	Elko, NV	EL-03	41 34.4	115 09.5	6420	N/A	300
Phillips	Nevada Recon	Elko, NV	EL-04	41 04.4	115 57.8	6700	6*	380
Phillips	Deeth Area	Elko, NV	EL-05	41 03.4	115 15.7	6000	4.0	110
Phillips	Deeth Area	Elko, NV	EL-06	41 34.5	115 10.7	6350	27	180
Phillips	Deeth Area	Elko, NV	EL-07	41 43.5	115 44.2	6950	3.5	164
Phillips	Owyhee Recon	Elko, NV	EL-08	41 50.4	115 52.2	6600	2.2	540
Phillips	Owyhee Recon	Elko, NV	EL-10	41 50.4	115 57.6	6250	1.8	86
Phillips	Owyhee Recon	Elko, NV	EL-11	41 51.9	115 51.2	6375	ISO	66
Phillips	Owyhee Recon	Elko, NV	EL-12	41 48.7	115 54.0	6150	3	66
Phillips	Owyhee Recon	Elko, NV	EL-14	41 48.7	115 58.8	6000	1	164
Phillips	Owyhee Recon	Elko, NV	EL-15	41 50.4	115 57.6	5760	2.2	825
Phillips	Owyhee Recon	Elko, NV	EL-17	41 43.7	116 53.2	5300	2.8	500
Phillips	Owyhee Recon	Elko, NV	EL-18	41 49.6	116 57.4	5380	2.5	230
Phillips	Owyhee Recon	Elko, NV	EL-19	41 33.2	116 37.7	5470	1.7	230
Phillips	Owyhee Recon	Elko, NV	EL-20	41 32.4	116 51.3	5400	4.7	120
Phillips	Owyhee Recon	Elko, NV	EL-21	41 36.5	116 50.7	5450	4.5	420
Phillips	Owyhee Recon	Elko, NV	EL-22	41 30.8	116 59.9	5450	2.9	650
Phillips	Owyhee Recon	Elko, NV	EL-24	41 50.3	116 37.8	5295	5.7	518
Phillips	Owyhee Recon	Elko, NV	EL-25	41 43.1	116 52.5	5240	6.7	671
Phillips	Owyhee Recon	Elko, NV	EL-26	41 48.9	116 57.2	5250	3.3	920
Phillips	Owyhee Recon	Elko, NV	EL-27	41 32.6	116 38.0	5385	6.4	330
Phillips	Owyhee Recon	Elko, NV	EL-28	41 32.2	116 51.6	5320	6.1	390
Phillips	Owyhee Recon	Elko, NV	EL-29	41 36.7	116 51.0	5260	3.9	180
Phillips	Owyhee Recon	Elko, NV	EL-30	41 40.9	116 58.6	5430	2.5	400
Phillips	Owyhee Recon	Elko, NV	EL-31	41 48.8	116 58.6	5320	1.4	360
Phillips	Delcer Buttes	Elko, NV	EL-34	40 24.5	115 01.6	6100	13	220
Phillips	Delcer Buttes	Elko, NV	EL-35	40 22.7	115 01.7	6550	3.4	300
Phillips	Delcer Buttes	Elko, NV	EL-36	40 22.7	115 01.1	6610	4.4	200
Phillips	Delcer Buttes	Elko, NV	EL-37	40 23.3	115 00.6	6500	8.6	180
Phillips	Delcer Buttes	Elko, NV	EL-38	40 23.8	114 59.8	6400	10.6	288
Phillips	Eugene Mts.	Pershing, NV	EM-01	40 44.7	118 36.2	5250	1.4	300
Phillips	Eugene Mts.	Pershing, NV	EM-02	40 48.7	118 28.7	5850	2.0	120
Phillips	Eugene Mts.	Humboldt, NV	EM-03	40 53.8	118 23.8	4250	5.3	300
Phillips	Eugene Mts.	Pershing, NV	EM-04	40 48.7	118 21.8	4200	3.3	300
Phillips	Eugene Mts.	Pershing, NV	EM-05	40 48.7	118 16.7	4500	2.9	280
Phillips	Eugene Mts.	Humboldt, NV	EM-06	40 54.7	118 16.0	4170	3.1	300
Phillips	Eugene Mts.	Humboldt, NV	EM-07	40 54.4	118 08.6	4390	1.7	220
Phillips	Eugene Mts.	Humboldt, NV	EM-08	41 00.6	118 16.7	4100	2.9	300
Phillips	Eugene Mts.	Humboldt, NV	EM-09	40 59.9	118 11.2	4150	2.2	210
Phillips	Eugene Mts.	Humboldt, NV	EM-10	41 04.1	118 10.4	4100	6.0	300
Phillips	Eugene Mts.	Humboldt, NV	EM-11	41 09.0	118 07.4	4180	3.3	300
Phillips	Eugene Mts.	Humboldt, NV	EM-12	41 04.3	117 53.7	4170	3.7	300
Phillips	Eugene Mts.	Humboldt, NV	EM-13	41 06.5	118 02.5	4550	3.5	240
Phillips	Eugene Mts.	Humboldt, NV	EM-14	41 09.6	117 55.5	4500	2.6	300
Phillips	Eureka	Eureka, NV	Eu-01	40 48.8	116 12.1	5600	3.6	300
Phillips	Eureka	Eureka, NV	Eu-02	40 50.0	116 12.3	5550	2.4	290
Phillips	Eureka	Eureka, NV	Eu-03	40 43.6	116 15.2	6400	1.1	260

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 4 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Carico Lake Valley	Lander, NV	Filippini	40 02.8	116 55.0	6000	N/A	88
Magma Power	Fish Lake Valley	Esmeralda, NV	FL-55-10	37 52.1	117 58.1	4733	4	1000
Magma Power	Fish Lake Valley	Esmeralda, NV	FL-55-15	37 51.2	117 58.0	4733	5	1010
Magma Power	Fish Lake Valley	Esmeralda, NV	FL-75-09	37 52.1	117 58.7	4785	5	760
Magma Power	Fish Lake Valley	Esmeralda, NV	FL-88-16	37 50.9	117 58.6	4710	6	600
Magma Power	Fish Lake Valley	Esmeralda, NV	FLP-1	37 55.3	117 59.4	5300	4	2453
Phillips	Fireball Ridge	Churchill, NV	FR-01	39 53.3	119 07.5	4300	4.1	300
Phillips	Fireball Ridge	Churchill, NV	FR-02	39 50.4	119 07.0	5000	4.4	290
Phillips	Fireball Ridge	Churchill, NV	FR-03	39 54.1	119 06.3	4700	6.9	300
Phillips	Fireball Ridge	Churchill, NV	FR-04	39 53.2	119 05.6	6000	5.3	300
Phillips	Fireball Ridge	Churchill, NV	FR-05	39 58.6	119 03.0	4800	6.1	300
Phillips	Fireball Ridge	Churchill, NV	FR-06	39 54.9	119 05.3	5600	8.1	300
Phillips	Fireball Ridge	Churchill, NV	FR-07	39 56.3	119 02.9	5600	4.6	300
Phillips	Fireball Ridge	Churchill, NV	FR-08	39 57.4	119 00.8	4800	3.2	300
Phillips	Fireball Ridge	Churchill, NV	FR-09	39 57.4	119 00.9	4750	1.1	260
Phillips	Fireball Ridge	Churchill, NV	FR-10	39 56.4	119 01.0	4700	3.2	300
Phillips(?)	Texas Spring	Elko, NV	FW-03	41 46.3	114 33.2	6700	2.3	400
Phillips	Glass Buttes	Lake, OR	GB-01	43 34.7	119 56.0	4600	12.9	230
Phillips	Glass Buttes	Lake, OR	GB-02	43 32.6	119 54.8	4700	5.2	320
Phillips	Glass Buttes	Lake, OR	GB-03	43 30.5	119 54.3	5000	8.6	150
Phillips	Glass Buttes	Lake, OR	GB-04	43 30.3	119 57.6	4600	4.8	260
Phillips	Glass Buttes	Lake, OR	GB-05	43 29.7	119 00.8	4600	10.1	300
Phillips	Glass Buttes	Lake, OR	GB-06	43 30.5	120 05.4	4600	7.3	220
Phillips	Glass Buttes	Lake, OR	GB-07	43 32.5	120 07.5	4700	10.3	300
Phillips	Glass Buttes	Lake, OR	GB-08	43 34.9	120 05.9	5000	10.4	176
Phillips	Glass Buttes	Lake, OR	GB-09	43 36.0	120 00.3	4200	10.7	300
Phillips	Glass Buttes	Lake, OR	GB-11	43 35.3	120 08.1	4400	5.6	298
Phillips	Glass Buttes	Deschutes, OR	GB-12	43 36.9	120 04.0	4200	7.4	195
Phillips	Glass Buttes	Lake, OR	GB-13	43 35.8	119 55.7	4600	4.8	218
Phillips	Glass Buttes	Harney, OR	PH-14	43 34.2	119 53.2	4600	ISO	120
Phillips	Glass Buttes	Lake, OR	GB-15	43 34.1	119 58.2	4600	13.0	130
Phillips	Glass Buttes	Lake, OR	GB-16	43 32.8	119 59.4	5000	2.6	165
Phillips	Glass Buttes	Lake, OR	GB-17	43 34.5	120 02.8	5000	5.4	235
Phillips	Glass Buttes	Deschutes, OR	GB-18	43 38.2	119 58.9	4400	4.8	160
Phillips	Glass Buttes	Lake, OR	GB-19	43 34.2	120 10.5	5000	9.2	196
Phillips	Glass Buttes	Lake, OR	GB-20	43 31.1	120 08.9	4575	2.5	200
Phillips	Glass Buttes	Lake, OR	GB-21	43 30.2	119 54.5	5000	5.0	500
Phillips	Glass Buttes	Lake, OR	GB-22	43 33.6	119 58.2	5100	6.3	400
Phillips	Glass Buttes	Lake, OR	GB-ST#1	43 32.0	119 57.9	5000	9	1982
Phillips	Glass Buttes	Lake, OR	GB-ST#2	43 33.6	119 56.9	4800	5	1160
Phillips	Glass Buttes	Lake, OR	GB-ST#3	43 30.5	119 57.7	5000	3.5	840
Phillips	Glass Buttes	Lake, OR	GB-ST#4	43 32.7	120 00.6	4800	N/A	1945
Phillips	Granite Springs	Churchill, NV	GS-01	39 58.3	119 01.8	4775	7.4	300
Phillips	Granite Springs	Churchill, NV	GS-02	39 59.4	119 20.7	4880	7.1	300
Phillips	Granite Springs	Churchill, NV	GS-03	40 00.2	119 04.0	5000	7.5	300
Phillips	Granite Springs	Churchill, NV	GS-04	39 59.0	119 02.5	4700	5.7	300
Phillips	Granite Springs	Churchill, NV	GS-05	39 59.0	119 00.7	4680	6.8	300
Phillips	Granite Springs	Churchill, NV	GS-06	39 57.7	119 04.1	4740	3.2	300
Phillips	Granite Springs	Churchill, NV	GS-07	39 57.7	119 03.4	4670	3.2	240
Phillips	Hawthorne Golf Course	Mineral, NV	HAW-GC	38 30.6	118 40.7	5000	2.1	700

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 5 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Humboldt House	Pershing, NV	HH-ST-2	40 34.8	118 15.8	4250	2.2	420
Phillips	Fallon	Churchill, NV	HOEING-ST-1	39 35.0	118 50.6	3950	3.5	1984
Phillips	Fallon NAS	Churchill, NV	Hole-20	39 10.3	118 44.2	3900	4.8	475
Phillips	Fallon NAS	Churchill, NV	Hole-21	39 09.3	118 44.2	4000	4.9	450
Phillips	Fallon NAS	Churchill, NV	Hole-22	39 11.2	118 44.2	3920	5.1	505
Phillips	Fallon NAS	Churchill, NV	Hole-23	39 24.3	118 40.3	3923	6.1	440
Phillips	Fallon NAS	Churchill, NV	Hole-24	39 22.8	118 39.8	3919	12.9	432
Phillips	Fallon NAS	Churchill, NV	Hole-25	39 23.2	118 42.0	3920	5.3	380
Phillips	Fallon NAS	Churchill, NV	Hole-26	39 23.0	118 40.2	3920	9.7	505
Phillips	Fallon NAS	Churchill, NV	Hole-27	39 26.7	118 42.3	3940	5.4	505
Phillips	Fallon NAS	Churchill, NV	Hole-28	39 26.0	118 41.3	3931	5.7	455
Phillips	Fallon NAS	Churchill, NV	Hole-29	39 26.8	118 41.2	3933	5.5	510
Phillips	Fallon NAS	Churchill, NV	Hole-30	39 27.5	118 42.3	3936	5.5	505
Phillips	Fallon NAS	Churchill, NV	Hole-31	39 25.2	118 43.8	3932	5.2	500
Phillips	Fallon NAS	Churchill, NV	Hole-32	39 20.9	118 52.5	3940	4.2	495
Phillips	Fallon NAS	Churchill, NV	Hole-33	39 22.3	118 52.3	3950	5.3	317
Phillips	Fallon NAS	Churchill, NV	Hole-34	39 22.2	118 54.8	3980	4.8	500
Phillips	Fallon NAS	Churchill, NV	Hole-35	39 22.0	118 56.9	4220	5.3	467
Phillips	Fallon NAS	Churchill, NV	Hole-36	39 21.0	118 55.1	4100	5.0	495
Phillips	Fallon NAS	Churchill, NV	Hole-37	39 21.4	118 55.7	4120	4.4	500
Phillips	Fallon NAS	Churchill, NV	Hole-38	39 21.2	118 54.2	3960	5.2	507
Phillips	Fallon NAS	Churchill, NV	Hole-39	39 08.9	118 44.1	4000	3.4	555
Phillips	Fallon NAS	Churchill, NV	Hole-40	39 08.6	118 42.9	3941	3.8	555
Chevron	Horseshoe Ranch	Eureka, NV	HSR-22	40 36.3	116 27.9	4700	1.4	2500
Phillips	Granite Mtn.	Pershing, NV	KY-11-14	40 18.6	117 54.2	4130	4.4	500
Phillips	Granite Mtn.	Pershing, NV	KY-14-15	40 17.5	117 54.1	4130	4.1	380
Phillips	Granite Mtn.	Pershing, NV	KY-23-01	40 22.4	117 54.1	4170	6.0	500
Phillips	Granite Mtn.	Pershing, NV	KY-23-02	40 22.0	117 53.4	4230	3.9	500
Phillips	Granite Mtn.	Pershing, NV	KY-23-16	40 17.0	117 54.3	4120	3.7	500
Phillips	Granite Mtn.	Pershing, NV	KY-26-20	40 21.6	117 54.0	4160	4.5	500
Phillips	Granite Mtn.	Pershing, NV	KY-31-05	40 20.9	117 51.5	4480	2.3	500
Phillips	Granite Mtn.	Pershing, NV	KY-35-09	40 20.6	117 53.9	4145	3.6	500
Phillips	Granite Mtn.	Pershing, NV	KY-5-06	40 19.8	117 51.1	4530	1.6	500
Phillips	Lantern	Pershing, NV	L-02	40 15.5	118 21.2	5000	1.7	600
Phillips	Lantern	Pershing, NV	L-08	40 44.2	118 37.9	5200	2.7	480
Phillips	Lantern	Pershing, NV	L-10	40 44.6	118 37.9	4900	1.8	600
Phillips	Reese River Valley	Lander, NV	LA-01	40 04.1	117 09.2	4900	2.0	135
Phillips	Bald Mt.	Lander, NV	LA-02	40 03.1	116 44.4	7100	1.0	400
Phillips	Nevada Recon	Lander, NV	LA-03	40 24.5	116 54.1	7000	2.3	160
Phillips	Reese River Valley	Lander, NV	LA-04	39 54.3	117 08.4	5400	11.3	290
Phillips	Reese River Valley	Lander, NV	LA-05	39 54.3	117 08.2	5400	12.7	270
Phillips	Antelope Valley	Lander, NV	LA-06	39 50.3	117 28.5	5500	1.8	190
Phillips	Antelope Valley	Lander, NV	LA-07	39 48.9	117 31.2	5800	8.4	490
Phillips	Antelope Wash	Lander, NV	LA-08	39 42.4	117 20.0	5800	4.1	165
Phillips	Lander Co.	Lander, NV	LA-09	39 47.4	117 20.9	5400	2.2	400
Phillips	Smith Creek Valley	Lander, NV	LA-10	39 07.2	117 43.6	6300	2.1	240
Phillips	Reese River Valley	Lander, NV	LA-11	39 20.6	117 20.2	6000	5.6	150
Phillips	Smith Creek Valley	Lander, NV	LA-12	39 28.8	117 28.5	6200	N/A	120
Phillips	Lander Co.	Lander, NV	LA-13	39 27.5	117 06.2	6250	2.3	150
Phillips	Toiyabe Range	Lander, NV	LA-14	39 25.1	116 58.4	6600	0.7	360

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 6 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Reese River Valley	Lander, NV	LA-15	39 30.9	117 05.1	6200	1.8	400
Phillips	Big Smoky Valley	Lander, NV	LA-16	39 23.0	116 48.5	5800	3.7	190
Phillips	Smith Creek Valley	Lander, NV	LA-17	39 30.7	117 28.4	6200	1.0	130
Phillips	Shoshone Range	Lander, NV	LA-18	39 36.6	117 15.3	6150	4.0	220
Phillips	Reese River Valley	Lander, NV	LA-19	39 30.5	117 07.8	5750	2.3	100
Phillips	Big Smoky Valley	Lander, NV	LA-20	39 22.8	116 50.2	5650	4.2	97
Phillips	Big Smoky Valley	Lander, NV	LA-21	39 21.7	116 49.6	5700	8.8	176
Phillips	Big Smoky Valley	Lander, NV	LA-22	39 20.9	116 49.8	5700	1.7	210
Phillips	Lander Co.	Lander, NV	LA-23	39 28.9	117 16.1	5800	12.0	170
Phillips	Reese River	Lander, NV	LK-114	39 54.9	117 05.9	5300	13.3	75
Phillips	Reese River	Lander, NV	LK-119	39 51.1	117 10.3	6080	5.5	470
Phillips	Reese River	Lander, NV	LK-120	39 51.8	117 10.5	5950	4.1	500
Phillips	Reese River	Lander, NV	LK-123	39 51.4	117 09.7	6075	5.4	400
Phillips	Reese River	Lander, NV	LK-23	39 53.2	117 08.7	5720	14.4	298
Phillips	Reese River	Lander, NV	LK-32	39 52.0	117 09.5	5900	6.1	250
Phillips	Reese River	Lander, NV	LK-36	39 53.3	117 08.6	5600	18.9	500
Phillips	Reese River	Lander, NV	LK-38	39 53.4	117 09.0	5580	ISO	450
Phillips	Reese River	Lander, NV	LK-39	39 53.6	117 09.2	5560	32.3	280
Phillips	Reese River	Lander, NV	LK-42	39 53.1	117 09.3	5550	14.3	280
Phillips	Reese River	Lander, NV	LK-44	39 53.3	117 09.5	5550	16.0	270
Phillips	Reese River	Lander, NV	LK-45	39 52.4	117 09.0	5830	10.4	330
Phillips	Reese River	Lander, NV	LK-47	39 52.7	117 09.3	5700	15.8	290
Phillips	Reese River	Lander, NV	LK-53	39 54.3	117 08.6	5370	11.1	340
Phillips	Reese River	Lander, NV	LK-55	39 53.8	117 08.7	5500	10.5	340
Phillips	Reese River	Lander, NV	LK-56	39 53.7	117 08.7	5600	14.0	340
Phillips	Reese River	Lander, NV	LK-57	39 53.6	117 08.6	5550	22.8	140
Phillips	Reese River	Lander, NV	LK-58	39 54.6	117 08.3	5300	10.7	360
Phillips	Reese River	Lander, NV	LK-60	39 54.4	117 08.1	5350	13.8	280
Phillips	Reese River	Lander, NV	LK-61	39 54.2	117 08.0	5400	15.7	300
Phillips	Reese River	Lander, NV	LK-62	39 54.1	117 08.0	5450	16.6	210
Phillips	Reese River	Lander, NV	LK-63	39 53.7	117 09.2	5460	21.6	300
Phillips	Reese River	Lander, NV	LK-70	39 54.8	117 06.7	5300	15.7	90
Phillips	Reese River	Lander, NV	LK-72	39 54.9	117 06.2	5350	8.3	300
Phillips	Reese River	Lander, NV	LK-74	39 55.1	117 06.5	5220	8.3	360
Phillips	Reese River	Lander, NV	LK-90	39 52.6	117 09.6	5750	10.2	290
Phillips	Reese River	Lander, NV	LK-92	39 52.3	117 09.8	5750	7.1	300
Phillips	Reese River	Lander, NV	LK-98	39 52.9	117 09.2	5650	9.2	280
LA Land	Steptoe Valley	White Pine, NV	LL&E-1	39 51.9	115 08.2	6410	2	6410
Phillips	Lockwood	Washoe, NV	LO-01	39 30.6	119 39.2	4400	11.6	105
Phillips	Battle Mountain	Humboldt, NV	LTH-1	40 50.4	117 12.0	4600	24.4	100
Phillips	Battle Mountain	Humboldt, NV	LTH-2	40 34.7	117 12.6	6200	ISO	60
Phillips	Battle Mountain	Humboldt, NV	LTH-3	40 49.8	117 13.2	4700	5.0	105
Phillips	Battle Mountain	Humboldt, NV	LTH-4	40 49.5	117 12.6	4600	4.9	180
Phillips	Aurora	Mineral, NV	M-15	38 21.0	118 43.9	7000	ISO	620
Phillips	Aurora	Mineral, NV	M-16	38 20.4	118 51.3	6800	ISO	630
Phillips	Fallon NAS	Churchill, NV	Mainbase-OH	39 25.0	118 41.2	3932	7.6	2025
Phillips	McGee	Humboldt, NV	MB-01	41 44.3	118 51.0	4550	7.2	290
Phillips	Baltazor	Humboldt, NV	MB-02	41 52.8	118 45.4	5190	7.0	260
Phillips	Baltazor	Humboldt, NV	MB-03	41 55.1	118 46.2	4360	7.9	250
Phillips	Baltazor	Humboldt, NV	MB-04	41 53.7	118 42.2	4250	1.9	280

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	McGee	Humboldt, NV	MB-05	41 50.9	118 52.0	4590	1.7	300
Phillips	McGee	Humboldt, NV	MB-06	41 51.4	118 52.0	4420	2.5	300
Phillips	McGee	Humboldt, NV	MB-07	41 51.2	118 41.4	4315	3.0	270
Phillips	McGee	Humboldt, NV	MB-08	41 49.8	118 50.5	4380	2.8	210
Phillips	Baltazor	Humboldt, NV	MB-09	41 50.1	118 46.9	4260	4.8	300
Phillips	McGee	Humboldt, NV	MB-10	41 48.0	118 52.5	4820	3.0	290
Phillips	McGee	Humboldt, NV	MB-11	41 48.3	118 50.8	4500	4.6	300
Phillips	McGee	Humboldt, NV	MB-12	41 48.9	118 54.5	6000	4.4	290
Phillips	McGee	Humboldt, NV	MB-13	41 48.1	118 54.7	6100	1.7	300
Phillips	Baltazor	Humboldt, NV	MB-14	41 43.5	118 55.2	4670	3.9	300
Phillips	McGee	Humboldt, NV	MB-15	41 47.0	118 52.6	4900	10	300
Phillips	Howard	Humboldt, NV	MB-16	41 42.4	118 29.8	4310	2.1	310
Phillips	Howard	Humboldt, NV	MB-17	41 40.5	118 27.0	4450	3.5	300
Phillips	Dyke Hot Springs	Humboldt, NV	MB-18	41 33.2	118 33.4	4610	6.0	260
Phillips	Baltazor	Humboldt, NV	MB-19	41 30.6	118 43.4	4710	7.1	260
Phillips	Baltazor	Humboldt, NV	MB-20	41 55.1	118 43.8	4250	16.0	80
Phillips	Baltazor	Humboldt, NV	MB-21	41 59.5	118 45.5	4900	4.6	300
Phillips	Baltazor	Humboldt, NV	MB-22	41 58.8	118 35.8	4200	N/A	115
Phillips	Baltazor	Humboldt, NV	MB-23	41 59.4	118 27.2	6600	10.4	300
Phillips	Baltazor	Humboldt, NV	MB-24	41 47.4	118 44.9	4300	3.2	290
Phillips	Baltazor	Humboldt, NV	MB-25	41 46.1	118 50.9	4400	6.5	300
Phillips	Baltazor	Humboldt, NV	MB-26	41 59.3	118 38.7	4400	3.2	280
Phillips	Baltazor	Humboldt, NV	MB-27	41 57.2	118 37.4	4200	5.9	270
Phillips	North Valley	Churchill, NV	N-01	39 53.7	119 09.6	4600	5.3	290
Phillips	North Valley	Washoe, NV	N-02	39 53.8	119 11.3	5200	8.0	300
Phillips	North Valley	Washoe, NV	N-03	39 52.8	119 13.0	4800	10.4	300
Phillips	North Valley	Washoe, NV	N-04	39 54.7	119 13.0	5200	14.1	300
Phillips	North Valley	Washoe, NV	N-05	39 47.7	119 17.7	4100	ISO	200
Phillips	North Valley	Washoe, NV	N-06	39 56.1	119 17.6	5200	2.4	260
Phillips	North Valley	Washoe, NV	N-07	39 59.1	119 13.5	5000	4.4	300
Phillips	North Valley	Washoe, NV	N-08	39 51.1	119 14.0	4900	6.6	300
Phillips	North Valley	Washoe, NV	N-09	39 53.0	119 14.3	5000	8.5	280
Phillips	North Valley	Washoe, NV	N-10	39 54.1	119 13.5	5000	15.0	300
Phillips	North Valley	Washoe, NV	N-11	39 55.3	119 12.7	5400	5.6	220
Phillips	North Valley	Washoe, NV	N-12	39 54.5	119 13.0	5200	15.5	980
Phillips	North Valley	Washoe, NV	N-13	39 57.3	119 16.5	4700	2.3	300
Phillips	North Valley	Washoe, NV	N-14	39 56.9	119 15.8	4800	3.8	300
Phillips	North Valley	Washoe, NV	N-15	39 57.5	119 15.8	4400	7.4	300
Phillips	North Valley	Washoe, NV	N-16	39 57.3	119 14.2	4600	2.6	300
Phillips	North Valley	Washoe, NV	N-17	39 58.1	119 15.2	4600	6.8	300
Phillips	North Valley	Washoe, NV	N-18	39 55.2	119 15.0	5000	5.3	300
Phillips	North Valley	Washoe, NV	N-19	39 53.4	119 17.2	4600	8.9	300
Phillips	North Valley	Washoe, NV	N-20	39 53.5	119 15.5	4700	14.4	300
Phillips	North Valley	Washoe, NV	N-21	39 50.4	119 15.5	4100	7.5	300
Phillips	North Valley	Washoe, NV	N-22	39 51.7	119 15.1	4300	10.0	300
Phillips	North Valley	Churchill, NV	N-23	39 55.1	119 11.9	5200	12.0	300
Phillips	North Valley	Washoe, NV	N-24	39 53.0	119 12.6	4900	12.3	300
Phillips	North Valley	Washoe, NV	N-25	39 53.5	119 12.3	5100	13.2	300
Phillips	North Valley	Churchill, NV	N-26	39 54.9	119 10.9	4900	6.4	300
Phillips	North Valley	Churchill, NV	N-27	39 52.5	119 10.5	4700	5.1	300

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 8 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	North Valley	Churchill, NV	N-28	39 55.7	119 11.2	5000	2.9	300
Phillips	North Valley	Washoe, NV	N-29	39 49.3	119 15.7	4300	4.8	300
Phillips	North Valley	Washoe, NV	N-30	39 51.2	119 18.6	4200	3.6	300
Phillips	North Valley	Washoe, NV	N-31	39 52.5	119 16.6	4400	6.4	300
Phillips	North Valley	Washoe, NV	N-32	39 52.5	119 18.7	4300	3.7	300
Phillips	North Valley	Washoe, NV	N-33	39 49.5	119 18.8	4200	ISO	300
Phillips	Nightingale	Pershing, NV	NI-01	40 12.3	119 08.9	5600	3.3	210
Phillips	Nightingale	Pershing, NV	NI-02	40 13.9	119 08.2	4700	1.3	180
Phillips	Nightingale	Pershing, NV	NI-03	40 11.6	119 10.7	6000	3.3	300
Phillips	Nightingale	Pershing, NV	NI-04	40 12.3	119 13.9	5050	2.4	160
Phillips	Nightingale	Pershing, NV	NI-05	40 13.2	119 13.2	5000	5.9	300
Phillips	Nightingale	Pershing, NV	NI-06	40 14.9	119 12.8	5000	2.5	300
Amax	Tuscarora	Elko, NV	NV66-5	41 27.3	116 09.6	5800	2.0	1115
Phillips	North Valley	Washoe, NV	NV-ST-1	39 54.3	119 13.0	5300	N/A	1810
Phillips	North Valley	Washoe, NV	NV-ST-2	39 53.8	119 14.9	4900	N/A	1990
Phillips	Andian Well	Nye, NV	NY-01	38 41.7	117 49.4	5600	2.8	328
Phillips	Big Smokey	Nye, NV	NY-02	38 25.6	117 15.7	5650	2.9	250
Phillips	Ione Valley	Nye, NV	NY-03	38 43.2	117 42.6	5790	2.3	308
Phillips	Paradise Mts.	Nye, NV	NY-04	38 46.7	117 47.1	7080	2.5	170
Phillips	Nye County	Nye, NV	NY-05	38 48.8	117 39.7	6100	3.0	130
Phillips	Brunton Pass	Nye, NV	NY-07	38 52.8	117 49.2	6500	1.9	860
Phillips	Brunton Pass	Nye, NV	NY-08	38 52.2	117 45.4	6560	1.8	710
Phillips	Ione Valley	Nye, NV	NY-09	39 03.5	117 44.6	6475	4.0	500
Phillips	Nye County	Nye, NV	NY-10	38 09.3	116 05.4	5075	2.8	380
Phillips	Nye County	Nye, NV	NY-11	38 43.6	115 28.6	5100	ISO	360
Phillips	Nye County	Nye, NV	NY-12	38 12.3	115 50.4	4960	0.8	N/A
Phillips	Soda Lake	Churchill, NV	Orwitz ST	39 36.9	118 49.7	3900	6.0	1286
Phillips	Pershing Co.	Pershing, NV	P-01	40 45.1	118 38.8	4900	2.6	400
Phillips	Pleasant Valley	Pershing, NV	P-02	40 11.4	117 43.2	4200	5.5	470
Phillips	Dixie Valley	Pershing, NV	P-03	40 08.4	117 40.5	3900	1.4	400
Phillips	Pleasant Valley	Pershing, NV	P-04	40 16.8	117 38.0	4700	2.2	375
Phillips	Pershing Co.	Pershing, NV	P-05	40 51.2	117 56.7	4580	14.8	300
Phillips	Rose Creek	Pershing, NV	P-06	40 50.4	117 57.2	4600	12.1	380
Phillips	Rochester	Pershing, NV	P-08	40 17.3	118 08.0	5400	1.6	180
Phillips	Pancake Range	Nye, NV	PR-01	39 03.2	115 52.9	7250	2.3	500
Phillips	Aurora	Mineral, NV	PS-09	38 21.7	118 46.3	7000	9.0	390
Phillips	Aurora	Mineral, NV	PS-10	38 22.1	118 46.8	6900	4.5	700
Phillips	Aurora	Mineral, NV	PS-11	38 23.0	118 48.0	6900	ISO	598
Phillips	Aurora	Mineral, NV	PS-12	38 22.1	118 48.0	6800	1.9	340
Phillips	Aurora	Mineral, NV	PS-13	38 22.5	118 48.7	6700	ISO	444
Phillips	Aurora	Mineral, NV	PS-14	38 22.2	118 48.0	6800	ISO	480
Phillips	Ralston	Esmeralda, NV	R-01	37 32.9	117 12.2	5060	2.8	500
Phillips	Ralston	Esmeralda, NV	R-02	37 32.6	117 10.2	5120	4.2	460
Phillips	Ralston	Esmeralda, NV	R-03	37 33.5	117 10.1	5110	3.4	390
Phillips	Ralston	Esmeralda, NV	R-04	37 35.1	117 08.2	4870	3.8	300
Phillips	Ralston	Esmeralda, NV	R-05	37 33.3	117 06.3	4760	4.7	70
Phillips	Ralston	Esmeralda, NV	R-06	37 31.4	117 08.9	4760	3.2	290
Phillips	Ralston	Esmeralda, NV	R-07	37 32.3	117 11.0	4950	5.6	260
Phillips	Ralston	Esmeralda, NV	R-08	37 34.1	117 12.5	5140	3.8	220
Phillips	Rochester	Pershing, NV	R-167	40 02.4	118 09.1	6400	1.6	300

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Rochester	Pershing, NV	R-203	40 17.6	118 09.0	6800	1.4	340
Phillips	Rochester	Pershing, NV	R-230	40 17.5	118 09.5	6700	2.5	300
GTS	Ruby Valley	Elko, NV	RV-01	40 33.8	115 18.2	6050	7.5	500
GTS	Ruby Valley	Elko, NV	RV-02	40 33.8	115 17.4	6010	6.6	500
GTS	Ruby Valley	Elko, NV	RV-03	40 33.8	115 16.5	5990	5.0	500
GTS	Ruby Valley	Elko, NV	RV-04	40 33.6	115 18.6	6100	6.5	500
GTS	Ruby Valley	Elko, NV	RV-05	40 32.9	115 17.7	5990	6.5	144
GTS	Ruby Valley	Elko, NV	RV-06	40 33.3	115 18.5	6060	7.4	500
GTS	Ruby Valley	Elko, NV	RV-07	40 33.2	115 19.2	6170	7.6	492
GTS	Ruby Valley	Elko, NV	RV-08	40 32.8	115 19.6	6320	4.4	492
GTS	Ruby Valley	Elko, NV	RV-10	40 32.8	115 19.0	6065	6.7	439
GTS	Ruby Valley	Elko, NV	RV-11	40 33.2	115 16.5	5975	4.5	500
GTS	Ruby Valley	Elko, NV	RV-14	40 32.0	115 17.8	5975	3.8	403
GTS	Ruby Valley	Elko, NV	RV-16	40 32.2	115 16.6	5975	4.0	500
GTS	Ruby Valley	Elko, NV	RV-2201	40 33.2	115 18.7	6080	7.4	1200
GTS	Ruby Valley	Elko, NV	RV-2802	40 32.6	115 19.5	6140	6.3	1040
GTS	Steamboat Springs	Washoe, NV	SB-01	39 21.6	119 44.4	4720	3.8	500
GTS	Steamboat Springs	Washoe, NV	SB-11	39 20.5	119 43.7	5740	2.6	282
GTS	Steamboat Springs	Washoe, NV	SB-16	39 20.0	119 45.8	5480	3.3	390
GTS	Steamboat Springs	Washoe, NV	SB-17	39 19.9	119 47.3	5120	2.4	371
GTS	Steamboat Springs	Washoe, NV	SB-1701	39 20.0	119 45.3	5540	3.1	1880
GTS	Steamboat Springs	Washoe, NV	SB-21	39 19.7	119 44.2	5715	1.7	485
GTS	Steamboat Springs	Washoe, NV	SB-26	39 19.1	119 45.0	5800	2.3	315
GTS	Steamboat Springs	Washoe, NV	SB-31A	39 18.5	119 42.2	6420	2.0	364
GTS	Steamboat Springs	Washoe, NV	SB-36	39 18.3	119 46.1	5290	1.4	285
GTS	Steamboat Springs	Washoe, NV	SB-38	39 17.5	119 44.1	5560	1.5	500
Phillips	Sevier Blackrock	Juab, UT	SB-ST-1	39 02.5	112 46.1	4620	N/A	1555
Phillips	Sevier Blackrock	Juab, UT	SB-ST-2	39 09.3	112 32.3	4610	3.5	1713
Chevron	San Emidio	Washoe, NV	SE-01-77	40 25.4	119 24.3	4064	*	420
Chevron	San Emidio	Washoe, NV	SE-02-77	40 25.2	119 23.8	4170	7.8	492
Chevron	San Emidio	Washoe, NV	SE-03-77	40 22.2	119 23.9	4060	10.5	492
Chevron	San Emidio	Washoe, NV	SE-04-77	40 21.6	119 24.1	4080	10.4	492
Chevron	San Emidio	Washoe, NV	SE-05-77	40 21.6	119 24.4	4050	10.9	420
Chevron	San Emidio	Washoe, NV	SE-06-77	40 21.2	119 21.5	4075	11.5	492
Chevron	San Emidio	Washoe, NV	SE-07-77	40 21.0	119 24.1	4180	6.2	417
Chevron	San Emidio	Washoe, NV	SE-09-77	40 23.8	119 24.0	4105	N/A	180
Chevron	San Emidio	Washoe, NV	SE-10-77	40 24.1	119 24.3	4045	19.7	210
Chevron	San Emidio	Washoe, NV	SE-11-77	40 24.2	119 23.8	4190	8.3	210
Chevron	San Emidio	Washoe, NV	SE-13-77	40 24.4	119 24.0	4093	27.6	210
Chevron	San Emidio	Washoe, NV	SE-14-77	40 23.5	119 24.1	4067	91.5	144
Chevron	San Emidio	Washoe, NV	SE-15-77	40 23.5	119 23.9	4120	13.6	125
Chevron	San Emidio	Washoe, NV	SE-21-78	40 27.7	119 25.4	4060	2.5	495
Chevron	San Emidio	Washoe, NV	SE-22-78	40 27.2	119 24.9	4093	3.4	425
Chevron	San Emidio	Washoe, NV	SE-23-78	40 26.6	119 24.4	4120	4.1	500
Chevron	San Emidio	Washoe, NV	SE-24-78	40 26.4	119 24.6	4070	4.2	500
Chevron	San Emidio	Washoe, NV	SE-25-78	40 26.4	119 24.8	4050	4.2	377
Chevron	San Emidio	Washoe, NV	SE-26-78	40 26.3	119 25.2	4030	3.6	500
Chevron	San Emidio	Washoe, NV	SE-27-78	40 21.4	119 23.5	4165	5.8	500
Chevron	San Emidio	Washoe, NV	SE-28-78	40 25.9	119 24.4	4040	9.6	415
Chevron	San Emidio	Washoe, NV	SE-29-78	40 25.8	119 24.0	4120	5.9	500

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 10 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Chevron	San Emidio	Washoe, NV	SE-30-78	40 26.6	119 23.6	4340	3.3	455
Chevron	San Emidio	Washoe, NV	SE-31-78	40 26.7	119 24.0	4275	4	266
Chevron	San Emidio	Washoe, NV	SE-32-78	40 26.1	119 24.1	4120	6.7	500
Chevron	San Emidio	Washoe, NV	SE-33-78	40 27.0	119 24.2	4156	4.5	500
Chevron	San Emidio	Washoe, NV	SE-34-78	40 27.4	119 24.6	4125	6.1	475
Chevron	San Emidio	Washoe, NV	SE-35-78	40 20.1	119 23.6	4323	4.9	482
Chevron	San Emidio	Washoe, NV	SE-36-78	40 20.4	119 25.8	4120	5.3	436
Chevron	San Emidio	Washoe, NV	SE-37-78	40 20.2	119 25.0	4267	4.3	500
Chevron	San Emidio	Washoe, NV	SE-38-78	40 20.6	119 24.2	4330	5.9	354
Chevron	San Emidio	Washoe, NV	SE-39-78	40 22.0	119 23.5	4120	5.5	500
Chevron	San Emidio	Washoe, NV	SE-40-78	40 21.5	119 23.1	4240	5.0	500
Chevron	San Emidio	Washoe, NV	SE-41-78	40 19.9	119 24.5	4500	5.3	500
Chevron	San Emidio	Washoe, NV	SE-42-78	40 23.3	119 23.7	4170	12.4	490
Chevron	San Emidio	Washoe, NV	SE-43-78	40 23.0	119 23.4	4240	3.3	400
Chevron	San Emidio	Washoe, NV	SE-44-78	40 23.0	119 23.2	4310	4.8	370
Chevron	San Emidio	Washoe, NV	SE-45-78	40 22.5	119 23.7	4103	*	482
Chevron	San Emidio	Washoe, NV	SE-46-78	40 22.5	119 23.4	4190	6.7	460
Chevron	San Emidio	Washoe, NV	SE-47-78	40 22.1	119 23.0	4230	3.9	360
Chevron	San Emidio	Washoe, NV	SE-48-78	40 23.4	119 23.3	4330	5.3	360
Chevron	San Emidio	Washoe, NV	SE-49-78	40 23.9	119 23.4	4372	4.2	341
Chevron	San Emidio	Washoe, NV	SE-51-78	40 24.8	119 23.5	4260	9.2	420
Chevron	San Emidio	Washoe, NV	SE-52-78	40 24.5	119 23.4	4320	4.0	320
Chevron	San Emidio	Washoe, NV	SE-53-78	40 22.5	119 23.1	4280	4.2	246
Geonomics	San Emidio	Washoe, NV	SE-A-76	40 22.1	119 23.8	4075	5.2	500
Geonomics	San Emidio	Washoe, NV	SE-B-76	40 22.1	119 24.2	4044	34.5	177
Phillips	Southern Pacific	Washoe, NV	SP-01	39 35.7	119 25.0	4360	3.6	300
Phillips	Southern Pacific	Washoe, NV	SP-02	39 37.5	119 20.8	4380	2.9	280
Phillips	Southern Pacific	Washoe, NV	SP-03	39 38.6	119 24.1	4980	1.9	290
Phillips	Southern Pacific	Washoe, NV	SP-04	39 40.4	119 22.3	4540	2.8	300
Phillips	Southern Pacific	Churchill, NV	SP-05	39 54.0	119 05.7	4800	13.4	300
Phillips	Southern Pacific	Pershing, NV	SP-06	40 01.8	119 09.2	4940	5.4	300
Phillips	Southern Pacific	Pershing, NV	SP-07	40 04.3	118 57.3	4155	2.5	300
Phillips	Southern Pacific	Pershing, NV	SP-08	40 03.3	119 03.5	5215	1.6	250
Phillips	Southern Pacific	Pershing, NV	SP-09	40 02.6	118 54.7	4180	4.1	300
Phillips	Southern Pacific	Pershing, NV	SP-10	40 00.8	118 51.1	4305	3.3	260
Phillips	Southern Pacific	Pershing, NV	SP-11	40 05.2	118 44.7	5640	6.5	300
Phillips	Southern Pacific	Pershing, NV	SP-12	40 03.6	118 43.8	5260	7.1	300
Phillips	Southern Pacific	Churchill, NV	SP-13	39 59.6	118 43.3	4720	2.1	260
Phillips	Southern Pacific	Pershing, NV	SP-14	40 23.7	118 41.5	4520	6.5	300
Phillips	Southern Pacific	Pershing, NV	SP-15	40 16.2	118 47.1	4955	5.2	300
Phillips	Southern Pacific	Pershing, NV	SP-16	40 16.4	118 45.2	5460	4.2	160
Phillips	Southern Pacific	Pershing, NV	SP-17	40 18.3	118 42.1	4955	1.7	300
Phillips	Southern Pacific	Pershing, NV	SP-18	40 09.4	118 35.7	4360	4.9	300
Phillips	Southern Pacific	Pershing, NV	SP-19	40 07.9	118 52.5	4180	6.1	295
Phillips	Southern Pacific	Pershing, NV	SP-20	40 10.7	118 49.1	4440	3.3	260
Phillips	Southern Pacific	Pershing, NV	SP-21	40 14.0	118 51.4	4085	8.7	170
Phillips	Fernley	Lyon, NV	SP-22	39 34.9	119 11.0	4190	0.0	90
Phillips	Southern Pacific	Churchill, NV	SP-23	39 39.8	119 10.2	4100	5.3	76
Phillips	Southern Pacific	Washoe, NV	SP-24	39 40.0	119 20.6	4230	ISO	210
Phillips	Southern Pacific	Churchill, NV	SP-25	39 39.9	119 10.0	4100	1.0	233

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 11 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Southern Pacific	Churchill, NV	SP-26	39 52.1	119 07.5	4840	4.7	300
Phillips	Southern Pacific	Churchill, NV	SP-27	39 55.5	119 04.3	4540	6.1	300
Phillips	Southern Pacific	Churchill, NV	SP-28	39 53.9	119 03.6	4340	3.6	300
Phillips	Southern Pacific	Pershing, NV	SP-29	40 04.0	118 47.2	5000	2.0	100
Phillips	Southern Pacific	Churchill, NV	SP-30	39 53.2	119 03.5	4650	5.2	300
Phillips	Southern Pacific	Churchill, NV	SP-31	39 54.7	119 08.3	4780	4.9	300
Phillips	Southern Pacific	Churchill, NV	SP-32	39 54.5	119 03.7	4390	4.5	300
Phillips	Southern Pacific	Churchill, NV	SP-33	39 55.8	119 04.2	4500	5.5	300
Phillips	Southern Pacific	Washoe, NV	SP-34	39 38.9	119 15.4	4160	1.6	300
Phillips	Southern Pacific	Washoe, NV	SP-36	39 49.2	119 55.3	4770	*	120
Phillips	Southern Pacific	Churchill, NV	SP-37	39 50.3	119 55.2	4880	3.8	290
Phillips	Southern Pacific	Churchill, NV	SP-38	39 57.2	119 09.5	5120	4.1	300
Phillips	Southern Pacific	Pershing, NV	SP-39	40 01.2	119 13.1	5645	2.2	300
Phillips	Southern Pacific	Pershing, NV	SP-40	40 05.8	118 58.2	4115	1.6	297
Phillips	Southern Pacific	Pershing, NV	SP-41	40 01.8	118 56.1	4270	3.8	298
Phillips	Southern Pacific	Pershing, NV	SP-42	40 01.7	118 53.2	4170	5.4	200
Phillips	Southern Pacific	Pershing, NV	SP-43	40 06.7	118 50.9	4410	4.4	270
Phillips	Southern Pacific	Pershing, NV	SP-44	40 07.0	118 53.5	4105	5.9	205
Phillips	Southern Pacific	Pershing, NV	SP-45	40 09.2	118 54.3	3970	2.7	300
Phillips	Southern Pacific	Pershing, NV	SP-46	40 08.7	118 51.5	4250	4.3	300
Phillips	Southern Pacific	Pershing, NV	SP-47	40 10.0	118 48.0	4725	2.1	300
Phillips	Southern Pacific	Pershing, NV	SP-48	40 12.9	118 51.3	4135	4.7	300
Phillips	Southern Pacific	Pershing, NV	SP-49	40 13.1	118 50.1	4265	4.6	280
Phillips	Southern Pacific	Pershing, NV	SP-50	40 14.8	118 52.5	3970	1.7	280
Phillips	Southern Pacific	Pershing, NV	SP-51	40 17.5	118 51.4	4035	1.8	300
Phillips	Southern Pacific	Pershing, NV	SP-52	40 21.9	118 46.6	4315	5.6	245
Phillips	Southern Pacific	Pershing, NV	SP-53	40 22.7	118 43.2	4485	5.4	280
Phillips	Southern Pacific	Pershing, NV	SP-54	40 18.6	118 45.5	4790	5.1	298
Phillips	Southern Pacific	Pershing, NV	SP-55	40 13.8	118 39.5	4925	8.0	300
Phillips	Southern Pacific	Pershing, NV	SP-56	40 09.5	118 34.1	4120	1.2	300
Phillips	Southern Pacific	Pershing, NV	SP-57	40 08.9	118 37.9	4440	8.6	287
Phillips	Southern Pacific	Pershing, NV	SP-58	40 08.2	118 39.6	4520	3.1	297
Phillips	Southern Pacific	Pershing, NV	SP-59	40 05.0	118 41.6	4560	3.4	300
Phillips	Southern Pacific	Pershing, NV	SP-60	40 02.9	118 43.3	4720	11.7	215
Phillips	Southern Pacific	Pershing, NV	SP-61	40 01.0	118 45.4	5150	5.1	280
Phillips	Southern Pacific	Pershing, NV	SP-62	40 02.8	118 42.0	4480	7.2	300
Phillips	Southern Pacific	Pershing, NV	SP-63	40 02.6	118 44.2	4920	4.6	300
Phillips	Southern Pacific	Pershing, NV	SP-64	40 01.8	118 44.4	5040	4.5	300
Phillips	Southern Pacific	Pershing, NV	SP-65	40 03.4	118 43.7	4800	6.7	270
Phillips	Southern Pacific	Pershing, NV	SP-66	40 03.4	118 43.6	5380	6.8	300
Phillips	Southern Pacific	Pershing, NV	SP-67	40 05.0	118 43.6	5165	7.2	295
Phillips	Southern Pacific	Pershing, NV	SP-68	40 08.9	118 36.3	4500	7.6	300
Phillips	Southern Pacific	Pershing, NV	SP-69	40 10.3	118 38.8	4750	3.4	250
Phillips	Southern Pacific	Pershing, NV	SP-70	40 08.6	118 38.8	4500	7.0	270
Phillips	Southern Pacific	Pershing, NV	SP-71	40 09.6	118 37.2	4560	7.1	300
Phillips	Southern Pacific	Pershing, NV	SP-72	40 08.1	118 37.2	4500	3.5	300
Phillips	Southern Pacific	Pershing, NV	SP-73	40 12.3	118 40.9	5410	2.6	300
Phillips	Southern Pacific	Pershing, NV	SP-74	40 15.0	118 38.9	4900	5.3	300
Phillips	Southern Pacific	Pershing, NV	SP-75	40 14.0	118 40.8	5160	4.6	207
Phillips	Southern Pacific	Pershing, NV	SP-76	40 12.5	118 37.7	4630	8.3	238

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 12 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Southern Pacific	Pershing, NV	SP-77	40 11.9	118 38.9	4830	6.3	300
Phillips	Southern Pacific	Pershing, NV	SP-78	40 13.5	118 36.9	4540	6.6	235
Phillips	Southern Pacific	Pershing, NV	SP-79	40 11.8	118 36.6	4560	2.1	300
Phillips	Southern Pacific	Pershing, NV	SP-80	40 16.6	118 43.6	5330	5.8	269
Phillips	Southern Pacific	Pershing, NV	SP-81	40 15.8	118 40.8	5395	2.8	295
Phillips	Silver Peak	Esmeralda, NV	SPk-01	37 44.3	117 39.5	4500	4.3	255
Phillips	Silver Peak	Esmeralda, NV	SPk-02	37 49.1	117 35.2	4316	1.6	280
Phillips	Silver Peak	Esmeralda, NV	SPk-03	37 46.8	117 38.3	4350	39.3	130
Phillips	Silver Peak	Esmeralda, NV	SPk-04	37 48.6	117 38.4	4600	7.0	260
Phillips	Silver Peak	Esmeralda, NV	SPk-05	37 48.8	117 40.5	5180	3.1	283
Phillips	Silver Peak	Esmeralda, NV	SPk-06	37 49.8	117 33.3	4280	11.9	302
Phillips	Silver Peak	Esmeralda, NV	SPk-07	37 50.1	117 36.4	4520	2.7	200
Phillips	Silver Peak	Esmeralda, NV	SPk-08	37 50.8	117 39.4	4870	3.1	287
Phillips	Silver Peak	Esmeralda, NV	SPk-09	37 52.7	117 40.5	4920	4.7	305
Phillips	Silver Peak	Esmeralda, NV	SPk-10	37 54.3	117 39.9	5200	8.7	240
Phillips	Silver Peak	Esmeralda, NV	SPk-11	37 55.7	117 43.8	4850	4.9	300
Phillips	Silver Peak	Esmeralda, NV	SPk-12	37 53.6	117 43.4	5050	3.9	240
Phillips	Silver Peak	Esmeralda, NV	SPk-13	37 42.0	117 39.8	4330	4.7	305
Phillips	Silver Peak	Esmeralda, NV	SPk-14	37 51.8	117 44.1	5440	4.7	280
Phillips	Silver Peak	Esmeralda, NV	SPk-15	37 51.5	117 46.8	5920	4.7	190
Phillips	Silver Peak	Esmeralda, NV	SPk-16	37 54.3	117 46.4	5000	3.2	200
Phillips	Silver Peak	Esmeralda, NV	SPk-17	37 56.8	117 41.5	4800	4.4	300
Phillips	Aurora	Mineral, NV	ST-3	38 22.1	118 48.5	6600	7.0	750
GEO Operator	Surprise Valley	Modoc, CA	SV-01	41 37.3	120 02.1	4900	10.2	2010
GEO Operator	Surprise Valley	Modoc, CA	SV-02	41 44.5	120 04.5	4470	4.8	2010
Phillips	Trinity Mountains	Pershing, NV	T-06	40 12.0	118 50.2	4300	7.2	250
Phillips	Drum Mts.	Juab, UT	T-100	39 37.0	113 17.0	4400	5.9	315
Phillips	Drum Mts.	Juab, UT	T-101	39 32.8	113 15.4	4800	10.8	315
Phillips	Drum Mts.	Juab, UT	T-102	39 34.1	113 10.6	5000	12.4	489
Phillips	Drum Mts.	Juab, UT	T-103	39 41.5	113 14.2	4400	10.6	210
Phillips	Drum Mts.	Juab, UT	T-104	39 41.2	113 11.1	5100	6.9	503
Phillips	Trinity Mountains	Churchill, NV	T-105	39 59.3	119 01.8	4750	8	600
Phillips	Drum Mts.	Juab, UT	T-106	39 36.4	113 09.3	5000	8.4	504
Phillips	Drum Mts.	Juab, UT	T-107	39 38.2	113 08.2	5100	2.5	315
Phillips	Drum Mts.	Juab, UT	T-108	39 37.7	113 07.3	5100	2.5	315
Phillips	Drum Mts.	Juab, UT	T-109	39 41.5	113 06.7	5300	2.7	497
Phillips	Trinity Mountains	Pershing, NV	T-11	40 06.1	118 56.0	4100	2.6	300
Phillips	Drum Mts.	Juab, UT	T-111	39 36.7	113 03.8	5200	4.9	315
Phillips	Drum Mts.	Juab, UT	T-113	39 35.1	113 05.4	5400	2.9	315
Phillips	Drum Mts.	Millard, UT	T-114	39 31.2	113 04.0	5800	9.9	315
Phillips	Drum Mts.	Juab, UT	T-115	39 32.1	113 05.4	5600	7.5	503
Phillips	Drum Mts.	Millard, UT	T-116	39 30.6	113 07.0	5600	10.0	503
Phillips	Drum Mts.	Juab, UT	T-117	39 34.8	113 10.2	5700	10.7	499
Phillips	Drum Mts.	Juab, UT	T-118	39 34.1	113 12.8	5500	7.7	475
Phillips	Drum Mts.	Juab, UT	T-119	39 35.7	113 12.5	5200	9.4	505
Phillips	Granite Springs	Pershing, NV	T-12	40 04.7	119 01.4	5600	3.1	300
Phillips	Trinity Mountains	Churchill, NV	T-123	39 58.9	118 57.9	4600	0.8	260
Phillips	Trinity Mountains	Churchill, NV	T-134	39 57.6	119 01.9	4800	3.1	280
Phillips	Trinity Mountains	Pershing, NV	T-135	40 12.5	118 52.3	4100	5.0	300
Phillips	Trinity Mountains	Pershing, NV	T-136	40 12.4	118 54.0	3950	2.8	300

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 13 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Trinity Mountains	Pershing, NV	T-137	40 10.9	118 59.4	4000	1.9	300
Phillips	Trinity Mountains	Churchill, NV	T-14	39 56.7	119 05.6	4600	5.1	280
Phillips	Trinity Mountains	Churchill, NV	T-16	39 51.8	119 09.6	4650	4.9	260
Phillips	Trinity Mountains	Pershing, NV	T-32	40 08.1	118 58.7	4000	2.3	259
Phillips	Trinity Mountains	Pershing, NV	T-33	40 10.2	118 51.3	4200	4.5	300
Phillips	Trinity Mountains	Pershing, NV	T-36	40 12.2	118 50.5	4300	7.0	160
Phillips	Trinity Mountains	Pershing, NV	T-37	40 13.3	118 53.2	4000	5.1	280
Phillips	Trinity Mountains	Pershing, NV	T-38	40 14.5	118 56.1	3850	15.6	300
Phillips	Trinity Mountains	Pershing, NV	T-39	40 14.0	118 60.0	3950	4.6	290
Phillips	Trinity Mountains	Pershing, NV	T-40	40 17.6	118 59.0	3850	4.3	299
Phillips	Trinity Mountains	Pershing, NV	T-41	40 15.6	118 52.8	3950	3.4	300
Phillips	Drum Mts.	Millard, UT	T-43	39 31.0	113 00.9	5800	13.8	316
Phillips	Drum Mts.	Millard, UT	T-44	39 30.8	113 01.5	6000	2.5	316
Phillips	Drum Mts.	Millard, UT	T-45	39 27.2	113 05.7	5800	4.7	316
Phillips	Drum Mts.	Millard, UT	T-46	39 28.2	113 01.0	5400	1.4	316
Phillips	Drum Mts.	Millard, UT	T-47	39 22.9	113 01.2	5100	5.3	507
Phillips	Drum Mts.	Millard, UT	T-48	39 22.7	112 54.7	5100	2.1	316
Phillips	Drum Mts.	Millard, UT	T-49	39 24.8	112 54.0	4800	0.9	316
Phillips	Drum Mts.	Millard, UT	T-50	39 26.3	112 57.6	5000	1.2	505
Phillips	Drum Mts.	Millard, UT	T-51	39 27.6	112 55.1	5100	1.4	315
Phillips	Drum Mts.	Millard, UT	T-52	39 30.5	112 57.2	6100	3.9	314
Phillips	Drum Mts.	Millard, UT	T-53	39 30.2	112 53.3	5500	1.3	315
Phillips	Trinity Mountains	Pershing, NV	T-55	40 01.9	119 02.3	5480	3.6	300
Phillips	Drum Mts.	Millard, UT	T-56	39 33.3	113 16.5	5000	8.7	312
Phillips	Drum Mts.	Millard, UT	T-57	39 33.3	113 10.8	5200	8.2	315
Phillips	Drum Mts.	Millard, UT	T-58	39 32.4	113 08.0	5700	10.8	315
Phillips	Drum Mts.	Millard, UT	T-59	39 31.7	113 14.1	5250	9.0	315
Phillips	Drum Mts.	Millard, UT	T-60	39 29.2	113 13.2	5200	4.6	315
Phillips	Drum Mts.	Millard, UT	T-61	39 29.3	113 10.7	5300	7.3	505
Phillips	Drum Mts.	Millard, UT	T-62	39 29.3	113 07.6	5250	11.2	315
Phillips	Drum Mts.	Millard, UT	T-63	39 26.0	113 12.8	5100	2.4	315
Phillips	Drum Mts.	Millard, UT	T-64	39 26.5	113 09.1	5200	7.5	315
Phillips	Drum Mts.	Millard, UT	T-65	39 23.4	113 09.4	5300	4.2	315
Phillips	Drum Mts.	Millard, UT	T-66	39 24.5	113 03.2	5100	4.4	315
Phillips	Drum Mts.	Millard, UT	T-67	39 21.5	113 02.6	5200	3.8	315
Phillips	Trinity Mountains	Washoe, NV	T-68	39 59.2	119 17.4	4100	2.2	230
Phillips	Trinity Mountains	Washoe, NV	T-69	39 55.0	119 19.9	4000	5.4	300
Phillips	Granite Springs	Pershing, NV	T-70	40 05.1	119 05.9	5600	1.0	250
Phillips	Drum Mts.	Juab, UT	T-71	39 35.1	113 09.4	5400	13.5	315
Phillips	Drum Mts.	Juab, UT	T-72	39 35.0	113 14.8	5000	7.0	315
Phillips	Drum Mts.	Juab, UT	T-73	39 34.5	113 18.4	5000	9.2	315
Phillips	Drum Mts.	Millard, UT	T-74	39 32.4	113 18.4	5100	3.3	315
Phillips	Drum Mts.	Juab, UT	T-75	39 30.9	113 17.0	4800	3.8	315
Phillips	Drum Mts.	Millard, UT	T-76	39 33.8	113 17.6	4700	5.7	315
Phillips	Drum Mts.	Millard, UT	T-77	39 34.9	113 13.4	4500	13.5	503
Phillips	Drum Mts.	Millard, UT	T-78	39 33.9	113 12.2	4600	11.6	315
Phillips	Drum Mts.	Juab, UT	T-79	39 33.9	113 08.1	5200	9.6	315
Phillips	Drum Mts.	Juab, UT	T-80	39 32.9	113 06.6	5200	7.0	315
Phillips	Drum Mts.	Juab, UT	T-81	39 32.1	113 04.7	6000	7.0	505
Phillips	Drum Mts.	Millard, UT	T-82	39 31.5	113 07.9	5800	9.1	315

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Drum Mts.	Juab, UT	T-83	39 32.1	113 10.2	5200	6.7	505
Phillips	Drum Mts.	Millard, UT	T-84	39 30.1	113 09.9	5100	9.0	315
Phillips	Drum Mts.	Juab, UT	T-85	39 35.6	113 15.0	5200	4.6	315
Phillips	Drum Mts.	Juab, UT	T-86	39 34.1	113 15.8	5100	10.8	505
Phillips	Drum Mts.	Millard, UT	T-87	39 27.7	113 12.3	5050	3.2	315
Phillips	Drum Mts.	Millard, UT	T-88	39 26.2	113 10.6	5100	2.4	315
Phillips	Drum Mts.	Millard, UT	T-89	39 26.8	113 07.5	5200	5.6	313
Phillips	Drum Mts.	Millard, UT	T-91	39 24.9	113 10.4	5200	2.1	315
Phillips	Drum Mts.	Millard, UT	T-92	39 29.4	113 09.2	5300	12.3	315
Phillips	Drum Mts.	Millard, UT	T-93	39 29.4	113 06.3	5200	7.8	503
Phillips	Drum Mts.	Juab, UT	T-94	39 35.4	113 07.2	5250	9.8	505
Phillips	Drum Mts.	Juab, UT	T-95	39 32.0	113 11.7	5300	7.7	315
Phillips	Drum Mts.	Juab, UT	T-96	39 41.1	113 21.6	4700	5.8	315
Phillips	Drum Mts.	Juab, UT	T-97	39 36.0	113 20.1	4600	9.0	315
Phillips	Drum Mts.	Juab, UT	T-98	39 35.4	113 18.7	4400	10.3	503
Phillips	Drum Mts.	Juab, UT	T-99	39 36.1	113 17.6	4400	11.1	315
Phillips	Temoak	Elko, NV	TE-01	40 35.6	115 42.8	5500	3.0	750
Phillips	Temoak	Elko, NV	TE-02	40 34.7	115 41.6	5700	3.1	750
Phillips	Temoak	Elko, NV	TE-03	40 32.7	115 40.0	5700	3.3	990
Phillips	Temoak	Elko, NV	TE-04	40 32.9	115 46.7	6000	4.8	1000
Phillips	Temoak	Elko, NV	TE-05	40 32.3	115 42.6	5500	2.9	1000
Phillips	Temoak	Elko, NV	TE-06	40 33.6	115 43.3	5500	2.8	800
Phillips	Temoak	Elko, NV	TE-07	40 33.5	115 40.9	5500	3.9	420
Phillips	Temoak	Elko, NV	TE-08	40 35.6	115 41.7	5500	3.4	790
Phillips	Trinity Mountains	Pershing, NV	TM-101	40 02.0	119 00.8	4610	5.6	340
Phillips	Trinity Mountains	Pershing, NV	TM-102	40 01.2	119 01.2	4800	5.3	560
Phillips	Trinity Mountains	Pershing, NV	TM-103	40 01.4	119 01.3	4790	5.3	520
Phillips	Trinity Mountains	Pershing, NV	TM-104	40 00.8	119 00.9	4790	7.3	620
Phillips	Trinity Mountains	Pershing, NV	TM-106	40 01.1	118 59.7	4300	5.8	460
Phillips	Trinity Mountains	Pershing, NV	TM-108	39 59.8	119 11.5	5100	4.0	210
Phillips	Adobe Valley	Pershing, NV	TM-45	40 13.8	118 57.1	3850	5.9	300
Phillips	Adobe Valley	Pershing, NV	TM-46	40 16.0	118 57.2	3850	5.8	300
Phillips	Adobe Valley	Pershing, NV	TM-47	40 16.1	118 55.3	3850	3.7	300
Phillips	Adobe Valley	Pershing, NV	TM-48	40 19.0	118 55.0	3950	16.2	300
Phillips	Adobe Valley	Pershing, NV	TM-49	40 13.6	118 57.2	3850	2.7	300
Phillips	Adobe Valley	Pershing, NV	TM-50	40 13.6	118 49.8	5000	5.7	300
Phillips	Granite Springs	Churchill, NV	TM-52	39 58.9	119 06.8	5050	2.8	440
Phillips	Trinity Mountains	Pershing, NV	TM-56	40 00.8	119 00.8	5620	5.5	900
Phillips	Trinity Mountains	Churchill, NV	TM-57	39 59.1	119 02.6	4710	8.4	300
Phillips	Trinity Mountains	Churchill, NV	TM-58	39 59.1	119 02.6	4710	8.9	600
Phillips	Trinity Mountains	Churchill, NV	TM-59	39 59.5	119 00.4	4600	7.1	500
Phillips	Trinity Mountains	Pershing, NV	TM-62	40 07.2	118 58.8	3900	2.1	960
Phillips	Trinity Mountains	Churchill, NV	TM-65	39 57.0	119 12.1	6000	2.4	150
Phillips	Trinity Mountains	Washoe, NV	TM-66	39 54.0	119 12.9	5500	20.7	150
Phillips	Trinity Mountains	Washoe, NV	TM-67	39 57.9	119 15.1	4500	9.6	230
Phillips	Trinity Mountains	Churchill, NV	TM-72	39 53.8	119 07.5	4800	6.6	300
Phillips	Trinity Mountains	Pershing, NV	TM-73	40 00.7	119 05.2	5420	1.1	300
Phillips	Trinity Mountains	Churchill, NV	TM-98	39 58.5	119 01.8	4675	6.9	410
Phillips	Trinity Mountains	Churchill, NV	TM-99	39 58.8	119 01.2	4650	6.5	600
Phillips	Drum Mts.	Millard, UT	T-MX-60A	39 30.2	113 13.9	5400	5.4	1220

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

Great Basin Industry Database

Page 15 of 16

Company	Lease/Prospect	County, State	Well ID	Latitude	Longitude	Elevation	Gradient	Total
				North	West	Feet	°F/100'	Depth (ft.)
Phillips	Drum Mts.	Millard, UT	T-MX-67A	39 18.3	112 59.9	4900	5.1	195
Phillips	Drum Mts.	Millard, UT	T-MX-67B	39 18.6	112 58.2	4900	3.6	190
Phillips	Drum Mts.	Millard, UT	T-MX-67C	39 19.0	112 53.8	5000	4.1	138
Phillips	Tracy	Washoe, NV	TP-01	39 35.0	119 30.1	5900	10.5	190
Phillips	Tracy	Washoe, NV	TP-02	39 34.4	119 31.1	4200	3.7	130
Phillips	Tracy	Washoe, NV	TP-03	39 34.0	119 32.5	4300	18.0	90
Phillips	Tracy	Washoe, NV	TP-04	39 34.0	119 32.2	4300	37.0	90
Phillips	Tracy	Washoe, NV	TP-05	39 34.1	119 30.3	4300	3.0	110
Phillips	Tracy	Washoe, NV	TR-01	39 31.9	119 37.0	4600	3.4	300
Phillips	Tracy	Washoe, NV	TR-02	39 34.0	119 32.9	4300	5.6	300
Phillips	Tracy	Washoe, NV	TR-03	39 34.5	119 30.5	4300	3.9	300
Phillips	Tracy	Washoe, NV	TR-04	39 34.6	119 30.7	4300	6.1	300
Phillips	Tracy	Washoe, NV	TR-05	39 35.1	119 31.9	4600	4.0	300
Phillips	Tracy	Washoe, NV	TR-06	39 35.1	119 29.4	4800	4.8	300
Phillips	Tracy	Washoe, NV	TR-07	39 35.0	119 30.4	4600	5.0	300
Phillips	Tracy	Washoe, NV	TR-08	39 34.9	119 30.4	4700	*	200
Phillips	Tule MX	Juab, UT	TV-01	39 20.8	113 27.8	4450	5.7	150
Phillips	Tule MX	Juab, UT	TV-02	39 20.7	113 27.0	4450	9.0	200
Phillips	Tule MX	Juab, UT	TV-03	39 21.0	113 25.9	4450	3.2	160
Phillips	Tule MX	Juab, UT	TV-04	39 29.4	113 34.6	4400	1.6	180
Phillips	Tule MX	Juab, UT	TV-05	39 27.5	113 32.5	4500	ISO	97
Phillips	Tule MX	Juab, UT	TV-06	39 22.6	113 38.3	4800	ISO	200
Phillips	Tule MX	Juab, UT	TV-07	39 21.8	113 36.1	4600	1.2	155
Phillips	Tule MX	Juab, UT	TV-08	39 18.0	113 32.9	4400	5.9	200
Phillips	Tule MX	Juab, UT	TV-09	39 17.2	113 31.2	4600	11.4	200
Phillips	Tule MX	Juab, UT	TV-10	39 15.3	113 26.8	4700	18.2	190
Phillips	Tule MX	Juab, UT	TV-11	39 13.1	113 27.9	4600	4.8	190
Phillips	Tule MX	Juab, UT	TV-12	39 10.4	113 30.1	4550	0.9	155
Phillips	Tule MX	Juab, UT	TV-14	39 25.2	113 24.2	4550	1.4	200
Phillips	Tule MX	Millard, UT	TV-15	39 18.8	113 33.9	4600	12.5	180
Phillips	Tule MX	Millard, UT	TV-16	39 13.6	113 33.9	4900	1.5	152
Phillips	Tule MX	Juab, UT	TV-17	39 11.8	113 28.9	4600	0.2	200
Phillips	Brunton Pass	Nye, NV	Uranium Hole	38 54.8	117 44.6	6500	3.9	200
Getty	Colado Area	Pershing, NV	USL-IGH-2	40 13.5	118 07.5	4200	6	1131
Phillips	Virginia Range	Washoe, NV	VR-01	39 20.2	119 35.7	6500	6.0	200
Phillips	Virginia Range	Washoe, NV	VR-02	39 25.7	119 41.2	5600	3.5	900
Phillips	Virginia Range	Washoe, NV	VR-03	39 25.8	119 40.9	5700	5.2	870
Phillips	Virginia Range	Washoe, NV	VR-04	39 25.6	119 36.7	5500	ISO	100
Phillips	Virginia Range	Washoe, NV	VR-05	39 25.3	119 40.1	5800	4.2	200
Phillips	Virginia Range	Washoe, NV	VR-06	39 23.9	119 39.1	6150	2.9	260
Phillips	Virginia Range	Washoe, NV	VR-07	39 24.2	119 40.1	6200	4.8	310
Phillips	Virginia Range	Washoe, NV	VR-08	39 31.5	119 41.5	5200	2.5	170
Chevron	Wilson Hot Springs	Lyon, NV	W-01-34Rd	38 46.7	119 10.3	4990	28.7	2000
Chevron	Wilson Hot Springs	Lyon, NV	W-01-35	38 46.4	119 09.2	5030	4.3	500
Chevron	Wilson Hot Springs	Lyon, NV	W-02	38 46.7	119 10.2	5150	11.1	461
Chevron	Wilson Hot Springs	Lyon, NV	W-02A	38 46.2	119 09.6	4975	7.6	105
Chevron	Wilson Hot Springs	Lyon, NV	W-03	38 47.0	119 08.6	4920	3.0	120
Chevron	Wilson Hot Springs	Lyon, NV	W-04	38 46.0	119 07.7	5160	4.8	105
Chevron	Wilson Hot Springs	Lyon, NV	W-05	38 45.9	119 08.8	5140	8.8	105
Chevron	Wilson Hot Springs	Lyon, NV	W-06A	38 45.7	119 09.8	5280	15.9	880

Data is sorted by Well ID.

All gradients have been previously calculated

* = nonconductive gradient

ISO = isothermal gradient

N/A = data not available

