

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION¹		FLOW² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	1,300	1,930	10.44	3,896.67
B	1,771	1,930	10.87	3,909.26
C	2,176	1,930	11.52	3,912.61
D	2,271	1,930	12.70	3,916.56
¹ STREAM DISTANCE IN FEET ABOVE MESA DAM ² EFFECTIVE DISCHARGE VALUES				
TABLE 1	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH1B BELVIDERE CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
E	5,557	1,930	6.30	4,001.00
F	5,734	1,930	12.72	4,000.80
G	5,828	1,930	1.74	4,003.55
H	6,003	1,930	1.56	4,003.64
I	6,555	1,930	7.31	4,009.27
J	7,055	1,930	7.55	4,024.70
K	7,555	1,930	11.69	4,040.18
L	7,690	1,930	9.38	4,045.79
¹ STREAM DISTANCE IN FEET ABOVE MESA DAM ² EFFECTIVE DISCHARGE VALUES				
TABLE 2	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH1A BELVIDERE CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	10,765	1,437	9.10	4,092.72
B	11,474	1,437	12.15	4,121.90
C	11,607	1,437	10.72	4,125.75
D	12,030	1,437	3.76	4,133.60
E	12,079	1,437	4.89	4,148.86
F	12,730	1,437	8.58	4,180.55
G	13,256	1,437	10.83	4,209.65
H	13,735	1,437	10.67	4,244.54
I	14,269	1,437	11.02	4,280.15
J	14,711	1,437	2.97	4,309.32
K	15,322	1,437	6.74	4,345.64
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH FLOW PATH NUMBER 20				
TABLE 3	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH2 PARAGON CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	15,456	1,437	4.91	4,359.59
M	15,898	1,437	1.80	4,381.01
N	16,192	1,437	9.68	4,397.11
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH FLOW PATH NUMBER 20				
TABLE 3	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH2 PARAGON CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	5,452	1,219	8.87	3,883.24
B	5,525	1,219	13.92	3,900.06
C	5,748	1,219	10.35	3,906.41
D	6,008	563 ²	5.01	3,914.71
E	6,362	1,219	3.59	3,924.35
F	6,529	1,219	2.01	3,928.77
G	6,611	1,219	10.96	3,929.01
H	6,775	1,219	11.09	3,933.43
I	6,941	1,219	6.47	3,938.38
J	7,055	1,219	3.17	3,943.99
K	7,260	1,219	5.42	3,953.29
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH FLOW PATH NUMBER 21				
² FLOW PARTIALLY CONTAINED IN AN UNDERGROUND CONDUIT				
TABLE 4	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH3 CANTERBURY CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	7,966	1,219	6.54	3,988.12
M	8,461	1,219	5.93	4,012.28
N	8,935	1,219	7.72	4,039.74
O	9,153	1,219	10.02	4,051.75
P	9,281	1,219	4.37	4,055.49
Q	9,384	1,219	10.54	4,061.37
R	10,006	1,219	8.35	4,097.54
S	10,488	1,219	7.73	4,123.57
T	10,618	1,219	9.21	4,131.09
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH FLOW PATH NUMBER 21 ² FLOW PARTIALLY CONTAINED IN AN UNDERGROUND CONDUIT				
TABLE 4	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH3 CANTERBURY CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	51	884	0.52	3,824.00
B	149	884	0.21	3,824.01
C	474	884	2.78	3,823.90
D	1,111	884	2.81	3,824.10
E	1,686	884	2.17	3,824.39
F	2,040	884	6.70	3,824.02
G	2,466	884	0.78	3,825.06
H	2,737	884	0.99	3,825.07
I	2,969	884	3.64	3,824.90
J	3,362	884	7.18	3,824.97
K	3,862	884	5.57	3,826.50
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF MESA DAM OUTLET				
² INCLUDES MULBERRY DAM, THORN DAM, AND MESA DAM OUTFLOWS PER THE EFFECTIVE FIS DATED 1997.				
TABLE 5	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH4 BORDERLAND CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	4,155	884	2.14	3,835.55
M	4,338	884	2.48	3,835.55
N	4,969	884	5.66	3,835.48
O	5,101	884	7.89	3,841.71
P	5,441	884	0.56	3,842.93
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF MESA DAM OUTLET ² INCLUDES MULBERRY DAM, THORN DAM, AND MESA DAM OUTFLOWS PER THE EFFECTIVE FIS DATED 1997.				
TABLE 5	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH4 BORDERLAND CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	30	507	7.91	4,374.71
B	500	507	12.36	4,384.28
C	641	507	4.34	4,388.83
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 1A				
TABLE 6	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH5A HIGH RIDGE	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	6,976	3,309	9.16	4,001.17
B	7,486	3,309	7.58	4,024.58
C	7,912	3,309	12.90	4,035.85
D	8,003	3,309	13.18	4,038.14
E	8,183	3,309	10.34	4,041.49
F	8,240	3,309	10.59	4,041.40
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10 ² EFFECTIVE DISCHARGE VALUES				
TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH5B HIGH RIDGE	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	13,285	1,253	6.91	4,237.21
B	13,782	1,253	6.30	4,253.72
C	14,282	1,253	5.19	4,266.03
D	14,782	1,253	8.60	4,282.97
E	15,326	1,253	10.01	4,299.52
F	15,782	1,253	6.29	4,317.72
G	16,282	1,253	7.39	4,334.04
H	16,782	1,253	5.23	4,352.12
I	17,299	1,253	10.20	4,369.28
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10				
TABLE 8	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH6 RIDGE VIEW	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	16,185	1,666	11.18	4,311.11
B	16,675	1,666	9.23	4,332.01
C	17,250	1,666	9.04	4,361.36
D	17,309	1,666	11.66	4,364.30
E	17,424	1,666	6.23	4,374.34
F	17,570	1,666	5.07	4,379.57
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10				
TABLE 9	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH7 OJO DE AGUA	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	126	1,023	7.41	4,327.10
B	268	1,023	7.60	4,334.95
C	1,000	1,023	9.53	4,369.30
D	1,278	1,023	7.30	4,378.12
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 2				
TABLE 10	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH8 VIA SERENA	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	5,540	3,376	7.55	3,932.43
B	5,606	3,376	5.15	3,934.84
C	6,024	3,376	3.50	3,945.66
D	6,508	3,376	3.35	3,958.40
E	6,895	3,376	8.60	3,965.13
F	6,961	3,376	14.45	3,972.76
G	7,120	3,376	12.06	3,976.66
H	7,157	3,376	8.66	3,979.00
I	7,733	3,376	14.51	4,003.29
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10				
TABLE 11	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH9C BANDOLERO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
J	13,441	680	2.08	4,196.85
K	13,801	680	9.69	4,202.05
L	14,301	680	9.51	4,229.93
M	14,801	680	9.88	4,247.62
N	15,086	680	9.79	4,256.24
O	15,587	680	9.27	4,270.37
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10 ² EFFECTIVE DISCHARGE VALUES				
TABLE 12	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH9B BANDOLERO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
P	17,500	1,027	0.61	4,351.00
Q	17,980	1,027	9.51	4,357.88
R	18,480	1,027	13.18	4,378.10
S	18,980	1,027	10.97	4,400.38
T	19,480	1,027	9.74	4,420.16
U	19,845	1,027	10.06	4,435.42
V	20,022	1,027	2.42	4,463.91
W	20,121	1,027	0.65	4,464.02
X	20,972	1,027	9.30	4,495.41
Y	21,511	1,027	7.33	4,533.05
Z	21,972	1,027	9.49	4,583.35
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10 ² EFFECTIVE DISCHARGE VALUES				
TABLE 13	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH9A BANDOLERO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
AA	22,457	1,027	8.01	4,660.36
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10 ² EFFECTIVE DISCHARGE VALUES				
TABLE 13	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH9A BANDOLERO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND) ²	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	828	710	3.47	4,035.00
B	1,407	710	10.56	4,034.76
C	1,626	710	10.17	4,040.08
D	1,747	710	5.79	4,044.81
E	1,829	710	8.07	4,044.68
F	2,409	710	10.18	4,058.65
G	2,585	710	9.56	4,063.32
H	2,712	710	2.40	4,068.16
I	2,800	710	4.61	4,068.06
J	2,887	710	9.34	4,071.80
K	3,069	710	2.24	4,075.08
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 3 ² EFFECTIVE DISCHARGE VALUES				
TABLE 14	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH10 GRANERO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND) ²	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	3,110	710	6.20	4,075.39
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 3 ² EFFECTIVE DISCHARGE VALUES				
TABLE 14	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH10 GRANERO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	109	1,567	12.84	3,909.21
B	153	1,567	11.94	3,914.21
C	246	1,567	3.15	3,922.11
D	288	1,567	3.59	3,922.08
E	425	1,567	2.29	3,925.07
F	531	1,567	6.94	3,925.85
G	1,000	1,567	11.45	3,935.53
H	1,430	1,567	11.45	3,950.21
I	1,677	1,567	6.54	3,957.47
J	1,728	1,567	12.62	3,957.86
K	2,500	1,567	11.16	3,985.30
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8B				
TABLE 15	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH11 THUNDERBIRD VALLEY CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	3,000	1,567	10.24	4,002.00
M	3,406	1,567	11.32	4,031.96
N	3,908	1,567	11.81	4,031.96
O	4,287	1,567	5.68	4,045.54
P	4,551	1,567	10.72	4,055.16
Q	4,671	1,567	5.67	4,057.38
R	5,204	1,567	9.50	4,075.94
S	5,500	1,567	12.59	4,091.31
T	6,000	1,567	11.08	4,107.03
U	6,500	1,567	11.60	4,125.08
V	7,112	1,567	11.69	4,151.56
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8B				
TABLE 15	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH11 THUNDERBIRD VALLEY CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
W	7,440	1,567	12.75	4,163.90
X	7,483	1,567	6.66	4,166.36
Y	7,609	1,567	3.24	4,172.18
Z	7,644	1,567	5.81	4,171.99
AA	8,141	1,567	11.33	4,204.56
AB	8,754	1,567	11.13	4,227.21
AC	8,956	1,567	6.94	4,229.85
AD	9,049	1,567	6.45	4,231.78
AE	9,111	1,567	5.59	4,235.45
AF	9,493	1,567	9.62	4,250.48
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8B				
TABLE 15	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH11 THUNDERBIRD VALLEY CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	159	1,002	8.08	4,210.26
B	732	1,002	8.62	4,237.94
C	842	1,002	9.44	4,241.86
D	957	1,002	3.43	4,247.38
E	1,000	1,002	9.47	4,246.88
F	1,500	1,002	9.50	4,265.48
G	1,566	1,002	9.85	4,267.24
H	1,799	1,002	4.39	4,276.11
I	1,895	1,002	6.70	4,279.90
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF ARROYO 8C				
TABLE 16	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH12 SILVER SPRINGS CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	4,527	1,505	2.08	4,202.82
B	4,725	1,505	9.00	4,214.17
C	5,360	1,505	3.91	4,252.77
D	6,000	1,505	3.49	4,290.52
E	6,257	1,505	9.89	4,298.97
F	6,388	1,505	0.34	4,320.79
G	6,500	1,505	0.38	4,320.79
H	7,000	1,505	7.57	4,340.55
I	7,680	1,505	8.31	4,365.91
J	7,889	1,505	12.10	4,370.77
K	8,043	1,505	2.85	4,384.67
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8				
TABLE 17	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH13 SPRING CREST CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	8,134	1,505	3.66	4,384.64
M	8,500	1,505	7.95	4,398.56
N	9,000	1,505	9.04	4,427.23
O	9,500	1,505	9.94	4,452.64
P	10,000	1,505	9.60	4,495.30
Q	10,500	1,505	9.68	4,543.55
R	10,752	1,505	9.23	4,564.80
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8				
TABLE 17	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH13 SPRING CREST CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	141	3,703	7.00	3,884.78
B	314	3,703	13.29	3,897.17
C	439	3,703	8.04	3,900.45
D	500	3,703	13.86	3,904.21
E	1,000	3,703	14.00	3,906.35
F	1,500	3,703	14.01	3,908.23
G	2,139	3,703	13.70	3,910.06
H	2,354	3,703	11.72	3,911.47
I	2,463	3,703	9.77	3,914.52
J	2,500	3,703	11.01	3,914.36
K	3,000	3,703	12.01	3,914.73
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8				
TABLE 18	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH14 BUENA VISTA CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	3,500	3,703	10.59	3,915.74
M	4,000	3,703	14.88	3,915.79
N	4,500	3,703	11.95	3,920.35
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH ARROYO 8				
TABLE 18	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH14 BUENA VISTA CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	6,128	1,773	4.90	3,984.21
B	6,458	1,773	4.65	3,995.09
C	6,818	1,773	11.18	4,008.00
D	7,406	1,773	7.72	4,026.30
E	7,861	1,773	12.97	4,048.58
F	8,190	1,773	3.11	4,066.74
G	8,232	1,773	4.74	4,066.48
H	8,401	1,773	4.58	4,066.80
I	8,580	1,773	5.69	4,074.24
J	9,019	1,773	12.09	4,088.33
K	9,129	1,773	3.25	4,098.00
¹ STREAM DISTANCE IN FEET ABOVE OXIDATION POND DAM				
² EFFECTIVE DISCHARGE VALUES				
TABLE 19	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH15 MESA HILLS CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	9,317	1,773	1.05	4,105.01
M	9,431	1,773	3.71	4,109.18
N	9,534	1,773	12.74	4,110.73
O	9,657	1,773	5.16	4,116.70
P	9,829	1,773	7.04	4,125.45
¹ STREAM DISTANCE IN FEET ABOVE OXIDATION POND DAM ² EFFECTIVE DISCHARGE VALUES				
TABLE 19	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH15 MESA HILLS CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	11	1,198	10.62	3,810.65
B	235	1,198	6.17	3,812.36
C	370	1,198	4.14	3,812.84
D	556	1,198	4.21	3,813.67
E	658	1,198	5.47	3,813.62
F	1,169	1,198	8.06	3,813.84
G	1,675	1,198	6.88	3,814.91
H	2,137	1,198	1.63	3,815.88
I	2,687	1,198	3.29	3,815.84
J	3,219	1,198	2.68	3,815.97
K	3,794	1,198	2.98	3,816.02
¹ STREAM DISTANCE IN FEET MEASURED 240 FEET ABOVE CONFLUENCE WITH ARROYO 5				
TABLE 20	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH16 HIGHWAY DIVERSION CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	4,146	1,198	3.66	3,816.04
¹ STREAM DISTANCE IN FEET MEASURED 240 FEET ABOVE CONFLUENCE WITH ARROYO 5				
TABLE 20	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH16 HIGHWAY DIVERSION CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	9,791	2,073	4.06	3,977.55
B	10,291	2,073	15.68	3,984.60
C	11,011	2,073	11.51	3,999.21
D	11,654	2,073	12.06	4,010.91
E	11,796	2,073	14.14	4,011.75
F	11,901	2,073	8.98	4,020.10
G	11,950	2,073	3.19	4,023.63
H	12,269	2,073	10.90	4,030.78
I	12,791	2,073	11.07	4,047.73
J	12,906	2,073	5.48	4,053.60
K	13,002	2,073	4.48	4,055.88
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH FLOW PATH NO.13 (DRAINAGE CHANNEL NO. 1)				
TABLE 21	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH17 PSB CHANNEL NO. 2	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	13,055	2,073	3.86	4,056.75
M	13,538	2,073	4.48	4,067.23
N	13,959	2,073	5.68	4,079.36
O	14,024	2,073	1.48	4,080.83
P	14,149	2,073	3.07	4,080.69
Q	14,194	2,073	7.06	4,082.36
R	14,706	2,073	9.73	4,090.89
S	14,808	2,073	5.80	4,094.01
T	15,302	2,073	3.81	4,109.00
U	15,321	2,073	10.97	4,108.79
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH FLOW PATH NO.13 (DRAINAGE CHANNEL NO. 1)				
TABLE 21	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH17 PSB CHANNEL NO. 2	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	4,796	2,297	6.57	3,926.29
B	4,848	2,297	13.53	3,928.41
C	4,927	2,297	5.52	3,930.37
D	4,970	2,297	3.96	3,931.62
E	5,367	2,297	4.46	3,946.11
F	5,431	2,297	12.73	3,946.51
G	5,506	2,297	10.75	3,948.63
H	5,567	2,297	5.79	3,953.40
I	6,054	2,297	2.92	3,968.91
J	6,489	2,297	4.63	3,983.35
K	6,632	2,297	4.30	3,989.59
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF ARROYO 8				
TABLE 22	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH21 CORONADO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	6,753	2,297	9.80	3,991.20
M	6,820	2,297	4.42	3,995.18
N	7,260	2,297	12.70	4,009.28
O	7,637	2,297	7.51	4,024.37
P	7,731	2,297	12.72	4,027.23
Q	7,818	2,297	4.68	4,031.28
R	7,867	2,297	3.93	4,035.99
S	8,283	2,297	14.04	4,051.49
T	8,448	2,297	13.90	4,057.21
U	8,613	2,297	5.82	4,065.49
V	8,665	2,297	4.59	4,066.61
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF ARROYO 8				
TABLE 22	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH21 CORONADO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
W	8,966	2,297	9.79	4,080.43
X	9,341	2,297	8.23	4,091.83
Y	9,501	2,297	6.58	4,099.46
Z	9,612	2,297	13.59	4,104.46
AA	9,928	2,297	13.57	4,118.60
AB	10,108	2,297	13.62	4,123.38
AC	10,204	2,297	5.61	4,129.36
AD	10,260	2,297	3.05	4,132.27
AE	10,760	2,297	2.07	4,155.05
AF	11,079	2,297	4.13	4,161.80
AG	11,271	2,297	3.45	4,168.68
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF ARROYO 8				
TABLE 22	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH21 CORONADO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
AH	11,453	2,297	3.95	4,172.99
AI	11,539	2,297	12.04	4,173.54
AJ	11,916	2,297	4.72	4,192.80
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE OF ARROYO 8				
TABLE 22	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH21 CORONADO CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	4,302	1,180	9.43	4,220.98
B	4,750	1,180	9.73	4,289.58
C	5,250	1,180	7.40	4,302.63
D	5,595	1,180	8.47	4,305.02
¹ STREAM DISTANCE IN FEET ABOVE NORTHGATE DAM				
TABLE 23	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH22 NORTHGATE DIVERSION CHANNEL	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	107	4,997	4.03	3,759.48
B	454	4,997	2.81	3,759.78
C	696	4,997	0.71	3,762.63
D	858	4,997	1.41	3,762.62
E	1,500	4,997	4.42	3,762.89
F	2,000	4,997	5.63	3,768.59
G	2,500	4,997	9.71	3,770.42
H	3,000	4,997	8.91	3,774.00
I	3,500	4,997	8.86	3,782.67
J	4,000	4,997	11.63	3,791.34
K	4,500	4,997	12.41	3,799.73
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH RIO GRANDE RIVER				
TABLE 24	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH23 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	5,000	4,997	11.02	3,807.77
M	5,500	4,997	11.21	3,814.66
N	6,000	4,997	9.44	3,824.97
O	6,500	4,997	12.04	3,832.29
P	6,982	4,997	13.38	3,839.69
Q	7,220	4,997	3.76	3,850.94
R	7,520	4,997	5.18	3,850.96
S	7,971	4,997	8.21	3,857.22
T	8,442	4,997	5.87	3,870.27
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH RIO GRANDE RIVER				
TABLE 24	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH23 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	130	1,440	7.56	3,764.92
B	308	1,440	2.82	3,766.02
C	443	1,440	2.66	3,767.13
D	605	1,440	6.32	3,771.49
E	1,105	1,440	7.91	3,774.98
F	1,605	1,440	6.90	3,783.61
G	2,105	1,440	8.04	3,793.75
H	2,605	1,440	6.27	3,805.29
I	2,960	629 ²	6.12	3,816.01
J	3,105	629 ²	5.88	3,817.79
K	3,605	629 ²	4.79	3,828.30
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH RIO GRANDE RIVER				
² UPSTREAM OF CONFLUENCE OF CH24B UNNAMED STREAM				
TABLE 25	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH24A UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	4,105	629 ²	6.57	3,836.09
M	4,605	629 ²	4.57	3,853.32
N	5,105	629 ²	5.17	3,862.24
O	5,605	629 ²	6.21	3,871.65
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH RIO GRANDE RIVER ² UPSTREAM OF CONFLUENCE OF CH24B UNNAMED STREAM				
TABLE 25	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH24A UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	174	743	7.82	3,818.43
B	500	743	3.75	3,824.61
C	1,000	743	3.38	3,832.24
D	1,500	743	4.43	3,840.97
E	2,000	743	3.50	3,849.71
F	2,500	743	3.76	3,858.48
G	3,000	743	4.78	3,877.78
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH24A UNNAMED STREAM				
TABLE 26	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH24B UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	1,700	2248 ²	9.15	3,686.10
B	2,219	2248 ²	8.96	3,699.90
C	2,700	2248 ²	8.81	3,713.05
D	3,200	2248 ²	8.01	3,726.23
E	3,837	2248 ²	9.18	3,742.15
F	4,406	2248 ²	9.05	3,751.60
G	4,622	2248 ²	1.01	3,765.32
H	4,650	2248 ²	1.11	3,765.32
I	4,716	2248 ²	2.47	3,765.29
J	5,181	2248 ²	2.52	3,777.09
K	5,276	2248 ²	7.39	3,777.39
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
² EFFECTIVE DISCHARGE VALUES				
³ UPSTREAM OF THE CONFLUENCE OF CH25A UNNAMED STREAM				
TABLE 27	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH25 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	5,685	2248 ²	6.68	3,784.52
M	6,332	2248 ²	7.67	3,799.23
N	6,684	2248 ²	8.31	3,809.51
O	6,886	2248 ²	0.33	3,822.78
P	7,000	2248 ²	0.37	3,822.78
Q	7,478	2248 ²	7.51	3,822.57
R	7,818	2248 ²	9.38	3,831.96
S	7,884	2248 ²	2.32	3,833.41
T	8,619	2248 ²	7.92	3,846.02
U	9,220	2248 ²	5.85	3,861.51
V	9,700	2248 ²	4.55	3,870.86
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
² EFFECTIVE DISCHARGE VALUES				
³ UPSTREAM OF THE CONFLUENCE OF CH25A UNNAMED STREAM				
TABLE 27	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH25 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
W	10,159	2248 ²	5.61	3,881.25
X	10,589	2248 ²	5.71	3,890.78
Y	11,138	1830 ³	5.57	3,902.09
Z	11,709	1830 ³	6.52	3,913.05
AA	12,169	1830 ³	5.23	3,924.17
AB	12,694	1830 ³	5.46	3,936.58
AC	13,177	1830 ³	6.06	3,947.08
AD	13,643	1830 ³	6.88	3,956.56
AE	14,130	1830 ³	7.28	3,965.07
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
² EFFECTIVE DISCHARGE VALUES				
³ UPSTREAM OF THE CONFLUENCE OF CH25A UNNAMED STREAM				
TABLE 27	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH25 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	500	1,032	4.49	3,904.94
B	990	1,032	4.48	3,918.76
C	1,569	1,032	5.65	3,932.28
D	2,053	1,032	5.78	3,945.22
E	2,709	1,032	6.14	3,962.43
F	3,281	1,032	6.90	3,976.41
G	3,963	1,032	6.54	3,995.04
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH25 UNNAMED STREAM				
TABLE 28	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH25A UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	442	1,531	5.92	3,842.64
B	971	1,531	5.64	3,854.44
C	1,473	1,531	6.03	3,866.60
D	2,000	1,531	4.80	3,878.02
E	2,500	1,531	5.99	3,889.57
F	3,000	1,531	5.67	3,902.28
G	3,508	1,531	6.17	3,913.44
H	4,045	1,531	5.43	3,923.13
I	4,515	1,531	6.52	3,933.67
J	4,999	1,531	6.73	3,943.61
K	5,438	1,531	7.42	3,952.80
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH25 UNNAMED STREAM				
TABLE 29	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH25B UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	5,818	1,531	7.01	3,962.23
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH25 UNNAMED STREAM				
TABLE 29	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH25B UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	1,070	1,110	7.65	3,669.38
B	1,508	1,110	7.58	3,684.14
C	2,050	1,110	7.96	3,701.50
D	2,517	1,110	9.58	3,715.50
E	3,050	1,110	9.08	3,732.01
F	3,550	1,110	7.63	3,749.83
G	4,225	1,110	7.12	3,767.70
H	4,584	1,110	7.05	3,779.88
I	5,135	1,110	1.16	3,796.50
J	5,558	1,110	6.92	3,804.61
K	6,050	1,110	6.31	3,816.39
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
TABLE 30	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH26 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	6,478	1,110	7.49	3,828.05
M	7,000	1,110	7.23	3,839.52
N	7,522	1,110	5.29	3,854.19
O	8,036	1,110	5.24	3,866.96
P	8,537	1,110	5.55	3,878.30
Q	9,047	1,110	5.20	3,888.76
R	9,598	1,110	7.87	3,900.04
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
TABLE 30	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH26 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	151	1,240	3.76	3,640.04
B	1,393	1,240	0.10	3,654.58
C	2,009	1,240	8.70	3,668.97
D	2,545	1,240	9.49	3,684.97
E	3,003	1,240	10.31	3,700.31
F	3,485	1,240	7.89	3,716.21
G	3,986	1,240	8.24	3,731.91
H	4,549	1,240	7.24	3,743.22
I	5,214	1,240	5.17	3,762.04
J	5,642	1,240	7.16	3,776.78
K	6,093	1,240	2.67	3,790.26
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
TABLE 31	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH27 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	6,403	1,240	4.28	3,794.99
M	6,961	1,240	5.05	3,806.53
N	7,461	1,240	5.27	3,817.55
O	8,043	1,240	6.16	3,827.92
P	8,616	1,240	3.95	3,839.67
Q	9,049	1,240	5.16	3,848.59
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH MESA SPUR DRAIN				
TABLE 31	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH27 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	135	3,204	2.19	3,788.97
B	669	3,204	1.67	3,790.43
C	1,243	3,204	3.24	3,795.32
D	1,807	3,204	7.98	3,799.02
E	2,005	3,204	3.62	3,802.15
F	2,402	3,204	3.28	3,807.07
G	3,094	3,204	3.53	3,813.13
H	3,688	3,204	1.71	3,816.49
I	4,197	3,204	9.75	3,821.53
J	4,565	3,204	8.32	3,824.44
K	5,102	3,204	8.23	3,830.07
¹ STREAM DISTANCE IN FEET ABOVE 1,971 FEET DOWNSTREAM OF STATE HIGHWAY 20				
² UPSTREAM OF CONFLUENCE OF CH29C FLOW PATH 47&48				
TABLE 32	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29 FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	5,594	3,204	9.08	3,833.60
M	6,118	3,204	10.40	3,840.67
N	6,310	3,204	10.48	3,842.36
O	6,676	3,204	4.22	3,844.59
P	6,904	3,204	10.50	3,848.22
Q	7,582	3,204	8.55	3,858.25
R	8,203	3,204	7.71	3,864.95
S	8,452	3,204	8.38	3,866.29
T	8,797	3,204	5.95	3,869.75
U	9,002	3,204	11.28	3,875.32
V	9,103	3,204	8.37	3,877.75
¹ STREAM DISTANCE IN FEET ABOVE 1,971 FEET DOWNSTREAM OF STATE HIGHWAY 20				
² UPSTREAM OF CONFLUENCE OF CH29C FLOW PATH 47&48				
TABLE 32	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29 FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
W	9,749	3,204	4.24	3,881.24
X	10,053	3,204	9.35	3,892.96
Y	10,593	3,204	7.61	3,899.02
Z	11,145	3,204	6.08	3,905.50
AA	11,630	3,204	6.73	3,914.37
AB	12,194	3,204	6.01	3,923.18
AC	12,721	3,204	6.42	3,931.69
AD	13,150	3,204	6.53	3,939.49
AE	13,690	3,204	6.55	3,949.65
AF	14,190	3,204	8.17	3,958.40
AG	14,976	738 ²	5.36	3,972.89
¹ STREAM DISTANCE IN FEET ABOVE 1,971 FEET DOWNSTREAM OF STATE HIGHWAY 20 ² UPSTREAM OF CONFLUENCE OF CH29C FLOW PATH 47&48				
TABLE 32	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29 FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
AH	15,390	738 ²	7.12	3,982.77
¹ STREAM DISTANCE IN FEET ABOVE 1,971 FEET DOWNSTREAM OF STATE HIGHWAY 20 ² UPSTREAM OF CONFLUENCE OF CH29C FLOW PATH 47&48				
TABLE 32	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29 FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	448	1,087	8.00	3,901.92
B	948	1,087	8.09	3,910.67
C	1,454	1,087	6.11	3,921.13
D	1,977	1,087	6.58	3,932.58
E	2,467	1,087	7.21	3,940.96
F	2,931	1,087	4.80	3,952.42
G	3,443	1,087	2.89	3,964.17
H	3,822	1,087	4.94	3,971.84
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH29 FLOW PATH 47&48				
TABLE 33	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29A FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	628	1,065	6.91	3,916.95
B	1,039	1,065	6.99	3,922.14
C	1,415	1,065	7.04	3,928.16
D	1,862	1,065	4.97	3,935.84
E	2,259	1,065	6.41	3,943.01
F	2,677	1,065	8.49	3,951.83
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH29 FLOW PATH 47&48				
TABLE 34	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29B FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	447	822	5.16	3,977.11
B	756	822	6.71	3,983.48
C	1,001	822	5.91	3,988.70
D	1,265	822	6.63	3,994.48
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH29 FLOW PATH 47&48				
TABLE 35	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29C FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	372	1,168	6.04	3,977.92
B	658	1,168	6.71	3,985.30
C	993	1,168	6.23	3,992.62
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH29 FLOW PATH 47&48				
TABLE 36	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH29D FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	31	3,379	4.39	3,879.68
B	635	3,379	11.17	3,890.33
C	1,194	3,379	11.48	3,900.42
D	1,712	3,379	6.29	3,908.29
E	1,967	3,379	6.47	3,916.96
F	2,652	3,379	8.29	3,927.56
G	3,033	3,379	8.10	3,935.26
H	3,782	3,379	6.69	3,949.75
I	4,434	3,379	4.75	3,963.06
J	5,109	3,379	5.26	3,976.98
K	5,624	3,379	5.82	3,987.24
¹ STREAM DISTANCE IN FEET MEASURED 1,493 FEET DOWNSTREAM OF INTERSTATE HIGHWAY 10 ² UPSTREAM OF CONFLUENCE OF CH30A FLOW PATH 48 AND CH30B FLOW PATH 47				
TABLE 37	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH30 FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	6,011	3,379	5.55	3,996.48
M	6,527	3,379	4.94	4,007.65
N	7,058	3,379	6.11	4,020.01
O	7,657	3,379	6.17	4,033.48
P	8,063	3,379	6.30	4,041.10
Q	8,538	3,379	7.34	4,052.14
R	9,018	3,379	4.66	4,062.64
S	9,561	3,379	4.96	4,074.39
T	10,490	1095 ²	8.23	4,093.20
U	10,932	1095 ²	5.46	4,103.96
V	11,441	1095 ²	8.79	4,116.48
¹ STREAM DISTANCE IN FEET MEASURED 1,493 FEET DOWNSTREAM OF INTERSTATE HIGHWAY 10 ² UPSTREAM OF CONFLUENCE OF CH30A FLOW PATH 48 AND CH30B FLOW PATH 47				
TABLE 37	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH30 FLOW PATH 47&48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	500	3,196	6.62	4,094.65
B	980	3,196	6.52	4,106.65
C	1,895	3,196	8.13	4,128.09
D	1,895	3,196	8.13	4,128.09
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH30 FLOW PATH 47&48				
TABLE 38	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH30A FLOW PATH 48	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	460	2,827	5.80	4,093.39
B	921	2,827	5.89	4,104.98
C	1,290	2,827	5.97	4,115.52
D	1,593	2,827	6.77	4,122.50
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH30 FLOW PATH 47&48				
TABLE 39	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH30B FLOW PATH 47	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	236	2,051	9.26	3,814.13
B	687	2,051	6.41	3,828.57
C	1,259	2,051	5.96	3,843.67
D	1,886	2,051	5.81	3,861.05
E	2,233	2,051	8.02	3,872.79
F	2,636	2,051	4.64	3,878.32
G	2,823	2,051	5.87	3,888.54
H	3,220	2,051	5.56	3,900.34
I	3,838	2,051	8.09	3,915.60
J	4,504	2,051	7.58	3,939.02
K	5,078	2,051	7.54	3,954.03
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH23 UNNAMED STREAM				
TABLE 40	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH31 FLOW PATH 39A	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	5,583	2,051	4.89	3,973.82
M	5,994	2,051	8.19	3,985.96
¹ STREAM DISTANCE IN FEET ABOVE CONFLUENCE WITH CH23 UNNAMED STREAM				
TABLE 40	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH31 FLOW PATH 39A	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	1,819	1,680	3.65	3,912.78
B	2,106	1,680	4.04	3,920.23
C	2,574	1,680	4.61	3,933.21
D	3,141	1,680	3.95	3,949.74
E	3,661	1,680	4.14	3,967.87
F	4,093	1,680	4.15	3,985.36
G	4,598	1,680	4.66	4,007.14
H	5,099	1,680	5.93	4,025.68
I	5,571	1,680	4.74	4,043.43
J	6,060	1,680	7.58	4,061.07
K	6,565	1,680	5.44	4,083.18
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10				
² EFFECTIVE DISCHARGE VALUES				
TABLE 41	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH32 FLOW PATH 40	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	7,051	1,680	7.25	4,100.05
M	7,549	1,680	7.15	4,121.28
N	8,049	1,680	6.76	4,140.84
O	8,550	1,680	6.28	4,157.95
P	9,015	1,680	6.85	4,173.35
Q	9,467	1,680	7.55	4,190.76
R	9,993	1,680	7.47	4,210.92
S	10,476	1,680	5.81	4,231.44
T	11,034	1,680	5.32	4,253.59
U	11,525	1,680	5.95	4,273.71
V	12,014	1,680	5.86	4,292.87
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10				
² EFFECTIVE DISCHARGE VALUES				
TABLE 41	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH32 FLOW PATH 40	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW ² (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
W	12,505	1,680	5.49	4,314.41
X	13,001	1,680	6.52	4,333.35
Y	13,510	1,680	6.26	4,351.86
Z	14,017	1,680	7.82	4,371.33
AA	14,528	1,680	8.13	4,388.92
AB	15,048	1,680	5.08	4,412.00
AC	15,548	1,680	5.47	4,434.36
AD	16,049	1,680	5.13	4,455.95
AE	16,544	1,680	7.25	4,474.93
AF	17,085	1,680	6.56	4,495.67
AG	17,578	1,680	6.46	4,517.92
¹ STREAM DISTANCE IN FEET ABOVE INTERSTATE HIGHWAY 10				
² EFFECTIVE DISCHARGE VALUES				
TABLE 41	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH32 FLOW PATH 40	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
A	67	1,080	2.89	3,835.78
B	315	1,080	10.02	3,838.22
C	366	1,080	4.05	3,839.84
D	427	1,080	1.53	3,840.20
E	797	1,080	4.25	3,848.54
F	1,458	1,080	3.27	3,859.53
G	1,941	1,080	6.76	3,870.73
H	2,506	1,080	5.98	3,883.05
I	3,014	1,080	5.64	3,894.98
J	3,369	1,080	4.88	3,905.63
K	3,760	1,080	7.79	3,912.77
¹ STREAM DISTANCE IN FEET MEASURED 340 FEET DOWNSTREAM OF KIELY ROAD				
TABLE 42	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH35 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
L	4,155	1,080	2.95	3,917.13
M	4,527	1,080	6.19	3,932.36
N	5,120	1,080	6.72	3,944.44
O	5,624	1,080	7.62	3,954.61
P	6,089	1,080	8.78	3,964.43
Q	6,311	1,080	7.67	3,970.07
R	6,667	1,080	7.11	3,981.64
S	6,761	1,080	2.08	3,987.93
T	7,150	1,080	6.79	3,990.86
U	7,666	1,080	7.05	4,001.76
V	8,075	1,080	5.72	4,012.59
¹ STREAM DISTANCE IN FEET MEASURED 340 FEET DOWNSTREAM OF KIELY ROAD				
TABLE 42	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH35 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
W	8,506	1,080	7.24	4,023.46
X	9,005	1,080	6.81	4,037.66
Y	9,475	1,080	7.44	4,051.82
Z	9,935	1,080	6.75	4,063.66
AA	10,339	1,080	8.46	4,073.99
AB	10,891	1,080	8.16	4,096.93
AC	11,246	1,080	8.04	4,107.60
AD	11,983	1,080	9.72	4,137.52
AE	12,521	1,080	8.31	4,157.51
AF	12,963	1,080	9.24	4,173.28
AG	13,505	1,080	9.10	4,194.01
¹ STREAM DISTANCE IN FEET MEASURED 340 FEET DOWNSTREAM OF KIELY ROAD				
TABLE 42	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH35 UNNAMED STREAM	

FLOODING SOURCE		1-PERCENT-ANNUAL-CHANCE FLOOD		
STREAM STATION ¹		FLOW (CUBIC FEET PER SECOND)	VELOCITY (FEET PER SECOND)	WATER SURFACE ELEVATION (FEET NAVD 88)
AH	13,957	1,080	9.37	4,209.45
AI	14,428	1,080	9.15	4,227.78
AJ	14,858	1,080	8.78	4,247.21
¹ STREAM DISTANCE IN FEET MEASURED 340 FEET DOWNSTREAM OF KIELY ROAD				
TABLE 42	FEDERAL EMERGENCY MANAGEMENT AGENCY		FLOODPLAIN ELEVATION DATA	
	EL PASO COUNTY, TX AND INCORPORATED AREAS		CH35 UNNAMED STREAM	