

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99		1998/1999*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May98-Apr99 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	1,421	1,219	472	375	393	422	509	654	501	220	339	465	6,991	29%	178%	3,931
OTTER TRAWL	1,027	753	177	115	113	166	267	333	273	122	221	255	3,821	16%	97%	
GILLNET	344	439	267	231	252	236	217	254	143	65	61	185	2,694	11%	69%	
HOOK	21	10	15	13	20	10	6	36	37	18	29	15	231	1%	6%	
OTHER GEARS	29	17	13	16	8	10	19	31	48	15	29	10	245	1%	6%	
GEORGES BANK	2,446	1,570	1,148	984	1,094	680	787	1,434	1,013	956	1,710	2,893	16,715	71%	161%	10,362
OTTER TRAWL	1,882	881	473	499	584	536	503	545	195	294	1,284	1,944	9,620	41%	93%	
GILLNET	308	376	295	103	108	86	117	98	137	82	38	118	1,866	8%	18%	
HOOK	156	170	300	295	314	36	80	574	501	390	234	533	3,584	15%	35%	
OTHER GEARS	100	143	80	87	88	22	87	217	180	190	154	298	1,645	7%	16%	
ALL AREAS	3,866	2,790	1,620	1,356	1,486	1,102	1,296	2,088	1,514	1,176	2,049	3,358	23,702	100%	166%	14,293
OTTER TRAWL	2,909	1,635	650	614	696	702	770	878	467	416	1,505	2,199	13,441	57%	94%	
GILLNET	652	815	561	333	360	322	334	352	281	147	98	303	4,559	19%	32%	
HOOK	176	180	315	307	334	46	86	610	538	408	264	548	3,812	16%	27%	
OTHER GEARS	129	160	94	102	96	32	106	248	227	205	182	308	1,890	8%	13%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99		1998/1999*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May98-Apr99 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	50	104	172	183	315	255	247	290	225	195	90	45	2,170	36%		
OTTER TRAWL	18	53	128	162	285	231	237	281	199	179	64	28	1,865	31%		
GILLNET	9	39	29	12	22	21	6	6	9	8	8	15	185	3%		
HOOK	10	12	15	8	7	2	4	2	2	1	18	1	82	1%		
OTHER GEARS	13	0	0	1	1	1	0	1	14	6	0	0	38	1%		
GEORGES BANK	287	354	454	377	424	306	132	260	476	170	228	356	3,824	64%	36%	10,576
OTTER TRAWL	271	325	424	349	407	290	110	241	380	151	223	325	3,497	58%	33%	
GILLNET	14	18	7	21	11	7	7	15	68	10	2	23	202	3%	2%	
HOOK	2	9	23	7	6	9	15	4	21	5	0	2	103	2%	1%	
OTHER GEARS	0	2	0	0	0	0	0	0	8	4	2	6	22	0%	0%	
SNE/ MID-ATLANTIC	0	0	0	0	0	0	0	8	2	1	0	3	14	0%		
OTTER TRAWL	0	0	0	0	0	0	0	8	0	0	0	0	8	0%		
GILLNET	0	0	0	0	0	0	0	0	0	1	0	0	1	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	2	0	0	3	5	0%		
ALL AREAS	338	457	626	561	739	561	378	558	703	366	318	404	6,009	100%		
OTTER TRAWL	290	377	552	511	692	521	347	529	579	331	287	354	5,370	89%		
GILLNET	23	57	36	34	33	28	13	22	77	19	11	38	391	7%		
HOOK	12	21	38	15	13	11	18	6	23	6	18	3	184	3%		
OTHER GEARS	13	2	0	1	1	1	0	1	24	10	2	9	65	1%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99		1998/1999*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May98-Apr99 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	32	35	3	0	1	5	18	3	0	0	8	17	123	1%		
OTTER TRAWL	23	25	3	0	1	5	18	3	0	0	8	9	96	1%		
GILLNET	9	10	0	0	0	0	0	0	0	0	0	8	27	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
CAPE COD	239	134	105	51	128	261	120	259	208	34	69	70	1,679	18%		
OTTER TRAWL	140	82	83	49	123	260	116	241	111	28	68	47	1,348	14%		
GILLNET	94	49	17	1	1	0	2	15	95	5	0	21	301	3%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	5	3	5	1	4	1	2	3	2	1	1	2	31	0%		
GEORGES BANK	384	214	211	221	373	827	395	791	325	345	640	497	5,223	55%	110%	4,729
OTTER TRAWL	382	213	208	219	371	826	393	790	317	344	633	487	5,182	54%	110%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	2	1	3	2	2	1	2	1	9	1	7	10	41	0%	1%	
SNE/ MID-ATLANTIC	43	48	111	137	96	90	19	292	498	466	450	291	2,542	27%	142%	1,795
OTTER TRAWL	39	42	101	136	95	83	18	290	496	462	438	285	2,485	26%	138%	
GILLNET	0	0	7	0	0	0	0	0	0	0	0	0	7	0%	0%	
HOOK	0	0	0	0	0	1	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	4	6	3	1	1	6	1	2	2	4	12	6	49	1%	3%	
ALL AREAS	698	430	430	410	598	1,184	553	1,346	1,033	846	1,168	875	9,571	100%		
OTTER TRAWL	584	362	395	404	590	1,175	545	1,325	924	834	1,148	828	9,113	95%		
GILLNET	103	58	24	1	1	0	2	15	95	5	0	29	334	3%		
HOOK	0	0	0	0	0	1	0	0	0	0	0	0	1	0%		
OTHER GEARS	11	10	11	5	7	8	6	6	13	6	20	19	123	1%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
SNE/ NORTH	222	563	679	673	707	606	450	416	331	298	342	309	5,597	99%
OTTER TRAWL	76	196	182	265	388	328	336	353	228	162	311	213	3,038	54%
GILLNET	76	286	489	381	139	66	77	59	87	76	31	96	1,863	33%
HOOK	70	79	8	21	179	211	37	3	16	56	0	0	680	12%
OTHER GEARS	0	2	0	6	2	0	0	0	0	4	1	0	15	0%
MID-ATLANTIC	0	4	22	2	1	1	10	3	1	8	2	3	57	1%
OTTER TRAWL	0	0	0	1	1	0	9	3	0	5	2	3	24	0%
GILLNET	0	0	21	0	0	1	1	0	0	3	0	0	26	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	4	1	0	0	0	0	0	1	0	0	0	7	0%
ALL AREAS	222	567	702	674	709	607	460	419	332	307	345	312	5,655	100%
OTTER TRAWL	76	196	182	267	389	329	345	357	228	168	313	216	3,065	54%
GILLNET	76	286	510	381	139	67	78	59	87	79	31	96	1,889	33%
HOOK	70	79	8	21	179	211	37	3	16	56	0	0	680	12%
OTHER GEARS	0	6	1	6	2	0	0	0	2	4	1	0	22	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE/ GB	1,415	950	721	746	742	521	395	487	374	363	475	535	7,724	99%
OTTER TRAWL	1,263	917	712	744	740	521	394	486	368	356	469	507	7,477	96%
GILLNET	132	24	6	2	2	1	0	0	2	0	1	16	186	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	19	8	3	0	0	0	0	0	4	7	5	12	58	1%
SNE / MID-ATLANTIC	8	23	0	5	7	4	1	3	5	1	3	3	63	1%
OTTER TRAWL	8	23	0	5	7	4	1	3	5	1	3	3	59	1%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	4	0	0	0	4	0%
ALL AREAS	1,423	972	722	751	748	525	396	491	378	364	479	539	7,787	100%
OTTER TRAWL	1,272	940	712	749	747	524	395	490	369	356	472	510	7,537	97%
GILLNET	132	24	6	2	2	1	0	0	2	0	1	16	186	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	19	8	3	0	0	0	0	0	8	7	5	12	62	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE	146	44	54	15	55	114	178	121	45	11	21	19	824	7%
OTTER TRAWL	76	28	50	12	45	98	162	115	42	11	21	12	672	6%
GILLNET	70	16	5	3	9	16	15	6	2	0	0	7	150	1%
HOOK	0	0	0	0	0	1	1	0	0	0	0	0	2	0%
OTHER GEARS	0	0	0	0	0	0	1	0	0	0	0	0	2	0%
GEORGES BANK	564	309	241	266	237	355	327	127	9	26	106	188	2,755	24%
OTTER TRAWL	563	287	239	264	236	354	325	125	8	25	106	186	2,719	24%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	22	2	2	1	0	2	2	1	1	0	2	36	0%
SNE/ MID-ATLANTIC	595	897	1,073	1,106	932	830	408	633	125	122	233	751	7,705	68%
OTTER TRAWL	567	848	1,053	1,100	922	816	397	626	122	120	228	672	7,471	66%
GILLNET	15	19	11	1	6	9	6	1	0	0	2	69	139	1%
HOOK	0	0	0	1	0	0	0	1	0	0	0	0	2	0%
OTHER GEARS	14	29	8	4	4	5	5	6	2	2	3	10	92	1%
ALL AREAS	1,305	1,250	1,368	1,387	1,223	1,299	913	881	178	160	360	959	11,283	100%
OTTER TRAWL	1,205	1,163	1,341	1,376	1,203	1,268	884	866	172	156	355	871	10,860	96%
GILLNET	85	35	16	4	15	25	21	7	3	0	2	76	289	3%
HOOK	0	0	0	1	1	1	0	1	0	0	0	0	4	0%
OTHER GEARS	15	51	10	6	5	6	7	8	4	4	3	11	130	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	506	513	347	326	273	230	162	212	265	304	396	386	3,921	97%
OTTER TRAWL	495	494	336	323	272	229	162	211	264	301	393	381	3,860	95%
GILLNET	8	14	7	2	1	1	0	0	0	0	0	0	33	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	3	5	5	2	1	0	0	1	1	3	3	5	30	1%
SNE/ MID-ATLANTIC	7	32	15	11	5	9	1	2	14	8	13	8	125	3%
OTTER TRAWL	6	32	15	11	5	9	1	2	12	8	13	8	123	3%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	0	0	0	0	0	0	0	1	0	0	0	3	0%
ALL AREAS	512	546	362	337	278	240	164	214	279	312	410	395	4,048	100%
OTTER TRAWL	501	526	351	334	277	239	164	213	276	309	406	389	3,985	98%
GILLNET	8	14	7	2	1	1	0	0	0	0	0	0	33	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	3	5	5	2	1	0	0	1	3	3	3	6	32	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE/ GB	28	26	57	43	34	21	19	28	4	6	15	12	292	48%
OTTER TRAWL	28	25	57	43	33	21	19	28	4	6	15	12	290	47%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	0	0	0	0	0	0	1	0%
SNE/ MID-ATLANTIC	24	8	50	9	11	7	18	31	22	23	46	73	322	52%
OTTER TRAWL	24	8	49	9	11	7	18	31	22	23	46	73	320	52%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	52	34	107	52	44	28	37	59	25	28	61	86	613	100%
OTTER TRAWL	51	33	106	52	44	28	37	59	25	28	60	86	609	99%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	0	0	0	0	0	0	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 9 - Preliminary Multispecies Landings**

		MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99		1998/1999*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May98-Apr99 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	1998/1999	482	1,043	1,126	1,080	1,086	732	843	1,436	1,151	1,209	1,075	847	12,110	29%	22%	
REDFISH	1998/1999	22	43	67	91	92	56	71	58	53	59	102	71	785	2%	1%	
WHITE HAKE	1998/1999	222	567	702	674	709	607	460	419	332	307	345	312	5,655	13%	10%	
AMERICAN PLAICE	1998/1999	1,423	972	722	751	748	525	396	491	378	364	479	539	7,787	18%	14%	
WINTER FLOUNDER	1998/1999	1,305	1,250	1,368	1,387	1,223	1,299	913	881	178	160	360	959	11,283	27%	20%	
WITCH FLOUNDER	1998/1999	512	546	362	337	278	240	164	214	279	312	410	395	4,048	10%	7%	
WINDOWPANE FLDR	1998/1999	52	34	107	52	44	28	37	59	25	28	61	86	613	1%	1%	
TOTAL	1998/1999	4,018	4,455	4,454	4,372	4,180	3,487	2,884	3,558	2,397	2,439	2,831	3,207	42,282		75%	56,200

1. Landings in live weight.
 2. Gear data are based on vessel trip reports.
 * Fishing Year is May 1 through April 30.
 ** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR - 1999	APR - 1999	MAY 98 - APR 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	173	284	981	1,469	1,030	694	732	72	27	23	123	35	5,642	17%
OTTER TRAWL	172	274	970	1,462	1,012	683	677	54	26	16	117	24	5,487	16%
GILLNET	1	9	5	3	3	4	12	7	0	7	6	10	68	0%
HOOK	0	0	5	4	14	0	2	0	0	1	0	0	26	0%
OTHER GEARS	0	0	0	0	0	6	42	11	0	0	0	0	59	0%
SNE/ MID-ATLANTIC	2,597	3,070	2,088	1,141	2,292	1,886	1,842	1,848	2,357	2,264	3,056	3,226	27,667	83%
OTTER TRAWL	2,594	3,041	2,085	1,140	2,290	1,884	1,834	1,846	2,343	2,242	2,997	3,113	27,408	82%
GILLNET	2	1	2	0	0	0	0	0	0	0	0	0	5	0%
HOOK	0	2	2	1	1	0	7	2	1	1	1	1	18	0%
OTHER GEARS	0	27	0	0	0	1	0	0	12	21	59	112	233	1%
ALL AREAS	2,770	3,353	3,069	2,610	3,322	2,580	2,574	1,920	2,383	2,287	3,179	3,261	33,308	100%
OTTER TRAWL	2,766	3,314	3,055	2,602	3,303	2,567	2,511	1,900	2,369	2,258	3,113	3,137	32,895	99%
GILLNET	3	10	6	3	4	5	12	7	1	7	6	10	74	0%
HOOK	0	2	7	5	15	0	9	2	1	1	1	1	44	0%
OTHER GEARS	0	27	0	0	0	7	42	11	12	21	59	112	292	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	MAR - 1998	APR - 1998	MAY - 1998	JUN - 1998	JUL - 1998	AUG - 1998	SEP - 1998	OCT - 1998	NOV - 1998	DEC - 1998	JAN - 1999	FEB - 1999	MAR 98 - FEB 99	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	133	101	47	30	13	23	8	20	179	154	77	81	866	7%
OTTER TRAWL	0	0	1	1	2	0	0	0	0	0	2	0	6	0%
DREDGE	132	100	47	29	11	23	7	20	178	154	75	81	857	7%
OTHER GEARS	0	0	0	0	0	0	0	1	0	0	0	0	1	0%
SOUTH CHANNEL	200	227	342	269	271	254	159	171	195	234	172	291	2,785	23%
OTTER TRAWL	0	0	0	0	0	0	0	0	0	1	0	0	1	0%
DREDGE	200	223	342	269	271	254	158	171	195	233	172	291	2,779	23%
OTHER GEARS	0	4	0	0	0	0	0	0	0	0	0	0	4	0%
GEORGES BANK NORTH	118	89	93	75	100	82	51	43	32	45	35	22	784	6%
OTTER TRAWL	0	0	0	8	6	7	6	1	0	0	0	11	39	0%
DREDGE	118	89	93	67	94	75	38	34	32	45	35	11	731	6%
OTHER GEARS	0	0	0	0	0	0	7	9	0	0	0	0	16	0%
GEORGES BANK SOUTH	36	114	91	147	193	154	90	36	37	41	15	23	977	8%
OTTER TRAWL	1	1	0	0	0	0	0	1	1	1	1	0	6	0%
DREDGE	35	113	91	147	193	154	89	32	34	40	14	22	965	8%
OTHER GEARS	0	0	0	0	0	0	0	3	3	0	0	0	6	0%
S. NEW ENGLAND	12	18	29	38	43	24	8	0	4	14	22	4	216	2%
OTTER TRAWL	0	0	0	0	1	0	0	0	0	0	8	0	9	0%
DREDGE	12	18	29	38	42	24	8	0	4	14	14	4	207	2%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
NEW YORK BIGHT	253	328	386	417	438	253	187	227	117	81	88	343	3,118	25%
OTTER TRAWL	1	4	10	50	89	14	12	16	1	3	0	1	201	2%
DREDGE	243	324	365	367	342	229	168	206	117	79	87	342	2,870	23%
OTHER GEARS	10	0	11	0	7	10	6	5	0	0	0	0	49	0%
DE / MD / VA	115	399	509	493	317	295	162	189	232	142	68	141	3,062	25%
OTTER TRAWL	8	109	240	218	122	129	56	28	32	7	5	28	982	8%
DREDGE	107	290	263	252	169	164	101	157	200	133	63	113	2,012	16%
OTHER GEARS	0	0	6	24	25	2	6	4	0	2	0	0	69	1%
VA / NC	151	61	30	40	54	46	27	18	16	19	3	5	470	4%
OTTER TRAWL	12	11	9	16	0	0	0	0	2	0	0	0	50	0%
DREDGE	132	50	21	25	54	46	27	18	13	19	3	5	413	3%
OTHER GEARS	7	0	0	0	0	0	0	0	0	0	0	0	7	0%
ALL AREAS	1,018	1,338	1,528	1,509	1,428	1,131	691	705	811	731	480	909	12,279	100%
OTTER TRAWL	23	126	260	292	220	150	75	46	37	12	16	40	1,297	11%
DREDGE	978	1,208	1,251	1,193	1,176	969	597	638	772	717	464	869	10,832	88%
OTHER GEARS	17	4	18	24	32	12	19	21	3	2	0	0	152	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

- 2. Landings in meat weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is March 1 through February 28.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 1998 - February 1999

PORT/ STATE	MAR 98 - FEB 99	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		NEW YORK BIGHT		SOUTHERN NEW ENGLAND		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	5,611	136	2%	2,597	46%	764	14%	902	16%	131	2%	887	16%	192	3%	2	0%
Cape May, NJ	971	0	0%	0	0%	0	0%	6	1%	1	0%	446	46%	507	52%	10	1%
Norfolk, VA	3,541	0	0%	6	0%	11	0%	0	0%	8	0%	805	23%	2,273	64%	438	12%
								0									
MAINE	658	649	99%	5	1%	2	0%	2	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	7	7	100%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	5,732	209	4%	2,628	46%	767	13%	907	16%	139	2%	887	15%	192	3%	2	0%
RHODE ISLAND	190	0	0%	80	42%	0	0%	30	16%	34	18%	39	21%	7	4%	0	0%
CONNECTICUT	442	0	0%	66	15%	4	1%	30	7%	31	7%	304	69%	6	1%	0	0%
NEW JERSEY	1,636	0	0%	0	0%	0	0%	6	0%	3	0%	1,070	65%	546	33%	10	1%
VIRGINIA	3,541	0	0%	6	0%	11	0%	0	0%	8	0%	805	23%	2,273	64%	438	12%
OTHER NORTHEAST	74	0	0%	0	0%	0	0%	0	0%	0	0%	14	19%	39	52%	21	28%
TOTAL	12,280	865	7%	2,784	23%	784	6%	977	8%	216	2%	3,119	25%	3,063	25%	471	4%

PORT/ STATE	MAR 98 - FEB 99	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	5,611	65	1%	5,469	97%	77	1%
Cape May, NJ	971	410	42%	551	57%	9	1%
Norfolk, VA	3,541	791	22%	2,684	76%	65	2%
MAINE	658	2	0%	656	100%	1	0%
NEW HAMPSHIRE	7	3	46%	4	54%	0	0%
MASSACHUSETTS	5,732	67	1%	5,588	97%	78	1%
RHODE ISLAND	190	1	0%	189	100%	0	0%
CONNECTICUT	442	1	0%	441	100%	0	0%
NEW JERSEY	1,636	413	25%	1,213	74%	9	1%
VIRGINIA	3,541	791	22%	2,684	76%	65	2%
OTHER NORTHEAST	74	17	24%	56	76%	0	0%
TOTAL	12,280	1,296	11%	10,830	88%	154	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. Landings in meat weight.
- 3. Gear data are based on vessel trip reports.