

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98		1997/1998*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May97-Apr98 as a % of Target TAC	Target TAC
GULF OF MAINE	1,440	1,490	865	586	673	953	1,096	905	748	775	983	1,274	11,788	41%	205%	5,743
OTTER TRAWL	1,073	979	346	149	182	332	561	427	432	498	638	736	6,353	22%	111%	
GILLNET	346	495	500	405	469	597	484	242	135	78	184	392	4,327	15%	75%	
HOOK	15	2	8	21	18	20	42	224	155	118	89	71	783	3%	14%	
OTHER GEARS	6	14	11	11	4	4	9	12	26	81	72	75	325	1%	6%	
GEORGES BANK	3,188	2,367	1,595	1,252	1,204	885	397	1,039	946	783	1,035	2,361	17,052	59%	212%	8,038
OTTER TRAWL	2,428	1,346	539	571	821	630	253	510	402	281	494	1,933	10,208	35%	127%	
GILLNET	581	842	777	287	148	144	79	63	98	63	77	96	3,255	11%	40%	
HOOK	134	65	227	280	160	55	16	268	313	257	273	183	2,231	8%	28%	
OTHER GEARS	45	114	52	114	75	56	49	198	133	182	191	149	1,358	5%	17%	
ALL AREAS	4,627	3,858	2,459	1,838	1,878	1,838	1,492	1,943	1,694	1,557	2,018	3,636	28,838	100%	209%	13,781
OTTER TRAWL	3,500	2,325	885	720	1,003	962	814	937	834	779	1,132	2,669	16,560	57%	120%	
GILLNET	927	1,337	1,277	693	617	741	562	305	233	140	261	488	7,581	26%	55%	
HOOK	149	67	235	300	179	76	58	491	468	375	362	254	3,014	10%	22%	
OTHER GEARS	51	129	62	125	79	59	58	210	159	263	263	225	1,683	6%	12%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98		1997/1998*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May97-Apr98 as a % of Target TAC	Target TAC
GULF OF MAINE	13	31	31	56	236	297	288	185	145	129	218	131	1,760	37%		
OTTER TRAWL	7	23	23	39	218	253	238	132	86	95	174	42	1,330	28%		
GILLNET	3	8	5	5	11	30	20	9	3	3	4	19	120	3%		
HOOK	3	0	3	12	7	14	30	44	55	24	37	65	294	6%		
OTHER GEARS	0	0	0	0	0	0	0	0	1	7	3	5	16	0%		
GEORGES BANK	116	111	118	91	478	416	109	194	402	485	305	210	3,035	63%	86%	3,545
OTTER TRAWL	112	81	75	80	468	411	100	170	387	454	286	200	2,824	59%	80%	
GILLNET	2	16	19	4	1	4	4	5	11	22	12	1	101	2%	3%	
HOOK	1	14	24	7	6	1	5	19	4	9	7	9	106	2%	3%	
OTHER GEARS	1	0	0	0	3	0	0	0	0	0	0	0	4	0%	0%	
SNE/ MID-ATLANTIC	0	0	0	0	0	1	0	0	0	0	0	0	1	0%		
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
GILLNET	0	0	0	0	0	1	0	0	0	0	0	0	1	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
ALL AREAS	129	142	150	149	713	714	397	378	548	613	523	342	4,798	100%		
OTTER TRAWL	118	104	98	119	686	664	338	301	474	549	460	242	4,153	87%		
GILLNET	6	24	24	10	12	35	24	14	14	24	15	20	222	5%		
HOOK	4	14	28	20	12	15	35	63	59	33	45	74	402	8%		
OTHER GEARS	1	0	0	0	3	0	0	0	1	7	3	6	21	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98		1997/1998*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May97-Apr98 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	51	44	6	4	1	3	4	4	4	8	6	33	168	3%		
OTTER TRAWL	33	29	4	4	1	3	4	4	4	1	4	23	114	2%		
GILLNET	18	15	2	0	0	0	0	0	0	7	2	10	54	1%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
CAPE COD	228	140	49	71	125	255	373	213	131	256	275	496	2,612	46%		
OTTER TRAWL	107	87	39	66	124	253	368	209	109	79	91	224	1,756	31%		
GILLNET	119	51	9	3	0	1	2	2	18	175	178	262	820	15%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	2	2	1	2	1	1	3	2	4	2	6	10	36	1%		
GEORGES BANK	233	162	91	75	83	66	17	406	84	155	196	336	1,904	34%	111%	1,711
OTTER TRAWL	231	157	88	73	82	65	17	405	84	154	195	334	1,885	33%	110%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	2	5	3	2	1	1	0	1	0	1	1	2	19	0%	1%	
SNE/ MID-ATLANTIC	60	87	162	44	61	30	11	75	96	121	151	60	958	17%	53%	1,817
OTTER TRAWL	52	79	159	42	57	27	10	72	94	118	147	54	911	16%	50%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
HOOK	0	1	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	8	7	3	2	4	3	1	3	2	3	4	6	46	1%	3%	
ALL AREAS	571	434	306	194	270	353	406	698	315	542	628	924	5,641	100%		
OTTER TRAWL	422	352	289	185	264	347	399	690	290	353	437	634	4,662	83%		
GILLNET	137	67	10	4	1	1	2	2	18	182	179	273	876	16%		
HOOK	0	1	0	0	0	0	0	0	0	0	0	0	1	0%		
OTHER GEARS	12	14	7	5	5	5	5	6	7	7	12	17	102	2%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
SNE/ NORTH	121	452	591	743	746	618	448	313	144	200	255	234	4,865	99%
OTTER TRAWL	96	348	286	299	394	360	322	87	62	95	145	181	2,675	54%
GILLNET	25	90	211	335	271	141	69	62	56	68	51	25	1,404	28%
HOOK	0	13	93	109	80	116	57	164	26	36	58	28	780	16%
OTHER GEARS	0	0	0	1	0	0	0	0	0	0	0	0	1	0%
MID-ATLANTIC	16	9	6	15	5	8	2	3	2	2	0	3	71	1%
OTTER TRAWL	16	9	5	1	1	0	2	3	2	2	0	3	44	1%
GILLNET	0	0	0	13	5	7	0	0	0	0	0	0	25	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	1	1	0	0	0	0	0	0	0	0	2	0%
ALL AREAS	138	461	597	759	751	625	450	316	146	202	255	237	4,937	100%
OTTER TRAWL	112	358	291	300	395	361	324	90	64	97	146	184	2,722	55%
GILLNET	25	90	211	348	275	148	69	62	56	68	51	25	1,428	29%
HOOK	0	13	93	109	80	116	57	164	26	36	58	28	780	16%
OTHER GEARS	0	0	2	2	0	0	0	0	0	0	0	0	4	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE/ GB	1,059	1,299	772	908	991	596	430	373	260	309	482	985	8,464	100%
OTTER TRAWL	965	1,260	761	905	985	595	429	371	257	300	458	821	8,107	95%
GILLNET	91	26	4	2	2	0	1	0	1	2	16	125	270	3%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	3	14	6	2	4	0	0	2	2	6	8	38	85	1%
SNE / MID-ATLANTIC	5	9	1	9	1	2	1	5	0	0	1	6	40	0%
OTTER TRAWL	5	9	1	9	1	2	1	5	0	0	1	6	40	0%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	1,064	1,308	773	917	992	598	430	378	260	309	483	990	8,502	100%
OTTER TRAWL	970	1,269	763	913	986	597	430	376	257	301	459	827	8,148	96%
GILLNET	91	26	4	2	2	0	1	0	1	2	16	125	270	3%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	3	14	6	2	4	0	0	2	2	6	8	38	85	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	144	55	20	100	65	121	168	166	75	52	83	332	1,381	12%
OTTER TRAWL	69	40	14	96	60	105	162	160	73	48	54	164	1,045	9%
GILLNET	75	15	6	4	5	16	6	4	1	3	28	167	330	3%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	1	0	0	0	1	1	0	1	1	5	0%
GEORGES BANK	577	574	389	200	193	158	210	222	28	17	81	137	2,786	23%
OTTER TRAWL	575	570	386	198	190	158	208	219	28	15	79	135	2,761	23%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	2	3	3	2	3	0	2	3	0	1	2	2	23	0%
SNE/ MID-ATLANTIC	583	572	858	1,303	1,325	1,252	533	490	73	97	201	438	7,725	65%
OTTER TRAWL	565	562	848	1,275	1,316	1,228	528	486	67	89	197	423	7,584	64%
GILLNET	10	7	3	23	5	20	2	0	2	0	0	6	78	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	9	3	7	5	4	4	3	3	4	7	5	8	62	1%
ALL AREAS	1,304	1,201	1,267	1,603	1,583	1,532	911	877	176	165	365	907	11,891	100%
OTTER TRAWL	1,209	1,172	1,248	1,568	1,565	1,491	898	866	168	153	329	723	11,390	96%
GILLNET	85	22	9	27	10	36	8	4	3	4	28	173	409	3%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	10	7	10	7	8	4	5	7	4	9	8	11	90	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE/ GB	394	545	374	295	359	237	182	251	191	294	446	473	4,041	98%
OTTER TRAWL	371	521	360	287	356	236	182	251	190	294	446	470	3,964	96%
GILLNET	16	17	7	6	1	1	0	0	1	0	0	1	50	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	7	8	7	2	1	0	0	0	0	0	0	2	27	1%
SNE/ MID-ATLANTIC	12	13	6	18	6	4	4	7	8	3	7	13	101	2%
OTTER TRAWL	12	12	6	18	6	4	4	7	8	3	7	12	99	2%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	1	0	0	0	0	0	0	0	0	0	1	3	0%
ALL AREAS	407	558	380	314	364	241	186	259	199	297	453	486	4,144	100%
OTTER TRAWL	383	533	366	305	362	240	186	259	198	297	453	482	4,064	98%
GILLNET	16	17	7	6	1	1	0	0	1	0	0	1	50	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	7	9	7	2	1	0	0	0	0	0	0	3	29	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE/ GB	90	36	23	12	26	23	312	29	17	88	280	235	1,171	85%
OTTER TRAWL	90	35	23	12	26	23	312	29	17	88	280	234	1,169	85%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	0	0	0	0	0	0	1	0%
SNE/ MID-ATLANTIC	18	8	9	18	5	3	6	27	17	17	33	46	207	15%
OTTER TRAWL	18	8	9	18	4	3	6	27	17	17	32	46	205	15%
GILLNET	0	0	0	0	1	0	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	1	1	0%
ALL AREAS	109	44	33	30	31	26	318	56	34	105	313	281	1,380	100%
OTTER TRAWL	108	43	32	29	31	26	318	56	34	105	312	280	1,374	100%
GILLNET	0	0	0	0	1	0	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	1	0	0	0	0	0	0	0	0	0	1	3	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 9 - Preliminary Multispecies Landings**

		MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98		1997/1998*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May97-Apr98 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	1997/ 1998	499	1,170	913	743	892	875	842	1,049	972	792	1,496	1,218	11,462	27%	20%	
REDFISH	1997/ 1998	11	41	47	48	61	55	24	36	29	42	88	44	526	1%	1%	
WHITE HAKE	1997/ 1998	138	461	597	759	751	625	450	316	146	202	255	237	4,937	12%	9%	
AMERICAN PLAICE	1997/ 1998	1,064	1,308	773	917	992	598	430	378	260	309	483	990	8,502	20%	15%	
WINTER FLOUNDER	1997/ 1998	1,304	1,201	1,267	1,603	1,583	1,532	911	877	176	165	365	907	11,891	28%	21%	
WITCH FLOUNDER	1997/ 1998	407	558	380	314	364	241	186	259	199	297	453	486	4,144	10%	7%	
WINDOWPANE FLDR	1997/ 1998	109	44	33	30	31	26	318	56	34	105	313	281	1,380	3%	2%	
TOTAL	1997/ 1998	3,532	4,783	4,010	4,414	4,674	3,952	3,161	2,971	1,816	1,912	3,453	4,163	42,842		76%	56,200

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 1997	JUN - 1997	JUL - 1997	AUG - 1997	SEP - 1997	OCT - 1997	NOV - 1997	DEC - 1997	JAN - 1998	FEB - 1998	MAR - 1998	APR - 1998	MAY 97 - APR 98	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	227	279	1,017	1,557	1,512	899	373	36	16	4	34	75	6,029	18%
OTTER TRAWL	225	273	1,012	1,556	1,470	861	305	27	16	4	34	74	5,857	17%
GILLNET	2	6	5	1	30	9	21	2	0	0	0	1	77	0%
HOOK	0	0	0	0	7	9	7	7	0	0	0	0	30	0%
OTHER GEARS	0	0	0	0	5	20	40	0	0	0	0	0	65	0%
SNE/ MID-ATLANTIC	3,368	2,918	1,941	1,110	1,787	1,872	1,907	2,209	2,324	2,521	3,051	2,724	27,732	82%
OTTER TRAWL	3,364	2,914	1,941	1,110	1,787	1,871	1,906	2,182	2,323	2,516	3,050	2,724	27,688	82%
GILLNET	1	1	0	0	0	0	1	0	0	1	0	0	4	0%
HOOK	2	3	0	0	0	0	0	0	0	0	0	0	5	0%
OTHER GEARS	0	0	0	0	0	1	1	26	0	4	0	0	32	0%
ALL AREAS	3,594	3,198	2,958	2,667	3,299	2,771	2,281	2,245	2,340	2,525	3,085	2,799	33,762	100%
OTTER TRAWL	3,589	3,187	2,953	2,666	3,257	2,731	2,210	2,210	2,340	2,520	3,084	2,798	33,545	99%
GILLNET	3	7	5	1	30	9	22	2	0	2	0	1	82	0%
HOOK	2	3	0	0	7	9	7	7	0	0	0	0	35	0%
OTHER GEARS	0	0	0	0	5	21	41	26	0	4	0	0	97	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.