p16.02.00 re-Certification of the L3 Tau Tool with NN

L3 Meeting

20th April, 2004

Cristina Galea

University of Nijmegen

p15.06.01 vs p16.02.00

- CHANGE btw. p16.01.00 and p16.02.00: RCP file with the NN parameters, to recover efficiency at $|\eta| > 1.5$

- I used 2000 MC events W$\rightarrow \tau\nu$ (p13.08.00), 9013 events "old data" from Run 179618 (pre-shutdown) and 2702 events "new data" from Run 188672 (post-shutdown)

- I compared
  - the MC trigsimed with p15.06.01 with same sample in p16.02.00
  - old and new data running the same Tau tool (NN_BASED)
  - new data - online and offline

MC p15.06.01 vs MC p16.02.00





- red: MC taus p15.06.01 (NN_BASED algo, nn_cut = 0.1)
- black: MC taus (same sample) p16.02.00 (same algo, cuts, etc)

MC p15.06.01 vs MC p16.02.00 (continued)





MC p15.06.01 vs MC p16.01.00 (continued)

– other useful distributions:






em12isof taus
h5
Entries 2620
Mean 0.2209
RMS 0.236
0.18
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


isol taus
h8
Entries 3462
Mean 0.2391
RMS 0.2444
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


nn_out taus
h10
Entries 3462
Mean 0.5907
RMS 0.2972
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


ntrks
h1
Entries 948
Mean 1.061
RMS 1.128
0.5
0.4
0.3
0.2
0.1
0
0 10 20 30 40 50 60 70 80 90 100

MC p16.01.00 vs MC p16.02.00





- red: MC taus p16.01.00 (NN_BASED algo, nn_cut = 0.1)
- black: MC taus (same sample) p16.02.00 (same algo, cuts, etc)

MC p16.01.00 vs MC p16.02.00 (continued)





MC p16.01.00 vs MC p16.02.00 (continued)

– other useful distributions:






em12isof taus
h5
Entries 3312
Mean 0.1702
RMS 0.2164
0.25
0.2
0.15
0.1
0.05
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


isol taus
h8
Entries 3462
Mean 0.2391
RMS 0.2444
0.16
0.14
0.12
0.1
0.08
0.06
0.04
0.02
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


nn_out taus
h10
Entries 3462
Mean 0.5907
RMS 0.2972
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


ntrks
h1
Entries 1007
Mean 43.18
RMS 27.13
0.04
0.035
0.03
0.025
0.02
0.015
0.01
0.005
0
0 10 20 30 40 50 60 70 80 90 100

p1601 vs p1602 on NEW DATA





- red: new data p16.01.00 (NN_BASED algo, nn_cut = 0.1)
- black: new data p16.02.00 (same algo, cuts, etc)

p1601 vs p1602 on NEW DATA - continued





p1601 vs p1602 on NEW DATA - continued

– other useful distributions:






em12isof taus
h5
Entries 4040
Mean 0.2197
RMS 0.2167
0.1
0.08
0.06
0.04
0.02
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


isol taus
h8
Entries 4784
Mean 0.2751
RMS 0.2606
0.12
0.1
0.08
0.06
0.04
0.02
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


nn_out taus
h10
Entries 4784
Mean 0.4379
RMS 0.2772
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
0
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


ntrks
h1
Entries 1007
Mean 43.18
RMS 27.13
0.04
0.035
0.03
0.025
0.02
0.015
0.01
0.005
0
0 10 20 30 40 50 60 70 80 90 100

New data: online (CAL) vs offline (NN)





- red: online (CAL_BASED)
- black: offline (p16.02.00 NN_BASED)

New data: online (CAL) vs offline (NN)- continued