

# ϕ(1020)

$$I^G(J^{PC}) = 0^-(1^{--})$$

## ϕ(1020) MASS

We average mass and width values only when the systematic errors have been evaluated.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1019.417±0.014 OUR AVERAGE</b>	Error	includes scale factor of 1.8. See the ideogram below.		
1019.36 ±0.12		<sup>1</sup> ACHASOV	00B SND	$e^+e^- \rightarrow \eta\gamma$
1019.504±0.011±0.033	314k	AKHMETSHIN	99D CMD2	$e^+e^- \rightarrow K_L^0 K_S^0$
1019.38 ±0.07 ±0.08	2200	<sup>2</sup> AKHMETSHIN	99F CMD2	$e^+e^- \rightarrow \pi^+\pi^- \geq 2\gamma$
1019.51 ±0.07 ±0.10	11169	AKHMETSHIN	98 CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
1019.5 ±0.4		BARBERIS	98 OMEG	450 $pp \rightarrow pp2K^+2K^-$
1019.42 ±0.06	55600	AKHMETSHIN	95 CMD2	$e^+e^- \rightarrow$ hadrons
1019.7 ±0.3	2012	DAVENPORT	86 MPSF	400 $pA \rightarrow 4KX$
1019.411±0.008	642k	<sup>3</sup> DIJKSTRA	86 SPEC	100–200 $\pi^\pm, \bar{p}, p, K^\pm$ , on Be
1019.7 ±0.1 ±0.1	5079	ALBRECHT	85D ARG	10 $e^+e^- \rightarrow K^+K^-X$
1019.3 ±0.1	1500	ARENTON	82 AEMS	11.8 polar. $pp \rightarrow KK$
1019.67 ±0.17	25080	<sup>4</sup> PELLINEN	82 RVUE	
1019.52 ±0.13	3681	BUKIN	78C OLYA	$e^+e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1019.8 ±0.7		ARMSTRONG	86 OMEG	85 $\pi^+ / pp \rightarrow \pi^+ / p4Kp$
1020.1 ±0.11	5526	<sup>5</sup> ATKINSON	86 OMEG	20–70 $\gamma p$
1019.7 ±1.0		BEBEK	86 CLEO	$e^+e^- \rightarrow \Upsilon(4S)$
1020.9 ±0.2		<sup>5</sup> FRAME	86 OMEG	13 $K^+p \rightarrow \phi K^+p$
1021.0 ±0.2		<sup>5</sup> ARMSTRONG	83B OMEG	18.5 $K^-p \rightarrow K^-K^+\Lambda$
1020.0 ±0.5		<sup>5</sup> ARMSTRONG	83B OMEG	18.5 $K^-p \rightarrow K^-K^+\Lambda$
1019.7 ±0.3		<sup>5</sup> BARATE	83 GOLI	190 $\pi^- \text{Be} \rightarrow 2\mu X$
1019.8 ±0.2 ±0.5	766	IVANOV	81 OLYA	1–1.4 $e^+e^- \rightarrow K^+K^-$
1019.4 ±0.5	337	COOPER	78B HBC	0.7–0.8 $\bar{p}p \rightarrow K_S^0 K_L^0 \pi^+ \pi^-$
1020 ±1	383	<sup>5</sup> BALDI	77 CNTR	10 $\pi^- p \rightarrow \pi^- \phi p$

1018.9 ±0.6	800	COHEN	77	ASPK	$6 \pi^\pm N \rightarrow K^+ K^- N$
1019.7 ±0.5	454	KALBFLEISCH	76	HBC	$2.18 K^- p \rightarrow \Lambda K \bar{K}$
1019.4 ±0.8	984	BESCH	74	CNTR	$2 \gamma p \rightarrow p K^+ K^-$
1020.3 ±0.4	100	BALLAM	73	HBC	$2.8-9.3 \gamma p$
1019.4 ±0.7		BINNIE	73B	CNTR	$\pi^- p \rightarrow \phi n$
1019.6 ±0.5	120	<sup>6</sup> AGUILAR-...	72B	HBC	$3.9, 4.6 K^- p \rightarrow \Lambda K^+ K^-$
1019.9 ±0.5	100	<sup>6</sup> AGUILAR-...	72B	HBC	$3.9, 4.6 K^- p \rightarrow K^- p K^+ K^-$
1020.4 ±0.5	131	COLLEY	72	HBC	$10 K^+ p \rightarrow K^+ p \phi$
1019.9 ±0.3	410	STOTTLE...	71	HBC	$2.9 K^- p \rightarrow \Sigma / \Lambda K \bar{K}$

<sup>1</sup> Using a total width of  $4.43 \pm 0.05$  MeV. Systematic uncertainty included.


<sup>2</sup> Using a total width of  $4.43 \pm 0.05$  MeV.

<sup>3</sup> Weighted and scaled average of 12 measurements of DIJKSTRA 86.

<sup>4</sup> PELLINEN 82 review includes AKERLOF 77, DAUM 81, BALDI 77, AYRES 74, DE-GROOT 74.

<sup>5</sup> Systematic errors not evaluated.

<sup>6</sup> Mass errors enlarged by us to  $\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.



$\phi(1020)$  mass (MeV)

## $\phi(1020)$ WIDTH

We average mass and width values only when the systematic errors have been evaluated.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>4.458 ± 0.032 OUR AVERAGE</b>				
4.477 ± 0.036 ± 0.022	314k	AKHMETSHIN 99D	CMD2	$e^+e^- \rightarrow K_L^0 K_S^0$
4.44 ± 0.09	55600	AKHMETSHIN 95	CMD2	$e^+e^- \rightarrow$ hadrons
4.45 ± 0.06	271k	DIJKSTRA	86 SPEC	100 $\pi^-$ Be
4.5 ± 0.7	1500	ARENTON	82 AEMS	11.8 polar. $pp \rightarrow KK$
4.2 ± 0.6	766	<sup>7</sup> IVANOV	81 OLYA	1-1.4 $e^+e^- \rightarrow K^+K^-$
4.3 ± 0.6		<sup>7</sup> CORDIER	80 WIRE	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
4.36 ± 0.29	3681	<sup>7</sup> BUKIN	78C OLYA	$e^+e^- \rightarrow$ hadrons
4.4 ± 0.6	984	<sup>7</sup> BESCH	74 CNTR	$2\gamma p \rightarrow pK^+K^-$
4.67 ± 0.72	681	<sup>7</sup> BALAKIN	71 OSPK	$e^+e^- \rightarrow$ hadrons
4.09 ± 0.29		BIZOT	70 OSPK	$e^+e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
3.6 ± 0.8	337	<sup>7</sup> COOPER	78B HBC	0.7-0.8 $\bar{p}p \rightarrow K_S^0 K_L^0 \pi^+\pi^-$
4.5 ± 0.50	1300	<sup>7,8</sup> AKERLOF	77 SPEC	400 $pA \rightarrow K^+K^-X$
4.5 ± 0.8	500	<sup>7,8</sup> AYRES	74 ASPK	3-6 $\pi^- p \rightarrow K^+K^-n, K^-p \rightarrow K^+K^-\Lambda/\Sigma^0$
3.81 ± 0.37		COSME	74B OSPK	$e^+e^- \rightarrow K_L^0 K_S^0$
3.8 ± 0.7	454	<sup>7</sup> BORENSTEIN	72 HBC	2.18 $K^-p \rightarrow K\bar{K}n$

<sup>7</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

<sup>8</sup> Systematic errors not evaluated.

## $\phi(1020)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $K^+K^-$	(49.2 ± 0.7) %	S=1.2
$\Gamma_2$ $K_L^0 K_S^0$	(33.8 ± 0.6) %	S=1.2
$\Gamma_3$ $\rho\pi + \pi^+\pi^-\pi^0$	(15.5 ± 0.6) %	S=1.4
$\Gamma_4$ $\rho\pi$		
$\Gamma_5$ $\pi^+\pi^-\pi^0$		
$\Gamma_6$ $\eta\gamma$	(1.297 ± 0.033) %	S=1.2
$\Gamma_7$ $\pi^0\gamma$	(1.26 ± 0.10) × 10 <sup>-3</sup>	
$\Gamma_8$ $e^+e^-$	(2.91 ± 0.07) × 10 <sup>-4</sup>	S=1.2
$\Gamma_9$ $\mu^+\mu^-$	(3.7 ± 0.5) × 10 <sup>-4</sup>	
$\Gamma_{10}$ $\eta e^+e^-$	(1.3 <sup>+0.8</sup> / <sub>-0.6</sub> ) × 10 <sup>-4</sup>	
$\Gamma_{11}$ $\pi^+\pi^-$	(7.5 ± 1.4) × 10 <sup>-5</sup>	
$\Gamma_{12}$ $\omega\pi^0$	(4.8 ± 2.0) × 10 <sup>-5</sup>	
$\Gamma_{13}$ $\omega\gamma$	< 5 %	CL=84%

$\Gamma_{14}$	$\rho\gamma$	$< 1.2$	$\times 10^{-5}$	CL=90%
$\Gamma_{15}$	$\pi^+\pi^-\gamma$	$(4.1 \pm 1.3)$	$\times 10^{-5}$	
$\Gamma_{16}$	$f_0(980)\gamma$	$(3.4 \pm 0.4)$	$\times 10^{-4}$	
$\Gamma_{17}$	$\pi^0\pi^0\gamma$	$(1.08 \pm 0.19)$	$\times 10^{-4}$	
$\Gamma_{18}$	$\pi^+\pi^-\pi^+\pi^-$	$< 8.7$	$\times 10^{-4}$	CL=90%
$\Gamma_{19}$	$\pi^+\pi^+\pi^-\pi^-\pi^0$	$< 1.5$	$\times 10^{-4}$	CL=95%
$\Gamma_{20}$	$\pi^0e^+e^-$	$< 1.2$	$\times 10^{-4}$	CL=90%
$\Gamma_{21}$	$\pi^0\eta\gamma$	$(8.6 \pm 1.8)$	$\times 10^{-5}$	
$\Gamma_{22}$	$a_0(980)\gamma$	$< 5$	$\times 10^{-3}$	CL=90%
$\Gamma_{23}$	$\eta'(958)\gamma$	$(6.7 \pm 3.5)$	$\times 10^{-5}$	
$\Gamma_{24}$	$\eta\pi^0\pi^0\gamma$	$< 2$	$\times 10^{-5}$	CL=90%
$\Gamma_{25}$	$\mu^+\mu^-\gamma$	$(1.4 \pm 0.5)$	$\times 10^{-5}$	
$\Gamma_{26}$	$\rho\gamma\gamma$	$< 5$	$\times 10^{-4}$	CL=90%
$\Gamma_{27}$	$\eta\pi^+\pi^-$	$< 3$	$\times 10^{-4}$	CL=90%

### CONSTRAINED FIT INFORMATION

An overall fit to 15 branching ratios uses 42 measurements and one constraint to determine 8 parameters. The overall fit has a  $\chi^2 = 38.2$  for 35 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	-66						
$x_3$	-58	-22					
$x_6$	-19	16	1				
$x_7$	-14	14	1	11			
$x_8$	44	-47	-4	-37	-30		
$x_9$	-8	8	1	6	5	-18	
$x_{11}$	-6	6	1	5	4	-13	2
	$x_1$	$x_2$	$x_3$	$x_6$	$x_7$	$x_8$	$x_9$

### $\phi(1020)$ PARTIAL WIDTHS

$\Gamma(\eta\gamma)$					$\Gamma_6$
VALUE (keV)	DOCUMENT ID	TECN	COMMENT		
••• We do not use the following data for averages, fits, limits, etc. •••					
58.9 $\pm$ 0.5 $\pm$ 2.4	ACHASOV	00	SND $e^+e^- \rightarrow \eta\gamma$		

$\Gamma(\pi^0 \gamma)$   $\Gamma_7$

VALUE (keV)                      DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

5.40 ± 0.16<sup>+0.43</sup><sub>-0.40</sub>                      ACHASOV    00    SND     $e^+ e^- \rightarrow \pi^0 \gamma$

$\Gamma(e^+ e^-)$   $\Gamma_8$

VALUE (keV)                      EVTS                      DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.32 ± 0.02 ± 0.04                      314k                      <sup>9</sup> AKHMETSHIN 99D CMD2     $e^+ e^- \rightarrow K_L^0 K_S^0$

<sup>9</sup> Using  $B(\phi \rightarrow K_L^0 K_S^0) = 0.331 \pm 0.009$ .

$\phi(1020) \Gamma(i) \Gamma(e^+ e^-) / \Gamma^2(\text{total})$

$\Gamma(e^+ e^-) \times \Gamma(K_L^0 K_S^0) / \Gamma_{\text{total}}^2$   $\Gamma_8 \Gamma_2 / \Gamma^2$

VALUE (units 10<sup>-5</sup>)                      EVTS                      DOCUMENT ID    TECN    COMMENT

**9.85 ± 0.22 OUR FIT**    Error includes scale factor of 1.3.

**9.756 ± 0.114 ± 0.146**                      314k                      <sup>10</sup> AKHMETSHIN 99D CMD2     $e^+ e^- \rightarrow K_L^0 K_S^0$

$\Gamma(e^+ e^-) \times [\Gamma(\rho\pi) + \Gamma(\pi^+ \pi^- \pi^0)] / \Gamma_{\text{total}}^2$   $\Gamma_8 \Gamma_3 / \Gamma^2$

VALUE (units 10<sup>-5</sup>)                      EVTS                      DOCUMENT ID    TECN    COMMENT

**4.50 ± 0.19 OUR FIT**    Error includes scale factor of 1.3.

**4.35 ± 0.27 ± 0.08**                      11169                      <sup>10</sup> AKHMETSHIN 98    CMD2     $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

$\Gamma(e^+ e^-) \times \Gamma(\eta\gamma) / \Gamma_{\text{total}}^2$   $\Gamma_8 \Gamma_6 / \Gamma^2$

VALUE (units 10<sup>-6</sup>)                      EVTS                      DOCUMENT ID    TECN    COMMENT

**3.77 ± 0.11 OUR FIT**    Error includes scale factor of 1.4.

**3.84 ± 0.13 OUR AVERAGE**    Error includes scale factor of 1.5. See the ideogram below.

4.00 ± 0.04 ± 0.11                      <sup>11</sup> ACHASOV    00    SND     $e^+ e^- \rightarrow \eta\gamma$


3.765 ± 0.092 ± 0.143                      <sup>12</sup> ACHASOV    00B    SND     $e^+ e^- \rightarrow \eta\gamma$

3.53 ± 0.08 ± 0.17                      2200 <sup>12,13</sup> AKHMETSHIN 99F CMD2     $e^+ e^- \rightarrow \eta\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.848 ± 0.036 ± 0.070                      <sup>14</sup> ACHASOV    00B    SND     $e^+ e^- \rightarrow \eta\gamma$

WEIGHTED AVERAGE  
3.84±0.13 (Error scaled by 1.5)



$$\Gamma(e^+ e^-) \times \Gamma(\eta\gamma) / \Gamma_{\text{total}}^2 \quad \Gamma_8 \Gamma_6 / \Gamma^2$$

$$\Gamma(e^+ e^-) \times \Gamma(\pi^0 \gamma) / \Gamma_{\text{total}}^2 \quad \Gamma_8 \Gamma_7 / \Gamma^2$$

VALUE (units $10^{-7}$ )	DOCUMENT ID	TECN	COMMENT
<b>3.67±0.28 OUR FIT</b>			
<b>3.67±0.10<sup>+0.27</sup><sub>-0.25</sub></b>	15 ACHASOV	00 SND	$e^+ e^- \rightarrow \pi^0 \gamma$

$$\Gamma(e^+ e^-) \times \Gamma(\mu^+ \mu^-) / \Gamma_{\text{total}}^2 \quad \Gamma_8 \Gamma_9 / \Gamma^2$$

VALUE (units $10^{-8}$ )	DOCUMENT ID	TECN	COMMENT
<b>10.8±1.4 OUR FIT</b>			
<b>10.8±1.4 OUR AVERAGE</b>			
9.9±1.4±0.9	13 ACHASOV	99c SND	$e^+ e^- \rightarrow \mu^+ \mu^-$
14.4±3.0	10 VASSERMAN	81 OLYA	$e^+ e^- \rightarrow \mu^+ \mu^-$
8.6±5.9	10 AUGUSTIN	73 OSPK	$e^+ e^- \rightarrow \mu^+ \mu^-$

$$\Gamma(e^+ e^-) \times \Gamma(\pi^+ \pi^-) / \Gamma_{\text{total}}^2 \quad \Gamma_8 \Gamma_{11} / \Gamma^2$$

VALUE (units $10^{-8}$ )	DOCUMENT ID	TECN	COMMENT
<b>2.2 ±0.4 OUR FIT</b>			
<b>2.2 ±0.4 OUR AVERAGE</b>			
2.1 ±0.3 ±0.3	13 ACHASOV	00c SND	$e^+ e^- \rightarrow \pi^+ \pi^-$
1.95 <sup>+1.15</sup> <sub>-0.87</sub>	10 GOLUBEV	86 ND	$e^+ e^- \rightarrow \pi^+ \pi^-$
6.01 <sup>+3.19</sup> <sub>-2.51</sub>	10 VASSERMAN	81 OLYA	$e^+ e^- \rightarrow \pi^+ \pi^-$

<sup>10</sup> Recalculated by us from the cross section in the peak.

<sup>11</sup> From the  $\eta \rightarrow 2\gamma$  decay and using  $B(\eta \rightarrow 2\gamma) = (39.21 \pm 0.34) \times 10^{-2}$ .

<sup>12</sup> From the  $\eta \rightarrow \pi^+ \pi^- \pi^0$  decay and using  $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = (23.1 \pm 0.5) \times 10^{-2}$ .

<sup>13</sup> Recalculated by the authors from the cross section in the peak.

<sup>14</sup> Using various decay modes of the  $\eta$  from ACHASOV 98F, ACHASOV 00, and ACHASOV 00B.

<sup>15</sup> From the  $\pi^0 \rightarrow 2\gamma$  decay and using  $B(\pi^0 \rightarrow 2\gamma) = (98.798 \pm 0.032) \times 10^{-2}$ .

## $\phi(1020)$ BRANCHING RATIOS

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.492±0.007 OUR FIT</b>	Error includes scale factor of 1.2.			
<b>0.493±0.010 OUR AVERAGE</b>				
0.492±0.012	2913	AKHMETSHIN 95	CMD2	$e^+ e^- \rightarrow K^+ K^-$
0.44 ±0.05	321	KALBFLEISCH 76	HBC	2.18 $K^- p \rightarrow \Lambda K^+ K^-$
0.49 ±0.06	270	DEGROOT 74	HBC	4.2 $K^- p \rightarrow \Lambda \phi$
0.540±0.034	565	BALAKIN 71	OSPK	$e^+ e^- \rightarrow K^+ K^-$
0.48 ±0.04	252	LINDSEY 66	HBC	2.1–2.7 $K^- p \rightarrow \Lambda K^+ K^-$

$\Gamma(K_L^0 K_S^0)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.338±0.006 OUR FIT</b>	Error includes scale factor of 1.2.			
<b>0.331±0.009 OUR AVERAGE</b>				
0.335±0.010	40644	AKHMETSHIN 95	CMD2	$e^+ e^- \rightarrow K_L^0 K_S^0$
0.326±0.035		DOLINSKY 91	ND	$e^+ e^- \rightarrow K_L^0 K_S^0$
0.310±0.024		DRUZHININ 84	ND	$e^+ e^- \rightarrow K_L^0 K_S^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.329±0.006±0.010	314k	<sup>16</sup> AKHMETSHIN 99D	CMD2	$e^+ e^- \rightarrow K_L^0 K_S^0$
0.27 ±0.03	133	KALBFLEISCH 76	HBC	2.18 $K^- p \rightarrow \Lambda K_L^0 K_S^0$
0.257±0.030	95	BALAKIN 71	OSPK	$e^+ e^- \rightarrow K_L^0 K_S^0$
0.40 ±0.04	167	LINDSEY 66	HBC	2.1–2.7 $K^- p \rightarrow \Lambda K_L^0 K_S^0$

$[\Gamma(\rho\pi) + \Gamma(\pi^+ \pi^- \pi^0)]/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.155±0.006 OUR FIT</b>	Error includes scale factor of 1.4.			
<b>0.151±0.009 OUR AVERAGE</b>	Error includes scale factor of 1.7.			
0.161±0.008	11761	AKHMETSHIN 95	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
0.143±0.007		DOLINSKY 91	ND	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.145±0.009±0.003	11169	<sup>17</sup> AKHMETSHIN 98	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
0.139±0.007		<sup>18</sup> PARROUR 76B	OSPK	$e^+ e^-$

$\Gamma(K_L^0 K_S^0)/\Gamma(K\bar{K})$   $\Gamma_2/(\Gamma_1+\Gamma_2)$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.407<sup>+0.008</sup><sub>-0.007</sub> OUR FIT</b>	Error includes scale factor of 1.2.			
<b>0.45 ±0.04 OUR AVERAGE</b>				
0.44 ±0.07		LONDON 66	HBC	2.24 $K^- p \rightarrow \Lambda K\bar{K}$
0.48 ±0.07	52	BADIER 65B	HBC	3 $K^- p$
0.40 ±0.10	34	SCHLEIN 63	HBC	1.95 $K^- p \rightarrow \Lambda K\bar{K}$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K\bar{K})$   $\Gamma_3/(\Gamma_1+\Gamma_2)$

VALUE DOCUMENT ID TECN COMMENT

**0.186±0.008 OUR FIT** Error includes scale factor of 1.4.

**0.24 ±0.04 OUR AVERAGE**

0.237±0.039	CERRADA	77B	HBC	4.2	$K^- p \rightarrow \Lambda 3\pi$
0.30 ±0.15	LONDON	66	HBC	2.24	$K^- p \rightarrow \Lambda \pi^+ \pi^- \pi^0$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K_L^0 K_S^0)$   $\Gamma_3/\Gamma_2$

VALUE EVTS DOCUMENT ID TECN COMMENT

**0.457±0.020 OUR FIT** Error includes scale factor of 1.3.

**0.51 ±0.05 OUR AVERAGE**

0.56 ±0.07	3681	BUKIN	78C	OLYA	$e^+ e^- \rightarrow K_L^0 K_S^0, \pi^+ \pi^- \pi^0$
0.47 ±0.06	516	COSME	74	OSPK	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

$\Gamma(\eta\gamma)/\Gamma(\pi^0\gamma)$   $\Gamma_6/\Gamma_7$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

10.9±0.3 <sup>+0.7</sup> <sub>-0.8</sub>	ACHASOV	00	SND		$e^+ e^- \rightarrow \eta\gamma, \pi^0\gamma$
--	---------	----	-----	--	---

$\Gamma(\mu^+\mu^-)/\Gamma_{total}$   $\Gamma_9/\Gamma$

VALUE (units 10<sup>-4</sup>) DOCUMENT ID TECN COMMENT

**2.5 ±0.4 OUR AVERAGE**

2.69±0.46	19	HAYES	71	CNTR	8.3,9.8 $\gamma C \rightarrow \mu^+ \mu^- X$
2.17±0.60	19	EARLES	70	CNTR	6.0 $\gamma C \rightarrow \mu^+ \mu^- X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.30±0.45±0.32	17	ACHASOV	99C	SND	$e^+ e^- \rightarrow \mu^+ \mu^-$
4.83±1.02	20	VASSERMAN	81	OLYA	$e^+ e^- \rightarrow \mu^+ \mu^-$
2.87±1.98	20	AUGUSTIN	73	OSPK	$e^+ e^- \rightarrow \mu^+ \mu^-$

$\Gamma(\eta\gamma)/\Gamma_{total}$   $\Gamma_6/\Gamma$

VALUE EVTS DOCUMENT ID TECN COMMENT

**0.01297±0.00033 OUR FIT** Error includes scale factor of 1.2.

**0.0126 ±0.0004 OUR AVERAGE**

0.01246±0.00025±0.00057	10k	21	ACHASOV	98F	SND	$e^+ e^- \rightarrow 7\gamma$
0.0118 ±0.0011	279	22	AKHMETSHIN	95	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- 3\gamma$
0.0130 ±0.0006		23	DRUZHININ	84	ND	$e^+ e^- \rightarrow 3\gamma$
0.014 ±0.002		24	DRUZHININ	84	ND	$e^+ e^- \rightarrow 6\gamma$
0.0088 ±0.0020	290		KURDADZE	83C	OLYA	$e^+ e^- \rightarrow 3\gamma$
0.0135 ±0.0029			ANDREWS	77	CNTR	6.7-10 $\gamma Cu$
0.015 ±0.004	54	23	COSME	76	OSPK	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.01338±0.00012±0.00052		25	ACHASOV	00	SND	$e^+ e^- \rightarrow \eta\gamma$
0.01287±0.00012±0.00042		26	ACHASOV	00B	SND	$e^+ e^- \rightarrow \eta\gamma$
0.01259±0.00030±0.00059		27	ACHASOV	00B	SND	$e^+ e^- \rightarrow \eta\gamma$
0.0118 ±0.0003 ±0.0006	2200	28	AKHMETSHIN	99F	CMD2	$e^+ e^- \rightarrow \eta\gamma$
0.0121 ±0.0007		29	BENAYOUN	96	RVUE	0.54-1.04 $e^+ e^- \rightarrow \eta\gamma$



$\Gamma(\pi^+ \pi^- \gamma)/\Gamma_{\text{total}}$   $\Gamma_{15}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.41 ± 0.12 ± 0.04</b>		30175	30 AKHMETSHIN 99B	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.3	90		31 AKHMETSHIN 97C	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
< 600	90		KALBFLEISCH 75	HBC	$2.18 K^- p \rightarrow \Lambda \pi^+ \pi^- \gamma$
< 70	90		COSME	74 OSPK	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
< 400	90		LINDSEY	65 HBC	$2.1-2.7 K^- p \rightarrow \Lambda \pi^+ \pi^- \text{ neutrals}$

$\Gamma(\omega \gamma)/\Gamma_{\text{total}}$   $\Gamma_{13}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 0.05</b>	84	LINDSEY 66	HBC	$2.1-2.7 K^- p \rightarrow \Lambda \pi^+ \pi^- \text{ neutrals}$

$\Gamma(\rho \gamma)/\Gamma_{\text{total}}$   $\Gamma_{14}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
< <b>0.12</b>	90	32 AKHMETSHIN 99B	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 7	90		AKHMETSHIN 97C	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
< 200	84		LINDSEY 66	HBC	$2.1-2.7 K^- p \rightarrow \Lambda \pi^+ \pi^- \text{ neutrals}$

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2.99 ± 0.08 OUR AVERAGE</b>		Error includes scale factor of 1.2.		
2.88 ± 0.09	55600	AKHMETSHIN 95	CMD2	$e^+ e^- \rightarrow \text{hadrons}$
3.00 ± 0.21	3681	BUKIN 78C	OLYA	$e^+ e^- \rightarrow \text{hadrons}$
3.10 ± 0.14		33 PARROUR 76	OSPK	$e^+ e^-$
3.3 ± 0.3		COSME 74	OSPK	$e^+ e^- \rightarrow \text{hadrons}$
2.81 ± 0.25	681	BALAKIN 71	OSPK	$e^+ e^- \rightarrow \text{hadrons}$
3.50 ± 0.27		CHATELUS 71	OSPK	$e^+ e^-$

$\Gamma(\pi^0 \gamma)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$

VALUE (units $10^{-3}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.31 ± 0.13 OUR AVERAGE</b>				

1.30 ± 0.13		DRUZHININ 84	ND	$e^+ e^- \rightarrow 3\gamma$
1.4 ± 0.5	32	COSME 76	OSPK	$e^+ e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$1.226 \pm 0.036^{+0.096}_{-0.089}$		34 ACHASOV 00	SND	$e^+ e^- \rightarrow \pi^0 \gamma$
1.26 ± 0.17		29 BENAYOUN 96	RVUE	$0.54-1.04 e^+ e^- \rightarrow \pi^0 \gamma$

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.71 \pm 0.11 \pm 0.09$		17 ACHASOV	00C SND	$e^+e^- \rightarrow \pi^+\pi^-$
$0.65^{+0.38}_{-0.29}$		17 GOLUBEV	86 ND	$e^+e^- \rightarrow \pi^+\pi^-$
$2.01^{+1.07}_{-0.84}$		17 VASSERMAN	81 OLYA	$e^+e^- \rightarrow \pi^+\pi^-$
<6.6	95	BUKIN	78B OLYA	$e^+e^- \rightarrow \pi^+\pi^-$
<2.7	95	ALVENSLEB...	72 CNTR	$6.7 \gamma C \rightarrow C\pi^+\pi^-$

$\Gamma(\omega\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{12}/\Gamma$

VALUE (units $10^{-5}$ )	DOCUMENT ID	TECN	COMMENT
$4.8^{+1.9}_{-1.7} \pm 0.8$	ACHASOV	99 SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$

$\Gamma(K_L^0 K_S^0)/\Gamma(K^+ K^-)$   $\Gamma_2/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
$0.688^{+0.022}_{-0.019}$ <b>OUR FIT</b>		Error includes scale factor of 1.2.		
$0.740 \pm 0.031$ <b>OUR AVERAGE</b>				
$0.70 \pm 0.06$	2732	BUKIN	78C OLYA	$e^+e^- \rightarrow K_L^0 K_S^0$
$0.82 \pm 0.08$		LOSTY	78 HBC	$4.2 K^- p \rightarrow \phi$ hyperon
$0.71 \pm 0.05$		LAVEN	77 HBC	$10 K^- p \rightarrow K^+ K^- \Lambda$
$0.71 \pm 0.08$		LYONS	77 HBC	$3-4 K^- p \rightarrow \Lambda\phi$
$0.89 \pm 0.10$	144	AGUILAR-...	72B HBC	$3.9, 4.6 K^- p$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K^+ K^-)$   $\Gamma_3/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
$0.314 \pm 0.014$ <b>OUR FIT</b>		Error includes scale factor of 1.4.		
$0.28 \pm 0.09$	34	AGUILAR-...	72B HBC	$3.9, 4.6 K^- p$

$\Gamma(\eta e^+ e^-)/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
$1.3^{+0.8}_{-0.6}$	7	GOLUBEV	85 ND	$e^+e^- \rightarrow \gamma\gamma e^+e^-$

$\Gamma(\eta'(958)\gamma)/\Gamma_{\text{total}}$   $\Gamma_{23}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
$6.7^{+3.4}_{-2.9} \pm 1.0$		5	35 AULCHENKO	99 SND	$e^+e^- \rightarrow \pi^+\pi^-3\gamma$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
$8.2^{+2.1}_{-1.9} \pm 1.1$		21	36 AKHMETSHIN	00B CMD2	$e^+e^- \rightarrow \pi^+\pi^-3\gamma$
<11	90		AULCHENKO	98 SND	$e^+e^- \rightarrow 7\gamma$
$12^{+7}_{-5} \pm 2$		6	36 AKHMETSHIN	97B CMD2	$e^+e^- \rightarrow \pi^+\pi^-3\gamma$
<41	90		DRUZHININ	87 ND	$e^+e^- \rightarrow \gamma\eta\pi^+\pi^-$

$\Gamma(\eta\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$   $\Gamma_{24}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<2	90	AULCHENKO 98	SND	$e^+e^- \rightarrow 7\gamma$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$   $\Gamma_{17}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.08 ± 0.17 ± 0.09</b>		268	AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.14 ± 0.10 ± 0.12		164	ACHASOV 98i	SND	$e^+e^- \rightarrow 5\gamma$
<10	90		DRUZHININ 87	ND	$e^+e^- \rightarrow 5\gamma$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\eta\gamma)$   $\Gamma_{17}/\Gamma_6$

VALUE (units $10^{-2}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.90 ± 0.08 ± 0.07</b>	164	ACHASOV 98i	SND	$e^+e^- \rightarrow 5\gamma$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{19}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<1.5	95	BARKOV 88	CMD	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-\pi^0$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{18}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<8.7	90	CORDIER 79	WIRE	$e^+e^- \rightarrow 4\pi$

$\Gamma(f_0(980)\gamma)/\Gamma_{\text{total}}$   $\Gamma_{16}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>3.4 ± 0.4 OUR AVERAGE</b>					
2.90 ± 0.21 ± 1.54			37 AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma, \pi^0\pi^0\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

3.42 ± 0.30 ± 0.36		164	38 ACHASOV 98i	SND	$e^+e^- \rightarrow 5\gamma$
1.93 ± 0.46 ± 0.50		27188	39 AKHMETSHIN 99B	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
3.05 ± 0.25 ± 0.72		268	40 AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
1.5 ± 0.5		268	41 AKHMETSHIN 99C	CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
< 1	90		42 AKHMETSHIN 97C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
< 7	90		43 AKHMETSHIN 97C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
<20	90		DRUZHININ 87	ND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$

$\Gamma(\pi^0e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_{20}/\Gamma$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<1.2 × 10 <sup>-4</sup>	90	DOLINSKY 88	ND	$e^+e^- \rightarrow \pi^0e^+e^-$

$\Gamma(\pi^0 \eta \gamma) / \Gamma_{\text{total}}$   $\Gamma_{21} / \Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.86 ± 0.18 OUR AVERAGE</b>					
0.90 ± 0.24 ± 0.10		80	AKHMETSHIN 99C	CMD2	$e^+ e^- \rightarrow \eta \pi^0 \gamma$
0.83 ± 0.23 ± 0.12		20	ACHASOV 98B	SND	$e^+ e^- \rightarrow 5\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<25	90		DOLINSKY 91	ND	$e^+ e^- \rightarrow \pi^0 \eta \gamma$

$\Gamma(a_0(980)\gamma) / \Gamma_{\text{total}}$   $\Gamma_{22} / \Gamma$

VALUE (units $10^{-3}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<5	90	DOLINSKY 91	ND	$e^+ e^- \rightarrow \pi^0 \eta \gamma$

$\Gamma(\eta'(958)\gamma) / \Gamma(\eta\gamma)$   $\Gamma_{23} / \Gamma_6$

VALUE (units $10^{-3}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>6.5<sup>+1.7</sup><sub>-1.5</sub> ± 0.8</b>	21	AKHMETSHIN 00B	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- 3\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
9.5 <sup>+5.2</sup> <sub>-4.0</sub> ± 1.4	6	44 AKHMETSHIN 97B	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- 3\gamma$

$\Gamma(\mu^+ \mu^- \gamma) / \Gamma_{\text{total}}$   $\Gamma_{25} / \Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.43 ± 0.45 ± 0.14</b>	27188	39 AKHMETSHIN 99B	CMD2	$e^+ e^- \rightarrow \mu^+ \mu^- \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.3 ± 1.0	824 ± 33	45 AKHMETSHIN 97C	CMD2	$e^+ e^- \rightarrow \mu^+ \mu^- \gamma$

$\Gamma(\rho\gamma\gamma) / \Gamma_{\text{total}}$   $\Gamma_{26} / \Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<5	90	AKHMETSHIN 98	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma \gamma$

$\Gamma(\eta \pi^+ \pi^-) / \Gamma_{\text{total}}$   $\Gamma_{27} / \Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<3	90	AKHMETSHIN 98	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma \gamma$

<sup>16</sup> Using  $\Gamma_{e^+ e^-} = 1.32 \pm 0.04$  keV.

<sup>17</sup> Using  $B(\phi \rightarrow e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .

<sup>18</sup> Using  $\Gamma(\phi) = 4.1$  MeV. If interference between the  $\rho\pi$  and  $3\pi$  modes is neglected, the fraction of the  $\rho\pi$  is more than 80% at the 90% confidence level.

<sup>19</sup> Neglecting interference between resonance and continuum.

<sup>20</sup> Recalculated by us using  $B(\phi \rightarrow e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .

<sup>21</sup> Using  $B(\phi \rightarrow e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$  and  $B(\eta \rightarrow 3\pi^0) = (32.2 \pm 0.4) \times 10^{-2}$ .

<sup>22</sup> From  $\pi^+ \pi^- \pi^0$  decay mode of  $\eta$ .

<sup>23</sup> From  $2\gamma$  decay mode of  $\eta$ .

<sup>24</sup> From  $3\pi^0$  decay mode of  $\eta$ .

<sup>25</sup> From the  $\eta \rightarrow 2\gamma$  decay and using  $B(\phi \rightarrow e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .

<sup>26</sup> Using various decay modes of the  $\eta$  from ACHASOV 98F, ACHASOV 00, and ACHASOV 00B and  $B(\phi \rightarrow e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .

<sup>27</sup> From the  $\eta \rightarrow \pi^+ \pi^- \pi^0$  decay and  $B(\phi \rightarrow e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .

- 28 From  $\pi^+\pi^-\pi^0$  decay mode of  $\eta$  and using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- 29 Reanalysis of DRUZHININ 84, DOLINSKY 89, and DOLINSKY 91 taking into account a triangle anomaly contribution.
- 30 For  $E_\gamma > 20$  MeV and assuming that  $B(\phi(1020) \rightarrow f_0(980)\gamma)$  is negligible. Supersedes AKHMETSHIN 97C.
- 31 For  $E_\gamma > 20$  MeV and assuming that  $B(\phi(1020) \rightarrow f_0(980)\gamma)$  is negligible.
- 32 Supersedes AKHMETSHIN 97C.
- 33 Using total width 4.2 MeV. They detect  $3\pi$  mode and observe significant interference with  $\omega$  tail. This is accounted for in the result quoted above.
- 34 From the  $\pi^0 \rightarrow 2\gamma$  decay and using  $B(\phi \rightarrow e^+e^-) = (2.99 \pm 0.08) \times 10^{-4}$ .
- 35 Using the value  $B(\eta' \rightarrow \eta\pi^+\pi^-) = (43.7 \pm 1.5) \times 10^{-2}$  and  $B(\eta \rightarrow \gamma\gamma) = (39.25 \pm 0.31) \times 10^{-2}$ .
- 36 Using the value  $B(\phi \rightarrow \eta\gamma) = (1.26 \pm 0.06) \times 10^{-2}$ .
- 37 From the combined fit of the photon spectra in the reactions  $e^+e^- \rightarrow \pi^+\pi^-\gamma$ ,  $\pi^0\pi^0\gamma$ .
- 38 Assuming that the  $\pi^0\pi^0\gamma$  final state is completely determined by the  $f_0\gamma$  mechanism, neglecting the decay  $B(\phi \rightarrow K\bar{K}\gamma)$  and using  $B(f_0 \rightarrow \pi^+\pi^-) = 2B(f_0 \rightarrow \pi^0\pi^0)$ .
- 39 For  $E_\gamma > 20$  MeV. Supersedes AKHMETSHIN 97C.
- 40 Neglecting other intermediate mechanisms ( $\rho\pi$ ,  $\sigma\gamma$ ).
- 41 A narrow pole fit taking into account  $f_0(980)$  and  $f_0(1200)$  intermediate mechanisms.
- 42 For destructive interference with the Bremsstrahlung process
- 43 For constructive interference with the Bremsstrahlung process
- 44 Superseded by AKHMETSHIN 00B.
- 45 For  $E_\gamma > 20$  MeV.

### $\pi^+\pi^-\pi^0 / \rho\pi$ AMPLITUDE RATIO $a_1$ IN DECAY OF $\phi \rightarrow \pi^+\pi^-\pi^0$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$-0.16 < a_1 < 0.11$	90	46 AKHMETSHIN 98	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma\gamma$

46 Dalitz plot analysis of 9735 events taking into account interference between the contact and  $\rho\pi$  terms and assuming zero phase for the contact term.

### $\phi(1020)$ REFERENCES

ACHASOV	00	EPJ C12 25	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00B	JETP 90 17	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZHETF 117 22.		
ACHASOV	00C	PL B474 188	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	00B	PL B473 337	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
ACHASOV	99	PL B449 122	M.N. Achasov <i>et al.</i>	
ACHASOV	99C	PL B456 304	M.N. Achasov <i>et al.</i>	
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AKHMETSHIN	99D	PL B466 385	R.R. Akhmetshin <i>et al.</i>	
AKHMETSHIN	99F	PL B460 242	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AULCHENKO	99	JETPL 69 97	V.M. Aulchenko <i>et al.</i>	
		Translated from ZETFP 69 87.		

ACHASOV	98B	PL B438 441	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	98F	JETPL 68 573	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	98I	PL B440 442	M.N. Achasov <i>et al.</i>	
AKHMETSHIN	98	PL B434 426	R.R. Akhmetshin <i>et al.</i>	
AULCHENKO	98	PL B436 199	V.M. Aulchenko <i>et al.</i>	
BARBERIS	98	PL B432 436	D. Barberis <i>et al.</i>	(Omega expt.)
AKHMETSHIN	97B	PL B415 445	R.R. Akhmetshin <i>et al.</i>	(NOVO, BOST, PITT+)
AKHMETSHIN	97C	PL B415 452	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
BENAYOUN	96	ZPHY C72 221	M. Benayoun <i>et al.</i>	(IPNP, NOVO)
AKHMETSHIN	95	PL B364 199	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
DOLINSKY	89	ZPHY C42 511	S.I. Dolinsky <i>et al.</i>	(NOVO)
BARKOV	88	SJNP 47 248	L.M. Barkov <i>et al.</i>	(NOVO)
		Translated from YAF 47	393.	
DOLINSKY	88	SJNP 48 277	S.I. Dolinsky <i>et al.</i>	(NOVO)
		Translated from YAF 48	442.	
DRUZHININ	87	ZPHY C37 1	V.P. Druzhinin <i>et al.</i>	(NOVO)
ARMSTRONG	86	PL 166B 245	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
ATKINSON	86	ZPHY C30 521	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
BEBEK	86	PRL 56 1893	C. Bebek <i>et al.</i>	(CLEO Collab.)
DAVENPORT	86	PR 33 2519	T.F. Davenport	(TUFTS, ARIZ, FNAL, FSU, NDAM+)
DIJKSTRA	86	ZPHY C31 375	H. Dijkstra <i>et al.</i>	(ANIK, BRIS, CERN+)
FRAME	86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)
GOLUBEV	86	SJNP 44 409	V.B. Golubev <i>et al.</i>	(NOVO)
		Translated from YAF 44	633.	
ALBRECHT	85D	PL 153B 343	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
GOLUBEV	85	SJNP 41 756	V.B. Golubev <i>et al.</i>	(NOVO)
		Translated from YAF 41	1183.	
DRUZHININ	84	PL 144B 136	V.P. Druzhinin <i>et al.</i>	(NOVO)
ARMSTRONG	83B	NP B224 193	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
KURDADZE	83C	JETPL 38 366	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 38	306.	
ARENTON	82	PR D25 2241	M.W. Arenton <i>et al.</i>	(ANL, ILL)
PELLINEN	82	PS 25 599	A. Pellinen, M. Roos	(HELS)
DAUM	81	PL 100B 439	C. Daum <i>et al.</i>	(AMST, BRIS, CERN, CRAC+)
IVANOV	81	PL 107B 297	P.M. Ivanov <i>et al.</i>	(NOVO)
Also	82	Private Comm.	S.I. Eidelman	(NOVO)
VASSERMAN	81	PL 99B 62	I.B. Vasserman <i>et al.</i>	(NOVO)
Also	82	SJNP 35 240	L.M. Kurdadze <i>et al.</i>	
		Translated from YAF 35	352.	
CORDIER	80	NP B172 13	A. Cordier <i>et al.</i>	(LALO)
CORDIER	79	PL 81B 389	A. Cordier <i>et al.</i>	(LALO)
BUKIN	78B	SJNP 27 521	A.D. Bukin <i>et al.</i>	(NOVO)
		Translated from YAF 27	985.	
BUKIN	78C	SJNP 27 516	A.D. Bukin <i>et al.</i>	(NOVO)
		Translated from YAF 27	976.	
COOPER	78B	NP B146 1	A.M. Cooper <i>et al.</i>	(TATA, CERN, CDEF+)
LOSTY	78	NP B133 38	M.J. Losty <i>et al.</i>	(CERN, AMST, NIJM+)
AKERLOF	77	PRL 39 861	C.W. Akerlof <i>et al.</i>	(FNAL, MICH, PURD)
ANDREWS	77	PRL 38 198	D.E. Andrews <i>et al.</i>	(ROCH)
BALDI	77	PL 68B 381	R. Baldi <i>et al.</i>	(GEVA)
CERRADA	77B	NP B126 241	M. Cerrada <i>et al.</i>	(AMST, CERN, NIJM+)
COHEN	77	PRL 38 269	D. Cohen <i>et al.</i>	(ANL)
LAVEN	77	NP B127 43	H. Laven <i>et al.</i>	(AACH3, BERL, CERN, LOIC+)
LYONS	77	NP B125 207	L. Lyons, A.M. Cooper, A.G. Clark	(OXF)
COSME	76	PL 63B 352	G. Cosme <i>et al.</i>	(ORSAY)
KALBFLEISCH	76	PR D13 22	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
PARROUR	76	PL 63B 357	G. Parrou <i>et al.</i>	(ORSAY)
PARROUR	76B	PL 63B 362	G. Parrou <i>et al.</i>	(ORSAY)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
AYRES	74	PRL 32 1463	D.S. Ayres <i>et al.</i>	(ANL)
BESCH	74	NP B70 257	H.J. Besch <i>et al.</i>	(BONN)
COSME	74	PL 48B 155	G. Cosme <i>et al.</i>	(ORSAY)
COSME	74B	PL 48B 159	G. Cosme <i>et al.</i>	(ORSAY)
DEGROOT	74	NP B74 77	A.J. de Groot <i>et al.</i>	(AMST, NIJM)
AUGUSTIN	73	PRL 30 462	J.E. Augustin <i>et al.</i>	(ORSAY)
BALLAM	73	PR D7 3150	J. Ballam <i>et al.</i>	(SLAC, LBL)

BINNIE	73B	PR D8 2789	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
ALVENSLEB...	72	PRL 28 66	H. Alvensleben <i>et al.</i>	(MIT, DESY)
BORENSTEIN	72	PR D5 1559	S.R. Borenstein <i>et al.</i>	(BNL, MICH)
COLLEY	72	NP B50 1	D.C. Colley <i>et al.</i>	(BIRM, GLAS)
BALAKIN	71	PL 34B 328	V.E. Balakin <i>et al.</i>	(NOVO)
CHATELUS	71	Thesis LAL 1247	Y. Chatelus	(STRB)
Also	70	PL 32 416	J.C. Bizot <i>et al.</i>	(ORSAY)
HAYES	71	PR D4 899	S. Hayes <i>et al.</i>	(CORN)
STOTTLE...	71	Thesis ORO 2504 170	A.R. Stottlemyer	(UMD)
BIZOT	70	PL 32 416	J.C. Bizot <i>et al.</i>	(ORSAY)
Also	69	Liverpool Sym. 69	J.P. Perez-y-Jorba	
EARLES	70	PRL 25 1312	D.R. Earles <i>et al.</i>	(NEAS)
LINDSEY	66	PR 147 913	J.S. Lindsey, G. Smith	(LRL)
LONDON	66	PR 143 1034	G.W. London <i>et al.</i>	(BNL, SYRA) IGJPC
BADIER	65B	PL 17 337	J. Badier <i>et al.</i>	(EPOL, SACL, AMST)
LINDSEY	65	PRL 15 221	J.S. Lindsey, G.A. Smith	(LRL)
LINDSEY 65 data included in LINDSEY 66.				
SCHLEIN	63	PRL 10 368	P.E. Schlein <i>et al.</i>	(UCLA) IGJP

### OTHER RELATED PAPERS

ACHASOV	99B	PAN 62 442	M.N. Achasov <i>et al.</i>	
		Translated from YAF 62 484.		
MARCO	99	PL B470 20	E. Marco <i>et al.</i>	
ACHASOV	98C	PR D57 1987	N.N. Achasov <i>et al.</i>	
OLLER	98B	PL B426 7	J.A. Oller	
ACHASOV	97C	PR D56 4084	N.N. Achasov <i>et al.</i>	
ACHASOV	97D	PR D56 203	N.N. Achasov <i>et al.</i>	
ACHASOV	95	PLB 363 106	N.N. Achasov, V.V. Gubin	(NOVM)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
GEORGIO...	85	PL 152B 428	C. Georgiopoulos <i>et al.</i>	(TUFTS, ARIZ, FNAL+)
GELFAND	63B	PRL 11 438	N. Gelfand <i>et al.</i>	(COLU, RUTG)
BERTANZA	62	PRL 9 180	L. Bertanza <i>et al.</i>	(BNL, SYRA)