

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
TECHNICAL STANDARDS PROGRAM OFFICE				
GTN	TSPO Manager	Jeff D. Feit	U.S. Department of Energy EH-22/270 Corporate Center 1000 Independence Ave., S.W. Washington, DC 20585-1290	301-903-0471 Fax: 301-903-6172 Jeffrey.Feit@eh.doe.gov
GTN	Alternate Standards Manager	Morton Norman Schwartz	U.S. Department of Energy Nuclear and Facility Safety Policy 270 Corporate Center, Room 3091 EH-22 Washington, MD 20874-1290	301-903-2996 Fax: 301-903-6172 Norm.Schwartz@eh.doe.gov
ORNL	TSPO/Staff	Donald L. Williams	Oak Ridge National Laboratory Building 5700 MS-6165 Oak Ridge, TN 37831-6165	865-574-8710 Fax: 865-574-0382 williamsdljr@ornl.gov
GTN	TSPO/Staff	Satish Chander Khanna	U.S. Department of Energy Nuclear and Facility Safety Policy 270 Corporate Center EH-22 Germantown, MD 20874-1290	301-903-4114 Fax: 301-903-6172 satish.khanna@eh.doe.gov
DOE HEADQUARTERS STANDARDS MANAGERS				
EE	Standards Manager	Cyrus H. Nasser	U.S. Department of Energy Office of Codes and Standards EE-431/FORS Washington, DC 20585	202-586-9138 Fax: 202-586-4617 Cyrus.Nasser@ee.doe.gov
EM	Standards Manager	Hoyt C. Johnson	U.S. Department of Energy Office of Licensing 1000 Independence Avenue, SW EM-24 Washington, DC 20585	202-586-0191 Fax: 202-586-5256 hoyt.johnson@em.doe.gov
FE	Standards Manager	Robert J. Wright	U.S. Department of Energy Fossil Energy FE-73/GTN 19901 Germantown Rd. Washington, MD 20874-1290	301-903-5471 Fax: 301-903-2713 Robert.Wright@hq.doe.gov
GC	Standards Manager	Robert (Bob) Waxman	U.S. Department of Energy Office of General Counsel Civilian Nuclear Programs, GC-52 1000 Independence Ave, S.W., Rm. 6A-167 Washington, DC 20585	202-586-6979 Fax: 202-586-6977 robert.waxman@hq.doe.gov
GTN	Standards Manager	Mary Frances Haughey	U.S. Department of Energy Off. of Nucl. Safety & Env. Policy 270 Corporate Center, Rm 3069 HS-21 Washington, MD 20874-1290	301-903-2867 Fax: 301-903-6172 mary.haughey@eh.doe.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
HS-1.1	Standards Manager	Robert John McMorland	U.S. Department of Energy-HQ 1000 Independence Ave., S.W., Rm 6H-025 Departmental Representative to the DNFSB HS-1.1 Washington, DC 20585	202-586-0057 Fax: 202-586-3472 Robert.McMorland@hq.doe.gov
HS-1.1	Alternate Standards Manager	David S. Compton	Specpro, Inc. 1000 Independence Avenue, S.W. HS-1.1 Washington, DC 20585	202-586-1034 Fax: 202-586-3472 david.compton@hq.doe.gov
HS-71	Standards Manager	James C. Crabtree	U.S. Department of Energy-HQ Office of Security Policy HS-71/GTN 19901 Germantown Rd. Germantown, MD 20874-1290	301-903-6008 Fax: 301-903-2247 James.Crabtree@hq.doe.gov
HS-71	Alternate Standards Manager	Debarah S. Holmer	U.S. Department of Energy-HQ Office of Security Policy HS-71, Room E-368, 19901 Germantown Road Germantown, MD 20874-1290	301-903-5122 Fax: 301-903-2247 debarah.holmer@hq.doe.gov
NA-3.6	Standards Manager	Dennis J. Kubicki	U.S. Department of Energy/NNSA Env. Saf. And Health NA-3.6, Room A-122 19901 Germantown Road Germantown, MD 20874-1290	301-903-4794 Fax: 301-903-8754 dennis.kubicki@nnsa.doe.gov
NA-40	Standards Manager	James E. Fairobent	U.S. Department of Energy Planning & Preparedness Division NA-40/FORS Room GH-060 Washington, DC 20585	202-586-8759 Fax: 202-586-3859 jim.fairobent@hq.doe.gov
NA-41	Alternate Standards Manager	Jeng Chang	U.S. Department of Energy-HQ 1000 Independence Avenue S.W. NA-41 Office of Emergency Mgt and Policy Washington, DC 20585	202-586-7455 Fax: 202-586-3859 jeng.chang@nnsa.doe.gov
NE	Standards Manager	John J. Serocki	U.S. Department of Energy Office of Nuclear Energy 19901 Germantown Road NE-70, Rm E-462 Washington, MD 20874-1290	301-903-7999 Fax: 301-903-5005 JOHN.SEROCKI@nuclear.energy.gov
NE	Alternate Standards Manager	Carl R. Klee	U.S. Department of Energy NE-70/Germantown Bldg. 1000 Independence Ave., S.W. Washington, DC 20585-1290	301-903-2964 Fax: 301-903-5005 Carl.Klee@hq.doe.gov
NZ	Standards Manager	Mohammad S. (Alam) Mozumder	U.S. Department of Energy Environmental Safety and Health Dept. Building: AL Mail Stop EH&H Albuquerque, NM 87185	505-845-4118 Fax: 505-845-4664 mmozumder@doeal.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
PO	Standards Manager	M. K. Thompson	U.S. Department of Energy Domestic & International Engy. Pol. IA-3/FORS Washington, DC 20585	202-586-7997 Fax: 202-586-0823 Kay.Thompson@hq.doe.gov
RW	Standards Manager	Narendra Mathur	U.S. Department of Energy Office of Civilian Rad. Waste Management RW-52/FORS 1000 Independence Ave, S.W. Washington, DC 20585	202-586-4929 Fax: 202-586-9608 Narendra.Mathur@rw.doe.gov
SC	Standards Manager	DeVaughn Nelson	U.S. Department of Energy Office of Energy Research SC-83, Room F-437 19901 Germantown Road Washington, MD 20874-1290	301-903-5608 Fax: 301-903-7047 Devaughn.Nelson@science.doe.gov
SO-411	Alternate Standards Manager	James T. Powers	U.S. Department of Energy 1000 Independence Ave., S.W. SO-411/FORS, Room GH-060 Washington, DC 20585	202-586-0633 Fax: 202-586-3859 PowersJ@oem.doe.gov
US	Standards Manager	Gustave E. (Bud) Danielson	U.S. Department of Energy Central Technical Authority Chief, Nuclear Safety Staff - CTA/CNS EM-60/270CC, 1000 Independence Ave., SW Washington, DC 20585-0270	301-903-2954 Fax: 301-903-4120 bud.danielson@eh.doe.gov

OPERATIONS OFFICE, LABORATORY, and M&O CONTRACTOR STANDARDS MANAGERS

AMES	Standards Manager	Tom E. Wessels	Ames Laboratory G-40 TASF Iowa State University Ames, IA 50011-3020	515-294-4965 Fax: 515-294-2155 wessels@ameslab.gov
ASO	Standards Manager	Katrina (Kate) L. Panek	U.S. Department of Energy CH - Argonne Group DOE Argonne Grp/Chicago Ops Office 9800 S. Cass Ave. Argonne, IL 60439	630-252-2736 Fax: 630-252-2361 Katrina.Panek@ch.doe.gov
BAO	Standards Manager	Peter W. Kelley	U.S. Department of Energy Brookhaven Area Office Operations Management Division 53 Bell Ave., Building 464 Upton, NY 11973	631-344-5784 Fax: 631-344-5784 pkelley@bnl.gov
BN	Alternate Standards Manager	Susan Otis	National Security Technologies Prime Contract Management P.O. Box 98521 Mail Stop NSF052 North Las Vegas, NV 89193-8521	702-295-1989 Fax: 702-295-1496 otissc@nv.doe.gov
BNL	Standards Manager	Stasia Ann Scocca	Brookhaven National Laboratory P.O. Box 5000 Building 902C Upton, NY 11973-5000	631-344-3979 Fax: 631-344-7981 scocca@bnl.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
BPA	Standards Manager	Lloyd A. Hill	Bonneville Power Administration (DOE) P.O. Box 3621-T-OPP3 Portland, OR 97208-3621	360-691-6286 lahill@bpa.gov
BSO	Standards Manager	Roseann Pelzner	Berkeley Site Office 1 Cyclotron Road, MS 90-1042B Berkeley, CA 94720	510-486-4377 Fax: 510-486-4710 Roseann.Pelzner@bso.science.doe.gov
BWXT/Y1	Standards Manager	Clarence C. Hinton	BWXT Y12 Y12 National Security Complex P.O. Box 2009 Building 9114, Room 1114 Oak Ridge, TN 37831-8213	865-241-2009 Fax: 865-241-6539 hintoncc@y12.doe.gov
BWXT-P	Standards Manager	Pam Butler	BWXT Pantex, LLC Pantex Plant P.O. Box 30020 Amarillo, TX 79120-0020	806-477-4279 Fax: 806-477-4202 pbutler@pantex.com
CH	Standards Manager	Joseph P. Drago	U.S. Department of Energy Chicago Operations Office Safety & Technical Services Group 9800 South Cass Ave. Argonne, IL 60439	630-252-2673 Fax: 630-252-2835 joseph.drago@ch.doe.gov
CH	Standards Manager	John D. Scott	U.S. Department of Energy Fermi Site Office P.O. Box 2000, MS0118 Batavia, IL 60510	630-840-2250 Fax: 630-840-3285 John.Scott@ch.doe.gov
FHI	Standards Manager	Greg L. Bennett	Fluor Hanford P.O. Box 1000, N=MS B3-70 Richland, WA 99352	509-373-9667 Fax: 509-373-1188 Gregory_L_Greg_Bennett@rl.gov
FNAL	Standards Manager	Hans Jostlein	Fermi National Accelerator Laboratory MS-208 P.O. Box 500 Batavia, IL 60510	630-840-4546 Fax: 630-840-4610 jostlein@fnal.gov
GFO	Standards Manager	Joyce Beck	U.S. Department of Energy Golden Field Office 1617 Cole Blvd. Golden, CO 80401	303-275-4774 Fax: 303-275-4788 Joyce.Beck@go.doe.gov
ICP	Alternate Standards Manager	Karlene Arehart	Idaho Cleanup Project CH2M WG Idaho, LLC MS 3935 Idaho Falls, ID 83415	208-526-0996 Fax: 208-526-0665 reqmgmt@inel.gov
ICP/CWI	Standards Manager	Carla A. Campbell	Idaho Cleanup Project CH2M WG Idaho, LLC P.O. Box 1625 MS 3935 Idaho Falls, ID 83415	208-526-2677 Fax: 208-526-0665 Carla.Campbell@icp.doe.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
ID	Standards Manager	Harry Marc Worrell	U.S. Department of Energy Idaho Operations Office 1955 Fremont Avenue MS-1216 Idaho Falls, ID 83401	208-526-5646 Fax: 208-526-1926 worrelhm@id.doe.gov
ID	Alternate Standards Manager	Karen A. Moses	U.S. Department of Energy Idaho Operations Office 1955 Fremont Avenue MS-1240 Idaho Falls, ID 83401	208-526-7701 moseska@id.doe.gov
INL	Standards Manager	Tracy J. Ricks	Battelle Energy Alliance, LLC P.O. Box 1625 MS: 3780 Idaho Falls, ID 83415	208-526-4698 Fax: 208-526-4313 BEAREQMG@inl.gov
INL	Alternate Standards Manager	Lisa A. Sehlke	Battelle Energy Alliance, LLC P.O. Box 1625 MS: 3810 Idaho Falls, ID 83415	208-526-6567 Fax: 208-526-2818 Lisa.Sehlke@inl.gov
JLAB	Standards Manager	Bruce Lenzer	Thomas Jefferson National Accelerator Facility Quality Assurance & Continuous Improvement 12050 Jefferson Ave., Suite 602, MS6B Newport News, VA 23606	757-269-7586 Fax: 757-269-6050 blenzer@jlab.org
JLAB	Alternate Standards Manager	Bob R. Doane	Thomas Jefferson National Accelerator Facility Quality Assurance & Continuous Improvement 12050 Jefferson Ave., Suite 602, MS6B Newport News, VA 23606	757-269-6380 Fax: 757-269-6050 bobdoane@jlab.org
LANL	Standards Manager	Tobin Oruch	Los Alamos National Laboratory P.O. Box 1663 MS M702 Los Alamos, NM 87545	505-665-8475 Fax: 505-665-1723 oruch@lanl.gov
LASO	Standards Manager	Jennifer L. Oliver	Los Alamos Site Office Fiore Industries 528 36th Street Los Alamos, NM 87544	505-665-0824 Fax: 505-667-5948 joliver@doeal.gov
LBNL	Standards Manager	John G. Chernowski	Lawrence Berkeley National Laboratory 1 Cyclotron Road, MS 90C-0101 Berkeley, CA 94720	510-486-7457 Fax: 510-486-4713 JGChernowski@lbl.gov
LLNL	Standards Manager	Ed Farrell	Lawrence Livermore National Laboratory P.O. Box 808, MS-L654 7000 East Ave., L-654 Livermore, CA 94551	510-423-4011 Fax: 510-423-3977 ewf@llnl.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
LSO	Standards Manager	Adeliza (Liza) Carriedo Cordis	U.S. Department of Energy NNSA, Livermore Site Office P.O. Box 808, L-293 7000 East Avenue, B-311 Livermore, CA 94551-9900	925-422-9585 Fax: 935-422-2832 adeliza.cordis@oak.doe.gov
MCP	Standards Manager	Art William Kleinrath	U.S. Department of Energy Grand Junction Office, LM-50 955 Mound Road Miamisburg, OH 45342	937-847-8350 Fax: 937-847-8352 art.kleinrath@gjo.doe.gov
NBL	Standards Manager	Kimberly Johnson-Miller	U. S. Department of Energy New Brunswick Laboratory 9800 S. Cass Ave. Bldg. 350 Argonne, IL 60439	604-252-4334 Fax: 630-252-6256 Kimberly.Johnson-Miller@ch.doe.gov
NETL	Standards Manager	David R. Alleman	U.S. Department of Energy 1 West 3rd Street, 14th Floor Williams Tower I Tulsa, OK 74103	918-699-2057 Fax: 918-699-2005 david.alleman@netl.doe.gov
NNSA SS	Standards Manager	Ismael (Mel) Valenzuela	NNSA Sandia Site Office P. O. Box 5400 Mail Stop SSO Albuquerque, NM 87185-0665	505-845-5308 Fax: 505-284-7046 ivalenzuela@doeal.gov
NNSA SS	Alternate Standards Manager	Andrea Leal	NNSA Sandia Site Office Mail Stop SN Albuquerque, NM 87185-0665	505-845-5764 aleal@doeal.gov
NSO	Standards Manager	Mitchell P. Kunich	U.S. Department of Energy NNSA, Nevada Site Office P.O. Box 98518 Las Vegas, NV 89193-8518	702-295-1001 Fax: 702-295-0946 kunich@nv.doe.gov
NSO	Alternate Standards Manager	Victoria E. Niemann	U.S. Department of Energy - NV NNSA, Nevada Site Office P. O. Box 98518 Las Vegas, NV 89193-8518	702-295-1979 Fax: 702-295-0625 niemannv@nv.doe.gov
NV	Standards Manager	Misti D. Duplex	National Security Technologies Prime Contract Management P.O. Box 98521 Mail Stop CF052 North Las Vegas, NV 89193-8521	702-295-3894 Fax: 702-295-3269 duplexmd@nv.doe.gov
ORAU	Standards Manager	Robert (Bob) Kapolka	Oak Ridge Associated Universities Oak Ridge Institute for Science & Educ. P.O. Box 117, WHS-03 Oak Ridge, TN 37831-0117	865-576-3339 Fax: 865-241-2923 KapolkaR@orau.gov
ORAU	Alternate Standards Manager	William L. Beck	Oak Ridge Associated Universities Oak Ridge Institute for Science & Educ. Energy/Environment Systems Division P.O. Box 117 Oak Ridge, TN 37831-0117	865-576-5031 Fax: 865-241-3497 beckj@orau.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
OR-BJC	Standards Manager	Jerry W Robertson	Bechtel Jacobs Company, LLC Standards Management K-1007, Room 2207 Oak Ridge, TN 37831	865-574-5984 Fax: 865-574-2619 jyv@bechteljacobs.org
ORNL	Standards Manager	Rosa T Murr	Battelle/Oak Ridge National Laboratory P.O. Box 2003 Building 2661, MS 6425 Oak Ridge, TN 37831	865-574-8451 Fax: 865-576-0570 murrtr@ornl.gov
ORO	Standards Manager	Jenni Hamilton	U.S. Department of Energy Oak Ridge Operations Office P.O. Box 2001 MS-AD440 Oak Ridge, TN 37831	865-576-0681 hamiltonjg@oro.doe.gov
ORP	Standards Manager	Bobby L. Williams	U.S. Dept. of Energy Office of River Protection P.O. Box 450 MSIN: H6-60 2440 Stevens Center Place Richland, WA 99354	509-376-0034 Fax: 509-373-0628 Bobby_L_Williams@RL.gov
PNNL	Standards Manager	Terry Dahl	Battelle/Pacific Northwest National Laboratory Requirements Management P.O. Box 999, MSIN K1-50 Richland, WA 99352	509-371-7846 Fax: 509-375-3822 terry.dahl@pnl.gov
PPPL	Standards Manager	James (Jim) B. Graham	Princeton Plasma Physics Lab. P.O. Box 451 Princeton, NJ 08543-0451	609-243-2701 Fax: 609-243-2303 jgraham@pppl.gov
PPPO	Standards Manager	David Richard Kozlowski	U.S. Department of Energy Portsmouth/Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington, KY 40513	859-219-4009 Fax: 859-219-4099 david.kozlowski@lex.doe.gov
PSO	Standards Manager	Harry Allen Wrigley	U.S. Department of Energy-CH CH-Princeton Site Office P.O. Box 102 Princeton, NJ 08542	609-243-3710 Fax: 609-243-3714 awrigley@pppl.gov
PXSO	Standards Manager	Ron Holm	U.S. Department of Energy Pantex Site Office P.O. Box 30030 Amarillo, TX 79120	806-477-6620 Fax: 806-477-7713 rholm@pantex.doe.gov
RL	Standards Manager	Joanne R. Shadel	U.S. Department of Energy Richland Operations Office 825 Jadwin Ave. MS A5-17 Richland, WA 99352	509-376-2100 Fax: 509-376-6821 Joanne_R_Shadel@rl.gov
RL	Alternate Standards Manager	Dennis L. Anderson	U.S. Department of Energy - RL Richland Operations Office 825 Jadwin Ave. MS A5-17 Richland, WA 99352	509-373-9549 Fax: 509-376-2964 Dennis_L_Anderson@rl.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.

**DOE TECHNICAL STANDARDS MANAGERS
(Sorted by DOE Locations [LOC])**

10/29/2007

LOC CODE	ASSIGNMENT	NAME/TITLE	DOE FACILITY/ADDRESS	TELEPHONE/FAX/E-MAIL
SLAC	Standards Manager	Steven R. Frey	Stanford Linear Accelerator Center Room 211, Building 24, MS84 2575 Sand Hill Road Menlo Park, CA 94025	650-926-3839 Fax: 650-926-3030 Sfreyohp@SLAC.Stanford.EDU
SNL	Standards Manager	Michael A. Sides	Sandia National Laboratories - Albuquerque P.O. Box 5800 Org: 9730; Type: E; Bldg: 802; Rm: 1180K MS 0180 Albuquerque, NM 87185	505-845-7913 Fax: 505-284-4358 masides@sandia.gov
SRO	Standards Manager	Linda C. Wright	Savannah River Site Operations Office P.O. Box A Building 730-B Aiken, SC 29802	803-952-7289 Fax: 803-725-7082 lindac.wright@srs.gov
WAPA	Standards Manager	Paulette Kaptain	Western Area Power Administration P.O. Box 281213 Lakewood, CO 80228-8213	720-962-7421 Fax: 720-962-7427 akaptain@wapa.gov
WIPP	Standards Manager	John K. Ford	U.S. Department of Energy Waste Isolation Pilot Project Carlsbad Field Office P.O. Box 3090 Carlsbad, NM 88220	505-234-7361 Fax: 505-234-7361 john.ford@wipp.ws
WIPP	Standards Manager	Candice Jierree	Washington TRU Solutions P.O. Box 2078 MS: 452-07 Carlsbad, NM 88220	505-234-8325 Fax: 505-234-6062 candice.jierree@WIPP.ws
WSI-NV	Standards Manager	Jan M. Penny	Wackenhut Services, Inc.-Nevada P.O. Box 168 Mercury, NV 89023-0168	702-295-0265 Fax: 702-295-2377 penny@nv.doe.gov
WSI-NV	Alternate Standards Manager	Earlie O. Rose, Jr.	Wackenhut Services Inc. Nevada Operations (WSI-NV) P.O. Box 168 Mercury, NV 89023-0168	702-295-7902 Fax: 702-295-7121 rosee@nv.doe.gov
WSRC	Standards Manager	Lawrence T. Suttinger	Washington Savannah River Company Bldg. 730-4B Aiken, SC 29808	803-952-7120 Fax: 803-952-8074 lawrence.suttinger@srs.gov
WSRC	Alternate Standards Manager	Ken W. Stephens	Westinghouse Savannah River Company Bldg 730-4B, Room 313 Aiken, SC 29808	803-952-8358 Fax: 803-952-8544 ken.stephens@srs.gov
WVDP	Standards Manager	David L. Gray	U.S. Department of Energy-OH/WVDP 10280 Rock Springs Road West Valley, NY 14171	716-942-4780 Fax: 716-942-4703 david.l.gray@wv.doe.gov
YSO	Standards Manager	Elizabeth C. Hale	Y12 National Security Complex Y12 Site Office 301 Bearcreek Road Oak Ridge, TN 37831	865-576-9330 Fax: 865-576-1237 haleec@ysa.doe.gov

*Coordination of DOE Technical Standards must be conducted with these standards managers. Coordination with other persons or activities is at the discretion of the preparing activity. One copy of the coordination draft should be sent to the TSPO at ORNL (c/o Don Williams) for document status information.