

**$f_2(1565)$** 

$$I^G(J^{PC}) = 0^+(2^{++})$$


## OMITTED FROM SUMMARY TABLE

Seen in antinucleon-nucleon annihilation at rest. See also minireview under non- $q\bar{q}$  candidates. (See the index for the page number.)  
Needs confirmation.

 **$f_2(1565)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b><math>1542 \pm 22</math> OUR AVERAGE</b>	Error	includes scale factor of 2.3.	See the ideogram below.
$1575 \pm 18$	BERTIN	98 OBLX	50-405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
$1507 \pm 15$	<sup>1</sup> BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
$1565 \pm 20$	MAY	90 ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$1534 \pm 20$	<sup>2</sup> ABELE	96C RVUE	Compilation
$\sim 1552$	<sup>3</sup> AMSLER	95D CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$
$1598 \pm 72$	BALOSHIN	95 SPEC	40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
$1566^{+80}_{-50}$	<sup>4</sup> ANISOVICH	94 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
$1502 \pm 9$	ADAMO	93 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
$1488 \pm 10$	<sup>5</sup> ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
$1508 \pm 10$	<sup>5</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
$1525 \pm 10$	<sup>5</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
$\sim 1504$	<sup>6</sup> WEIDENAUER	93 ASTE	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
$1540 \pm 15$	<sup>5</sup> ADAMO	92 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
$1515 \pm 10$	<sup>7</sup> AKER	91 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
$1477 \pm 5$	BRIDGES	86C DBC	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

<sup>1</sup> T-matrix pole.<sup>2</sup> T-matrix pole, large coupling to  $\rho\rho$  and  $\omega\omega$ , could be  $f_2(1640)$ .<sup>3</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.<sup>4</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta \eta$  including AKER 91 data.<sup>5</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .<sup>6</sup>  $J^P$  not determined.<sup>7</sup> Superseded by AMSLER 95B,



$f_2(1565)$  mass (MeV)

### $f_2(1565)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>131± 14 OUR AVERAGE</b>			
119± 24	BERTIN	98 OBLX	50-405 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
130± 20	<sup>8</sup> BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
170± 40	MAY	90 ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
180± 60	<sup>9</sup> ABELE	96C RVUE	Compilation
~ 142	<sup>10</sup> AMSLER	95D CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$
263±101	BALOSHIN	95 SPEC	40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
166 <sup>+</sup> <sub>-20</sub>	<sup>11</sup> ANISOVICH	94 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
130± 10	<sup>12</sup> ADAMO	93 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
148± 27	<sup>13</sup> ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
103± 15	<sup>13</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
111± 10	<sup>13</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~ 206	<sup>14</sup> WEIDENAUER	93 ASTE	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
132± 37	<sup>13</sup> ADAMO	92 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
120± 10	<sup>15</sup> AKER	91 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
116± 9	BRIDGES	86C DBC	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

<sup>8</sup> T-matrix pole.

<sup>9</sup> T-matrix pole, large coupling to  $\rho\rho$  and  $\omega\omega$ , could be  $f_2(1640)$ .

<sup>10</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

<sup>11</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$  including AKER 91 data.

<sup>12</sup> Supersedes ADAMO 92.

<sup>13</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

<sup>14</sup>  $J^P$  not determined.

<sup>15</sup> Superseded by AMSLER 95B,

## $f_2(1565)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $\pi^+\pi^-$	seen
$\Gamma_2$ $\pi^0\pi^0$	seen
$\Gamma_3$ $\rho^0\rho^0$	seen
$\Gamma_4$ $2\pi^+2\pi^-$	seen
$\Gamma_5$ $\eta\eta$	seen

## $f_2(1565)$ BRANCHING RATIOS

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	BERTIN	98	OBLX	50-405 $\bar{p}p \rightarrow \pi^+\pi^+\pi^-$
not seen	<sup>16</sup> ANISOVICH	94B	RVUE	$\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
seen	MAY	89	ASTE	$\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

<sup>16</sup> ANISOVICH 94B is from a reanalysis of MAY 90.

$\Gamma(\pi^+\pi^-)/\Gamma(\rho^0\rho^0)$   $\Gamma_1/\Gamma_3$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.042 \pm 0.013$	BRIDGES	86B	DBC	$\bar{p}N \rightarrow 3\pi^-2\pi^+$
-------------------	---------	-----	-----	-------------------------------------

$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE DOCUMENT ID TECN COMMENT

seen	AMSLER	95B	CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$
------	--------	-----	------	-----------------------------------

$\Gamma(\eta\eta)/\Gamma(\pi^0\pi^0)$   $\Gamma_5/\Gamma_2$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.024 \pm 0.005 \pm 0.012$	<sup>17</sup> ARMSTRONG	93C	E760	$\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$
-----------------------------	-------------------------	-----	------	----------------------------------------------------------

<sup>17</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

## $f_2(1565)$ REFERENCES

BERTIN	98	PR D57 55	A. Bertin, Bruschi, Capponi+	(OBELIX Collab.)
BERTIN	97C	PL B408 476	A. Bertin, Bruschi+	(OBELIX Collab.)
ABELE	96C	NP A609 562	A. Abele, Adomeit, Armstrong+	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	+Armstrong, Brose+	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	+Armstrong, Hackman+	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	+Armstrong, Spanier+	(Crystal Barrel Collab.)
BALOSHIN	95	PAN 58 46	+Bolonkin, Vladimirkii+	(ITEP)
		Translated from YAF 58 50.		
AMSLER	94D	PL B333 277	+Anisovich, Spanier+	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	+Armstrong+	(Crystal Barrel Collab.)
ANISOVICH	94B	PR D50 1972	+Bugg+	(LOQM)
ADAMO	93	NP A558 13C	+Agnello+	(OBELIX Collab.)
ARMSTRONG	93C	PL B307 394	+Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
ARMSTRONG	93D	PL B307 399	+Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
WEIDENAUER	93	ZPHY C59 387	+Duch+	(ASTERIX Collab.)
ADAMO	92	PL B287 368	+Agnello, Balestra+	(OBELIX Collab.)
AKER	91	PL B260 249	+Amsler, Peters+	(Crystal Barrel Collab.)
MAY	90	ZPHY C46 203	+Duch, Heel+	(ASTERIX Collab.)
MAY	89	PL B225 450	+Duch, Heel+	(ASTERIX Collab.) IJP
BRIDGES	86B	PRL 56 215	+Daftari, Kalogeropoulos, Debbe+	(SYRA, CASE)
BRIDGES	86C	PRL 57 1534	+Daftari, Kalogeropoulos+	(SYRA)

---