

## LISTING OF CHARACTERIZATION DATA FROM NON-HAZARDOUS OILS FACILITIES

The following table defines the column headings used in this Appendix.

Column Heading	Definition
Analyte Name	Pollutant (or analyte) name
Cas Number	Chemical Abstract Service (CAS) registry number for the analyte
Facility ID	Each facility has been assigned an unique 1-character identifier
Sample	Number assigned to the sample that EPA collected
Amount	Detected value of the pollutant concentration (if there is a value in this column, then no value is given in the Detection Limit column)
Detection Limit	Sample-specific detection limit associated with the non-detected measurement (if there is a value in this column, then no value is given in the Amount column)
Method	Analytical method that the laboratory used to measure the pollutant
Procedure	This field is blank in all cases. It was included to show that none of the samples were biphasic. If biphasic samples had been included the value would have been either 'aqueous' or 'organic' corresponding to the phase.
Unit	Unit associated with the Amount or Detection Limit. The possible values are: UG/L = micrograms per kilogram MG/L = milligrams per kilogram UG/KG = micrograms per kilogram
SCC Data Qualifier	This field is blank except in two cases when the values are: B = indicates that the pollutant measured by Method 1620 was detected with a concentration value less than the minimum level, but above the instrument detection limit (see chapter 15 for further discussion) > = indicates that a value was reported as being greater than the upper calibration limit of the analysis the analysis.

### Sample Information

Sample Numbers	Description
43125 and 43127	Effluent from Oil/Water Separation
43131 and 43132	Effluents from Separate Oil/Water Separation Units
43139	Effluent from Emulsion Breaking/Gravity Separation
43146	Effluent from Emulsion Breaking/Gravity Separation
43153	Effluent from Oil/Water Separation
44013*	Effluent from Emulsion Breaking/Gravity Separation*
44014 and 44015*	Effluent Samples from Oil/Water Separation*
44074, 44075, and 44076	Effluent Samples from Emulsion Breaking/Gravity Separation
44077	Influent Wastewater (Represents Wastewater in 3 Subcategories and Out-of-scope Wastewater)
44085	Effluent from Emulsion Breaking/Gravity Separation

\* Units for sample points 44013, 44014, and 44015 are presented in ug/kg in the first section and converted to ug/L in the following section titled, Episode 5052 and 5053 converted results.

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
ACENAPHTHENE	83329	A	43125	512.20	.	1625		UG/L	
		A	43127	219.70	.	1625		UG/L	
		B	43131	130.54	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
ALPHA-TERPINEOL	98555	A	43125	1,648.80	.	1625		UG/L	
		A	43127	887.40	.	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	372.60	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	51,410.00	.	1625		UG/KG	
		F	44014	6,776.00	.	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	2,804.00	.	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
ALUMINUM	7429905	A	43125	9,160.00	.	1620		UG/L	
		A	43127	9,640.00	.	1620		UG/L	
		B	43131	12,400.00	.	1620		UG/L	
		B	43132	449.00	.	1620		UG/L	
		C	43139	629.00	.	1620		UG/L	
		D	43146	941.00	.	1620		UG/L	
		E	43153	477.00	.	1620		UG/L	
	7429905	F	44013	81,400.00	.	1620		UG/L	
		F	44014	59,600.00	.	1620		UG/L	
		G	44015	582,000.00	.	1620		UG/L	
		H	44074	19,700.00	.	1620		UG/L	
		H	44075	14,800.00	.	1620		UG/L	
		H	44076	19,000.00	.	1620		UG/L	
		I	44077	125,000.00	.	1620		UG/L	
J	44085	.	54.00	1620		UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
ANILINE	62533	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
ANTHRACENE	120127	A	43125	252.80	.	1625		UG/L	
		A	43127	109.40	.	1625		UG/L	
		B	43131	53.42	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
ANTIMONY	7440360	A	43125	61.90	.	1620		UG/L	B
		A	43127	32.00	.	1620		UG/L	
		B	43131	30.00	.	1620		UG/L	
		B	43132	100.00	.	1620		UG/L	B
		C	43139	1,000.00	.	1620		UG/L	
		D	43146	2,410.00	.	1620		UG/L	
	7440360	E	43153	.	2.00	1620		UG/L	
		F	44013	.	6.60	1620		UG/L	
		G	44014	794.00	.	1620		UG/L	
		G	44015	71.80	.	1620		UG/L	
		H	44074	.	30.00	1620		UG/L	
		H	44075	42.20	.	1620		UG/L	B
		H	44076	48.80	.	1620		UG/L	B
I	44077	265.00	.	1620		UG/L			
J	44085	.	30.00	1620		UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier	
ARSENIC	7440382	A	43125	91.50	.	1620		UG/L	B	
		A	43127	76.10	.	1620		UG/L	B	
		B	43131	92.60	.	1620		UG/L	B	
		B	43132	28.10	.	1620		UG/L	B	
		C	43139	12.20	.	1620		UG/L		
		D	43146	47.10	.	1620		UG/L		
		E	43153	7.00	.	1620		UG/L	B	
		F	44013	103.00	.	1620		UG/L		
		F	44014	88.00	.	1620		UG/L		
		G	44015	68.40	.	1620		UG/L		
		H	44074	.	.	10.00	1620		UG/L	
		H	44075	.	.	10.00	1620		UG/L	
		H	44076	27.40	.	.	1620		UG/L	B
		I	44077	79.90	.	.	1620		UG/L	
		J	44085	6.10	.	.	1620		UG/L	B
		BARIUM	7440393	A	43125	476.00	.	1620		UG/L
A	43127			455.00	.	1620		UG/L		
B	43131			4,352.00	.	1620		UG/L		
B	43132			352.00	.	1620		UG/L		
C	43139			68.30	.	1620		UG/L	B	
D	43146			596.00	.	1620		UG/L		
E	43153			11.60	.	1620		UG/L	B	
F	44013			280.00	.	1620		UG/L		
F	44014			474.00	.	1620		UG/L		
G	44015			1,040.00	.	1620		UG/L		
H	44074			293.00	.	1620		UG/L		
H	44075			445.00	.	1620		UG/L		
H	44076			567.00	.	1620		UG/L		
I	44077			10,500.00	.	1620		UG/L		
J	44085			114.00	.	1620		UG/L	B	
BENZO (A) ANTHRACENE	56553			A	43125	49.32	.	1625		UG/L
		A	43127	49.48	.	1625		UG/L		
	56553	B	43131	.	20.00	1625		UG/L		
		B	43132	.	20.00	1625		UG/L		
		C	43139	.	20.00	1625		UG/L		
		D	43146	.	100.00	1625		UG/L		
		E	43153	.	100.00	1625		UG/L		
		F	44013	.	2,000.00	1625		UG/KG		
		F	44014	.	2,000.00	1625		UG/KG		
		G	44015	.	12,000.00	1625		UG/KG		
		H	44074	.	100.00	1625		UG/L		
		H	44075	.	1,000.00	1625		UG/L		
		H	44076	.	1,000.00	1625		UG/L		
		I	44077	.	1,000.00	1625		UG/L		
		J	44085	.	500.00	1625		UG/L		

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
BENZO(A)PYRENE	50328	A	43125	.	20.00	1625		UG/L	
		A	43127	36.84	.	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
BENZO(B)FLUORANTHENE	205992	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
BENZO(K)FLUORANTHENE	207089	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
BENZOIC ACID	65850	A	43125	.	100.00	1625	UG/L	
		A	43127	.	100.00	1625	UG/L	
		B	43131	.	100.00	1625	UG/L	
		B	43132	.	100.00	1625	UG/L	
		C	43139	.	100.00	1625	UG/L	
		D	43146	37,100.00	.	1625	UG/L	
		E	43153	.	500.00	1625	UG/L	
		F	44013	52,486.00	.	1625	UG/KG	
		G	44014	160,838.00	.	1625	UG/KG	
		G	44015	.	10,000.00	1625	UG/KG	
		H	44074	8,190.00	.	1625	UG/L	
		H	44075	29,600.00	.	1625	UG/L	
		H	44076	32,100.00	.	1625	UG/L	
		I	44077	.	5,000.00	1625	UG/L	
J	44085	3,900.00	.	1625	UG/L			
BENZYL ALCOHOL	100516	A	43125	.	20.00	1625	UG/L	
		A	43127	2,254.40	.	1625	UG/L	
		B	43131	.	20.00	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	1,192.56	.	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	3,000.00	.	1625	UG/L	
		F	44013	3,834.00	.	1625	UG/KG	
		G	44014	41,304.00	.	1625	UG/KG	
		G	44015	.	12,000.00	1625	UG/KG	
		H	44074	255.00	.	1625	UG/L	
		H	44075	12,300.00	.	1625	UG/L	
		H	44076	13,100.00	.	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
J	44085	.	500.00	1625	UG/L			
BERYLLIUM	7440417	A	43125	.	1.00	1620	UG/L	
		A	43127	.	1.00	1620	UG/L	
		B	43131	.	1.00	1620	UG/L	
		B	43132	.	1.00	1620	UG/L	
		C	43139	.	1.00	1620	UG/L	
		D	43146	.	2.00	1620	UG/L	
		E	43153	.	2.00	1620	UG/L	
		F	44013	.	0.30	1620	UG/L	
		G	44014	.	0.60	1620	UG/L	
		G	44015	.	1.20	1620	UG/L	
		H	44074	.	1.00	1620	UG/L	
		H	44075	.	1.00	1620	UG/L	
		H	44076	2.90	1.00	1620	UG/L	
		I	44077	.	1.00	1620	UG/L	
J	44085	.	1.00	1620	UG/L	B		

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
BIOCHEMICAL OXYGEN DEMAND	C-003	A	43125	12,700.00	.	5210	MG/L	
		A	43127	11,200.00	.	5210	MG/L	
		B	43131	4,860.00	.	405.1	MG/L	
		B	43132	3,830.00	.	405.1	MG/L	
		C	43139	1,960.00	.	405.1	MG/L	
		D	43146	11,700.00	.	405.1	MG/L	
		E	43153	12,900.00	.	405.1	MG/L	
		F	44013	1,300.00	.	405.1	MG/L	
		G	44014	3,450.00	.	405.1	MG/L	
		G	44015	32,500.00	.	405.1	MG/L	
		H	44074	15,400.00	.	405.1	MG/L	
		H	44075	11,200.00	.	405.1	MG/L	
		I	44076	.	6,000.00	405.1	MG/L	
		I	44077	8,220.00	.	405.1	MG/L	
J	44085	62,500.00	.	405.1	MG/L			
BIPHENYL	92524	A	43125	1,898.60	.	1625	UG/L	
		A	43127	830.10	.	1625	UG/L	
		B	43131	1,285.60	.	1625	UG/L	
		B	43132	20.00	.	1625	UG/L	
		C	43139	56.64	.	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	3,128.00	.	1625	UG/KG	
		G	44014	.	2,000.00	1625	UG/KG	
		G	44015	81,380.00	.	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	.	1,000.00	1625	UG/L	
		H	44076	.	1,000.00	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
J	44085	.	500.00	1625	UG/L			
BIS(2-ETHYLHEXYL) PHTHALATE	117817	A	43125	1,064.20	.	1625	UG/L	
		A	43127	457.00	.	1625	UG/L	
		B	43131	.	20.00	1625	UG/L	
		B	43132	46.26	.	1625	UG/L	
		C	43139	63.30	.	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	11,368.00	.	1625	UG/KG	
		G	44014	3,512.00	.	1625	UG/KG	
		G	44015	210,360.00	.	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	1,096.00	.	1625	UG/L	
		H	44076	982.00	.	1625	UG/L	
		I	44077	1,586.00	.	1625	UG/L	
J	44085	1,195.50	.	1625	UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
BORON	7440428	A	43125	21,100.00	.	1620		UG/L	
		A	43127	21,800.00	.	1620		UG/L	
		B	43131	1,050.00	.	1620		UG/L	
		B	43132	43,200.00	.	1620		UG/L	
		C	43139	10,000.00	.	1620		UG/L	
		D	43146	72,700.00	.	1620		UG/L	
		E	43153	20,800.00	.	1620		UG/L	
		F	44013	5,840.00	.	1620		UG/L	
		G	44014	21,200.00	.	1620		UG/L	
		G	44015	67,300.00	.	1620		UG/L	
		H	44074	69,800.00	.	1620		UG/L	
		H	44075	60,200.00	.	1620		UG/L	
		H	44076	59,400.00	.	1620		UG/L	
		I	44077	1,050.00	.	1620		UG/L	
J	44085	265,000.00	.	1620		UG/L			
BUTYL BENZYL PHTHALATE	85687	A	43125	134.40	.	1625		UG/L	
		A	43127	120.74	.	1625		UG/L	
		B	43121	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
CADMIUM	7440439	A	43125	21.80	.	1620		UG/L	
		A	43127	19.80	.	1620		UG/L	
		B	43131	22.70	.	1620		UG/L	
		B	43132	49.60	.	1620		UG/L	
		C	43139	10.30	.	1620		UG/L	
		D	43146	.	4.00	1620		UG/L	
		E	43153	.	4.00	1620		UG/L	
		F	44013	37.00	.	1620		UG/L	
		G	44014	.	2.60	1620		UG/L	
		G	44015	58.30	.	1620		UG/L	
		H	44074	13.60	.	1620		UG/L	
		H	44075	13.60	.	1620		UG/L	
		H	44076	20.60	.	1620		UG/L	
		I	44077	111.00	.	1620		UG/L	
J	44085	27.10	.	1620		UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs



Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
CARBAZOLE	86748	A	43125	72.62	.	1625		UG/L	
			43127	.	40.00	1625		UG/L	
			43131	.	40.00	1625		UG/L	
			43132	.	40.00	1625		UG/L	
			43139	.	40.00	1625		UG/L	
			43146	.	200.00	1625		UG/L	
			43153	.	200.00	1625		UG/L	
			44013	.	4,000.00	1625		UG/KG	
			44014	.	4,000.00	1625		UG/KG	
			44015	.	24,000.00	1625		UG/KG	
			44074	.	200.00	1625		UG/L	
			44075	.	2,000.00	1625		UG/L	
			44076	.	2,000.00	1625		UG/L	
			44077	.	2,000.00	1625		UG/L	
44085	.	1,000.00	1625		UG/L				
CHEMICAL OXYGEN DEMAND (COD)	C-004	A	43125	68,600.00	.	410.4		MG/L	
			43127	58,600.00	.	410.4		MG/L	
			43131	10,800.00	.	410.4		MG/L	
			43132	9,900.00	.	410.4		MG/L	
			43139	5,860.00	.	EPA 410.4		MG/L	
			43146	40,000.00	.	410.1		MG/L	
			43153	30,000.00	.	410.1		MG/L	
			44013	9,100.00	.	410.4		MG/L	
			44014	10,100.00	.	410.4		MG/L	
			44015	43,900.00	.	410.4		MG/L	
			44074	58,200.00	.	410.4		MG/L	
			44075	8,620.00	.	410.4		MG/L	
			44076	78,100.00	.	410.4		MG/L	
			44077	4,960.00	.	410.4		MG/L	
44085	824,000.00	.	410.4		MG/L				
CHROMIUM	7440473	A	43125	146.00	.	1620		UG/L	
			43127	129.00	.	1620		UG/L	
			43131	89.20	.	1620		UG/L	
			43132	67.30	.	1620		UG/L	
			43139	10.30	.	1620		UG/L	
			43146	66.10	.	1620		UG/L	
			43153	.	2.00	1620		UG/L	
			44013	359.00	.	1620		UG/L	
			44014	31.20	.	1620		UG/L	
			44015	1,140.00	.	1620		UG/L	
			44074	344.00	.	1620		UG/L	
			44075	133.00	.	1620		UG/L	
			44076	189.00	.	1620		UG/L	
			44077	896.00	.	1620		UG/L	
44085	.	10.00	1620		UG/L				

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
CHRYSENE	218019	A	43125	77.60	.	1625	UG/L	
		A	43127	77.32	.	1625	UG/L	
		B	43131	26.76	.	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	.	20.00	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	.	2,000.00	1625	UG/KG	
		G	44014	.	2,000.00	1625	UG/KG	
		G	44015	.	12,000.00	1625	UG/KG	
		H	44074	.	1,000.00	1625	UG/L	
		H	44075	.	1,000.00	1625	UG/L	
		H	44076	.	1,000.00	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
J	44085	.	500.00	1625	UG/L			
COBALT	7440484	A	43125	48.90	.	1620	UG/L	B
		A	43127	48.20	.	1620	UG/L	B
		B	43131	147.00	.	1620	UG/L	
		B	43132	524.00	.	1620	UG/L	
		C	43139	40.10	.	1620	UG/L	B
		D	43146	16.60	.	1620	UG/L	B
		E	43153	.	10.00	1620	UG/L	
		F	44013	65.90	.	1620	UG/L	
		G	44014	87.10	.	1620	UG/L	
		G	44015	32,100.00	.	1620	UG/L	B
		H	44074	329.00	.	1620	UG/L	
		H	44075	232.00	.	1620	UG/L	
		H	44076	279.00	.	1620	UG/L	
		I	44077	152.00	.	1620	UG/L	
J	44085	.	10.00	1620	UG/L			
COPPER	7440508	A	43125	1,590.00	.	1620	UG/L	
		A	43127	1,550.00	.	1620	UG/L	
		B	43131	1,050.00	.	1620	UG/L	
		B	43132	5,140.00	.	1620	UG/L	
		C	43139	541.00	.	1620	UG/L	
		D	43146	58.20	.	1620	UG/L	
		E	43153	53.20	.	1620	UG/L	
		F	44013	2,990.00	.	1620	UG/L	
		G	44014	972.40	.	1620	UG/L	
		G	44015	928.00	.	1620	UG/L	
		H	44074	581.00	.	1620	UG/L	
		H	44075	645.00	.	1620	UG/L	
		H	44076	912.00	.	1620	UG/L	
		I	44077	5,910.00	.	1620	UG/L	
J	44085	509.00	.	1620	UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
DI-N-BUTYL PHTHALATE	84742	A	43125	1,046.80	.	1625		UG/L	
		A	43127	420.40	.	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
I	44077	.	1,000.00	1625		UG/L			
J	44085	.	500.00	1625		UG/L			
DIBENZOFURAN	132649	A	43125	401.80	.	1625		UG/L	
		A	43127	142.50	.	1625		UG/L	
		B	43131	63.10	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
I	44077	.	1,000.00	1625		UG/L			
J	44085	.	500.00	1625		UG/L			
DIBENZOTHIOPHENE	132650	A	43125	113.40	.	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
DIBENZOTHIOPHENE	132650	H	44076	.	1,000.00	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
		J	44085	.	500.00	1625	UG/L	
DIETHYL PHTHALATE	84662	A	43125	24.00	.	1625	UG/L	
		A	43127	.	20.00	1625	UG/L	
		B	43131	.	20.00	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	.	20.00	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	.	2,000.00	1625	UG/KG	
		G	44014	3,802.00	.	1625	UG/KG	
		G	44015	.	12,000.00	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	.	1,000.00	1625	UG/L	
		I	44076	.	1,000.00	1625	UG/L	
J	44077	.	1,000.00	1625	UG/L			
J	44085	.	500.00	1625	UG/L			
DIPHENYL ETHER	101848	A	43125	.	20.00	1625	UG/L	
		A	43127	.	20.00	1625	UG/L	
		B	43131	774.30	.	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	.	20.00	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	.	2,000.00	1625	UG/KG	
		G	44014	.	2,000.00	1625	UG/KG	
		G	44015	.	12,000.00	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	.	1,000.00	1625	UG/L	
		H	44076	.	1,000.00	1625	UG/L	
I	44077	.	1,000.00	1625	UG/L			
J	44085	.	500.00	1625	UG/L			
FLUORANTHENE	206440	A	43125	96.10	.	1625	UG/L	
		A	43127	67.70	.	1625	UG/L	
		B	43131	59.50	.	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	.	20.00	1625	UG/L	
		E	43146	.	100.00	1625	UG/L	
E	43153	.	100.00	1625	UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
FLUORANTHENE	206440	F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		H	44015	42,324.00	.	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
		J	44085	.	500.00	1625		UG/L	
FLUORENE	86737	A	43125	1,071.60	.	1625		UG/L	
		A	43127	438.60	.	1625		UG/L	
		B	43131	176.90	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
HEXANE EXTRACTABLE MATERIAL	C-036	A	43125	1,360.00	.	1664		MG/L	
		A	43127	1,390.00	.	1664		MG/L	
		B	43131	63.00	.	1664		MG/L	
		B	43132	94.00	.	1664		MG/L	
		C	43139	167.00	.	1664		MG/L	
		D	43146	339.00	.	1664		MG/L	
		E	43153	90.80	.	1664		MG/L	
		F	44013	7,060.00	.	1664		MG/L	
		G	44014	11,300.00	.	1664		MG/L	
		G	44015	64,300.00	.	1664		MG/L	
		H	44074	1,520.00	.	1664		MG/L	
		H	44075	1,850.00	.	1664		MG/L	
		H	44076	1,760.00	.	1664		MG/L	
		I	44077	3,410.00	.	1664		MG/L	
J	44085	1,610.00	.	1664		MG/L			
HEXANOIC ACID	142621	A	43125	33,741.50	.	1625		UG/L	
		A	43127	32,688.60	.	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
HEXANOIC ACID	142621	B	43131	3,260.70	.	1625	UG/L	
		B	43132	3,846.14	.	1625	UG/L	
		C	43139	3,057.80	.	1625	UG/L	
		D	43146	10,900.00	.	1625	UG/L	
		E	43153	2,060.00	.	1625	UG/L	
		F	44013	1,985,108.00	.	1625	UG/KG	
		G	44014	106,656.00	.	1625	UG/KG	
		G	44015	26,274.00	.	1625	UG/KG	
		H	44074	57,700.00	.	1625	UG/L	
		H	44075	174,000.00	.	1625	UG/L	
		H	44076	189,000.00	.	1625	UG/L	
		I	44077	230,000.00	.	1625	UG/L	
		J	44085	.	100.00	1625	UG/L	
IRON	7439896	A	43125	137,000.00	.	1620	UG/L	
		A	43127	139,000.00	.	1620	UG/L	
		B	43131	92,800.00	.	1620	UG/L	
		C	43132	1,730.00	.	1620	UG/L	
		C	43139	3,730.00	.	1620	UG/L	
		D	43146	11,200.00	.	1620	UG/L	
		E	43153	3,656.00	.	1620	UG/L	
		F	44013	53,500.00	.	1620	UG/L	
		G	44014	10,600.00	.	1620	UG/L	
		G	44015	251,000.00	.	1620	UG/L	
		H	44074	179,000.00	.	1620	UG/L	
		H	44075	45,900.00	.	1620	UG/L	
		H	44076	62,400.00	.	1620	UG/L	
I	44077	461,000.00	.	1620	UG/L			
J	44085	2,970.00	.	1620	UG/L			
LEAD	7439921	A	43125	835.00	.	1620	UG/L	
		A	43127	844.00	.	1620	UG/L	
		B	43131	7,910.00	.	1620	UG/L	
		B	43132	406.00	.	1620	UG/L	
		C	43139	78.90	.	1620	UG/L	
		D	43146	.	37.00	1620	UG/L	
		E	43153	59.70	.	1620	UG/L	
		F	44013	342.00	.	1620	UG/L	
		G	44014	46.60	.	1620	UG/L	B
		G	44015	1,460.00	.	1620	UG/L	
		H	44074	386.00	.	1620	UG/L	
		H	44075	625.00	.	1620	UG/L	
		H	44076	861.00	.	1620	UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
LEAD	7439921	J	44077	2,610.00	.	1620		UG/L	
			44085	393.00	.	1620		UG/L	
MAGNESIUM	7439954	A	43125	54,800.00	.	1620		UG/L	
			43127	56,100.00	.	1620		UG/L	
			43131	22,500.00	.	1620		UG/L	
			43132	50,200.00	.	1620		UG/L	
			43139	21,600.00	.	1620		UG/L	
			43146	595,000.00	.	1620		UG/L	
			43153	4,560.00	.	1620		UG/L	B
			44013	37,500.00	.	1620		UG/L	
			44014	7,220.00	.	1620		UG/L	B
			44015	119,000.00	.	1620		UG/L	
			44074	87,300.00	.	1620		UG/L	
			44075	29,200.00	.	1620		UG/L	
			44076	39,400.00	.	1620		UG/L	
			44077	91,100.00	.	1620		UG/L	
44085	15,300.00	.	1620		UG/L				
MANGANESE	7439965	A	43125	5,560.00	.	1620		UG/L	
			43127	5,560.00	.	1620		UG/L	
			43131	1,440.00	.	1620		UG/L	
			43132	1,570.00	.	1620		UG/L	
			43139	1,170.00	.	1620		UG/L	
			43146	1,520.00	.	1620		UG/L	
			43153	21.70	.	1620		UG/L	
			44013	3,800.00	.	1620		UG/L	
			44014	417.00	.	1620		UG/L	
			44015	11,900.00	.	1620		UG/L	
			44074	2,770.00	.	1620		UG/L	
			44075	911.00	.	1620		UG/L	
			44076	1,280.00	.	1620		UG/L	
			44077	5,490.00	.	1620		UG/L	
44085	242.00	.	1620		UG/L				
MERCURY	7439976	A	43125	0.63	.	1620		UG/L	
			43127	0.83	.	1620		UG/L	
			43131	313.00	.	1620		UG/L	
			43132	0.73	.	1620		UG/L	
			43139	.	0.20	1620		UG/L	
			43146	0.10	.	1620		UG/L	B
			43153	0.10	.	1620		UG/L	B
44013	.	0.20	1620		UG/L				

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
MERCURY	7439976	G	44014	.	0.20	1620		UG/L	
		G	44015	0.65	.	1620		UG/L	
		H	44074	1.60	.	1620		UG/L	
		H	44075	4.60	.	1620		UG/L	
		H	44076	7.00	.	1620		UG/L	
		I	44077	4.02	.	1620		UG/L	
		J	44085	.	0.20	1620		UG/L	
MOLYBDENUM	7439987	A	43125	854.00	.	1620		UG/L	
		A	43127	951.00	.	1620		UG/L	
		B	43131	118.00	.	1620		UG/L	
		B	43132	321.00	.	1620		UG/L	
		C	43139	443.00	.	1620		UG/L	
		D	43146	18,600.00	.	1620		UG/L	
		E	43153	.	6.00	1620		UG/L	
		F	44013	27.10	.	1620		UG/L	
		G	44014	19,500.00	.	1620		UG/L	
		G	44015	18,300.00	.	1620		UG/L	
		H	44074	863.00	.	1620		UG/L	
		H	44075	979.00	.	1620		UG/L	
		H	44076	995.00	.	1620		UG/L	
		I	44077	208.00	.	1620		UG/L	
		J	44085	280.00	.	1620		UG/L	
N-DECANE	124185	A	43125	6,028.00	.	1625		UG/L	
		A	43127	2,622.00	.	1625		UG/L	
		B	43131	2,264.00	.	1625		UG/L	
		B	43132	115.20	.	1625		UG/L	
		C	43139	375.54	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	143.20	.	1625		UG/L	
		F	44013	19,254.00	.	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	14,900.00	.	1625		UG/L	
		H	44076	13,820.00	.	1625		UG/L	
I	44077	.	1,000.00	1625		UG/L			
J	44085	.	500.00	1625		UG/L			
N-DOCOSANE	629970	A	43125	8,184.00	.	1625		UG/L	
		A	43127	5,189.00	.	1625		UG/L	
		B	43131	1,306.60	.	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs



Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
N-DOCOSANE	629970	B	43132	.	20.00	1625		UG/L	
		C	43139	33.44	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	36,188.00	.	1625		UG/KG	
		G	44014	10,134.00	.	1625		UG/KG	
		G	44015	337,840.00	.	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	1,430.00	.	1625		UG/L	
		H	44076	1,559.00	.	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
		J	44085	.	500.00	1625		UG/L	
N-DODECANE	112403	A	43125	22,582.00	.	1625		UG/L	
		A	43127	13,806.00	.	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	739.10	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	77,530.00	.	1625		UG/KG	
		G	44014	19,680.00	.	1625		UG/KG	
		G	44015	592,200.00	.	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	12,480.00	.	1625		UG/L	
		H	44076	30,040.00	.	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
N-EICOSANE	112958	A	43125	12,062.00	.	1625		UG/L	
		A	43127	8,256.00	.	1625		UG/L	
		B	43131	2,171.00	.	1625		UG/L	
		B	43132	84.70	.	1625		UG/L	
		C	43139	265.80	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	61,030.00	.	1625		UG/KG	
		G	44014	13,686.00	.	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	3,661.00	.	1625		UG/L	
		H	44076	7,860.00	.	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
N-EICOSANE	112958	J	44085	.	500.00	1625		UG/L	
N-HEXACOSANE	630013	A	43125	.	20.00	1625		UG/L	
		A	43127	117.66	.	1625		UG/L	
		B	43131	3,601.00	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	106.90	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	34,020.00	.	1625		UG/KG	
		G	44014	7,954.00	.	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	1,475.00	.	1625		UG/L	
		J	44085	.	500.00	1625		UG/L	
N-HEXADECANE	544763	A	43125	39,000.00	.	1625		UG/L	
		A	43127	25,670.00	.	1625		UG/L	
		B	43131	5,907.00	.	1625		UG/L	
		B	43132	138.62	.	1625		UG/L	
		C	43139	332.20	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	107,120.00	.	1625		UG/KG	
		G	44014	21,084.00	.	1625		UG/KG	
		G	44015	5,948,000.00	.	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	9,314.00	.	1625		UG/L	
		H	44076	17,060.00	.	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
		J	44085	1,978.00	.	1625		UG/L	
N-OCTADECANE	593453	A	43125	29,092.00	.	1625		UG/L	
		A	43127	19,725.00	.	1625		UG/L	
		B	43131	6,328.00	.	1625		UG/L	
		B	43132	24.16	.	1625		UG/L	
		C	43139	96.52	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	370,500.00	.	1625		UG/KG	
		G	44014	39,704.00	.	1625		UG/KG	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
N-OCTADECANE	593453	G	44015	223,200.00	.	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	5,443.00	.	1625	UG/L	
		H	44076	5,199.00	.	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
		J	44085	2,436.00	.	1625	UG/L	
N-TETRACOSANE	646311	A	43125	3,199.60	.	1625	UG/L	
		A	43127	1,446.30	.	1625	UG/L	
		B	43131	1,856.10	.	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	.	20.00	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	51,550.00	.	1625	UG/KG	
		G	44014	28,068.00	.	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	1,284.00	.	1625	UG/L	
		H	44076	3,025.00	.	1625	UG/L	
		I	44077	3,987.00	.	1625	UG/L	
		J	44085	4,162.00	.	1625	UG/L	
N-TETRADECANE	629594	A	43125	76,600.00	.	1625	UG/L	
		A	43127	49,870.00	.	1625	UG/L	
		B	43131	6,987.00	.	1625	UG/L	
		B	43132	6,005.00	.	1625	UG/L	
		C	43139	254.20	.	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	36,386.00	.	1625	UG/KG	
		G	44014	5,872.00	.	1625	UG/KG	
		G	44015	1,583,800.00	.	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	17,190.00	.	1625	UG/L	
		H	44076	31,030.00	.	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
J	44085	10,000.00	.	1625	UG/L			
N,N-DIMETHYLFORMAMIDE	68122	A	43125	62.86	.	1625	UG/L	
		A	43127	504.70	.	1625	UG/L	
		B	43131	.	20.00	1625	UG/L	
		B	43132	.	20.00	1625	UG/L	
		C	43139	.	20.00	1625	UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier	
N,N-DIMETHYLFORMAMIDE	68122	D	43146	.	100.00	1625	UG/L		
		E	43153	151.00	.	1625	UG/L		
		F	44013	.	2,000.00	1625	UG/KG		
		G	44014	.	2,000.00	1625	UG/KG		
		G	44015	.	12,000.00	1625	UG/KG		
		H	44074	.	.	100.00	1625	UG/L	
		H	44075	.	1,000.00	1625	UG/L		
		H	44076	.	1,000.00	1625	UG/L		
		I	44077	.	1,000.00	1625	UG/L		
		J	44085	.	500.00	1625	UG/L		
NAPHTHALENE	91203	A	43125	5,742.00	.	1625	UG/L		
		A	43127	3,534.00	.	1625	UG/L		
		B	43131	7,045.00	.	1625	UG/L		
		B	43132	292.14	.	1625	UG/L		
		C	43139	355.30	.	1625	UG/L		
		D	43146	.	100.00	1625	UG/L		
		E	43153	218.20	.	1625	UG/L		
		F	44013	4,188.00	.	1625	UG/KG		
		G	44014	.	2,000.00	1625	UG/KG		
		G	44015	50,400.00	.	1625	UG/KG		
		H	44074	.	100.00	1625	UG/L		
		H	44075	5,229.00	.	1625	UG/L		
		H	44076	10,730.00	.	1625	UG/L		
		I	44077	.	1,000.00	1625	UG/L		
J	44085	15,300.00	.	1625	UG/L				
NICKEL	7440020	A	43125	239.00	.	1620	UG/L		
		A	43127	248.00	.	1620	UG/L		
		B	43131	541.00	.	1620	UG/L		
		B	43132	47,000.00	.	1620	UG/L		
		C	43139	193.00	.	1620	UG/L		
		D	43146	393.00	.	1620	UG/L		
		E	43153	.	10.00	1620	UG/L		
		F	44013	1,410.00	.	1620	UG/L		
		G	44014	206.00	.	1620	UG/L		
		G	44015	4,190.00	.	1620	UG/L		
		H	44074	1,650.00	.	1620	UG/L		
		H	44075	3,410.00	.	1620	UG/L		
		H	44076	3,820.00	.	1620	UG/L		
		I	44077	725.00	.	1620	UG/L		
J	44085	27.20	.	1620	UG/L	B			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
O-CRESOL	95487	A	43125	.	20.00	1625		UG/L	
		A	43127	1,434.90	.	1625		UG/L	
		B	43131	551.10	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	259.00	.	1625		UG/L	
		F	44013	7,426.00	.	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	3,730.00	.	1625		UG/L	
		H	44075	969.00	.	1625		UG/L	
		H	44076	6,490.00	.	1625		UG/L	
P-CRESOL	106445	I	44077	.	1,000.00	1625		UG/L	
		J	44085	.	500.00	1625		UG/L	
		A	43125	2,777.80	.	1625		UG/L	
		A	43127	398.94	.	1625		UG/L	
		B	43131	760.00	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	230.10	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	632.00	.	1625		UG/L	
		F	44013	74,702.00	.	1625		UG/KG	
		G	44014	19,028.00	.	1625		UG/KG	
		G	44015	18,206.00	.	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
H	44075	.	1,000.00	1625		UG/L			
H	44076	.	1,000.00	1625		UG/L			
P-CYMENE	99876	I	44077	1,860.00	.	1625		UG/L	
		J	44085	985.00	.	1625		UG/L	
		A	43125	2,692.60	.	1625		UG/L	
		A	43127	1,191.20	.	1625		UG/L	
		B	43131	830.90	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	36.76	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	3,704.00	.	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
P-CYMENE	99876	H	44075	3,614.00	.	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
		J	44085	6,601.00	.	1625		UG/L	
PENTAMETHYLBENZENE	700129	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	12,000.00	1625		UG/KG	
		H	44015	.	100.00	1625		UG/L	
		H	44074	.	1,000.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		I	44076	.	1,000.00	1625		UG/L	
J	44077	.	1,000.00	1625		UG/L			
J	44085	.	500.00	1625		UG/L			
PHENANTHRENE	85018	A	43125	2,912.00	.	1625		UG/L	
		A	43127	1,193.70	.	1625		UG/L	
		B	43131	504.50	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	26.30	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	2,118.00	.	1625		UG/KG	
		G	44015	161,964.00	.	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
I	44077	.	1,000.00	1625		UG/L			
J	44085	1,692.00	.	1625		UG/L			
PHENOL	108952	A	43125	27,250.00	.	1625		UG/L	
		A	43127	33,140.00	.	1625		UG/L	
		B	43131	375.20	.	1625		UG/L	
		B	43132	1,598.80	.	1625		UG/L	
		C	43139	1,428.50	.	1625		UG/L	
		D	43146	7,005.00	.	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
PHENOL	108952	E	43153	18,770.00	.	1625	UG/L	
		F	44013	39,752.00	.	1625	UG/KG	
		G	44014	132,200.00	.	1625	UG/KG	
		G	44015	216,000.00	.	1625	UG/KG	
		H	44074	17,659.00	.	1625	UG/L	
		H	44075	13,830.00	.	1625	UG/L	
		H	44076	13,380.00	.	1625	UG/L	
		I	44077	.	1,000.00	1625	UG/L	
		J	44085	200,000.00	.	1625	UG/L	>
		PYRENE	129000	A	43125	273.52	.	1625
A	43127			243.44	.	1625	UG/L	
B	43131			123.30	.	1625	UG/L	
B	43132			.	20.00	1625	UG/L	
C	43139			.	20.00	1625	UG/L	
D	43146			.	100.00	1625	UG/L	
E	43153			.	100.00	1625	UG/L	
F	44013			.	2,000.00	1625	UG/KG	
G	44014			.	2,000.00	1625	UG/KG	
G	44015			84,972.00	.	1625	UG/KG	
H	44074			.	100.00	1625	UG/L	
H	44075			.	1,000.00	1625	UG/L	
H	44076			.	1,000.00	1625	UG/L	
I	44077	.	1,000.00	1625	UG/L			
J	44085	.	500.00	1625	UG/L			
PYRIDINE	110861	A	43125	57.40	.	1625	UG/L	
		A	43127	46.94	.	1625	UG/L	
		B	43131	.	20.00	1625	UG/L	
		B	43132	123.70	.	1625	UG/L	
		C	43139	269.02	.	1625	UG/L	
		D	43146	.	100.00	1625	UG/L	
		E	43153	.	100.00	1625	UG/L	
		F	44013	.	2,000.00	1625	UG/KG	
		G	44014	.	2,000.00	1625	UG/KG	
		G	44015	.	12,000.00	1625	UG/KG	
		H	44074	.	100.00	1625	UG/L	
		H	44075	.	1,000.00	1625	UG/L	
		H	44076	.	1,000.00	1625	UG/L	
I	44077	.	1,000.00	1625	UG/L			
J	44085	.	500.00	1625	UG/L			
SELENIUM	7782492	A	43125	23.40	.	1620	UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
SELENIUM	7782492	A	43127	.	20.00	1620	UG/L	B
		B	43131	.	20.00	1620	UG/L	
		B	43132	31.70	.	1620	UG/L	
		C	43139	.	2.00	1620	UG/L	
		D	43146	.	5.00	1620	UG/L	
		E	43153	.	5.00	1620	UG/L	
		F	44013	.	3.00	1620	UG/L	
		G	44014	.	3.00	1620	UG/L	
		G	44015	.	3.00	1620	UG/L	
		H	44074	.	20.00	1620	UG/L	
		H	44075	.	20.00	1620	UG/L	
		H	44076	.	20.00	1620	UG/L	
		I	44077	.	20.00	1620	UG/L	
J	44085	.	20.00	1620	UG/L			
SGT-HEM	C-037	A	43125	173.00	.	1664	MG/L	
		A	43127	257.00	.	1664	MG/L	
		B	43131	31.00	.	1664	MG/L	
		B	43132	42.00	.	1664	MG/L	
		C	43139	93.00	.	1664	MG/L	
		D	43146	87.00	.	1664	MG/L	
		E	43153	41.70	.	1664	MG/L	
		F	44013	419.00	.	1664	MG/L	
		F	44014	188.00	.	1664	MG/L	
		G	44015	40,100.00	.	1664	MG/L	
		H	44074	979.00	.	1664	MG/L	
		H	44075	1,100.00	.	1664	MG/L	
		H	44076	1,120.00	.	1664	MG/L	
I	44077	1,750.00	.	1664	MG/L			
J	44085	814.00	.	1664	MG/L			
SILVER	7440224	A	43125	.	8.00	1620	UG/L	B
		A	43127	.	8.00	1620	UG/L	
		B	43131	.	8.00	1620	UG/L	
		B	43132	.	8.00	1620	UG/L	
		C	43139	.	8.00	1620	UG/L	
		D	43146	.	4.00	1620	UG/L	
		E	43153	.	4.00	1620	UG/L	
		F	44013	.	2.60	1620	UG/L	
		G	44014	11.30	.	1620	UG/L	
G	44015	.	10.40	1620	UG/L			
H	44074	.	8.00	1620	UG/L			
H	44075	24.50	.	1620	UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs



Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
SILVER	7440224	H	44076	33.80	.	1620		UG/L	
		I	44077	.	8.00	1620		UG/L	
		J	44085	.	5.00	1620		UG/L	
STYRENE	100425	A	43125	246.00	.	1625		UG/L	
		A	43127	158.40	.	1625		UG/L	
		B	43131	1,019.00	.	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	24.24	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
TIN	7440315	A	43125	129.00	.	1620		UG/L	
		A	43127	127.00	.	1620		UG/L	
		B	43131	90.60	.	1620		UG/L	
		B	43132	13.20	.	1620		UG/L	
		C	43139	14.00	.	1620		UG/L	B
		D	43146	.	29.00	1620		UG/L	B
		E	43153	.	29.00	1620		UG/L	
		F	44013	107.00	.	1620		UG/L	
		G	44014	.	15.80	1620		UG/L	
		G	44015	527.00	.	1620		UG/L	
		H	44074	384.00	.	1620		UG/L	
		H	44075	213.00	.	1620		UG/L	
		H	44076	318.00	.	1620		UG/L	
		I	44077	294.00	.	1620		UG/L	
J	44085	274.00	.	1620		UG/L			
TITANIUM	7440326	A	43125	132.00	.	1620		UG/L	
		A	43127	134.00	.	1620		UG/L	
		B	43131	144.00	.	1620		UG/L	
		B	43132	.	3.00	1620		UG/L	
		C	43139	.	3.00	1620		UG/L	
		E	43146	50.00	.	1620		UG/L	
E	43153	.	1.00	1620		UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
TITANIUM	7440326	F	44013	8.16	.	1620		UG/L	
		G	44014		1.60	1620		UG/L	
		G	44015	260.00	.	1620		UG/L	
		H	44074	73.00	.	1620		UG/L	
		H	44075	154.00	.	1620		UG/L	
		H	44076	196.00	.	1620		UG/L	
		I	44077	5,240.00	.	1620		UG/L	
		J	44085	.	5.00	1620		UG/L	
TOTAL DISSOLVED SOLIDS	C-010	A	43125	4,720.00	.	160.1		MG/L	
		A	43127	4,460.00	.	160.1		MG/L	
		B	43131	4,680.00	.	160.1		MG/L	
		B	43132	8,290.00	.	160.1		MG/L	
		C	43139	22,300.00	.	160.1		MG/L	
		D	43146	12,200.00	.	160.1		MG/L	
		E	43153	9,570.00	.	160.1		MG/L	
		F	44013	9,570.00	.	160.1		MG/L	
		G	44014	21,800.00	.	160.1		MG/L	
		G	44015	40,200.00	.	160.1		MG/L	
		H	44074	13,800.00	.	160.1		MG/L	
		H	44075	10,900.00	.	160.1		MG/L	
		H	44076	12,600.00	.	160.1		MG/L	
		I	44077	7,060.00	.	160.1		MG/L	
J	44085	1,420.00	.	160.1		MG/L			
TOTAL ORGANIC CARBON (TOC)	C-012	A	43125	7,170.00	.	415.1		MG/L	
		A	43127	6,240.00	.	415.1		MG/L	
		B	43131	3,030.00	.	415.1		MG/L	
		B	43132	3,640.00	.	415.1		MG/L	
		C	43139	1,650.00	.	415.1		MG/L	
		D	43146	10,400.00	.	415.1		MG/L	
		E	43153	8,240.00	.	415.1		MG/L	
		F	44013	1,690.00	.	415.1		MG/L	
		G	44014	2,860.00	.	415.1		MG/L	
		G	44015	6,490.00	.	415.1		MG/L	
		H	44074	8,680.00	.	415.1		MG/L	
		H	44075	7,950.00	.	415.1		MG/L	
		H	44076	8,020.00	.	415.1		MG/L	
		I	44077	5,630.00	.	415.1		MG/L	
J	44085	72,100.00	.	415.1		MG/L			
TOTAL SUSPENDED SOLIDS	C-009	A	43125	1,700.00	.	160.2		MG/L	
		A	43127	1,330.00	.	160.2		MG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure Unit	SCC Data Qualifier
TOTAL SUSPENDED SOLIDS	C-009	B	43131	960.00	.	160.2	MG/L	
		B	43132	95.00	.	160.2	MG/L	
		C	43139	470.00	.	160.2	MG/L	
		D	43146	144.00	.	160.2	MG/L	
		E	43153	46.00	.	160.2	MG/L	
		F	44013	978.00	.	160.2	MG/L	
		G	44014	283.00	.	160.2	MG/L	
		G	44015	59,600.00	.	160.2	MG/L	
		H	44074	2,420.00	.	160.2	MG/L	
		H	44075	1,620.00	.	160.2	MG/L	
		H	44076	2,090.00	.	160.2	MG/L	
		I	44077	66,700.00	.	160.2	MG/L	
		J	44085	.	4.00	160.2	MG/L	
TRIPROPYLENEGLYCOL METHYL ETHER	20324338	A	43125	.	198.00	1625	UG/L	
		A	43127	12,659.40	198.00	1625	UG/L	
		B	43131	.	198.00	1625	UG/L	
		B	43132	.	198.00	1625	UG/L	
		C	43139	2,408.44	.	1625	UG/L	
		D	43146	.	990.00	1625	UG/L	
		E	43153	.	990.00	1625	UG/L	
		F	44013	.	19,800.00	1625	UG/KG	
		G	44014	275,934.00	.	1625	UG/KG	
		G	44015	.	118,800.00	1625	UG/KG	
		H	44074	.	990.00	1625	UG/L	
		H	44075	.	9,900.00	1625	UG/L	
		H	44076	.	9,900.00	1625	UG/L	
I	44077	.	9,900.00	1625	UG/L			
J	44085	.	4,950.00	1625	UG/L			
VANADIUM	7440622	A	43125	58.10	.	1620	UG/L	
		A	43127	63.00	.	1620	UG/L	
		B	43131	40.80	.	1620	UG/L	B
		B	43132	.	8.00	1620	UG/L	
		C	43139	.	8.00	1620	UG/L	
		D	43146	225.00	.	1620	UG/L	
		E	43153	.	16.00	1620	UG/L	
		F	44013	14.70	.	1620	UG/L	B
		G	44014	70.10	.	1620	UG/L	B
		G	44015	187.00	.	1620	UG/L	B
		H	44074	69.50	.	1620	UG/L	
		H	44075	34.60	.	1620	UG/L	B
		H	44076	57.80	.	1620	UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
VANADIUM	7440622	I	44077	408.00	10.00	1620		UG/L	
		J	44085	.		1620		UG/L	
ZINC	7440666	A	43125	5,580.00	.	1620		UG/L	
		A	43127	5,570.00	.	1620		UG/L	
		B	43131	5,690.00	.	1620		UG/L	
		B	43132	20,100.00	.	1620		UG/L	
		C	43139	6,510.00	.	1620		UG/L	
		D	43146	41,500.00	.	1620		UG/L	
		E	43153	13,457.00	.	1620		UG/L	
		F	44013	13,600.00	.	1620		UG/L	
		G	44014	1,530.00	.	1620		UG/L	
		G	44015	13,600.00	.	1620		UG/L	
		H	44074	4,610.00	.	1620		UG/L	
		H	44075	2,450.00	.	1620		UG/L	
		H	44076	3,310.00	.	1620		UG/L	
		I	44077	21,900.00	.	1620		UG/L	
J	44085	49,200.00	.	1620		UG/L			
1-METHYLFLUORENE	1730376	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
1-METHYLPHENANTHRENE	832699	A	43125	353.44	.	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
1-METHYLPHENANTHRENE	832699	G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
		J	44085	.	500.00	1625		UG/L	
1,2,4-TRICHLOROENZENE	120821	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
1,4-DICHLOROENZENE	106467	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	500.00	1625		UG/L			
2-METHYLNAPHTHALENE	91576	A	43125	2,493.90	.	1625		UG/L	
		A	43127	4,024.70	.	1625		UG/L	
		B	43131	1,337.68	.	1625		UG/L	

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier	
2-METHYLNAPHTHALENE	91576	B	43132	.	20.00	1625		UG/L		
		C	43139	149.38	.	1625		UG/L		
		D	43146	106.00	.	1625		UG/L		
		E	43153	102.00	.	1625		UG/L		
		F	44013	.	2,000.00	1625		UG/KG		
		G	44014	.	2,000.00	1625		UG/KG		
		G	44015	.	12,000.00	1625		UG/KG		
		H	44074	.	100.00	1625		UG/L		
		H	44075	.	4,540.00	.	1625		UG/L	
		H	44076	.	8,680.00	.	1625		UG/L	
		I	44077	.	.	1,000.00	1625		UG/L	
		J	44085	.	9,740.00	.	1625		UG/L	
2-PHENYLNAPHTHALENE	612942	A	43125	.	20.00	1625		UG/L		
		A	43127	.	20.00	1625		UG/L		
		B	43131	.	20.00	1625		UG/L		
		C	43132	.	20.00	1625		UG/L		
		C	43139	.	20.00	1625		UG/L		
		D	43146	.	20.00	1625		UG/L		
		E	43153	.	100.00	1625		UG/L		
		F	44013	.	100.00	1625		UG/L		
		F	44013	.	2,000.00	1625		UG/KG		
		G	44014	.	2,000.00	1625		UG/KG		
		G	44015	.	12,000.00	1625		UG/KG		
		H	44074	.	100.00	1625		UG/L		
		H	44075	.	1,000.00	1625		UG/L		
		H	44076	.	1,000.00	1625		UG/L		
I	44077	.	1,000.00	1625		UG/L				
J	44085	.	.	500.00	1625		UG/L			
2,3-BENZOFLUORENE	243174	A	43125	.	20.00	1625		UG/L		
		A	43127	.	20.00	1625		UG/L		
		B	43131	.	20.00	1625		UG/L		
		B	43132	.	20.00	1625		UG/L		
		C	43139	.	20.00	1625		UG/L		
		D	43146	.	100.00	1625		UG/L		
		E	43153	.	100.00	1625		UG/L		
		F	44013	.	2,000.00	1625		UG/KG		
		F	44013	.	2,000.00	1625		UG/KG		
		G	44014	.	2,000.00	1625		UG/KG		
		G	44015	.	12,000.00	1625		UG/KG		
		H	44074	.	100.00	1625		UG/L		
		H	44075	.	1,000.00	1625		UG/L		
		H	44076	.	1,000.00	1625		UG/L		
I	44077	.	1,000.00	1625		UG/L				

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

Listing of Selected Samples

Analyte Name	Cas Number	Facility ID	Sample	Amount	Detection Limit	Method	Procedure	Unit	SCC Data Qualifier
2,3-BENZOFLUORENE	243174	J	44085	.	500.00	1625		UG/L	
2,4-DIMETHYLPHENOL	105679	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	4,782.00	.	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
I	44077	.	1,000.00	1625		UG/L			
J	44085	.	500.00	1625		UG/L			
3,6-DIMETHYLPHENANTHRENE	1576676	A	43125	.	20.00	1625		UG/L	
		A	43127	.	20.00	1625		UG/L	
		B	43131	.	20.00	1625		UG/L	
		B	43132	.	20.00	1625		UG/L	
		C	43139	.	20.00	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44013	.	2,000.00	1625		UG/KG	
		G	44014	.	2,000.00	1625		UG/KG	
		G	44015	.	12,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	.	1,000.00	1625		UG/L	
		H	44076	.	1,000.00	1625		UG/L	
I	44077	.	1,000.00	1625		UG/L			
J	44085	.	500.00	1625		UG/L			
4-CHLORO-3-METHYLPHENOL	59507	A	43125	444.70	.	1625		UG/L	
		A	43127	443.10	.	1625		UG/L	
		B	43131	103.60	.	1625		UG/L	
		B	43132	1,129.70	.	1625		UG/L	
		C	43139	581.30	.	1625		UG/L	
		D	43146	.	100.00	1625		UG/L	
		E	43153	.	100.00	1625		UG/L	
		F	44014	10,094.00	.	1625		UG/KG	
		G	44015	.	2,000.00	1625		UG/KG	
		H	44074	.	100.00	1625		UG/L	
		H	44075	1,326.00	.	1625		UG/L	
		H	44076	1,987.00	.	1625		UG/L	
		I	44077	.	1,000.00	1625		UG/L	
J	44085	.	100.00	1625		UG/L			

Samples 44075 + 44076 and 43125 + 43127 are Duplicate Pairs

SAMPLE 44013 Converted Results

ANALYTE	SAMPLE	AMOUNT	DETLIMIT	UNIT	%SOLIDS
ACENAPHTHENE	44013	.	20	ug/L	1
ACETOPHENONE	44013	34.54	.	ug/L	1
ALPHA-TERPINEOL	44013	514.10	.	ug/L	1
ANILINE	44013	.	20	ug/L	1
ANTHRACENE	44013	.	20	ug/L	1
BENZO(A)ANTHRACENE	44013	.	20	ug/L	1
BENZO(A)PYRENE	44013	.	20	ug/L	1
BENZO(B)FLUORANTHENE	44013	.	20	ug/L	1
BENZO(K)FLUORANTHENE	44013	.	20	ug/L	1
BENZOIC ACID	44013	524.86	.	ug/L	1
BENZYL ALCOHOL	44013	38.34	.	ug/L	1
BIPHENYL	44013	31.28	.	ug/L	1
BIS(2-ETHYLHEXYL) PHTHALATE	44013	113.68	.	ug/L	1
BUTYL BENZYL PHTHALATE	44013	.	20	ug/L	1
CARBAZOLE	44013	.	40	ug/L	1
CHRYSENE	44013	.	20	ug/L	1
DI-N-BUTYL PHTHALATE	44013	.	20	ug/L	1
DIBENZOFURAN	44013	.	20	ug/L	1
DIBENZOTHIOPHENE	44013	.	20	ug/L	1
DIETHYL PHTHALATE	44013	.	20	ug/L	1
DIMETHYL SULFONE	44013	.	20	ug/L	1
DIPHENYL ETHER	44013	.	20	ug/L	1
ETHANE, PENTACHLORO-	44013	.	40	ug/L	1
ETHYLENETHIOUREA	44013	.	40	ug/L	1
FLUORANTHENE	44013	.	20	ug/L	1
FLUORENE	44013	.	20	ug/L	1
HEXACHLOROETHANE	44013	.	20	ug/L	1
HEXANOIC ACID	44013	19,851.08	.	ug/L	1
ISOPHORONE	44013	.	20	ug/L	1
N-DECANE	44013	192.54	.	ug/L	1
N-DOCOSANE	44013	361.88	.	ug/L	1
N-DODECANE	44013	775.30	.	ug/L	1
N-EICOSANE	44013	610.30	.	ug/L	1
N-HEXACOSANE	44013	340.20	.	ug/L	1
N-HEXADECANE	44013	1,071.20	.	ug/L	1
N-NITROSOMORPHOLINE	44013	108.82	.	ug/L	1
N-OCTADECANE	44013	3,705.00	.	ug/L	1
N-TETRACOSANE	44013	515.50	.	ug/L	1
N-TETRADECANE	44013	363.86	.	ug/L	1
N,N-DIMETHYLFORMAMIDE	44013	.	20	ug/L	1
NAPHTHALENE	44013	41.88	.	ug/L	1
O-CRESOL	44013	74.26	.	ug/L	1
P-CRESOL	44013	747.02	.	ug/L	1
P-CYMENE	44013	37.04	.	ug/L	1
PENTACHLOROPHENOL	44013	.	100	ug/L	1
PENTAMETHYLBENZENE	44013	.	20	ug/L	1
PHENANTHRENE	44013	.	20	ug/L	1
PHENOL	44013	397.52	.	ug/L	1



Sample Point 44013 Converted Results

ANALYTE	SAMPLE	AMOUNT	DETLIMIT	UNIT	%SOLIDS
PYRENE	44013	.	20	ug/L	1
PYRIDINE	44013	.	20	ug/L	1
STYRENE	44013	.	20	ug/L	1
TRIPROPYLENEGLYCOL METHYL ETHER	44013	.	198	ug/L	1
1-METHYLFLUORENE	44013	.	20	ug/L	1
1-METHYLPHENANTHRENE	44013	.	20	ug/L	1
1,2-DICHLOROBENZENE	44013	.	20	ug/L	1
1,2,4-TRICHLOROBENZENE	44013	.	20	ug/L	1
1,4-DICHLOROBENZENE	44013	.	20	ug/L	1
2-METHYLNAPHTHALENE	44013	.	20	ug/L	1
2-PHENYLNAPHTHALENE	44013	.	20	ug/L	1
2-PICOLINE	44013	.	100	ug/L	1
2,3-BENZOFUORENE	44013	.	20	ug/L	1
2,3-DICHLOROANILINE	44013	.	20	ug/L	1
2,3,4,6-TETRACHLOROPHENOL	44013	.	40	ug/L	1
2,4-DIMETHYLPHENOL	44013	.	20	ug/L	1
2,4,5-TRICHLOROPHENOL	44013	.	20	ug/L	1
2,4,6-TRICHLOROPHENOL	44013	.	20	ug/L	1
3,6-DIMETHYLPHENANTHRENE	44013	.	20	ug/L	1

Sample Points 44014 and 44015 Converted Results

ANALYTE	SAMPLE	AMOUNT	DETLIMIT	UNIT	%SOLIDS
ACENAPHTHENE	44014	.	20	ug/L	1
ACENAPHTHENE	44015	.	120	ug/L	1
ACETOPHENONE	44014	.	20	ug/L	1
ACETOPHENONE	44015	.	120	ug/L	1
ALPHA-TERPINEOL	44014	67.76	.	ug/L	1
ALPHA-TERPINEOL	44015	.	120	ug/L	1
ANILINE	44014	.	20	ug/L	1
ANILINE	44015	.	120	ug/L	1
ANTHRACENE	44014	.	20	ug/L	1
ANTHRACENE	44015	.	120	ug/L	1
BENZO(A)ANTHRACENE	44014	.	20	ug/L	1
BENZO(A)ANTHRACENE	44015	.	120	ug/L	1
BENZO(A)PYRENE	44014	.	20	ug/L	1
BENZO(B)FLUORANTHENE	44014	.	20	ug/L	1
BENZO(K)FLUORANTHENE	44014	.	20	ug/L	1
BENZOIC ACID	44014	1,608.38	.	ug/L	1
BENZOIC ACID	44015	.	100	ug/L	1
BENZYL ALCOHOL	44014	413.04	.	ug/L	1
BENZYL ALCOHOL	44015	.	120	ug/L	1
BIPHENYL	44014	.	20	ug/L	1
BIPHENYL	44015	813.80	.	ug/L	1
BIS(2-ETHYLHEXYL) PHTHALATE	44014	35.12	.	ug/L	1

Sample Points 44014 and 44015 Converted Results

ANALYTE	SAMPLE	AMOUNT	DETLIMIT	UNIT	%SOLIDS
BIS(2-ETHYLHEXYL) PHTHALATE	44015	2,103.60	.	ug/L	1
BUTYL BENZYL PHTHALATE	44014	.	20	ug/L	1
BUTYL BENZYL PHTHALATE	44015	.	120	ug/L	1
CARBAZOLE	44014	.	40	ug/L	1
CARBAZOLE	44015	.	240	ug/L	1
CHRYSENE	44014	.	20	ug/L	1
CHRYSENE	44015	.	120	ug/L	1
DI-N-BUTYL PHTHALATE	44014	.	20	ug/L	1
DI-N-BUTYL PHTHALATE	44015	.	120	ug/L	1
DIBENZOFURAN	44014	.	20	ug/L	1
DIBENZOFURAN	44015	.	120	ug/L	1
DIBENZOTHIOPHENE	44014	.	20	ug/L	1
DIBENZOTHIOPHENE	44015	.	120	ug/L	1
DIETHYL PHTHALATE	44014	38.02	.	ug/L	1
DIETHYL PHTHALATE	44015	.	120	ug/L	1
DIMETHYL SULFONE	44014	.	20	ug/L	1
DIMETHYL SULFONE	44015	.	120	ug/L	1
DIPHENYL ETHER	44014	.	20	ug/L	1
DIPHENYL ETHER	44015	.	120	ug/L	1
ETHANE, PENTACHLORO-	44014	.	40	ug/L	1
ETHANE, PENTACHLORO-	44015	.	240	ug/L	1
ETHYLENETHIOUREA	44014	.	40	ug/L	1
ETHYLENETHIOUREA	44015	.	240	ug/L	1
FLUORANTHENE	44014	.	20	ug/L	1
FLUORANTHENE	44015	423.24	.	ug/L	1
FLUORENE	44014	.	20	ug/L	1
FLUORENE	44015	.	120	ug/L	1
HEXACHLOROETHANE	44014	.	20	ug/L	1
HEXACHLOROETHANE	44015	.	120	ug/L	1
HEXANOIC ACID	44014	1,066.56	.	ug/L	1
HEXANOIC ACID	44015	262.74	.	ug/L	1
ISOPHORONE	44014	.	20	ug/L	1
ISOPHORONE	44015	.	120	ug/L	1
N-DECANE	44014	.	20	ug/L	1
N-DECANE	44015	.	120	ug/L	1
N-DOCOSANE	44014	101.34	.	ug/L	1
N-DOCOSANE	44015	3,378.40	.	ug/L	1
N-DODECANE	44014	196.80	.	ug/L	1
N-DODECANE	44015	5,922.00	.	ug/L	1
N-EICOSANE	44014	136.86	.	ug/L	1
N-EICOSANE	44015	.	120	ug/L	1
N-HEXACOSANE	44014	79.54	.	ug/L	1
N-HEXACOSANE	44015	.	120	ug/L	1
N-HEXADECANE	44014	210.84	.	ug/L	1
N-HEXADECANE	44015	59,480.00	.	ug/L	1
N-NITROSOMORPHOLINE	44014	.	20	ug/L	1
N-NITROSOMORPHOLINE	44015	.	120	ug/L	1

Sample Points 44014 and 44015 Converted Results

ANALYTE	SAMPLE	AMOUNT	DETLIMIT	UNIT	%SOLIDS
N-OCTADECANE	44014	397.04	.	ug/L	1
N-OCTADECANE	44015	2,232.00	.	ug/L	1
N-TETRACOSANE	44014	280.68	.	ug/L	1
N-TETRADECANE	44014	58.72	.	ug/L	1
N-TETRADECANE	44015	15,838.00	.	ug/L	1
N,N-DIMETHYLFORMAMIDE	44014	.	20	ug/L	1
N,N-DIMETHYLFORMAMIDE	44015	.	120	ug/L	1
NAPHTHALENE	44014	.	20	ug/L	1
NAPHTHALENE	44015	504.00	.	ug/L	1
O-CRESOL	44014	.	20	ug/L	1
O-CRESOL	44015	.	120	ug/L	1
P-CRESOL	44014	190.28	.	ug/L	1
P-CRESOL	44015	182.06	.	ug/L	1
P-CYMENE	44014	.	20	ug/L	1
P-CYMENE	44015	.	120	ug/L	1
PENTACHLOROPHENOL	44014	.	100	ug/L	1
PENTACHLOROPHENOL	44015	.	100	ug/L	1
PENTAMETHYLBENZENE	44014	.	20	ug/L	1
PENTAMETHYLBENZENE	44015	.	120	ug/L	1
PHENANTHRENE	44014	21.18	.	ug/L	1
PHENANTHRENE	44015	1,619.64	.	ug/L	1
PHENOL	44014	1,322.00	.	ug/L	1
PHENOL	44015	2,160.00	.	ug/L	1
PYRENE	44014	.	20	ug/L	1
PYRENE	44015	849.72	.	ug/L	1
PYRIDINE	44014	.	20	ug/L	1
PYRIDINE	44015	.	120	ug/L	1
STYRENE	44014	.	20	ug/L	1
STYRENE	44015	.	120	ug/L	1
TRIPROPYLENEGLYCOL METHYL ETHER	44014	2,759.34	.	ug/L	1
TRIPROPYLENEGLYCOL METHYL ETHER	44015	.	1188	ug/L	1
1-METHYLFLUORENE	44014	.	20	ug/L	1
1-METHYLFLUORENE	44015	.	120	ug/L	1
1-METHYLPHENANTHRENE	44014	.	20	ug/L	1
1-METHYLPHENANTHRENE	44015	.	120	ug/L	1
1,2-DICHLOROBENZENE	44014	.	20	ug/L	1
1,2-DICHLOROBENZENE	44015	.	120	ug/L	1
1,2,4-TRICHLOROBENZENE	44014	.	20	ug/L	1
1,2,4-TRICHLOROBENZENE	44015	.	120	ug/L	1
1,4-DICHLOROBENZENE	44014	.	20	ug/L	1
1,4-DICHLOROBENZENE	44015	.	120	ug/L	1
2-METHYLNAPHTHALENE	44014	.	20	ug/L	1
2-METHYLNAPHTHALENE	44015	.	120	ug/L	1
2-PHENYLNAPHTHALENE	44014	.	20	ug/L	1
2-PHENYLNAPHTHALENE	44015	.	120	ug/L	1
2-PICOLINE	44014	.	100	ug/L	1
2-PICOLINE	44015	.	600	ug/L	1

Sample Points 44014 and 44015 Converted Results

ANALYTE	SAMPLE	AMOUNT	DETLIMIT	UNIT	%SOLIDS
2,3-BENZOFLUORENE	44014	.	20	ug/L	1
2,3-BENZOFLUORENE	44015	.	120	ug/L	1
2,3-DICHLOROANILINE	44014	.	20	ug/L	1
2,3-DICHLOROANILINE	44015	.	120	ug/L	1
2,3,4,6-TETRACHLOROPHENOL	44014	.	40	ug/L	1
2,3,4,6-TETRACHLOROPHENOL	44015	.	40	ug/L	1
2,4-DIMETHYLPHENOL	44014	47.82	.	ug/L	1
2,4-DIMETHYLPHENOL	44015	.	120	ug/L	1
2,4,5-TRICHLOROPHENOL	44014	.	20	ug/L	1
2,4,5-TRICHLOROPHENOL	44015	.	20	ug/L	1
2,4,6-TRICHLOROPHENOL	44014	.	20	ug/L	1
2,4,6-TRICHLOROPHENOL	44015	.	20	ug/L	1
3,6-DIMETHYLPHENANTHRENE	44014	.	20	ug/L	1
3,6-DIMETHYLPHENANTHRENE	44015	.	120	ug/L	1
4-CHLORO-3-METHYLPHENOL	44014	100.94	.	ug/L	1
4-CHLORO-3-METHYLPHENOL	44015	.	20	ug/L	1