



GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is: http://www.gsaadvantage.gov

WORLDWIDE FEDERAL SUPPLY SCHEDULE CONTRACT FOR FSC GROUP 56 BUILDINGS AND BUILDING MATERIALS/INDUSTRIAL SERVICES AND SUPPLIES

CONTRACT NUMBER: GS-07F-0202T

PERIOD COVERED BY CONTRACT: February 1, 2007 through January 31, 2012

Stoncor Group, Inc. d/b/a Stonhard
One Park Avenue
Maple Shade, NJ 08052
Phone: (800) 257-7953
Fax: (856) 321-7525

www.stonhard.com

General Services Administration

Management Services Center Acquisition Division

Supplement #_____, dated _____

Business Size: **SMALL** DUNS: **00-321-8484**

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at http://www.fss.gsa.gov.

GSA AWARDED TERMS AND CONDITIONS STONHARD

1a. Table of awarded special item numbers with appropriate cross-reference to item descriptions and awarded prices.

SIN 563-6 - Access and Portable Flooring

SIN 563-98 - Ancillary Services relating to Building Materials

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract.

SIN 563-6 - Stonclad Texture 2 Model/Part No. txt 2, GSA Price: \$.04

SIN 563-98 - Bonding, GSA Price: \$14.86

- 2. Maximum order. \$75,000
- Minimum order. NONE
- 4. Geographic coverage (delivery area). 48 Contiguous US States & Washington DC
- 5. Point(s) of production (city, county, and State or foreign country).

Stonhard

One Park Avenue Maple Shade, NJ 08052 Burlington County (800) 257-7953

Stonhard

3610 Centennial Drive Ft. Wayne, IN 46808 Allen County (800) 257-7953

- 6. Discount from list prices or statement of net price. **Net GSA pricing is listed in the attached pricing tables**
- 7. Quantity discounts. See attached pricing for details
- 8. Prompt payment terms. 0%, Net 30
- 9a. Notification that Government purchase cards are accepted at or below the micro-purchase threshold. **Yes**
- 9b. Notification whether Government purchase cards are accepted or not accepted above the micro- purchase threshold. **Yes**
- 10. Foreign items (list items by country of origin). NOT APPLICABLE
- 11a. Time of delivery. Please contact Stonhard for details.

Stonhard GS-07F-0202T Page 2

11b. Expedited Delivery. The Contractor will insert the sentence "Items available for expedited delivery are noted in this price list." under this heading. The Contractor may use a symbol of its choosing to highlight items in its price lists that have expedited delivery.

Products are available for expedited delivery. Expedited delivery time is Negotiated between Contractor and Ordering Agency

11c. Overnight and 2-day delivery. The Contractor will indicate whether overnight and 2-day delivery are available. Also, the Contractor will indicate that the schedule customer may contact the Contractor for rates for overnight and 2-day delivery.

Products are available for expedited delivery. Expedited delivery time is Negotiated between Contractor and Ordering Agency

11d. Urgent Requirements. The Contractor will note in its price list the "Urgent Requirements" clause of its contract and advise agencies that they can also contact the Contractor's representative to effect a faster delivery.

Products are available for urgent delivery. Urgent delivery time is Negotiated between Contractor and Ordering Agency

- 12. F.O.B. point(s). Origin, freight pre-paid by seller
- 13a. Ordering address.

Stoncor Group, Inc. d/b/a Stonhard One Park Ave. Maple Shade, NJ 08052 (PHONE) (800) 257-7953 (FAX) 856-321-7525

- 13b. Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules).
- 14. Payment address.

Stonhard P.O. Box 931947 Cleveland, OH 44193 (PHONE) (800) 257-7953 (FAX) 856-321-7525

- 15. Warranty provision. Standard Commercial
- 16. Export packing charges, if applicable. **NONE**
- 17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level). **SAME**
- 18. Terms and conditions of rental, maintenance, and repair (if applicable). **NOT APPLICABLE**
- 19. Terms and conditions of installation (if applicable). CONTACT STONHARD FOR DETAILS.

Stonhard GS-07F-0202T Page 3

- 20a. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable). **NOT APPLICABLE**
- 21. List of service and distribution points (if applicable). NOT APPLICABLE
- 22. List of participating dealers (if applicable). NOT APPLICABLE
- 23. Preventive maintenance (if applicable). NOT APPLICABLE
- 24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants). **NONE**
- 24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at: www.Section508.gov/. **NOT APPLICABLE**
- 25. Data Universal Number System (DUNS) number. **00-321-8484**
- 26. Notification regarding registration in Central Contractor Registration (CCR) database.

CAGE Code # 52287 Registration valid until 07/6/2007.

Stonhard GS-07F-0202T Page 4



STONHARD GOVERNMENT SOLUTIONS

PERFORMANCE WITH A SINGLE SOURCE WARRANTY

Stonhard is the world-leading manufacturer and installer of seamless, high-performance polymer floor, wall and lining systems for more than 80 years. These proven systems are engineered to last without sacrificing creative vision. We offer solutions to satisfy demanding design specifications for any and every environment. And we work with you directly from start to finish so you are protected with our single source warranty on both products and workmanship.

OUR CORPORATE COMMITMENT

We are committed to your individual project and we have the network to prove it. Count on coordination of project management, on-time performance, adhering to budgets and definitive site logistics. You will work with your local Stonhard Territory Manager as well as a Stonhard Construction Manager - dedicated explicitly to your project, our Project Manager, Architectural/Engineering professional and support staff. From initial site evaluation to final walk-through, this group of Stonhard specialists is available to you.

Safety Resources & the Details

On-site safety is a critical part of our installation process. We maintain a safe working environment and adhere strictly to codes and regulatory guidelines, including appropriate documentation. We also have a team of safety experts to answer questions and provide guidance. At Stonhard, we're all about the details.

LIFE CYCLE COSTS & GSA CONTRACTING

Smooth, durable, easy to maintain, chemical, impact, abrasion & stain-resistant floors – designed to last. Fewer repairs, less maintenance so you have the best return on your investment. Stonhard has its GSA contract in place and a small business-contracting plan to meet your requirements. We can work with outside design build firms, engineering firms and onsite contractors or directly with your agency. We can also help you get LEED certified.





Quality. People. Products. Service. The Stonhard Difference

Hangers
Labs/Research

Barracks/Showers/Locker Areas
Commissaries/Food Service

Hospitals
Chemical processing/Fuel Storage

Assembly/Service Areas
Maintenance/Shop Areas

Sorting/Distribution Areas
Public/Mechanical Areas





Government Solutions

STONCLAD GS

- · General service mortar system
- · Impact & abrasion resistant
- · Chemical resistant

STONCLAD PT

- · Power trowelable mortar formulation
- Rapid installation time
- · Impact & abrasion resistant

STONCLAD HT

- · Ultra corrosion resistant mortar system
- Impact & Abrasion resistant
- Withstands to 200°F/93°C 250°F/121°C

STONCLAD UT

- Urethane textured mortar system
- · Withstands thermal shock/cycling
- · Impact & abrasion resistant

STONCLAD XP

- Conductive mortar system
- Non-sparking/Explosion proof
- · Impact & abrasion resistant

STONSHIELD HRI

- Slip resistant & sanitary mortar system
- · Easy to clean & impact resistant
- Safe & cost effective

STONSHIELD SLT

- Textured & slip resistant mortar system
- · Easy to clean & cost effective
- · Formulated for institutions and hospitals

STONSHIELD ART

- Light duty, slip resistant acrylic polymer system
- Rapid installation time
- · Chemical resistant

STONSHIELD UTS

- Textured, polyurethane mortar system
- · Withstands thermal shock/cycling
- Quartz aggregate system

STONSHIELD URT

- Textured, chemical& stain resistant mortar system
- · Minimal installation time
- · Low odor during installatio n

STONSHIELD ATS

- Textured, conductive mortar system
- Static control
- Ideal for use in AGV

STONBLEND RTZ

- Distinctive mortar system with rubber aggregate
- · Ergonomic & sound reducing
- · Stain and wear resistant

STONBLEND GSI

- Stylized mortar system
- Alternative to terrazzo
- Stain and wear resistant

STONTEC ERF

- Vinyl flake system
- For areas requiring no renovations
- Minimum downtime

STONTECT UTF

- Urethane based system
- Chemical resistant
- High gloss finish

STONTECT ARF

- · Methyl methacrylate resin system
- For new construction/Critical path projects
- Chemical and stain resistant

GENERAL SERVICES ADVANTAGE

Stonhard realizes the importance of precise project management and will install project controls that include:

Planning: A planning meeting will be held between members of Stonhard's Project Management team and your company. The following topics will be included: concrete requirements, job site conditions, installation schedule, and protection of completed work and site safety requirements.

Installation set-up: 24 hours prior to the beginning of each phase, A Stonhard Territory Manager will survey the area with your company. This survey will include area accessibility, scope of work and specific details.

Installation Preparation: All areas will be mechanically prepared in accordance with Stonhard product recommendations.

Installation Quality: All Stonhard products are manufactured in accordance with Stonhard's ISO 9002 Quality program. Project personnel have extensive experience with Stonhard products and procedures. Phases of the project will be determined and accepted by a designated member(s) of your company prior to the start of additional phases. Field quality assurance will be monitored on-site.

Single Source Responsibility: Stonhard is responsible for both products and installation. Your contact is solely with Stonhard. There are no third parties involved.

ADMINISTRATION

Stonhard provides your company with a single point of contact for administration. This includes:

Project Meetings: Stonhard will meet with your company to identify project needs and provide technical support.

Schedule Controls: Stonhard will develop construction schedules for all parties so that all goals are met.

Change Orders: A change order system will be provided before project inception. No additional work will be installed without prior written approvals from an official representative of your company.

Daily reports: Stonhard will provide daily reports to your company upon request.


Weekly Progress Reports: Stonhard will provide weekly progress works to your company.

Compliance with Laws & Regulations: Stonhard strictly adheres to local, state and federal laws, ordinances and regulations.

Disadvantaged Business Enterprises: Stonhard maintains an impeccable record with MWBE installation crews.

Labor Standards/Davis-Bacon: Stonhard will monitor our installation team employee pay records to determine if employees are receiving proper wages and that deductions comply with current regulations and prevailing wage scales.

Project Closeout: Your company will be notified upon completion of the job and your team will be accompanied on an inspection of the site.







GSA Pricelist GS-07F-0202T

SIN	Product Name	Product Description	Components	Units	GSA Price	Warranty	соо	
-----	-----------------	---------------------	------------	-------	-----------	----------	-----	--

Flooring Systems I

Products

_	
ı	Additional Quantity Discount on Flooring Systems I ONLY
ſ	For 11-20 Units, 5% in addition to the GSA Pricing
ſ	For 21-50 Units, 10% in addition to the GSA Pricing
Ī	For 51+ Units, 15% in addition to the GSA Pricing

563-6	Stonclad GS	Concrete Primer, 1/4" Epoxy Mortar with Topcoat. For General Service Use. Covers 200 sqft per unit. 100% Solids Epoxy.	Std Primer/GS/GS4	Sq. Ft.	\$6.48	1 Year	US
563-6	Stonclad HT	Concrete Primer, 1/4" Epoxy Mortar with Topcoat. For High Temp. Use. Covers 200 sqft per unit. 100% Solids Epoxy	Ht Primer/HT/HT4	Sq. Ft.	\$8.69	1 Year	US
563-6	Stonclad UT	Liquid Rich, Self Priming,1/4" Urethane Mortar Floor System. Applied to Concrete. Covers 200 sqft per unit. 200 Sqft.	UT (any texture)	Sq. Ft.	\$8.56	1 Year	US
563-6	Stonclad XP	Concrete Primer, 1/4" Epoxy Mortar with Topcoat. for Conductive Use. Covers 200 sqft per unit. Comes in Black Only.	Std Primer/XP/XP Sealer	Sq. Ft.	\$15.05	1 Year	US
563-6	Stonshield HRI	Concrete Primer, 3/16" Epoxy Mortar w/ Decorative Broadcast and Topcoat. Covers 300 sqft. per Unit. Solid or Tweed Colors.	Std Primer/HRI	Sq. Ft.	\$6.07	1 Year	US
563-6	Stonshield SLT	Concrete Primer, 2 mm Decorative Broadcast and Topcoat. Covers 300 sqft. per Unit. Solid ot Tweed Colors	Std Primer/SLT	Sq. Ft.	\$3.88	1 Year	US
563-6	Stonshield ATS (3)	Concrete Primer, 3/16" Conductive Decorative Epoxy Mortar w/ Broadcast and Topcoat. Covers 300 sqft. Per Unit.	Std Primer/3/16" ATS	Sq. Ft.	\$8.47	1 Year	US
563-6	Stonshield ATS (2)	Concrete Primer, 2mm Conductive Decorative Broadcast and Topcoat. Covers 300 sqft. per Unit.	Std Primer /2mm ATS	Sq. Ft.	\$5.39	1 Year	US
563-6	Stonshield UTS	1/4" Decorative Textured Urethane Mortar w/ Broadcast and Topcoat. Used in Services up to 250f. Covers 200 Sqft. Per Unit.	UTS	Sq. Ft.	\$8.69	1 Year	US

SIN Product Product Description	Components Un	nits GSA Price	Warranty	соо
---------------------------------	---------------	----------------	----------	-----

Flooring Systems I

Products

Additional Quantity Discount on Flooring Systems I ONLY	
For 11-20 Units, 5% in addition to the GSA Pricing	
For 21-50 Units, 10% in addition to the GSA Pricing	
For 51+ Units, 15% in addition to the GSA Pricing	

Stonshield URT	Textured 2mm Decorative Aspartic Urethane Broadcast with Topcoat. Chemical & Stain Resistant. Covers 200 Sqft. Per Unit.	URT	Sq. Ft.	\$7.73	1 Year	US
Stonshield ART	Acrylic Light Duty 2mm Decorative MMA Broadcast with Topcoat. Rapid Installation time. Covers 200 Sqft. Per Unit.	ART	Sq. Ft.	\$8.11	1 Year	US
Stonblend GSI		Blend Primer/GSI/Stonshie Id Sealer	Sq. Ft.	\$8.25	1 Year	US
Stonblend RTZ	Concrete Primer, 3/16" Decorative Urethane Base Coat and Topcoat. Resilient Terrazzo with Rubber Aggregates. Covers 210 Sqft. Per Unit.	Std / SL Primer RTZ	Sq. Ft.	\$10.12	1 Year	US
Stontec ERF	2mm Decorative Epoxy Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per unit.	Std Primer ERF	Sq. Ft.	\$5.51	1 Year	US
Stontec UTF	2mm Aspartic Urethane Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit.	UTF	Sq. Ft.	\$8.61	1 Year	US
Stontec ARF	2mm MMA Flake Floor Composed of Concrete Primer, Undercoat, Vinyl Flakes, Flexible Sealer and Topcoat. Covers 200 Sqft. Per Unit.	ARF	Sq. Ft.	\$9.21	1 Year	US
Stonshield MRT	Concrete Primer, 1/8" Decorative Epoxy Broadcast with Waterproofing Membrane and Topcoat. Covers 300 sqft. per Unit.	Std / SL Primer MRT	Sq. Ft.	\$4.50	1 Year	US
	Stonshield ART Stonblend GSI Stonblend RTZ Stontec ERF Stontec UTF Stontec ARF	Stonshield URT Broadcast with Topcoat. Chemical & Stain Resistant. Covers 200 Sqft. Per Unit. Stonshield ART Acrylic Light Duty 2mm Decorative MMA Broadcast with Topcoat. Rapid Installation time. Covers 200 Sqft. Per Unit. Concrete Primer, 3/16" Decorative Epoxy, Grout Coat and Clear Urethane Topcoat. Terrazzo Alternative. Covers 200 Sqft. Per Unit. Stonblend RTZ Concrete Primer, 3/16" Decorative Urethane Base Coat and Topcoat. Resilient Terrazzo with Rubber Aggregates. Covers 210 Sqft. Per Unit. 2mm Decorative Epoxy Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Stontec UTF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. 2mm MMA Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. 2mm MMA Flake Floor Composed of Concrete Primer, Undercoat, Vinyl Flakes, Flexible Sealer and Topcoat. Covers 200 Sqft. Per Unit. Concrete Primer, 1/8" Decorative Epoxy Broadcast with Waterproofing Membrane and Topcoat. Covers	Broadcast with Topcoat. Chemical & Stain Resistant. Covers 200 Sqft. Per Unit. Stonshield ART Acrylic Light Duty 2mm Decorative MMA Broadcast with Topcoat. Rapid Installation time. Covers 200 Sqft. ART Per Unit. Concrete Primer, 3/16" Decorative Epoxy, Grout Coat and Clear Urethane Topcoat. Terrazzo Alternative. Covers 200 Sqft. Per Unit. Stonblend RTZ Concrete Primer, 3/16" Decorative Urethane Base Coat and Topcoat. Resilient Terrazzo with Rubber Aggregates. Covers 210 Sqft. Per Unit. Stontec ERF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per unit. Stontec UTF Stontec UTF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. UTF Stontec ARF Stontec ARF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Concrete Primer, Undercoat, Per Unit. Concrete Primer, Undercoat, Vinyl Flakes, Flexible Sealer and Topcoat. Covers 200 Sqft. Per Unit. Concrete Primer, I/8" Decorative Epoxy Broadcast with Waterproofing Membrane and Topcoat. Covers Std / SL Primer MRT	Broadcast with Topcoat. Chemical & Stain Resistant. Covers 200 Sqft. Per Unit. Stonshield ART Acrylic Light Duty 2mm Decorative MMA Broadcast with Topcoat. Rapid Installation time. Covers 200 Sqft. ART Sq. Ft. Stonblend GSI Stonblend RTZ Concrete Primer, 3/16" Decorative Epoxy, Grout Coat and Clear Urethane Topcoat. Terrazzo Alternative. Covers 200 Sqft. Per Unit. Stonblend RTZ Sq. Ft. Sq. Ft.	Stonshield URT Broadcast with Topcoat. Chemical & Stain Resistant. Covers 200 Sqft. Per Unit. Stonshield ART Acrylic Light Duty 2mm Decorative MMA Broadcast with Topcoat. Rapid Installation time. Covers 200 Sqft. ART Sq. Ft. \$8.11 Sq. Ft. \$8.11 Stonshield ART Concrete Primer, 3/16" Decorative Epoxy, Grout Coat and Clear Urethane Topcoat. Terrazzo Alternative. Covers 200 Sqft. Per Unit. Stonblend RTZ Concrete Primer, 3/16" Decorative Urethane Base Coat and Topcoat. Resilient Terrazzo with Rubber Aggregates. Covers 210 Sqft. Per Unit. Stontec ERF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per unit. 2mm Decorative Epoxy Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per unit. 2mm Aspartic Urethane Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. 2mm MMA Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. 2mm MMA Flake Floor Composed of Concrete Primer, Undercoat, Vinyl Flakes, Flexible Sealer and Topcoat. Covers 200 Sqft. Per Unit. Stonshield Concrete Primer, 1/8" Decorative Epoxy Broadcast with Waterproofing Membrane and Topcoat. Covers Std / SL Primer MRT Sq. Ft. \$4.50	Broadcast with Topcoat. Chemical & Stain Resistant. CRT Sq. Ft. \$7.73 1 Year Covers 200 Sqft. Per Unit. Stonshield ART Acylic Light Duty 2mm Decorative MMA Broadcast with Topcoat. Rapid Installation time. Covers 200 Sqft. ART Sq. Ft. \$8.11 1 Year Per Unit. Stonblend GSI Concrete Primer, 3/16" Decorative Epoxy, Grout Coat and Clear Urethane Topcoat. Terrazzo Alternative. Covers 200 Sqft. Per Unit. Stonblend RTZ Concrete Primer, 3/16" Decorative Urethane Base Coat and Topcoat. Resilient Terrazzo with Rubber Aggregates. Covers 210 Sqft. Per Unit. Stontec ERF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per unit. Stontec UTF Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Stontec ARF 2mm MAA Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Stontec ARF 2mm MMA Flake Floor Composed of Concrete Primer, Undercoat, Quartz Broadcast, Vinyl Flakes and Topcoat. Covers 200 Sqft. Per Unit. Stonshield MBT Concrete Primer, 1/8" Decorative Epoxy Broadcast with Waterproofing Membrane and Topcoat. Covers Stonshield MBT Sqft.

Product Product Description	Components Unit	ts GSA Price Wa	rranty COO
-----------------------------	-----------------	-----------------	------------

Flooring Systems II

Products

		Produ	icis				
563-6	Stonlux ATK (2)	2 mm Conductive Epoxy Self Leveling Floor Composed of (2) Concrete Primers and Liquid Rich Flowing Floor System. Covers 60 Sqft. Per Unit.	Std / SL ATK Primer /2mm ATK	Sq. Ft.	\$7.59	1 Year	US
563-6	Stonlux ATK (3)	3mm Conductive Epoxy Self Leveling Floor Composed of (2) Concrete Primers and Liquid Rich Flowing Floor System. Covers 40 Sqft. Per Unit.	Std / SL ATK Primer /3mm ATK	Sq. Ft.	\$10.87	1 Year	US
563-6	Stonshield SL (2)	2mm Epoxy Self Leveling Floor Composed of (2) Concrete Primers and Liquid Rich Flowing Floor System. Covers 50 Sqft. Per Unit.	Std / SL Primer / 2mm SL	Sq. Ft.	\$5.23	1 Year	US
563-6	Stonshield SL (3)	3mm Epoxy Self Leveling Floor Composed of (2) Concrete Primers and Liquid Rich Flowing Floor System. Covers 40 Sqft. Per Unit.	Std / SL Primer / 3mm SL	Sq. Ft.	\$6.42	1 Year	US
563-6	Stonflex LTE	40 mil Epoxy Coating with Waterproof Membrane Composed of (2) Concrete Primers, Elastomeric Membrane and Topcoat. Covers 300 Sqft. Per Unit.	Std / SL Primer/ME7/GS4	Sq. Ft.	\$2.92	1 Year	US
563-6	Stonflex HPE	50 mil Polyurea Composed of (2) Concrete Primers and Spray Applied 100% Solids Elastomeric Lining System. Covers 320 Sqft. Per Unit.	HT / SL Primer/HPE	Sq. Ft.	\$5.00	1 Year	US
563-6	Stonkote HB4	25 mil Epoxy Self Leveling Floor Composed of (2) Concrete Primers and High Build Knotched Squeegie Applied Flooring. Covers 250 Sqft. Per Unit.	Std / SL Primer/ HB4	Sq. Ft.	\$1.97	1 Year	US

SIN	Product Name	Product Description	Components	Units	GSA Price	Warranty	coo	
-----	-----------------	---------------------	------------	-------	-----------	----------	-----	--

Complementary Materials

Cove Base

563-6	Stonclad UT Cove Base	4" Urethane Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonclad UT Flooring Systemrs. Covers 200 Linft. Per Unit.	HT Primer / HT	Lin. Ft.	\$7.66	1 Year	US
563-6	Stonshield Cove Base	4" Decorative Epoxy Broadcast Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonshield Flooring Systems. Covers 230 Linft. Per Unit.	HT Primer/Stonshied Cove Base	Lin. Ft.	\$3.28	1 Year	US
563-6	Stonshield ART Cove Base	4" Decorative MMA Broadcast Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonshield ART Flooring System. Covers 230 Linft. Per Unit.	PM5/Stonshied Cove Base	Lin. Ft.	\$6.79	1 Year	US
563-6	Stonshield URT Cove Base	4" Decorative Aspartic Urethane Broadcast Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonshield URT Flooring System. Covers 230 Linft. Per Unit.	PM5/Stonshied Cove Base	Lin. Ft.	\$6.79	1 Year	US
563-6	Stoncald GS Cove Base	4" General Service Epoxy Floor Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonclad GS Flooring System. Covers 200 linft. Per Unit.	HT Primer / GS/GS4	Lin. Ft.	\$6.15	1 Year	US
563-6	Stoncald HT Cove Base	4" Chemical Resistant Epoxy Floor Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonclad HT Flooring System. Covers 200 linft. Per Unit.	Ht Primer/HT/HT4	Lin. Ft.	\$8.02	1 Year	US
563-6	Stonshield ATS Cove Base	4" Decorative Conductive Epoxy Cove Base (LF) Composed of Primer, Cove Strip and Trowel Applied Cove. Used with Stonshield ATS Flooring System. Covers 230 Linft. Per Unit.	Std Primer/ATS Cove	Lin. Ft.	\$3.78	1 Year	US
563-6	Stonblend GSI Cove Base	4" Decorative Epoxy Terrazzo Alternative Cove Base (LF) Composed of Primer, Cove Strip and trowel Applied Cove. Used with Stonblend GSI Flooring System. Covers 200 Linft. Per Unit.	Blend Primer/GSI	Lin. Ft.	\$7.53	1 Year	US
563-6	Stontec ARF Cove Base	4" MMA Flake Floor Cove Base (LF) Composed of Cove Strip and trowel Applied Cove. Used with Stontec ARF Flooring System. Covers 200 Linft. Per unit.	ARF	Lin. Ft.	\$9.21	1 Year	US
563-6	Stontec ERF Cove Base	4" Epoxy Flake Floor Cove Base (LF) Composed of Primer, Cove Strip and trowel Applied Cove. Used with Stontec ERF Flooring Systers. Covers 200 Linft. Per Unit.	Std Primer ERF	Lin. Ft.	\$5.41	1 Year	US
563-6	Stontec UTF Cove Base	4" Aspartic Urethane Flake Floor Cove Base (LF) Composed of Cove Strip and Trowel Applied Cove. Used with Stontec UTF Flooring System. Covers 200 Linft. Per unit.	UTF	Lin. Ft.	\$8.61	1 Year	US
563-6	Patching Mortar	GMP Cove Base (LF) Composed of 100% Solids Epoxy Patching Mortar. Covers 830 Cubic Ft. Per Unit.	PM5	Lin. Ft.	\$3.82	1 Year	US

SIN	Product Name	Product Description	Components	Units	GSA Price	Warranty	coo
-----	-----------------	---------------------	------------	-------	-----------	----------	-----

Wall Systems

563-6	Stonglaze VSC	Wall Primer and 10 mil High Performance Wall System. High Solids, High Performance Epoxy Wall Glaze Coating. Covers 500 Sqft. Per Unit.	VSC Primer / VSC	Sq. Ft.	\$2.07	1 Year	US
563-6	Stonglaze VSD	Wall Primer and 25 mil Fiberglass Reinforce High Performance Wall System. Consisting of Saturant, Enginering Fabric and Topcoating. Covers 400 Sqft. Per Unit.	VSC Primer / VSD	Sq. Ft.	\$5.18	1 Year	US
563-6	Stonglaze VSE	Wall Primer and 25 mil Flexible Urethane Wall System. Flexible Wall Coating Material. Covers 300 Sqft. Per Unit.	VSC Primer / VSE	Sq. Ft.	\$4.18	1 Year	US

Floor Coating Systems & Textures

563-6	Deck Coating System	4 Coat Epoxy Urethane Floor Coating Includes Concrete Primer, Two (2) coats of Expoxy and One (1) coat of Urethane.	HT Primer/GS4/GS4/ GS6	Sq. Ft.	\$1.94	1 Year (adhesion only)	US
563-6	Additonal GS4	Extra Coat of Epoxy Coating (Topcoat) on General Service Mortar. Each Unit covers 400sqft.	GS4	Sq. Ft.	\$0.46	1 Year	US
563-6	Additonal HT4	Extra Coat of Epoxy Coating (Topcoat)on Chemical Resistant Mortar. Each Unit Covers 400 sqft.	HT4	Sq. Ft.	\$0.74	1 Year	US
563-6	Recoat GS (2 Coat)	Recoat General Service Epoxy. Two (2) coats of Epoxy Topcoat. 400Sqft. Per Coat / Per Unit	GS4/GS4	Sq. Ft.	\$0.93	1 Year	US
563-6	Recoat HT (2 Coats)	Recoat Chemical Resistant Epoxy. Two (2) coats of Epoxy Topcoat. 400Sqft. Per Coat / Per Unit	HT4/HT4	Sq. Ft.	\$1.48	1 Year	US
563-6	Stonclad Texture 2	Mix In Texture for Epoxy Coatings. Mixed in the Topcaot, Squeegied and Backrolled. For Use with 3 Units of GS4 Topcoat.	txt 2	Sq. Ft.	\$0.04	1 Year	US
563-6	Novolac Conductive Topcoat	Novolac Conductive Topcoat on Epoxy Mortar Comprised of Primer and Topcoat.	Conductive Novolac Primer/691	Sq. Ft.	\$2.05	1 Year	US
563-6	Epoxy Conductive Topcoat	Conductive Topcoat on Epoxy Mortar Consisting of Primer and Topcoat.	ATK primer, AT5	Sq. Ft.	\$1.48	1 Year	US
563-6	Stonclad Texture 3 for GS System	Broadcast Texture in General Service Epoxy. Squeegie and Backroll Applied. Covers200 Sqft per bag. Included Additional Topcoat Needed to Achive the Texture.	txt 3/GS4	Sq. Ft.	\$0.88	1 Year	US
563-6	Stonclad Texture 3 for HT System	Broadcast Texture in Chemical Resistant Epoxy. Squeegie and Backroll Applied. Covers200 Sqft per bag. Included Additional Topcoat Needed to Achive the Texture.	txt 3/HT4	Sq. Ft.	\$1.28	1 Year	US

SIN	Product Name	Product Description	Components	Units	GSA Price	Warranty	coo
-----	-----------------	---------------------	------------	-------	-----------	----------	-----

Grouts / Sealants / Membranes

563-6	Stonset OP2	Concrete Primer and 1/8" Osmotic Grout Used in High Moisture Transmission Concrete. Covers 200 Sqft. Per unit.	OP2 Primer/OP2	Sq. Ft.	\$1.39	1 Year	US
563-6	Stonset TG5	Concrete Primer, Epoxy Grouting Filling and Top Primer. Fast Setting & Trowelable. Covers 2.0 Cubic Ft. Per Unit.	Std Primer/TG5/Stonset Primer	Cu.Ft.	\$84.63	1 Year	US
563-6	Stonset TG4	Concrete Primer, Epoxy Grouting Pitching and Top Primer. Fast Setting & Trowelable. Covers 2.75 Cubic Ft. Per Unit.	Std Primer/TG4/Stonset Primer	Cu.Ft.	\$71.76	1 Year	US
563-6	Stonset TG6	Concrete Primer, Urethane Grouting Filling and Top Primer. For Use Under Stonhard Urethane Products. Covers 2.67 Cubic Ft. Per Unit.	Urethane Primer / TG6 / Urethane Primer	Cu.Ft.	\$127.05	1 Year	US
563-6	Stonset QS5	100% Solids Epoxy Patching Material. Quick Setting Patching Material. Covers 175 Cubic Inches Per Unit.	Stonset QS5	Cu.In.	\$0.35	1 Year	US
563-6	Wall Patching Mortar	Wall System Patching per Gallon Consists of 2 gal. Pail that Covers 830 Cubic Inches Per Unit.	PM5	Units	\$286.64	1 Year	US
563-6	Stonproof Crack Treatment	Joints and Crack Treatment Consisting of Elastomeric Epoxy and 12" Wide Fiberglass Mesh. Covers 100 Lin. Ft. Per Unit at 12" Wide.	Stonproof CT5	Lin. Ft.	\$3.43	1 Year	US
563-6	Stonproof MP7	Urethane Floor Joint 1/8" wide (LF). Used to Treat Moving Joints in the Flooring System. Covers 350 Cubic Inches Per Unit.	MP7	Cu.ln.	\$0.38	1 Year	US

Maintenance Products

563-6	Stonkleen AF2	Durable High Gloss Buffable Floor Finish. Supplied in 5 Gal. Pails	Stonkleen AF2	Pail	\$115.87	N/A	US
563-6		Floor Finish Stripper/Reliquifier to Remove Age, Spray Buffed and Multiple Layers of Floor Finish. Supplied in 5 Gal. Pails.	Stonkleen AS9	Pail	\$81.57	N/A	US
563-6	Stonkleen DC9	Neutral Disinfectant/Cleaner - Control Bacteria. Supplied in 5 Gal. Pails.	Stonkleen DC9	Pail	\$70.45	N/A	US
563-6	Stonkleen DG9	Industrial Strength Cleaner & Degreaser. Supplied in 5 Gal. Pails.	Stonkleen DG9	Pail	\$81.57	N/A	US
563-6	Stonkleen NC9	Neutral Cleaner Designed to Maintain Floors Coated with Acrylic's. Supplied in 5 Gal. Pails.	Stonkleen NC9	Pail	\$46.35	N/A	US

Labor

Additional Services

563-98	Bonding	Performance and Payment Bonds per Thousand dollars ea	Per \$1,000 in Total Material Cost	Each	\$14.86	N/A	US
563-98	Core Analysis	Determine Condition of Substrate Prior to Flooring Recommendation.	Per Core	Each	\$437.00	N/A	US
563-98	Moisture Transmission Testine	Calcium Chloride Test Kits Used to Evaluate Capilary Vapor Transmission in Substrate.	Per Test Kit	Each	\$110.08	N/A	US
563-98	Floor Inspection Service	Consult on condition of floor and make recommendations on proper flooring solution.	Day	Day	\$550.38	N/A	US