

Table 3.66A Close Friends Would Strongly or Somewhat Disapprove of Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Smoking One or More Packs of Cigarettes Per Day (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Smoking Cigarettes ¹	(II) Drug Use	Close Friends' Feelings About Youths Smoking Cigarettes ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	20,780	PAST MONTH		
AGE		Any Illicit Drug ²	1,786	1,065
12-13	7,470	Marijuana	1,180	821
14-15	7,059	Any Illicit Drug Other Than Marijuana ²	868	547
16-17	6,251	Cigarettes	1,857	1,320
GENDER		Alcohol	3,025	1,310
Male	10,254	Binge Alcohol ³	1,674	955
Female	10,525	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,763	1,687
Not Hispanic or Latino	17,503	Marijuana	2,504	1,373
White	13,038	Any Illicit Drug Other Than Marijuana ²	2,234	1,074
Black or African American	3,001	Cigarettes	3,250	1,749
American Indian or Alaska Native	143	Alcohol	6,376	2,137
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	943	Any Illicit Drug ²	5,442	2,131
Two or More Races	323	Marijuana	3,422	1,643
Hispanic or Latino	3,276	Any Illicit Drug Other Than Marijuana ²	3,689	1,543
COUNTY TYPE		Cigarettes	5,896	2,278
Large Metro	10,558	Alcohol	8,158	2,516
Small Metro	6,164			
Nonmetro	4,057			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.66B Close Friends Would Strongly or Somewhat Disapprove of Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Smoking One or More Packs of Cigarettes Per Day (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Smoking Cigarettes ¹	(II) Drug Use	Close Friends' Feelings About Youths Smoking Cigarettes ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	84.8	PAST MONTH		
		Any Illicit Drug ²	8.6	28.6
AGE		Marijuana	5.7	22.1
12-13	91.8	Any Illicit Drug Other Than Marijuana ²	4.2	14.7
14-15	84.0	Cigarettes	8.9	35.5
16-17	78.5	Alcohol	14.6	35.2
GENDER		Binge Alcohol ³	8.1	25.6
Male	82.2	PAST YEAR		
Female	87.5	Any Illicit Drug ²	18.1	45.3
HISPANIC ORIGIN AND RACE		Marijuana	12.0	36.9
Not Hispanic or Latino	84.9	Any Illicit Drug Other Than Marijuana ²	10.8	28.8
White	84.5	Cigarettes	15.6	47.0
Black or African American	84.4	Alcohol	30.7	57.4
American Indian or Alaska Native	76.5	LIFETIME		
Native Hawaiian or Other Pacific Islander	*	Any Illicit Drug ²	26.2	57.2
Asian	94.6	Marijuana	16.5	44.1
Two or More Races	83.8	Any Illicit Drug Other Than Marijuana ²	17.8	41.4
Hispanic or Latino	84.4	Cigarettes	28.4	61.2
COUNTY TYPE		Alcohol	39.3	67.6
Large Metro	85.9			
Small Metro	84.5			
Nonmetro	82.5			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.67A Close Friends Would Strongly or Somewhat Disapprove of Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Trying Marijuana or Hashish Once or Twice (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	19,602	PAST MONTH		
AGE		Any Illicit Drug ²	1,133	1,718
12-13	7,454	Marijuana	583	1,420
14-15	6,678	Any Illicit Drug Other Than Marijuana ²	688	726
16-17	5,470	Cigarettes	1,488	1,688
GENDER		Alcohol	2,305	2,026
Male	9,605	Binge Alcohol ³	1,198	1,427
Female	9,997	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	2,692	2,760
Not Hispanic or Latino	16,443	Marijuana	1,486	2,393
White	12,127	Any Illicit Drug Other Than Marijuana ²	1,745	1,563
Black or African American	2,908	Cigarettes	2,671	2,327
American Indian or Alaska Native	137	Alcohol	5,260	3,250
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	917	Any Illicit Drug ²	4,312	3,262
Two or More Races	300	Marijuana	2,307	2,760
Hispanic or Latino	3,159	Any Illicit Drug Other Than Marijuana ²	3,049	2,185
COUNTY TYPE		Cigarettes	5,036	3,137
Large Metro	9,853	Alcohol	7,031	3,644
Small Metro	5,786			
Nonmetro	3,963			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.67B Close Friends Would Strongly or Somewhat Disapprove of Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Trying Marijuana or Hashish Once or Twice (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Trying Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	80.0	PAST MONTH		
AGE		Any Illicit Drug ²	5.8	35.1
12-13	91.6	Marijuana	3.0	29.0
14-15	79.5	Any Illicit Drug Other Than Marijuana ²	3.5	14.8
16-17	68.7	Cigarettes	7.6	34.5
GENDER		Alcohol	11.8	41.4
Male	77.0	Binge Alcohol ³	6.1	29.1
Female	83.1	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	13.7	56.4
Not Hispanic or Latino	79.8	Marijuana	7.6	48.9
White	78.7	Any Illicit Drug Other Than Marijuana ²	8.9	31.9
Black or African American	81.8	Cigarettes	13.6	47.5
American Indian or Alaska Native	73.3	Alcohol	26.8	66.4
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	92.2	Any Illicit Drug ²	22.0	66.6
Two or More Races	77.8	Marijuana	11.8	56.4
Hispanic or Latino	81.4	Any Illicit Drug Other Than Marijuana ²	15.6	44.6
COUNTY TYPE		Cigarettes	25.7	64.1
Large Metro	80.2	Alcohol	35.9	74.4
Small Metro	79.4			
Nonmetro	80.6			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.68A Close Friends Would Strongly or Somewhat Disapprove of Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Using Marijuana or Hashish Once a Month or More (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	20,038	PAST MONTH		
AGE		Any Illicit Drug ²	1,167	1,681
12-13	7,491	Marijuana	584	1,419
14-15	6,874	Any Illicit Drug Other Than Marijuana ²	712	698
16-17	5,673	Cigarettes	1,571	1,603
GENDER		Alcohol	2,428	1,900
Male	9,815	Binge Alcohol ³	1,246	1,377
Female	10,223	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	2,858	2,587
Not Hispanic or Latino	16,865	Marijuana	1,623	2,252
White	12,535	Any Illicit Drug Other Than Marijuana ²	1,786	1,519
Black or African American	2,914	Cigarettes	2,803	2,192
American Indian or Alaska Native	134	Alcohol	5,526	2,979
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	920	Any Illicit Drug ²	4,538	3,025
Two or More Races	307	Marijuana	2,474	2,587
Hispanic or Latino	3,173	Any Illicit Drug Other Than Marijuana ²	3,142	2,085
COUNTY TYPE		Cigarettes	5,250	2,918
Large Metro	10,089	Alcohol	7,321	3,349
Small Metro	5,905			
Nonmetro	4,044			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.68B Close Friends Would Strongly or Somewhat Disapprove of Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Using Marijuana or Hashish Once a Month or More (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	(II) Drug Use	Close Friends' Feelings About Youths Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	81.9	PAST MONTH		
AGE		Any Illicit Drug ²	5.8	37.9
12-13	92.2	Marijuana	2.9	31.9
14-15	81.9	Any Illicit Drug Other Than Marijuana ²	3.6	15.7
16-17	71.3	Cigarettes	7.8	36.1
GENDER		Alcohol	12.1	42.8
Male	78.8	Binge Alcohol ³	6.2	31.0
Female	85.1	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	14.3	58.2
Not Hispanic or Latino	81.8	Marijuana	8.1	50.7
White	81.3	Any Illicit Drug Other Than Marijuana ²	8.9	34.2
Black or African American	82.1	Cigarettes	14.0	49.3
American Indian or Alaska Native	71.8	Alcohol	27.6	67.1
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	92.5	Any Illicit Drug ²	22.6	68.1
Two or More Races	79.5	Marijuana	12.3	58.3
Hispanic or Latino	81.9	Any Illicit Drug Other Than Marijuana ²	15.7	46.9
COUNTY TYPE		Cigarettes	26.2	65.7
Large Metro	82.2	Alcohol	36.5	75.4
Small Metro	81.0			
Nonmetro	82.3			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.69A Close Friends Would Strongly or Somewhat Disapprove of Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Drinking Alcoholic Beverages ¹	(II) Drug Use	Close Friends' Feelings About Youths Drinking Alcoholic Beverages ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	20,267	PAST MONTH		
AGE		Any Illicit Drug ²	1,601	1,253
12-13	7,394	Marijuana	1,022	984
14-15	6,862	Any Illicit Drug Other Than Marijuana ²	827	585
16-17	6,012	Cigarettes	1,827	1,348
GENDER		Alcohol	2,664	1,666
Male	9,871	Binge Alcohol ³	1,411	1,217
Female	10,396	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,476	1,979
Not Hispanic or Latino	17,093	Marijuana	2,287	1,595
White	12,718	Any Illicit Drug Other Than Marijuana ²	2,082	1,230
Black or African American	2,942	Cigarettes	3,150	1,850
American Indian or Alaska Native	136	Alcohol	5,884	2,624
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	926	Any Illicit Drug ²	5,120	2,459
Two or More Races	317	Marijuana	3,152	1,922
Hispanic or Latino	3,175	Any Illicit Drug Other Than Marijuana ²	3,491	1,747
COUNTY TYPE		Cigarettes	5,665	2,507
Large Metro	10,311	Alcohol	7,669	3,002
Small Metro	5,991			
Nonmetro	3,965			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.69B Close Friends Would Strongly or Somewhat Disapprove of Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings About Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Close Friends' Feelings About Youths Drinking Alcoholic Beverages ¹	(II) Drug Use	Close Friends' Feelings About Youths Drinking Alcoholic Beverages ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	82.8	PAST MONTH		
AGE		Any Illicit Drug ²	7.9	29.7
12-13	90.9	Marijuana	5.0	23.3
14-15	81.8	Any Illicit Drug Other Than Marijuana ²	4.1	13.9
16-17	75.5	Cigarettes	9.0	32.0
GENDER		Alcohol	13.1	39.5
Male	79.2	Binge Alcohol ³	7.0	28.8
Female	86.5	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	17.2	46.9
Not Hispanic or Latino	83.0	Marijuana	11.3	37.8
White	82.5	Any Illicit Drug Other Than Marijuana ²	10.3	29.2
Black or African American	82.9	Cigarettes	15.5	43.9
American Indian or Alaska Native	73.0	Alcohol	29.0	62.2
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	93.2	Any Illicit Drug ²	25.3	58.3
Two or More Races	82.0	Marijuana	15.6	45.6
Hispanic or Latino	81.7	Any Illicit Drug Other Than Marijuana ²	17.2	41.4
COUNTY TYPE		Cigarettes	27.9	59.4
Large Metro	83.9	Alcohol	37.8	71.2
Small Metro	82.2			
Nonmetro	80.7			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.