

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Finding cause of a sore throat	1999	84.0(1.1)	80.6(1.4)	87.5(1.4)	87.2(1.0)	73.7(3.3)	77.2(3.0)
	1996	83.4(1.6)	81.2(1.9)	85.6(1.9)	86.2(1.8)	71.9(3.0)	80.1(3.5)
	1994	81.8(1.2)	78.8(1.8)	84.6(1.1)	84.8(1.0)	70.5(4.5)	79.2(3.1)
	1992	80.0(1.2)	75.2(1.5)	85.2(1.4)	83.0(1.1)	72.0(3.2)	70.0(6.0)
	1990	80.8(1.1)	76.5(1.5)	84.9(1.6)	83.6(1.3)	71.8(3.7)	69.8(3.0)
	1986	78.6(1.7)	73.6(2.2)	83.6(1.5)	80.3(2.2)	71.7(2.6)	71.6(3.8)
	1982	74.7(2.0)	71.9(2.6)	77.3(2.1)	76.0(2.1)	70.2(4.0)	65.6(4.4)
	1977	75.0(1.3)	73.0(1.8)	77.1(1.5)	76.1(1.4)	73.2(2.2)	65.2(5.1)
Plants bend toward light	1999	57.8(1.5)	58.8(2.0)	56.7(1.6)	62.7(2.0)	42.8(2.9)	46.9(3.9)
	1996	61.5(1.7)	66.7(1.8)	56.6(2.2)	67.7(1.9)	44.0(3.8)	43.3(4.3)
	1994	61.7(1.7)	66.0(2.0)	57.7(1.8)	68.2(1.9)	40.2(3.3)	48.8(3.5)
	1992	62.5(1.8)	65.4(2.3)	59.5(2.1)	67.3(1.9)	45.4(4.2)	52.8(4.8)
	1990	61.0(1.4)	62.5(1.4)	59.5(2.0)	66.6(1.5)	41.0(4.0)	47.2(3.7)
	1986	54.5(2.9)	55.5(2.0)	53.6(4.3)	58.7(3.3)	38.7(3.5)	42.9(4.9)
	1982	55.4(1.7)	56.8(1.9)	54.1(2.3)	60.0(1.9)	36.1(3.5)	38.0(5.2)
	1977	53.3(1.8)	54.8(2.1)	51.7(2.3)	58.1(2.0)	29.3(2.6)	39.7(4.6)
Dog related to wolf	1999	95.5(0.6)	95.7(0.6)	95.4(0.9)	96.9(0.5)	89.0(1.8)	95.2(2.3)
	1996	94.0(1.1)	96.3(0.8)	92.0(1.7)	95.4(1.3)	87.4(2.1)	93.7(2.2)
	1994	93.6(0.8)	94.9(1.0)	92.4(1.0)	96.6(0.6)	85.1(3.3)	86.5(2.1)
	1992	95.0(0.6)	96.5(0.5)	93.3(0.9)	97.5(0.4)	85.5(2.3)	91.2(2.9)
	1990	94.4(0.6)	96.2(0.6)	92.7(1.0)	96.1(0.6)	88.1(1.9)	91.8(2.4)
	1986	95.7(0.6)	96.6(0.6)	94.8(0.9)	97.3(0.7)	89.8(1.4)	91.7(1.9)
	1982	94.0(0.7)	94.8(0.7)	93.1(0.9)	95.7(0.6)	85.9(2.4)	88.7(2.0)
	1977	94.0(0.7)	94.8(0.7)	93.1(0.9)	95.7(0.6)	85.9(2.4)	88.7(2.0)
Observing a sealed aquarium	1999	65.1(1.3)	65.7(1.7)	64.5(1.7)	67.9(1.5)	59.6(3.2)	53.5(3.2)
	1996	66.2(1.7)	65.5(1.6)	66.8(2.4)	67.4(1.7)	63.2(4.5)	59.7(3.9)
	1994	62.8(1.2)	62.4(1.6)	63.2(1.7)	66.5(1.6)	50.0(3.0)	54.3(4.3)
	1992	63.6(1.2)	66.2(1.6)	60.9(1.9)	65.2(1.4)	56.9(3.3)	57.0(2.8)
	1990	64.9(1.3)	67.5(1.6)	62.3(1.5)	67.9(1.4)	55.7(3.2)	50.8(3.5)
	1986	62.8(1.7)	64.9(2.1)	60.7(2.1)	63.1(2.0)	60.9(3.9)	62.0(2.6)
	1982	70.4(1.1)	72.7(1.3)	68.3(1.7)	71.2(1.2)	67.2(2.3)	66.5(5.6)
	1977	73.7(1.0)	72.7(1.7)	74.5(1.4)	75.2(1.1)	65.0(2.8)	69.2(3.0)
Museum: Habitats	1999	88.9(1.0)	87.1(1.2)	90.7(1.3)	90.3(1.2)	84.8(2.0)	85.6(3.0)
	1996	87.1(1.3)	85.5(1.5)	88.5(1.6)	88.3(1.5)	80.5(2.8)	86.6(3.0)
	1994	86.7(1.0)	84.3(1.6)	89.0(1.2)	90.4(1.0)	73.2(4.2)	79.6(3.2)
	1992	87.9(1.0)	85.4(1.5)	90.7(1.2)	90.4(0.9)	78.7(2.6)	84.9(3.6)
	1990	85.4(1.0)	83.1(1.6)	87.7(1.0)	86.2(1.2)	85.3(2.4)	80.3(3.2)
	1986	82.2(0.9)	81.8(1.3)	82.6(1.5)	83.7(1.1)	76.9(2.1)	73.7(5.0)
	1982	80.8(1.2)	77.0(1.5)	84.6(1.5)	84.0(0.9)	67.4(3.3)	62.2(5.8)
	1977	80.8(1.2)	77.0(1.5)	84.6(1.5)	84.0(0.9)	67.4(3.3)	62.2(5.8)

(\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Museum: Similar animals	1999	62.6(1.5)	63.9(2.1)	61.2(1.8)	67.2(1.3)	48.1(3.2)	49.1(5.0)
	1996	59.7(1.5)	63.7(1.7)	55.9(2.2)	63.3(1.8)	44.8(3.1)	56.0(3.6)
	1994	61.1(1.4)	62.6(2.2)	59.5(1.6)	64.6(1.5)	47.6(4.0)	56.7(4.0)
	1992	62.4(1.5)	60.4(2.2)	64.4(1.6)	64.7(1.7)	46.5(3.4)	74.0(3.2)
	1990	64.3(1.5)	62.3(1.9)	66.3(1.8)	67.4(1.6)	54.7(3.1)	53.7(4.1)
	1986	59.1(1.7)	60.2(2.3)	58.1(2.7)	62.4(2.1)	45.6(2.6)	52.0(3.1)
	1977	58.8(1.9)	57.7(2.3)	59.8(2.1)	61.6(1.9)	45.0(2.6)	46.5(7.1)
	See atom w/unaided eye	1999	90.7(0.9)	91.8(1.0)	89.6(1.2)	94.3(0.7)	79.5(2.5)
1996		90.6(1.2)	93.3(1.0)	88.1(1.8)	93.1(1.5)	81.6(2.8)	85.7(3.0)
1994		90.4(1.1)	91.1(1.4)	89.6(1.4)	94.8(0.6)	74.3(5.8)	84.2(3.2)
1992		92.4(0.7)	93.1(0.9)	91.7(0.8)	94.9(0.6)	82.8(2.3)	89.1(3.3)
1990		91.9(0.7)	92.8(0.9)	91.0(1.0)	94.9(0.8)	82.9(2.1)	81.9(3.6)
1986		91.4(1.1)	93.1(1.3)	89.7(1.4)	94.3(1.0)	81.6(2.5)	79.6(4.3)
1977		91.4(0.9)	92.5(1.0)	90.3(1.2)	93.3(1.0)	81.9(2.6)	90.7(2.9)
See atom w/magnifying glass		1999	74.1(1.3)	77.0(1.5)	71.1(2.1)	81.3(1.4)	49.4(3.0)
	1996	71.4(2.2)	76.7(2.0)	66.4(3.1)	77.8(2.4)	46.4(5.1)	57.7(4.5)
	1994	72.3(1.5)	76.1(2.0)	68.5(2.1)	79.6(1.2)	47.3(4.7)	56.3(3.9)
	1992	74.2(1.2)	77.7(1.6)	70.5(1.5)	81.2(1.4)	47.0(4.3)	58.7(4.1)
	1990	71.4(1.5)	76.8(1.6)	66.3(2.1)	79.6(1.3)	40.9(4.8)	56.0(5.6)
	1986	72.8(1.7)	77.7(1.4)	68.0(3.2)	79.6(1.7)	46.7(3.8)	47.8(3.8)
	1977	75.6(1.4)	78.5(1.5)	72.6(1.9)	80.9(1.4)	47.6(4.2)	60.3(5.4)
	See atom w/microscope	1999	53.7(1.7)	55.9(1.8)	51.5(2.6)	59.4(1.8)	33.3(2.4)
1996		53.9(1.9)	58.6(2.0)	49.5(2.4)	58.3(2.3)	39.1(3.1)	38.6(5.9)
1994		55.9(1.2)	59.9(2.0)	52.0(1.9)	62.4(1.2)	32.4(2.8)	44.3(3.7)
1992		54.0(1.4)	57.7(2.2)	50.0(1.7)	59.3(1.7)	34.7(3.0)	40.4(4.8)
1990		53.9(1.3)	58.4(1.7)	49.5(1.8)	59.4(1.3)	33.8(3.8)	42.4(3.1)
1986		56.8(1.7)	60.8(1.8)	52.8(2.1)	61.1(1.8)	39.8(2.7)	43.5(6.0)
1977		63.5(1.5)	67.1(2.0)	59.8(1.6)	66.4(1.8)	50.5(3.9)	53.8(7.1)
Heating 2 pans: Heats fastest		1999	70.7(1.1)	71.8(1.7)	69.6(1.6)	76.5(1.2)	51.6(3.6)
	1996	69.9(1.6)	71.1(1.8)	68.8(2.4)	77.0(1.5)	47.1(3.5)	51.6(4.6)
	1994	73.7(1.2)	76.6(2.1)	70.9(1.6)	80.3(1.2)	52.5(4.1)	60.4(2.5)
	1992	73.2(1.3)	75.3(1.9)	71.0(1.7)	78.7(1.4)	51.8(3.7)	64.3(4.4)
	1990	72.1(1.1)	78.4(1.5)	66.1(1.9)	77.5(1.2)	55.5(2.7)	53.0(3.8)
	1986	72.5(1.8)	75.9(1.7)	69.0(2.4)	77.1(1.8)	54.5(3.3)	54.8(5.0)
	1982	75.3(1.5)	79.1(1.6)	71.9(2.2)	79.6(1.4)	54.8(3.7)	65.9(5.2)
	1977	76.1(1.5)	79.7(1.8)	72.7(2.1)	81.8(1.4)	49.5(3.9)	53.8(4.6)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Heating 2 pans: Heats most	1999	37.6(1.2)	36.7(1.8)	38.5(1.6)	36.6(1.4)	42.9(3.2)	35.3(3.9)
	1996	40.5(1.9)	40.8(1.8)	40.3(2.7)	39.2(2.2)	43.6(3.2)	42.7(3.1)
	1994	40.6(1.0)	40.2(1.3)	41.1(1.5)	40.7(1.3)	45.1(2.3)	32.7(3.6)
	1992	39.5(1.3)	40.7(1.8)	38.2(1.8)	39.3(1.5)	42.0(2.6)	31.4(3.5)
	1990	37.3(1.0)	35.7(1.5)	38.9(1.5)	36.9(1.2)	38.7(3.4)	40.0(3.8)
	1986	38.9(0.9)	38.8(1.8)	38.9(1.6)	37.6(1.1)	44.9(3.1)	40.9(4.6)
	1982	40.7(1.4)	37.9(2.3)	43.3(1.5)	41.5(1.5)	40.4(3.9)	33.5(2.5)
	1977	36.9(0.9)	37.1(1.4)	36.8(1.6)	37.3(1.1)	38.2(2.0)	27.5(4.8)
Heating 2 pans: Cools fastest	1999	61.8(1.3)	59.4(1.6)	64.2(1.8)	63.3(1.6)	60.8(2.4)	54.5(4.6)
	1996	65.9(1.5)	61.0(1.8)	70.4(1.7)	66.3(1.5)	66.5(3.7)	60.8(4.0)
	1994	63.2(1.1)	57.7(1.7)	68.5(1.5)	65.6(1.1)	58.4(3.2)	54.7(3.2)
	1992	65.0(1.1)	62.6(1.6)	67.7(1.5)	66.7(1.3)	61.8(3.2)	54.0(5.5)
	1990	62.7(1.2)	57.4(2.0)	67.7(1.4)	64.1(1.3)	55.0(2.8)	62.6(2.8)
	1986	65.8(1.6)	63.5(2.3)	68.2(1.8)	66.7(2.2)	61.8(2.4)	63.4(3.0)
	1982	69.1(1.2)	64.4(1.7)	73.5(1.3)	71.4(1.4)	59.0(3.5)	62.0(3.7)
	1977	69.4(1.0)	66.7(1.6)	72.0(1.2)	70.8(1.0)	65.0(3.3)	58.5(2.6)
Tissues and cells	1999	52.7(1.8)	54.2(2.3)	51.1(2.0)	55.4(1.9)	46.8(3.0)	42.3(6.2)
	1996	53.0(1.6)	54.4(2.3)	51.6(1.7)	55.8(1.6)	43.5(3.9)	43.6(4.9)
	1994	61.6(1.5)	62.6(1.8)	60.7(1.8)	65.0(1.6)	55.9(2.7)	43.5(4.4)
	1992	55.3(1.6)	56.8(2.0)	53.7(2.0)	58.2(1.7)	45.2(3.2)	48.5(4.4)
	1990	56.8(1.5)	57.1(1.7)	56.5(2.0)	58.5(1.9)	50.3(2.6)	52.3(5.5)
	1986	56.6(1.8)	57.2(2.2)	56.1(2.2)	58.1(2.1)	51.2(2.7)	50.9(4.1)
	1982	51.1(1.8)	52.9(2.0)	49.4(2.1)	52.9(2.1)	42.5(4.4)	43.2(6.9)
	1977	52.5(1.5)	51.1(2.3)	54.0(1.6)	53.9(1.5)	42.9(3.7)	56.0(6.1)
Melting crushed ice	1999	40.4(2.0)	44.1(2.3)	36.6(2.4)	46.2(2.4)	19.9(2.2)	28.7(4.7)
	1996	39.1(1.8)	45.2(2.1)	33.3(2.1)	45.0(2.2)	17.2(2.0)	26.7(2.8)
	1994	41.8(1.7)	45.5(2.4)	38.1(2.0)	48.7(1.6)	17.2(2.3)	27.6(3.9)
	1992	42.3(1.2)	46.0(1.7)	38.4(1.7)	47.9(1.4)	18.7(2.3)	35.9(3.2)
	1990	44.0(1.1)	47.5(1.7)	40.6(1.5)	47.5(1.4)	30.1(2.5)	38.0(4.2)
	1986	39.6(1.6)	45.0(1.7)	34.2(2.6)	43.8(1.9)	21.0(3.3)	25.2(5.5)
	1982	44.6(1.7)	51.4(2.3)	38.3(1.8)	47.5(2.0)	28.8(3.1)	37.7(4.1)
	1977	52.2(1.9)	56.8(2.1)	47.9(2.5)	56.5(1.8)	28.7(2.5)	43.7(3.3)
Function of red blood cells	1999	62.3(1.8)	66.7(1.9)	57.9(2.1)	65.9(2.0)	52.8(4.1)	49.6(2.5)
	1996	56.1(1.8)	62.8(2.1)	49.7(2.2)	57.2(2.3)	53.3(3.0)	51.9(4.2)
	1994	55.5(1.6)	58.5(1.8)	52.6(2.0)	58.8(1.9)	43.0(3.3)	52.5(4.1)
	1992	55.7(1.3)	59.2(1.6)	52.0(2.3)	57.5(1.5)	45.6(4.4)	57.6(4.7)
	1990	58.5(1.2)	63.1(1.2)	54.2(1.8)	60.2(1.5)	57.9(3.2)	47.0(4.7)
	1986	58.0(2.0)	60.8(2.7)	55.2(1.9)	58.5(2.2)	59.8(3.2)	50.4(4.2)
	1982	57.7(1.3)	59.4(1.9)	56.1(2.2)	58.8(1.7)	54.8(2.9)	46.1(3.5)
	1977	54.2(1.6)	55.5(2.0)	52.8(1.8)	55.3(1.7)	51.6(2.6)	39.1(4.7)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
How to recover salt from water	1999	42.2(2.1)	44.4(2.4)	40.0(2.3)	45.2(2.8)	31.3(2.4)	40.0(4.1)
	1996	40.8(1.6)	46.0(2.1)	35.9(2.0)	43.6(1.9)	31.4(3.2)	37.7(2.4)
	1994	43.6(1.3)	46.9(1.5)	40.3(1.8)	46.0(1.4)	32.5(3.9)	40.0(3.3)
	1992	40.3(1.7)	41.5(2.2)	39.0(2.2)	42.4(1.9)	30.9(2.5)	34.7(5.2)
	1990	38.1(1.2)	41.4(1.7)	34.9(1.7)	39.6(1.3)	36.7(2.3)	29.8(4.1)
	1986	37.6(1.5)	43.1(2.3)	32.0(1.8)	40.3(1.6)	29.1(3.0)	23.2(3.0)
	1977	42.1(1.6)	48.5(1.9)	36.0(2.0)	44.2(1.9)	30.5(1.9)	36.8(4.9)
Water temperature for swimming	1999	36.6(1.7)	40.8(1.8)	32.2(2.3)	40.8(1.9)	21.9(3.1)	25.3(2.4)
	1996	34.1(1.7)	39.3(2.2)	29.2(2.1)	36.4(2.1)	25.4(3.0)	24.4(2.9)
	1994	34.7(1.4)	41.2(1.7)	28.4(1.7)	38.5(2.0)	23.8(3.3)	22.2(3.3)
	1992	35.7(1.6)	40.8(1.9)	30.4(2.2)	39.0(1.8)	26.1(2.4)	20.4(4.4)
	1990	36.8(1.4)	41.8(1.7)	32.1(1.8)	40.4(1.7)	26.2(2.8)	25.4(4.5)
	1986	33.2(1.7)	37.3(2.7)	29.2(2.0)	34.8(2.0)	27.9(2.6)	25.1(4.0)
	1982	33.8(1.8)	38.0(2.4)	30.0(2.1)	35.7(2.2)	23.6(3.8)	31.4(4.9)
1977	27.4(2.2)	32.2(2.2)	22.6(2.7)	29.9(2.4)	19.3(3.5)	9.6(2.6)	
Sulfur dioxide and acid rain	1999	54.0(2.0)	58.8(2.4)	49.0(2.2)	60.1(2.1)	33.2(3.7)	39.6(3.3)
	1996	53.9(2.0)	61.2(2.2)	46.9(2.4)	58.3(2.4)	39.2(3.4)	38.0(3.1)
	1994	55.1(1.7)	58.8(2.0)	51.6(2.1)	60.0(1.6)	40.4(5.0)	42.6(3.3)
	1992	59.2(1.6)	62.0(2.2)	56.1(2.0)	64.0(1.8)	39.6(3.5)	49.4(3.5)
	1990	53.7(1.5)	61.7(1.8)	46.0(1.8)	59.4(1.6)	34.6(3.1)	40.7(3.6)
	1986	56.1(1.7)	61.6(2.5)	50.6(3.4)	59.3(1.7)	42.7(4.0)	45.4(7.0)
	1982	35.2(1.7)	39.4(2.2)	31.4(1.5)	37.7(1.9)	21.6(3.5)	32.0(6.6)
1977	19.9(1.3)	23.6(2.2)	16.4(1.5)	20.6(1.6)	17.6(1.7)	15.3(3.4)	
Water is part of all cells	1999	52.2(1.6)	54.0(2.2)	50.3(2.2)	52.9(1.9)	50.5(2.8)	51.6(4.5)
	1996	51.0(1.9)	54.2(2.0)	48.0(2.5)	51.4(2.4)	50.9(4.3)	46.6(3.3)
	1994	47.8(1.2)	50.6(1.8)	44.9(1.8)	49.8(1.4)	43.0(2.4)	44.3(4.9)
	1992	43.2(1.3)	43.6(1.8)	42.8(2.0)	44.5(1.5)	41.6(2.4)	30.1(4.7)
	1990	49.8(1.3)	50.6(1.6)	49.0(2.0)	50.1(1.5)	52.1(4.4)	46.8(4.3)
	1986	47.2(2.7)	47.4(3.3)	46.9(2.8)	48.0(3.4)	48.0(2.6)	36.4(3.4)
	1977	34.1(1.5)	35.6(1.5)	32.6(2.2)	33.3(1.8)	37.3(2.6)	37.5(3.7)
Wolves and caribou	1999	49.9(1.7)	53.2(2.0)	46.7(2.4)	55.8(2.0)	28.3(3.3)	40.9(3.8)
	1996	48.9(1.8)	54.2(2.1)	43.9(2.4)	54.1(2.0)	31.4(3.7)	32.5(4.5)
	1994	49.7(1.5)	54.5(2.0)	45.1(1.8)	57.4(1.5)	27.3(3.6)	29.1(2.3)
	1992	47.6(1.6)	51.5(2.0)	43.5(2.3)	53.2(2.0)	27.8(2.6)	32.7(3.5)
	1990	43.9(1.3)	48.5(1.6)	39.5(1.8)	49.6(1.7)	24.8(2.2)	30.4(4.1)
	1986	41.2(2.2)	46.6(1.6)	35.7(4.5)	45.0(2.5)	28.7(2.9)	25.3(4.3)
	1977	34.6(1.6)	39.4(1.7)	30.0(2.3)	38.4(1.7)	18.1(2.7)	22.0(3.2)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Cells, tissues, organs	1999	34.1(1.8)	33.5(2.4)	34.6(2.2)	36.3(2.2)	25.7(3.7)	30.2(5.1)
	1996	36.1(1.3)	38.6(2.0)	33.7(1.6)	39.6(1.8)	24.3(3.1)	27.4(3.0)
	1994	38.4(1.4)	37.6(2.0)	39.3(1.5)	42.4(1.3)	26.9(4.1)	26.3(3.5)
	1992	36.0(1.5)	34.8(1.5)	37.3(2.3)	38.4(1.7)	26.3(3.5)	30.7(4.7)
	1990	36.3(1.3)	36.7(1.8)	35.9(1.6)	39.0(1.4)	27.5(2.7)	22.4(3.5)
	1986	33.5(1.6)	32.8(1.9)	34.2(2.0)	35.0(1.9)	27.4(3.0)	29.1(3.7)
	1982	33.5(1.6)	32.8(1.9)	34.2(2.0)	35.0(1.9)	27.4(3.0)	29.1(3.7)
	1977	25.2(1.3)	25.1(1.9)	25.2(1.6)	26.6(1.4)	18.6(2.6)	19.3(5.1)
Effects of pepsin	1999	27.5(1.8)	29.0(2.1)	25.9(2.0)	31.0(2.2)	19.6(3.6)	13.1(2.8)
	1996	26.9(1.7)	29.1(2.0)	24.9(2.0)	29.0(1.9)	19.6(2.3)	25.2(3.1)
	1994	25.2(1.0)	28.8(1.5)	21.5(1.5)	27.0(1.0)	17.9(2.1)	21.6(5.3)
	1992	24.6(1.2)	27.8(1.3)	21.3(1.8)	26.6(1.5)	17.5(2.1)	18.1(4.3)
	1990	23.6(1.4)	26.0(1.8)	21.4(1.5)	25.5(1.8)	15.9(2.0)	18.5(1.9)
	1986	25.3(1.4)	30.2(1.8)	20.4(1.8)	26.9(1.7)	20.1(2.5)	21.2(2.2)
	1982	24.6(1.8)	29.8(2.2)	19.8(1.9)	25.2(2.1)	22.4(3.0)	14.2(4.6)
	1977	31.0(1.3)	32.7(1.6)	29.1(1.9)	32.3(1.6)	21.5(1.9)	30.6(4.1)
Seed germination	1999	12.4(1.0)	13.3(1.1)	11.6(1.5)	13.7(1.2)	8.6(1.4)	8.8(2.4)
	1996	15.5(1.3)	16.6(1.5)	14.5(1.6)	15.9(1.6)	15.7(2.5)	12.2(2.6)
	1994	15.7(0.8)	17.2(1.2)	14.2(1.2)	16.1(1.2)	14.0(1.6)	15.6(2.9)
	1992	15.8(1.2)	17.7(1.6)	13.7(1.1)	15.3(1.3)	19.7(2.1)	14.0(3.6)
	1990	15.7(0.9)	16.8(1.3)	14.6(1.3)	15.8(1.0)	14.1(2.6)	18.9(2.5)
	1986	17.6(1.4)	16.4(2.2)	18.8(1.5)	18.4(1.7)	13.9(1.7)	15.9(2.1)
	1982	21.0(1.3)	20.9(1.5)	21.1(1.5)	20.8(1.3)	22.9(3.1)	18.6(3.8)
	1977	21.0(1.3)	22.1(2.0)	20.0(1.2)	21.6(1.6)	21.2(3.2)	14.0(2.7)
Efficient use of grain as food	1999	16.8(1.0)	18.9(1.2)	14.6(1.5)	17.8(1.2)	12.0(1.6)	17.9(4.6)
	1996	18.0(1.2)	20.5(1.5)	15.7(1.4)	16.4(1.3)	25.0(3.1)	19.4(2.3)
	1994	20.0(0.8)	23.0(1.4)	17.0(1.3)	19.6(0.9)	19.3(2.3)	23.8(3.5)
	1992	18.0(0.9)	20.5(1.3)	15.3(1.4)	18.5(1.1)	16.0(1.7)	14.3(2.6)
	1990	19.7(0.9)	20.3(1.3)	19.2(1.1)	20.4(1.1)	16.6(2.3)	19.7(1.9)
	1986	22.3(1.3)	25.5(1.6)	19.1(1.9)	22.6(1.5)	21.1(2.6)	22.2(3.9)
	1982	18.4(1.2)	21.7(1.7)	15.2(1.6)	19.2(1.2)	14.5(3.6)	12.7(3.5)
	1977	21.9(0.9)	25.4(1.7)	18.5(1.2)	23.1(1.2)	18.1(2.0)	16.9(3.9)
World population growth	1999	12.4(0.9)	13.3(1.1)	11.4(1.2)	13.5(0.9)	8.1(1.6)	11.6(2.8)
	1996	12.1(1.0)	14.8(1.4)	9.5(1.1)	13.6(1.2)	8.7(2.0)	7.2(1.9)
	1994	13.2(1.0)	15.6(1.8)	10.9(0.8)	14.9(1.2)	6.9(2.2)	9.5(2.3)
	1992	13.3(0.9)	16.6(1.3)	9.9(1.1)	15.0(1.1)	6.0(1.3)	12.2(2.6)
	1990	14.3(0.9)	17.3(1.7)	11.5(0.8)	16.3(1.1)	8.5(2.7)	8.2(2.1)
	1986	12.6(1.1)	13.7(1.5)	11.5(1.5)	13.4(1.4)	11.4(2.7)	7.3(2.4)
	1982	12.4(1.1)	16.4(1.6)	8.6(1.0)	13.4(1.3)	7.4(1.7)	9.0(2.2)
	1977	13.8(0.8)	17.3(1.2)	10.4(1.3)	15.0(0.9)	9.3(1.4)	11.2(2.6)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Saving resources: Insulation	1999	53.0(1.3)	56.6(2.2)	49.3(1.5)	54.7(1.5)	52.7(2.5)	47.2(3.6)
	1996	58.5(1.7)	61.4(1.6)	55.8(2.7)	61.7(1.7)	49.8(4.1)	55.7(7.1)
	1994	61.9(1.7)	66.8(2.0)	57.5(2.3)	63.2(1.6)	60.9(5.5)	53.8(3.5)
	1992	66.6(1.1)	70.4(1.3)	62.7(1.7)	69.2(1.4)	58.0(2.5)	59.8(4.5)
	1990	66.8(1.2)	71.3(1.2)	62.6(1.9)	69.6(1.4)	63.0(3.9)	56.7(4.2)
	1986	80.7(1.7)	84.7(2.4)	76.8(1.9)	81.7(2.1)	76.4(2.8)	76.8(3.2)
	1982	88.9(1.1)	89.7(1.1)	88.2(1.6)	89.2(1.3)	86.5(2.3)	90.7(1.8)
	1977	91.6(0.9)	92.9(1.1)	90.3(1.3)	93.4(1.0)	85.9(2.6)	87.3(2.4)
Saving resources: Planting	1999	70.5(1.2)	70.2(1.6)	70.7(1.6)	73.8(1.4)	61.5(3.8)	64.8(2.4)
	1996	69.0(1.6)	70.9(2.4)	67.0(1.5)	72.8(2.1)	59.5(4.0)	58.4(2.8)
	1994	73.5(1.4)	73.3(1.5)	73.8(1.9)	78.0(1.2)	57.6(5.7)	66.1(3.1)
	1992	73.5(1.0)	73.7(1.3)	73.3(1.4)	75.9(1.2)	62.7(4.0)	67.4(2.9)
	1990	69.6(1.2)	70.5(1.6)	68.8(1.7)	72.6(1.4)	60.6(3.8)	61.2(3.0)
	1986	62.8(1.6)	65.2(1.9)	60.4(1.7)	64.9(2.0)	51.8(2.8)	61.7(4.5)
	1982	47.5(1.9)	49.7(2.6)	45.4(2.6)	47.9(2.3)	44.7(3.8)	42.1(6.7)
	1977	69.9(1.2)	70.6(1.5)	69.3(1.6)	72.0(1.1)	63.4(2.4)	55.7(9.5)
Saving resources: Throwaways	1999	62.8(1.6)	64.3(1.6)	61.4(2.5)	69.6(1.5)	43.9(2.9)	48.2(5.1)
	1996	65.5(1.6)	66.3(2.5)	64.7(1.7)	72.1(2.0)	47.5(4.0)	51.4(2.8)
	1994	65.0(1.4)	63.1(1.9)	66.6(1.8)	70.5(1.3)	46.5(5.2)	51.3(4.1)
	1992	69.1(1.3)	67.9(1.8)	70.3(1.5)	73.6(1.3)	47.9(3.6)	63.1(5.0)
	1990	49.5(1.4)	50.3(1.5)	48.8(1.7)	53.2(1.4)	40.9(3.7)	35.7(5.3)
	1986	47.2(1.7)	50.3(1.8)	44.1(2.4)	49.4(2.3)	38.0(2.8)	40.0(3.7)
	1982	58.7(1.2)	60.2(1.4)	57.2(1.6)	61.0(1.3)	47.3(2.9)	52.8(5.0)
	1977	54.2(1.6)	56.9(2.0)	51.5(1.8)	56.7(1.8)	39.3(3.0)	51.1(4.8)
Saving resources: Lawns	1999	44.2(1.4)	45.4(1.8)	43.0(2.2)	49.2(1.7)	31.1(2.4)	30.2(3.3)
	1996	41.1(1.8)	42.4(2.2)	39.8(1.9)	45.4(1.8)	23.0(2.3)	39.8(4.8)
	1994	41.4(1.3)	41.4(1.6)	41.3(1.8)	44.6(1.5)	33.4(3.6)	32.3(3.7)
	1992	45.6(1.5)	48.2(2.0)	43.1(1.7)	48.2(2.0)	32.3(2.8)	43.4(4.5)
	1990	42.1(1.1)	45.1(1.4)	39.2(1.6)	44.7(1.1)	31.6(3.5)	34.1(4.7)
	1986	45.5(1.4)	47.3(2.3)	43.7(2.0)	48.9(1.6)	30.7(3.8)	37.7(4.0)
	1982	63.5(2.0)	66.9(1.9)	60.1(2.4)	67.6(2.1)	42.0(2.9)	57.3(5.2)
	1977	51.0(1.3)	51.9(1.9)	50.1(2.2)	53.8(1.4)	35.2(2.9)	47.3(6.2)
Plate tectonics: Mountains	1999	68.9(1.1)	70.8(1.8)	67.0(1.9)	72.3(1.5)	61.1(3.6)	59.3(3.5)
	1996	69.1(2.2)	73.2(2.3)	65.1(2.4)	73.2(2.3)	55.5(4.2)	63.4(3.8)
	1994	66.4(1.4)	67.8(1.5)	65.1(2.3)	68.6(1.3)	60.6(6.4)	56.7(3.9)
	1992	67.3(1.4)	68.5(1.8)	66.1(1.7)	70.2(1.6)	57.5(3.2)	55.8(3.7)
	1990	67.5(1.7)	67.8(2.7)	67.2(1.9)	71.2(1.8)	58.0(3.0)	53.4(3.2)
	1986	64.9(1.7)	67.6(2.0)	62.2(2.7)	69.1(2.0)	45.9(2.9)	54.9(5.2)
	1982	65.0(1.8)	67.6(1.9)	62.4(2.5)	67.7(1.9)	49.2(3.9)	64.7(4.6)
	1977	72.2(1.4)	71.9(1.9)	72.5(1.8)	75.5(1.4)	57.1(2.5)	59.8(7.3)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Plate tectonics: Weather	1999	58.9(1.5)	61.3(1.9)	56.6(2.2)	64.9(1.9)	45.8(4.0)	37.9(4.1)
	1996	55.4(2.0)	58.1(2.5)	52.8(2.2)	62.2(2.3)	35.0(3.0)	42.0(4.4)
	1994	57.1(1.7)	58.7(1.5)	55.7(2.7)	63.2(1.4)	41.7(9.2)	34.0(3.0)
	1992	59.2(1.7)	60.2(2.1)	58.2(1.9)	65.7(1.5)	29.3(3.7)	50.9(4.4)
	1990	58.6(1.6)	60.5(1.9)	56.8(2.1)	65.5(1.5)	38.2(4.3)	37.2(4.1)
	1986	53.1(1.3)	56.3(1.7)	49.9(2.1)	58.1(1.4)	31.6(2.7)	36.6(7.1)
	1982	69.0(1.7)	70.4(2.4)	67.6(2.0)	73.8(1.6)	50.3(3.7)	45.1(4.4)
	1977	55.9(1.8)	56.0(1.7)	55.8(2.2)	61.3(1.9)	34.6(2.9)	32.4(4.4)
Plate tectonics: Earthquakes	1999	85.1(0.8)	86.7(1.1)	83.5(1.6)	88.1(0.8)	76.0(4.2)	79.1(3.2)
	1996	85.9(1.2)	87.5(1.4)	84.3(1.7)	89.7(1.2)	74.5(3.9)	77.3(3.9)
	1994	84.2(1.1)	83.4(1.5)	85.0(1.4)	86.7(1.1)	75.3(4.9)	79.9(2.4)
	1992	87.0(1.1)	87.4(1.4)	86.7(1.4)	89.9(0.8)	77.2(2.8)	79.8(5.3)
	1990	87.7(1.0)	88.0(1.2)	87.4(1.2)	89.4(1.0)	82.8(2.7)	81.2(2.8)
	1986	78.9(1.3)	81.1(1.9)	76.7(1.4)	81.4(1.5)	69.2(2.5)	69.6(4.8)
	1982	82.9(0.9)	82.9(1.3)	82.8(1.4)	84.9(1.2)	72.4(3.1)	78.4(2.8)
	1977	84.1(1.1)	84.2(1.3)	84.0(1.5)	87.6(1.1)	70.3(2.9)	63.5(9.2)
Plate tectonics: Continents	1999	70.9(1.3)	72.8(1.5)	69.0(2.1)	76.8(1.5)	52.0(3.6)	58.8(3.8)
	1996	72.7(1.7)	75.2(2.3)	70.3(1.9)	78.5(1.9)	52.2(4.2)	63.1(2.2)
	1994	72.5(1.5)	72.6(1.9)	72.4(2.0)	76.6(1.3)	60.6(6.2)	58.3(4.5)
	1992	72.9(1.5)	73.1(2.0)	72.8(1.7)	78.6(1.2)	49.4(4.1)	61.8(3.3)
	1990	73.5(1.5)	73.0(1.9)	74.0(1.7)	78.0(1.4)	58.6(4.4)	59.6(3.6)
	1986	65.8(1.2)	67.1(1.5)	64.5(1.9)	70.5(1.4)	46.1(2.8)	52.1(5.6)
	1982	64.8(1.7)	64.1(2.3)	65.6(2.1)	69.2(1.9)	42.5(3.8)	52.3(3.1)
	1977	62.5(1.8)	63.2(1.9)	61.9(2.4)	68.3(1.8)	38.2(3.6)	41.7(5.4)
Plate tectonics: Moon	1999	70.0(1.4)	70.2(1.9)	69.9(1.9)	75.7(1.3)	55.4(5.1)	52.3(4.9)
	1996	67.5(2.0)	70.4(2.3)	64.7(2.2)	74.9(2.1)	40.8(4.3)	56.7(4.6)
	1994	68.4(1.6)	67.4(1.8)	69.4(2.4)	74.3(1.5)	52.2(7.6)	47.6(3.4)
	1992	69.0(1.6)	68.3(1.7)	69.6(1.9)	74.2(1.5)	45.9(4.9)	59.9(5.3)
	1990	68.9(1.5)	67.8(1.7)	70.0(2.0)	73.6(1.4)	53.1(4.2)	55.8(3.0)
	1986	60.0(1.6)	59.6(1.9)	60.4(2.1)	64.4(2.0)	41.4(2.5)	42.8(4.2)
	1982	78.2(1.6)	77.8(2.0)	78.5(2.0)	82.6(1.3)	58.7(2.9)	59.9(3.9)
	1977	64.6(1.8)	61.5(1.6)	67.5(2.6)	69.3(1.7)	46.7(3.0)	36.3(5.9)
Present energy source in U.S.	1999	37.1(1.6)	41.0(2.1)	33.2(2.2)	43.4(2.0)	25.1(3.0)	17.0(3.6)
	1996	43.9(2.2)	46.5(2.5)	41.4(2.4)	48.8(2.3)	29.3(3.8)	35.5(4.7)
	1994	42.7(1.6)	44.4(1.7)	41.1(2.4)	46.8(1.8)	33.3(6.4)	22.5(3.5)
	1992	46.6(1.8)	48.5(2.5)	44.7(1.8)	50.3(2.3)	35.0(3.2)	33.1(3.5)
	1990	42.3(1.6)	46.0(2.1)	38.8(1.7)	46.7(1.5)	32.5(4.6)	21.8(3.8)
	1986	41.3(1.6)	45.5(1.9)	37.3(2.4)	44.4(1.9)	32.2(3.1)	23.2(3.3)
	1982	65.9(1.8)	67.2(2.4)	64.8(1.8)	70.5(1.5)	47.4(2.7)	50.2(6.7)
	1977	56.4(1.7)	61.6(2.1)	51.4(2.1)	61.3(2.0)	37.0(2.2)	36.8(5.1)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Components of solar system	1999	76.2(1.1)	77.4(1.5)	74.9(1.8)	79.6(1.2)	65.4(3.3)	69.9(3.2)
	1996	73.0(1.3)	72.0(1.5)	73.8(1.6)	76.3(1.4)	62.4(3.5)	64.8(3.3)
	1994	73.7(1.5)	73.1(1.8)	74.3(2.3)	76.4(1.3)	66.0(6.0)	62.9(4.2)
	1992	71.6(1.5)	72.6(1.6)	70.7(2.0)	74.4(1.6)	60.0(3.7)	62.8(3.1)
	1990	72.6(1.1)	71.5(1.4)	73.6(1.5)	75.8(1.2)	61.9(3.5)	66.8(5.3)
	1986	65.5(1.6)	67.7(2.3)	63.3(2.1)	67.7(2.0)	56.5(2.7)	59.4(5.9)
	1982	70.9(1.5)	72.1(2.1)	69.8(1.8)	73.6(1.4)	59.7(4.9)	62.5(3.9)
	1977	70.3(1.5)	71.1(2.0)	69.6(1.7)	73.9(1.6)	56.0(3.6)	55.1(4.8)
Acceleration of ball on ramp	1999	58.5(1.2)	63.0(1.8)	54.0(1.5)	64.1(1.4)	41.7(4.3)	45.8(2.8)
	1996	57.3(1.6)	60.2(2.2)	54.5(2.1)	64.8(1.7)	31.6(3.1)	46.7(2.5)
	1994	59.7(1.5)	63.3(1.4)	56.3(2.7)	65.1(1.6)	46.2(2.9)	39.1(4.7)
	1992	61.0(1.4)	64.8(1.9)	57.2(1.7)	67.5(1.4)	35.3(3.6)	49.8(4.9)
	1990	60.3(1.3)	66.3(1.6)	54.6(1.7)	64.8(1.3)	45.4(4.0)	48.1(4.1)
	1986	59.8(1.8)	65.8(1.9)	53.7(2.4)	63.8(2.2)	46.0(3.1)	44.8(4.2)
	1982	63.3(1.7)	66.7(1.9)	60.1(2.1)	67.7(1.6)	44.1(5.0)	51.9(3.3)
	1977	64.0(1.3)	69.6(1.9)	58.5(1.4)	68.8(1.2)	41.8(2.8)	46.8(4.8)
Weather: Wind speed	1999	90.2(1.0)	90.5(0.9)	89.8(1.4)	92.8(1.1)	83.3(2.9)	83.1(3.5)
	1996	87.7(1.3)	87.1(1.6)	88.4(1.6)	92.1(1.1)	74.6(3.5)	79.5(4.0)
	1994	88.9(0.9)	87.6(1.2)	90.0(1.1)	92.2(1.0)	79.3(3.7)	79.1(3.0)
	1992	90.4(1.0)	90.7(1.3)	90.1(1.1)	92.6(1.1)	80.0(3.1)	89.5(3.0)
	1990	88.8(0.9)	88.0(1.3)	89.7(1.0)	92.2(0.7)	79.1(4.3)	78.5(5.0)
	1986	87.0(1.0)	87.9(1.6)	86.1(1.4)	89.7(1.1)	75.8(2.1)	79.6(4.5)
	1982	77.5(1.3)	77.4(1.6)	77.5(1.8)	80.1(1.1)	66.1(4.6)	67.0(5.0)
	1977	87.7(1.1)	86.5(1.7)	88.8(0.9)	91.4(0.7)	70.3(3.1)	80.1(4.5)
Weather: Sunrise	1999	66.4(1.4)	64.2(2.1)	68.5(1.6)	69.2(1.8)	57.7(2.6)	57.6(2.8)
	1996	61.8(1.7)	60.7(1.6)	62.9(2.2)	64.6(1.8)	58.3(3.5)	51.0(4.4)
	1994	63.0(1.6)	59.0(2.0)	66.7(2.0)	66.4(1.7)	54.0(6.6)	49.8(3.0)
	1992	63.3(1.4)	59.8(1.7)	66.7(1.8)	65.0(1.7)	55.8(2.9)	56.7(6.4)
	1990	63.2(1.3)	58.8(1.5)	67.4(1.9)	65.9(1.4)	51.6(3.7)	58.8(3.6)
	1986	64.0(1.2)	61.6(1.5)	66.5(1.5)	65.1(1.3)	57.4(2.4)	66.2(4.5)
	1982	54.2(1.3)	53.5(1.8)	54.8(1.7)	54.7(1.5)	50.8(3.3)	55.2(6.2)
	1977	51.1(1.6)	49.8(2.0)	52.5(1.8)	52.7(1.9)	45.0(2.9)	39.5(6.0)
Weather: Rainfall	1999	79.6(1.1)	80.4(1.2)	78.7(1.6)	85.0(1.3)	68.7(3.5)	59.8(3.1)
	1996	76.8(1.4)	78.1(1.7)	75.6(1.8)	83.0(1.3)	63.9(3.5)	58.9(2.7)
	1994	76.2(1.0)	76.0(1.3)	76.4(1.5)	80.0(1.0)	65.5(4.7)	65.5(4.5)
	1992	77.0(1.4)	78.0(1.8)	76.0(1.6)	81.2(1.6)	63.4(4.1)	59.4(5.4)
	1990	75.8(1.2)	75.1(1.5)	76.4(1.5)	79.2(1.2)	64.7(3.5)	64.8(3.4)
	1986	76.4(1.2)	77.1(1.8)	75.8(1.3)	81.3(1.3)	59.6(3.5)	59.7(5.3)
	1982	69.0(1.5)	69.3(1.9)	68.7(1.8)	72.9(1.4)	52.2(3.4)	50.8(5.3)
	1977	79.8(1.3)	79.8(1.7)	79.9(1.6)	84.1(1.1)	59.7(2.3)	70.0(5.3)

(\*\*\*) Standard error estimate is greater than 9.9



Question Description	Year	Total	Male	Female	White	Black	Hispanic
Weather: Humidity	1999	83.5(0.9)	81.7(1.4)	85.2(1.1)	86.5(1.0)	71.9(3.0)	80.5(3.0)
	1996	80.1(1.5)	80.6(1.9)	79.8(1.7)	85.6(1.5)	65.4(4.2)	66.1(3.7)
	1994	82.3(1.1)	79.2(1.5)	85.1(1.6)	86.1(1.3)	72.4(4.8)	67.9(5.6)
	1992	83.0(1.0)	81.1(1.4)	84.9(1.2)	87.0(1.0)	66.1(3.2)	74.3(3.5)
	1990	83.2(1.2)	81.7(1.6)	84.6(1.2)	87.0(0.9)	70.9(4.4)	71.9(4.8)
	1986	80.0(1.1)	79.7(1.4)	80.3(2.2)	83.8(1.4)	65.2(2.8)	68.7(4.7)
	1982	68.9(1.5)	70.6(1.7)	67.3(2.1)	72.0(1.6)	56.8(3.8)	49.9(3.8)
	1977	80.6(1.0)	79.9(1.4)	81.4(1.0)	83.5(1.0)	67.9(2.2)	72.5(3.8)
Weather: First day of spring	1999	56.0(1.5)	58.4(1.4)	53.7(2.2)	59.1(1.8)	49.5(2.9)	44.5(3.9)
	1996	56.4(1.3)	56.9(1.7)	55.9(2.0)	59.0(1.6)	49.0(3.0)	51.4(2.6)
	1994	59.1(1.7)	61.9(1.9)	56.7(2.1)	61.9(2.0)	53.0(4.7)	45.5(4.4)
	1992	61.0(1.6)	62.8(2.0)	59.2(1.8)	63.8(1.7)	53.1(3.2)	48.0(6.5)
	1990	60.6(1.2)	62.3(1.6)	59.0(1.3)	63.0(1.3)	52.7(2.9)	57.5(3.2)
	1986	64.2(1.0)	64.8(1.6)	63.6(2.5)	66.6(1.2)	55.5(2.4)	56.9(3.2)
	1982	65.1(1.2)	66.3(1.6)	64.0(1.9)	66.3(1.4)	59.2(2.3)	60.8(4.8)
	1977	62.0(1.4)	64.8(1.6)	59.2(1.8)	63.4(1.4)	61.2(2.8)	41.0(7.9)
Weather: Average temperature	1999	67.4(1.1)	68.0(1.8)	66.7(1.5)	69.2(1.2)	64.6(3.6)	60.4(4.8)
	1996	63.3(1.5)	63.1(2.1)	63.5(1.9)	67.0(1.8)	54.4(3.8)	51.3(2.9)
	1994	62.6(1.2)	60.2(1.7)	64.7(1.5)	65.5(1.3)	56.5(3.3)	50.1(4.1)
	1992	63.7(1.3)	64.9(2.1)	62.5(1.4)	65.8(1.3)	54.7(2.5)	60.6(6.2)
	1990	60.2(1.6)	60.7(1.9)	59.7(2.0)	63.7(1.6)	50.9(3.4)	43.5(5.9)
	1986	61.0(1.6)	62.2(1.8)	59.7(2.3)	62.8(1.9)	54.8(2.8)	53.0(5.6)
	1982	54.2(1.3)	55.5(1.5)	53.0(1.7)	56.1(1.4)	48.3(3.2)	41.5(4.5)
	1977	62.2(1.3)	61.2(1.7)	63.2(1.5)	64.9(1.3)	49.9(3.3)	56.5(5.6)
Communicating on the moon	1999	64.7(1.6)	70.7(2.1)	58.7(1.6)	66.8(1.7)	58.6(3.0)	58.1(4.8)
	1996	64.8(1.6)	72.7(1.9)	57.1(2.3)	67.6(1.5)	52.7(3.5)	62.4(4.3)
	1994	61.8(1.2)	70.5(1.5)	53.9(1.5)	65.1(1.5)	52.0(2.2)	50.5(2.9)
	1992	62.3(1.4)	68.5(1.5)	56.1(2.0)	64.7(1.6)	47.4(3.7)	63.0(3.1)
	1990	61.5(1.3)	69.9(1.8)	53.4(1.7)	63.6(1.4)	49.4(3.1)	63.9(5.2)
	1986	60.5(1.2)	67.0(2.1)	54.1(2.4)	61.8(1.5)	53.4(3.1)	55.9(6.2)
	1982	55.5(1.5)	66.4(1.3)	45.2(2.0)	57.7(1.7)	42.2(2.6)	51.2(3.0)
	1977	59.3(1.7)	66.1(2.3)	52.4(2.1)	62.8(1.7)	45.8(2.8)	37.3(4.8)
Half life	1999	47.6(1.5)	47.8(1.9)	47.4(1.7)	48.4(2.0)	45.1(3.0)	45.5(4.4)
	1996	47.0(2.0)	50.0(1.9)	43.9(2.6)	47.4(2.3)	42.3(3.9)	46.5(3.9)
	1994	47.5(1.7)	49.0(1.7)	46.3(2.4)	48.4(1.8)	44.2(5.0)	44.5(5.0)
	1992	50.0(1.6)	50.5(2.0)	49.6(1.9)	49.9(1.8)	45.2(4.1)	54.0(5.0)
	1990	50.0(1.4)	50.4(1.7)	49.7(1.7)	50.1(1.5)	49.9(3.2)	49.4(6.9)
	1986	55.1(1.4)	59.7(1.7)	50.5(2.3)	56.1(1.7)	51.0(2.9)	48.6(3.2)
	1982	50.6(2.1)	54.0(2.4)	47.5(2.5)	49.7(2.5)	54.7(2.5)	53.5(4.2)
	1977	49.6(1.5)	50.3(1.8)	48.8(2.0)	51.4(1.8)	44.4(3.6)	35.9(5.4)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Speed of light and sound	1999	21.9(0.9)	24.1(1.4)	19.7(1.3)	24.0(1.1)	14.0(2.4)	17.0(3.3)
	1996	18.9(1.2)	21.5(1.6)	16.2(1.6)	21.2(1.4)	10.5(2.0)	13.1(2.7)
	1994	19.3(1.4)	19.9(1.3)	18.8(2.0)	21.3(1.5)	14.0(4.5)	12.6(2.8)
	1992	20.2(1.2)	22.0(1.5)	18.5(1.4)	22.6(1.4)	10.7(2.6)	12.2(3.6)
	1990	18.5(1.1)	21.4(1.5)	15.8(1.4)	20.4(1.2)	11.5(2.0)	13.1(2.9)
	1986	14.9(1.3)	17.6(1.4)	12.4(1.8)	15.8(1.5)	10.5(1.3)	11.2(3.9)
	1982	14.9(1.3)	17.6(1.4)	12.4(1.8)	15.8(1.5)	10.5(1.3)	11.2(3.9)
	1977	16.7(1.3)	17.9(1.7)	15.4(1.5)	17.9(1.4)	13.0(1.8)	10.8(3.9)
Angle of reflection	1999	55.6(1.8)	63.7(1.8)	47.6(2.2)	59.2(2.1)	44.7(4.4)	50.2(2.9)
	1996	54.0(1.6)	64.4(1.8)	43.9(2.0)	57.1(1.6)	46.2(3.2)	46.1(3.9)
	1994	52.8(1.0)	59.8(1.5)	46.6(1.7)	56.6(1.5)	42.3(3.6)	41.5(4.9)
	1992	55.7(1.5)	62.2(1.9)	49.3(2.1)	58.2(1.7)	45.1(3.8)	50.4(2.9)
	1990	56.1(1.4)	64.2(1.6)	48.4(2.0)	59.8(1.4)	40.6(3.2)	51.9(4.4)
	1986	50.8(2.3)	59.9(3.6)	41.8(2.1)	51.9(2.9)	43.9(2.8)	48.9(3.6)
	1982	46.9(1.9)	55.8(2.8)	38.6(1.6)	50.5(1.9)	29.6(3.7)	38.7(5.0)
	1977	47.8(1.1)	56.0(1.8)	39.6(1.6)	51.0(1.3)	31.9(2.3)	35.8(5.4)
Earth's crust: Oldest layers	1999	47.6(2.1)	45.9(2.4)	49.3(2.4)	52.4(2.5)	30.5(2.8)	44.1(2.6)
	1996	48.9(1.7)	46.9(2.9)	51.0(2.1)	54.6(1.8)	27.8(2.6)	41.7(4.7)
	1994	49.9(1.4)	48.0(1.7)	51.6(2.4)	52.4(1.6)	43.6(5.8)	42.2(4.3)
	1992	50.8(1.3)	51.3(1.8)	50.3(1.8)	54.4(1.5)	35.8(2.4)	46.0(3.9)
	1990	50.7(1.5)	50.1(1.8)	51.3(2.1)	55.2(1.5)	36.5(3.9)	36.4(5.4)
	1986	46.1(1.9)	44.5(1.9)	47.7(3.5)	50.0(2.2)	31.0(2.3)	32.1(3.8)
	1982	46.1(1.9)	44.5(1.9)	47.7(3.5)	50.0(2.2)	31.0(2.3)	32.1(3.8)
	1977	42.6(1.5)	42.5(1.9)	42.6(1.9)	46.6(1.6)	22.9(2.3)	30.8(5.2)
Earth's crust: Curved layers	1999	44.4(1.5)	44.6(2.5)	44.1(1.7)	46.4(1.9)	38.9(2.8)	38.6(3.6)
	1996	42.7(1.5)	45.6(2.3)	39.9(1.5)	44.8(2.0)	33.5(2.9)	40.5(3.2)
	1994	42.5(1.4)	45.8(1.8)	39.5(2.2)	42.5(1.7)	40.7(3.9)	45.9(4.4)
	1992	44.2(1.3)	46.2(1.8)	42.1(1.5)	45.0(1.5)	41.2(3.5)	39.7(4.8)
	1990	44.3(1.5)	44.9(1.8)	43.8(1.8)	46.0(1.6)	38.1(3.0)	39.7(4.3)
	1986	41.6(1.6)	44.2(1.7)	39.0(2.4)	42.7(1.9)	34.9(2.8)	40.2(4.0)
	1982	41.6(1.6)	44.2(1.7)	39.0(2.4)	42.7(1.9)	34.9(2.8)	40.2(4.0)
	1977	47.2(1.6)	50.6(1.9)	44.2(1.9)	48.9(1.7)	41.5(3.6)	35.5(3.4)
Measuring current in a circuit	1999	50.1(1.5)	46.0(2.0)	54.1(2.1)	50.4(1.8)	48.4(2.6)	50.7(3.2)
	1996	50.3(1.3)	48.4(1.5)	52.0(1.7)	49.8(1.8)	54.7(3.8)	51.6(2.1)
	1994	45.1(1.3)	41.6(1.8)	48.3(2.0)	44.6(1.4)	50.7(4.0)	38.0(3.1)
	1992	44.6(1.5)	40.0(2.1)	49.1(1.6)	45.3(1.6)	44.1(3.2)	37.3(4.6)
	1990	43.1(1.1)	40.6(1.3)	45.5(1.6)	43.0(1.3)	45.2(2.4)	39.2(3.6)
	1986	46.0(1.6)	43.9(2.5)	48.1(1.7)	46.0(1.9)	44.4(2.3)	42.3(3.6)
	1982	40.1(1.2)	40.4(1.9)	39.8(1.6)	41.3(1.3)	34.7(3.2)	43.7(5.9)
	1977	39.1(1.2)	37.0(2.2)	41.2(1.8)	39.1(1.2)	36.5(3.3)	49.2(4.2)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Movement of heated water	1999	39.3(1.2)	45.5(1.3)	33.1(2.1)	44.9(1.6)	22.1(2.4)	29.7(2.8)
	1996	38.9(1.4)	43.5(2.0)	34.5(1.6)	42.6(1.7)	25.6(3.0)	31.9(2.7)
	1994	39.2(1.5)	41.7(1.4)	37.0(2.3)	43.4(1.6)	26.2(6.8)	28.1(3.8)
	1992	36.0(1.3)	38.2(2.0)	33.7(1.6)	38.0(1.5)	27.4(2.3)	28.5(3.8)
	1990	37.5(1.3)	40.4(1.4)	34.8(1.8)	41.0(1.4)	27.4(3.0)	26.8(3.4)
	1986	37.8(1.2)	44.3(1.4)	31.3(2.2)	41.3(1.6)	20.3(2.2)	34.2(3.3)
	1977	34.4(1.9)	40.9(2.7)	27.9(1.6)	38.6(2.0)	15.5(2.1)	17.0(3.9)
Effect of clearing forests	1999	35.3(1.4)	35.7(1.7)	34.9(2.0)	40.7(1.5)	22.7(2.9)	18.9(2.7)
	1996	34.8(1.7)	37.5(2.3)	32.2(2.2)	39.4(1.9)	21.3(2.3)	25.0(3.9)
	1994	35.1(1.3)	36.8(2.3)	33.5(1.4)	39.9(1.6)	21.3(2.7)	25.3(5.8)
	1992	34.6(1.5)	35.3(2.0)	33.9(1.7)	37.7(1.6)	24.5(3.5)	23.9(4.4)
	1990	36.1(1.3)	40.3(1.5)	32.2(1.7)	39.9(1.3)	27.1(2.9)	21.1(3.0)
	1986	36.2(1.4)	41.0(1.9)	31.5(1.8)	40.6(1.6)	21.4(1.9)	19.9(3.9)
	1982	38.6(1.4)	42.5(2.0)	34.8(1.4)	42.2(1.5)	24.0(3.0)	24.8(5.4)
1977	44.7(1.7)	52.1(2.0)	37.3(2.3)	49.0(1.7)	26.1(3.1)	23.4(4.0)	
Describing the rock cycle	1999	30.4(1.5)	28.1(1.7)	32.7(1.9)	32.7(1.9)	24.7(2.9)	18.6(3.1)
	1996	32.9(1.8)	31.9(2.4)	33.8(1.9)	34.3(1.9)	30.0(4.7)	31.8(4.5)
	1994	29.7(1.1)	29.0(1.3)	30.4(1.8)	31.4(1.4)	23.9(1.9)	25.6(3.5)
	1992	30.9(1.1)	28.3(1.4)	33.5(1.5)	32.3(1.3)	26.0(3.0)	28.5(4.1)
	1990	29.6(1.2)	29.7(1.5)	29.5(1.8)	29.8(1.4)	29.8(3.0)	26.2(4.3)
	1986	29.8(1.2)	30.3(3.5)	29.4(3.1)	31.0(1.6)	24.8(2.2)	26.1(3.2)
	1982	30.0(1.7)	30.7(2.4)	29.4(2.1)	32.1(2.0)	18.6(2.1)	26.2(3.9)
1977	31.0(1.6)	28.4(2.1)	33.7(1.5)	32.2(2.0)	26.6(2.8)	19.4(6.1)	
Induction of electric current	1999	40.9(1.3)	45.1(1.9)	36.8(1.8)	43.5(1.8)	39.3(3.1)	29.1(3.2)
	1996	43.9(1.7)	48.3(2.5)	39.6(1.7)	47.8(1.8)	31.9(3.0)	37.8(3.1)
	1994	45.9(1.6)	49.3(2.3)	42.8(2.2)	49.2(1.9)	38.5(3.2)	31.8(2.7)
	1992	45.9(1.5)	49.0(1.7)	42.7(2.2)	48.9(1.8)	32.2(3.6)	38.7(5.6)
	1990	44.9(1.5)	52.1(2.1)	38.0(2.0)	47.4(1.7)	38.1(3.9)	33.6(4.1)
	1986	46.2(1.8)	54.0(2.8)	38.6(1.9)	49.5(2.2)	32.0(2.6)	36.5(4.5)
	1982	34.9(1.5)	44.2(1.8)	26.3(2.0)	36.5(1.6)	28.0(2.7)	28.5(4.6)
1977	45.0(1.7)	51.1(2.2)	39.3(1.8)	47.0(1.9)	35.7(3.0)	31.7(5.7)	
Balancing blocks on seesaw	1999	36.1(1.4)	44.7(1.6)	27.6(1.9)	42.4(1.7)	17.3(2.0)	21.1(3.9)
	1996	39.1(1.8)	50.2(2.5)	28.4(1.9)	45.7(2.1)	21.4(3.2)	19.4(3.5)
	1994	37.2(1.4)	47.2(1.9)	28.1(1.8)	42.3(1.5)	22.5(3.5)	21.0(3.3)
	1992	38.5(1.4)	47.1(2.0)	29.8(1.7)	43.7(1.7)	17.4(2.1)	27.2(3.5)
	1990	38.6(1.3)	50.6(1.8)	27.1(1.4)	43.9(1.2)	20.5(2.9)	25.3(3.5)
	1986	38.9(1.3)	45.5(1.7)	32.4(2.1)	43.8(1.6)	18.7(2.8)	28.4(3.4)
	1982	42.3(1.6)	54.0(2.1)	31.2(2.0)	46.1(1.8)	23.4(2.1)	29.1(3.3)
1977	42.8(2.0)	52.9(2.5)	31.5(2.3)	48.2(2.1)	18.9(2.5)	21.6(2.8)	

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Air masses over oceans	1999	20.9(1.2)	22.2(1.5)	19.6(1.6)	22.9(1.3)	17.7(2.5)	11.4(1.7)
	1996	23.4(1.6)	23.5(1.9)	23.4(1.9)	26.6(2.1)	14.0(1.9)	17.8(3.5)
	1994	21.3(1.2)	22.7(1.3)	20.0(1.9)	23.6(1.3)	13.0(2.6)	21.6(5.6)
	1992	20.0(1.1)	22.2(1.5)	17.9(1.4)	22.1(1.4)	13.0(2.1)	10.4(2.9)
	1990	19.1(1.3)	20.6(1.4)	17.6(1.6)	20.8(1.4)	13.2(2.0)	16.0(2.9)
	1986	18.5(1.4)	21.1(2.0)	15.9(1.9)	19.1(1.7)	15.8(2.3)	17.0(2.8)
	1982	18.5(1.4)	21.1(2.0)	15.9(1.9)	19.1(1.7)	15.8(2.3)	17.0(2.8)
	1977	19.0(1.0)	21.2(1.6)	17.0(1.3)	20.4(1.3)	13.8(1.2)	10.9(2.4)
Product Z: Arthritis	1999	47.4(1.3)	45.5(1.5)	49.3(1.6)	54.7(1.5)	28.3(2.3)	26.0(2.4)
	1996	51.9(1.4)	48.2(1.8)	55.3(2.0)	58.1(1.6)	35.9(2.5)	35.8(3.4)
	1994	48.8(1.3)	47.9(1.9)	49.8(2.1)	54.5(1.2)	26.7(2.6)	36.4(3.7)
	1992	47.4(1.4)	44.7(2.1)	49.9(1.9)	53.3(1.7)	31.2(2.1)	31.4(3.1)
	1990	47.9(2.0)	44.9(2.2)	51.1(2.1)	54.6(1.8)	28.6(5.5)	30.6(3.5)
	1986	42.5(2.3)	39.9(2.8)	45.1(2.5)	47.6(2.4)	25.6(3.8)	27.9(4.0)
	1982	38.1(1.9)	38.9(2.5)	37.4(1.9)	40.6(2.0)	25.8(3.5)	29.3(5.1)
	1977	41.2(1.3)	36.2(2.0)	45.7(1.7)	44.7(1.4)	24.0(2.9)	29.6(4.3)
Product Z: Harm	1999	80.0(1.2)	76.6(1.8)	83.3(1.3)	85.3(1.0)	64.5(3.5)	66.1(3.8)
	1996	80.8(1.0)	78.6(1.4)	82.8(1.5)	84.2(1.4)	72.9(2.3)	71.2(3.0)
	1994	81.7(0.9)	79.3(1.3)	84.2(1.3)	84.5(1.0)	72.9(3.2)	72.6(4.0)
	1992	85.1(0.9)	85.1(1.2)	85.1(1.2)	88.2(1.0)	76.5(2.6)	77.4(3.4)
	1990	80.7(1.4)	78.4(1.9)	83.1(1.4)	86.3(1.1)	59.7(4.8)	73.7(3.0)
	1986	81.5(1.4)	79.1(2.0)	83.7(1.4)	84.6(1.6)	67.0(3.3)	77.2(4.1)
	1982	85.1(1.3)	81.5(2.1)	88.6(1.2)	87.5(1.6)	73.4(3.1)	77.3(5.8)
	1977	77.5(1.4)	75.5(1.8)	79.4(1.5)	81.4(1.5)	58.3(2.5)	65.8(4.5)
Product Z: Pain relief	1999	83.6(1.2)	82.3(1.5)	84.9(1.3)	87.2(1.1)	77.3(3.3)	68.3(4.0)
	1996	83.7(1.3)	82.1(1.7)	85.1(1.5)	86.8(1.3)	76.5(3.4)	74.2(2.7)
	1994	86.1(0.9)	83.5(1.5)	88.7(1.1)	87.8(0.9)	81.4(3.6)	82.7(2.3)
	1992	87.3(0.7)	84.5(1.0)	89.9(1.0)	90.7(0.7)	79.0(2.3)	74.9(2.9)
	1990	83.9(1.2)	82.5(1.5)	85.4(1.5)	87.4(0.9)	75.6(5.4)	72.3(4.2)
	1986	85.3(1.0)	82.4(1.7)	88.3(1.2)	87.4(1.1)	76.4(2.5)	81.8(2.8)
	1982	82.7(1.2)	80.9(1.6)	84.4(1.4)	84.8(1.5)	72.7(2.5)	76.4(3.4)
	1977	80.9(1.1)	78.3(2.0)	83.3(1.1)	84.7(1.0)	63.6(2.4)	67.8(4.6)
Product Z: Feel better	1999	81.7(1.4)	79.3(2.1)	84.1(1.5)	87.9(1.1)	66.2(4.4)	62.9(4.0)
	1996	82.6(1.1)	79.6(1.5)	85.3(1.4)	87.0(1.1)	68.9(2.3)	76.3(2.8)
	1994	84.4(1.2)	81.8(1.7)	87.0(1.4)	87.5(1.2)	71.3(3.5)	76.0(5.4)
	1992	86.1(0.9)	83.6(1.3)	88.5(1.0)	90.1(0.9)	75.5(3.2)	75.1(3.0)
	1990	81.7(1.4)	79.8(1.9)	83.6(1.5)	86.9(1.2)	63.7(4.2)	70.6(3.1)
	1986	83.5(1.2)	80.9(1.7)	86.0(1.3)	87.5(1.0)	65.5(4.0)	76.3(2.4)
	1982	83.1(1.4)	81.0(1.8)	85.2(1.3)	86.6(1.3)	68.6(4.1)	69.6(4.8)
	1977	76.4(1.6)	73.7(2.3)	78.8(1.5)	81.0(1.5)	56.5(3.1)	56.7(5.3)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Use of controls in experiments	1999	67.2(1.7)	65.1(2.4)	69.3(1.9)	68.8(2.4)	62.0(2.7)	62.8(3.6)
	1996	68.5(1.2)	63.8(1.8)	72.9(1.3)	71.7(1.6)	60.3(3.3)	64.7(3.0)
	1994	68.2(1.4)	65.3(1.9)	71.1(1.6)	70.2(1.6)	59.4(2.5)	71.4(3.8)
	1992	70.3(0.9)	66.4(1.4)	73.9(1.5)	72.4(1.1)	65.1(2.7)	64.2(3.6)
	1990	70.1(1.5)	67.6(1.7)	72.8(1.6)	73.0(1.6)	62.3(4.2)	62.9(3.4)
	1986	71.2(1.4)	69.4(1.9)	73.1(1.7)	73.3(1.7)	64.6(2.4)	64.5(4.3)
	1982	71.2(1.4)	69.4(1.9)	73.1(1.7)	73.3(1.7)	64.6(2.4)	64.5(4.3)
	1977	71.1(1.2)	69.5(1.6)	72.8(1.6)	73.8(1.4)	58.0(2.2)	66.2(5.7)
Using a branching key: Shape	1999	76.4(1.0)	76.0(1.4)	76.7(1.6)	79.7(1.0)	66.1(3.1)	63.8(5.1)
	1996	74.5(1.2)	75.3(1.5)	73.8(1.4)	78.3(1.2)	63.8(2.5)	66.7(4.7)
	1994	77.6(1.1)	76.5(1.6)	78.7(1.5)	80.3(1.2)	63.4(3.2)	74.2(5.3)
	1992	75.6(1.0)	73.8(1.6)	77.2(1.4)	79.8(1.1)	64.7(2.8)	62.4(4.5)
	1990	70.8(1.5)	69.0(1.8)	72.7(1.8)	75.4(1.4)	54.1(4.9)	62.5(3.1)
	1986	69.5(1.3)	66.9(2.6)	72.0(1.4)	73.8(1.5)	53.6(3.0)	54.5(3.9)
	1982	70.8(1.2)	69.5(1.5)	72.0(1.6)	72.6(1.3)	62.2(2.9)	63.0(5.8)
	1977	67.0(1.6)	64.9(1.9)	69.0(1.9)	70.2(1.4)	57.9(3.7)	43.3(6.4)
Using a branching key: Color	1999	46.3(1.0)	47.4(1.8)	45.2(1.5)	48.8(1.3)	37.7(2.7)	41.7(4.6)
	1996	44.2(1.5)	44.6(2.1)	43.9(2.2)	46.2(1.9)	37.2(3.3)	40.6(3.2)
	1994	45.0(1.3)	42.8(1.8)	47.2(2.0)	46.7(1.5)	35.4(3.6)	44.1(4.2)
	1992	44.4(1.4)	44.2(1.6)	44.6(1.7)	45.5(1.6)	42.3(3.2)	39.7(3.0)
	1990	43.9(1.5)	44.2(2.0)	43.7(1.9)	47.7(1.5)	31.0(3.6)	37.4(3.8)
	1986	40.4(1.6)	40.3(1.8)	40.6(2.1)	42.3(2.1)	31.3(2.3)	40.2(3.4)
	1982	39.3(1.3)	38.1(1.5)	40.4(1.8)	41.8(1.3)	30.9(2.4)	28.3(5.7)
	1977	34.6(1.5)	33.6(1.9)	35.6(1.5)	37.6(1.5)	22.0(3.1)	22.2(4.3)
Reading a pressure gauge	1999	74.1(1.2)	75.6(1.4)	72.7(1.8)	79.3(1.3)	59.8(3.4)	58.8(3.9)
	1996	74.6(1.1)	78.2(1.7)	71.3(1.5)	78.8(1.4)	63.7(3.6)	60.7(3.2)
	1994	74.0(1.4)	77.1(2.1)	70.9(1.7)	76.3(1.5)	60.2(3.2)	67.1(5.6)
	1992	72.5(1.0)	72.9(1.6)	72.1(1.3)	75.7(1.2)	59.0(2.3)	68.6(2.6)
	1990	71.1(1.4)	74.1(1.9)	67.9(1.8)	75.2(1.4)	58.3(3.6)	60.3(3.8)
	1986	66.7(1.2)	71.6(1.7)	61.8(2.7)	69.9(1.7)	53.7(2.1)	59.8(3.8)
	1982	61.6(1.3)	65.4(2.1)	57.8(1.8)	64.6(1.6)	48.3(3.2)	47.1(3.6)
	1977	57.0(1.9)	62.4(2.0)	51.7(2.4)	59.9(1.9)	43.7(4.2)	44.7(5.3)
Estimating length of a line	1999	60.9(1.5)	59.6(2.2)	62.3(1.9)	63.6(1.5)	54.9(3.6)	50.3(2.7)
	1996	60.6(1.5)	61.6(2.1)	59.6(1.9)	63.0(1.7)	53.4(2.7)	56.7(3.9)
	1994	62.7(1.1)	64.8(1.7)	60.4(1.9)	64.3(1.3)	52.5(4.1)	58.8(3.2)
	1992	62.8(1.2)	66.0(1.7)	59.8(1.3)	64.0(1.4)	62.1(3.1)	55.3(3.5)
	1990	58.4(1.3)	60.5(1.9)	56.2(1.6)	60.6(1.5)	53.2(4.3)	50.9(4.8)
	1986	62.4(1.4)	65.3(2.0)	59.6(2.4)	64.6(1.7)	55.5(3.6)	53.0(3.3)
	1982	63.6(1.9)	67.3(3.0)	60.2(1.5)	65.4(2.1)	52.3(3.5)	65.2(6.3)
	1977	51.7(1.7)	54.3(1.8)	49.2(2.6)	54.4(1.8)	43.1(3.2)	39.2(5.3)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Rain and corn growth	1999	56.2(1.6)	59.9(2.2)	52.5(1.7)	60.5(1.8)	44.6(3.2)	44.1(3.7)
	1996	58.8(1.4)	61.5(2.1)	56.3(2.1)	60.7(1.6)	51.9(2.4)	58.1(3.5)
	1994	58.0(1.6)	60.3(2.3)	55.7(1.6)	61.2(2.0)	47.3(4.0)	49.6(3.6)
	1992	56.3(1.3)	57.8(1.9)	54.9(1.6)	58.9(1.6)	49.8(3.3)	47.9(3.1)
	1990	57.3(1.6)	59.6(2.0)	54.9(1.9)	58.0(2.0)	57.0(3.5)	51.3(3.2)
	1986	57.7(1.1)	59.0(2.0)	56.5(1.6)	58.4(1.5)	52.6(2.6)	56.5(5.2)
	1982	60.7(2.2)	62.3(2.4)	59.2(2.6)	63.3(2.5)	47.1(2.9)	53.4(5.2)
	1977	55.5(1.1)	55.2(1.7)	55.8(1.6)	57.6(1.1)	47.9(2.6)	44.2(5.3)
Food shortage: Birth rate	1999	63.6(1.2)	62.7(1.4)	64.5(1.6)	65.7(1.5)	57.3(2.7)	56.8(5.4)
	1996	65.3(1.2)	65.5(2.2)	65.1(1.7)	66.0(1.5)	64.0(3.1)	64.1(2.9)
	1994	64.8(2.0)	65.8(2.7)	63.7(1.9)	67.4(2.2)	55.8(3.9)	59.1(3.8)
	1992	67.0(1.1)	65.5(1.4)	68.4(1.4)	68.7(1.2)	62.2(2.9)	59.8(3.7)
	1990	64.3(1.4)	62.9(2.0)	65.8(1.5)	67.0(1.6)	58.3(4.4)	56.9(2.9)
	1986	66.4(2.4)	66.1(3.5)	66.7(2.0)	69.5(2.9)	54.5(1.9)	56.6(3.5)
	1982	68.8(1.4)	66.1(2.0)	71.4(1.8)	72.0(1.6)	53.5(3.3)	57.0(4.5)
	1977	70.8(1.1)	69.2(1.5)	72.4(1.5)	74.7(1.0)	54.7(2.7)	49.5(6.3)
Food shortage: Amount of food	1999	92.2(0.9)	91.8(1.2)	92.6(1.0)	95.3(0.8)	83.5(2.4)	82.4(2.8)
	1996	92.3(0.7)	92.2(1.1)	92.4(1.0)	94.8(0.5)	87.7(2.4)	86.1(2.2)
	1994	91.5(0.9)	90.0(1.3)	93.0(0.8)	94.6(0.7)	79.3(2.5)	87.0(3.4)
	1992	92.6(0.6)	92.2(1.0)	93.0(0.9)	94.8(0.7)	87.0(1.9)	88.3(2.7)
	1990	90.7(1.0)	89.1(1.4)	92.3(1.0)	93.9(0.8)	83.2(3.1)	78.5(4.4)
	1986	89.0(0.7)	89.3(1.1)	88.6(1.1)	91.5(0.8)	78.9(2.8)	82.4(3.4)
	1982	87.0(1.0)	86.8(1.1)	87.1(1.3)	90.0(1.2)	72.5(3.4)	77.6(2.5)
	1977	89.7(0.9)	89.5(1.1)	89.8(1.1)	93.0(0.8)	71.4(3.1)	88.6(3.0)
Food shortage: Markets	1999	55.2(1.4)	55.9(1.6)	54.5(2.1)	61.6(1.4)	36.8(2.7)	37.2(3.5)
	1996	58.3(1.9)	58.7(1.8)	58.0(2.9)	63.7(1.9)	43.9(2.5)	46.6(3.2)
	1994	61.0(1.5)	59.2(1.9)	62.9(2.1)	64.6(1.6)	48.8(4.4)	51.2(7.7)
	1992	57.7(1.5)	58.5(1.7)	57.0(2.2)	62.8(1.6)	39.2(3.3)	48.6(2.7)
	1990	56.3(1.4)	55.1(2.0)	57.7(1.9)	61.9(1.2)	40.2(5.2)	39.1(2.9)
	1986	59.9(1.6)	62.3(2.1)	57.5(2.0)	64.3(1.8)	40.2(3.1)	52.9(4.4)
	1982	61.5(1.9)	65.4(2.7)	57.8(2.0)	66.5(2.0)	37.7(2.4)	47.7(3.2)
	1977	57.7(1.7)	58.6(2.2)	56.9(2.1)	62.9(1.6)	36.5(3.3)	33.1(6.2)
Food shortage: Weather	1999	52.7(1.4)	53.0(2.0)	52.4(1.9)	56.8(1.7)	39.6(2.9)	41.3(3.6)
	1996	54.3(1.2)	55.6(1.8)	53.1(1.7)	57.3(1.4)	42.2(3.8)	47.5(4.2)
	1994	54.7(2.3)	55.3(2.8)	54.1(2.4)	57.0(2.9)	41.9(2.7)	46.9(4.1)
	1992	57.5(1.1)	56.7(1.6)	58.3(1.2)	60.6(1.3)	49.2(2.9)	48.5(3.5)
	1990	57.3(1.6)	55.3(1.9)	59.4(1.9)	60.3(1.9)	48.0(2.3)	49.3(5.0)
	1986	56.1(2.3)	57.5(2.6)	54.6(2.7)	58.0(2.7)	48.7(3.9)	49.9(4.5)
	1982	52.1(1.4)	52.3(2.3)	51.8(1.9)	53.9(1.5)	43.2(3.3)	44.3(2.6)
	1977	59.2(1.3)	62.0(1.5)	56.4(1.6)	61.5(1.2)	44.7(2.8)	57.1(5.1)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Predicting snowfall	1999	63.1(1.7)	64.4(2.3)	61.8(1.8)	69.6(1.6)	46.9(3.6)	40.9(5.0)
	1996	63.1(1.4)	65.8(1.6)	60.6(1.9)	67.4(1.6)	53.9(3.8)	49.4(4.2)
	1994	66.1(1.0)	64.7(1.8)	67.5(1.5)	70.0(1.2)	52.4(3.1)	62.8(4.4)
	1992	64.5(1.3)	65.9(1.6)	63.2(2.0)	68.6(1.4)	52.7(2.8)	53.7(2.7)
	1990	61.8(1.5)	62.5(1.7)	61.1(2.1)	65.7(1.5)	44.7(3.7)	59.0(4.2)
	1986	61.9(2.3)	61.9(2.6)	61.8(2.5)	67.4(2.7)	40.5(3.9)	47.9(4.9)
	1982	47.6(1.6)	47.0(2.2)	48.2(1.6)	49.9(1.8)	39.3(4.7)	34.2(4.6)
	1977	47.6(1.6)	47.0(2.2)	48.2(1.6)	49.9(1.8)	39.3(4.7)	34.2(4.6)
Lab balance: Color of rock	1999	84.4(1.1)	84.0(1.9)	84.9(1.4)	88.9(1.0)	74.4(3.5)	71.3(3.7)
	1996	86.3(0.9)	86.4(1.5)	86.2(1.3)	90.4(0.7)	75.9(3.0)	72.4(3.7)
	1994	83.4(1.3)	81.8(1.3)	85.1(1.9)	87.2(0.9)	68.8(5.9)	75.6(4.4)
	1992	82.5(1.0)	80.5(1.5)	84.3(1.3)	86.5(1.0)	70.9(2.9)	71.6(4.2)
	1990	82.3(1.6)	80.0(2.0)	84.6(1.6)	85.2(1.1)	73.0(6.1)	74.0(2.7)
	1986	81.3(1.2)	78.5(1.7)	84.2(1.8)	85.0(1.4)	70.0(2.6)	66.5(4.4)
	1982	74.9(1.4)	73.9(2.3)	75.8(1.7)	78.7(1.5)	59.5(4.3)	60.0(3.6)
	1977	59.6(1.8)	57.1(1.9)	62.0(2.7)	63.2(1.9)	43.5(3.2)	41.2(5.0)
Lab balance: Accuracy	1999	61.7(1.4)	62.7(2.1)	60.6(1.4)	66.2(1.7)	50.0(3.0)	47.2(3.7)
	1996	61.9(1.3)	62.8(2.0)	61.1(1.8)	66.5(1.1)	52.1(3.3)	48.0(2.9)
	1994	61.1(1.3)	61.5(1.6)	60.7(2.0)	64.5(1.5)	54.1(2.7)	50.0(6.1)
	1992	61.3(1.4)	61.1(1.8)	61.5(1.9)	64.1(1.7)	55.3(3.1)	48.5(3.6)
	1990	57.4(1.5)	58.1(1.7)	56.8(2.3)	59.0(1.5)	51.5(5.8)	53.9(3.9)
	1986	56.9(2.4)	56.5(2.2)	57.3(3.2)	60.1(2.9)	45.6(2.0)	48.0(8.5)
	1982	56.3(0.8)	58.1(1.6)	54.5(1.5)	58.1(1.1)	46.4(4.1)	52.4(3.1)
	1977	54.4(1.6)	53.9(1.9)	54.9(2.1)	56.7(1.7)	47.6(3.1)	36.4(6.4)
Lab balance: Grams/ounces	1999	42.1(0.8)	40.8(1.5)	43.4(1.4)	42.7(1.0)	40.3(3.0)	39.8(3.4)
	1996	43.4(1.2)	43.4(1.6)	43.5(1.6)	45.9(1.6)	37.0(2.8)	35.3(2.9)
	1994	40.8(1.3)	41.0(1.9)	40.6(1.6)	41.3(1.4)	43.9(3.9)	36.1(3.6)
	1992	43.9(1.2)	43.3(1.4)	44.5(1.7)	44.8(1.4)	38.5(3.4)	42.2(3.7)
	1990	41.0(1.3)	41.3(1.6)	40.7(2.0)	41.7(1.6)	37.8(3.5)	39.1(3.3)
	1986	43.3(2.2)	41.8(2.2)	44.9(3.0)	44.4(2.8)	40.4(3.0)	37.5(4.1)
	1982	41.3(1.6)	43.6(2.1)	39.1(2.0)	42.2(1.7)	37.2(4.3)	37.5(5.4)
	1977	39.6(1.2)	39.1(1.5)	40.1(1.6)	40.4(1.2)	34.6(2.7)	35.6(5.8)
Human error in measuring time	1999	54.1(1.4)	58.7(1.5)	49.6(1.9)	57.7(1.7)	44.3(3.5)	42.2(3.1)
	1996	53.7(1.7)	59.0(1.8)	48.8(2.3)	57.4(1.8)	43.4(3.8)	46.6(2.8)
	1994	53.3(1.7)	58.2(1.8)	48.2(1.9)	55.5(2.0)	42.6(2.9)	48.8(5.5)
	1992	52.6(1.4)	56.3(1.9)	49.2(2.0)	55.8(1.7)	43.9(3.2)	43.4(3.3)
	1990	52.7(1.8)	57.7(2.0)	47.4(2.1)	54.0(2.0)	47.2(5.5)	48.3(2.9)
	1986	57.1(2.5)	58.9(2.1)	55.3(3.7)	60.8(3.0)	41.3(4.0)	48.9(3.9)
	1982	48.6(1.7)	54.1(2.1)	43.4(1.8)	49.5(1.7)	43.3(5.2)	42.5(4.7)
	1977	58.5(1.6)	63.2(1.9)	54.1(2.1)	61.4(1.9)	45.0(3.0)	48.0(7.5)

(\*\*\*) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Volume equation	1999	58.6(1.5)	57.4(2.1)	59.9(1.8)	61.4(2.1)	51.2(3.1)	46.2(3.4)
	1996	61.7(1.3)	58.7(2.1)	64.4(1.8)	64.9(1.5)	55.1(3.3)	51.1(4.1)
	1994	62.3(1.4)	57.9(2.4)	66.8(1.5)	66.3(1.7)	50.6(3.5)	42.8(4.7)
	1992	58.6(1.5)	54.9(1.7)	62.1(2.0)	61.3(1.8)	52.5(2.8)	46.6(3.7)
	1990	57.1(2.2)	53.8(2.7)	60.7(2.4)	60.4(2.1)	50.5(6.8)	41.2(4.1)
	1986	55.3(1.9)	51.9(2.4)	58.7(2.2)	58.4(2.3)	42.8(4.5)	42.5(5.7)
	1982	45.3(1.8)	44.7(2.2)	45.8(1.9)	48.0(2.2)	33.0(3.1)	31.5(2.6)
	1977	33.1(1.7)	30.1(1.5)	35.8(2.7)	36.0(2.0)	19.0(2.1)	21.9(3.5)
Measurement error: Speedometer	1999	33.9(1.4)	38.6(1.9)	29.2(1.8)	32.4(1.6)	40.6(3.9)	38.4(4.7)
	1996	32.2(1.3)	36.5(1.5)	28.2(2.0)	29.2(1.7)	37.9(3.5)	38.7(2.8)
	1994	33.5(1.0)	40.1(1.8)	26.8(1.6)	32.4(1.0)	38.4(3.3)	35.3(4.6)
	1992	35.8(1.2)	41.2(1.7)	30.8(1.6)	34.4(1.4)	42.6(3.2)	36.7(3.1)
	1990	36.8(1.5)	40.3(2.0)	33.1(1.8)	34.3(1.3)	51.8(6.0)	28.9(4.4)
	1986	34.3(1.0)	40.9(1.8)	27.9(1.5)	31.0(1.3)	45.7(2.2)	41.0(3.1)
	1982	40.7(2.2)	45.2(2.6)	36.6(2.4)	37.5(2.2)	59.4(4.1)	38.8(6.0)
	1977	44.3(1.7)	50.4(2.3)	38.3(2.1)	41.2(2.0)	59.1(1.9)	50.8(5.9)
Measurement error: Tapemeasure	1999	47.1(1.6)	44.9(2.3)	49.2(2.1)	47.0(1.6)	46.9(3.7)	44.9(4.4)
	1996	48.7(1.2)	44.3(1.7)	52.7(1.8)	50.2(1.6)	47.0(2.9)	41.8(2.4)
	1994	49.7(1.7)	46.3(1.9)	53.1(1.9)	50.7(2.0)	43.5(4.3)	46.4(4.7)
	1992	46.2(0.9)	42.4(1.6)	49.8(1.4)	47.1(1.2)	44.9(3.5)	38.9(2.9)
	1990	46.4(1.4)	44.5(1.7)	48.4(2.1)	47.7(1.2)	42.2(6.0)	40.7(3.7)
	1986	46.3(1.6)	45.5(1.9)	47.1(2.2)	45.8(1.9)	48.7(2.8)	45.7(4.1)
	1982	43.9(1.4)	40.5(2.2)	47.1(1.8)	45.2(1.4)	36.9(2.7)	42.3(5.2)
	1977	46.0(1.2)	43.6(1.3)	48.3(2.0)	47.2(1.5)	40.6(2.7)	42.5(5.1)
Measurement error: Computer	1999	24.2(1.4)	23.6(1.7)	24.7(1.7)	20.8(1.2)	34.7(4.9)	32.2(5.4)
	1996	22.1(1.0)	20.7(1.5)	23.3(1.5)	18.8(1.3)	28.1(2.8)	29.7(2.9)
	1994	21.3(1.0)	21.2(2.0)	21.4(1.4)	18.2(1.2)	36.3(2.4)	25.6(2.7)
	1992	22.3(1.1)	20.1(1.4)	24.3(1.5)	20.2(1.2)	27.8(2.7)	26.8(3.8)
	1990	24.6(1.2)	24.2(1.6)	25.1(1.4)	20.3(1.2)	41.8(3.5)	27.2(3.3)
	1986	24.5(1.3)	25.6(1.9)	23.5(1.9)	21.4(1.8)	35.8(2.8)	34.9(4.2)
	1982	28.6(1.6)	33.3(2.1)	24.3(2.0)	25.6(1.5)	44.0(3.5)	30.2(5.4)
	1977	31.6(1.7)	33.0(2.3)	30.2(1.8)	28.7(1.8)	42.8(2.9)	41.5(4.9)
Meaning of 20% chance of rain	1999	20.2(1.0)	21.9(1.4)	18.6(1.4)	22.4(1.3)	14.5(1.8)	17.5(2.8)
	1996	22.0(1.3)	26.2(2.1)	18.2(1.3)	23.8(1.7)	16.1(3.1)	17.2(2.8)
	1994	22.4(1.1)	25.4(1.8)	19.4(1.2)	24.0(1.4)	13.6(2.8)	22.0(6.2)
	1992	23.8(1.3)	24.4(1.3)	23.1(1.9)	26.7(1.6)	15.2(2.5)	15.3(2.8)
	1990	21.5(1.1)	24.7(1.7)	18.0(1.2)	22.2(1.1)	21.5(4.7)	18.2(2.3)
	1986	19.6(0.9)	20.6(1.3)	18.7(1.5)	21.4(1.2)	15.8(3.1)	9.7(2.1)
	1982	15.7(1.3)	19.6(1.7)	12.1(1.7)	16.1(1.7)	14.0(2.5)	14.1(1.5)
	1977	14.2(0.9)	16.0(1.3)	12.5(1.3)	15.6(1.2)	9.2(1.6)	7.1(1.7)

(\*\*\*) Standard error estimate is greater than 9.9



Question Description	Year	Total	Male	Female	White	Black	Hispanic
Seasonal rainfall graph	1999	39.3(1.4)	41.9(1.6)	36.8(2.1)	42.3(1.7)	31.6(2.6)	27.4(3.6)
	1996	40.1(1.3)	40.2(1.8)	40.0(1.8)	44.5(1.7)	28.2(2.5)	30.8(2.6)
	1994	37.3(1.2)	37.7(1.7)	36.9(2.3)	39.4(1.5)	28.8(3.3)	31.9(3.0)
	1992	39.8(1.4)	41.1(1.6)	38.6(1.8)	42.9(1.6)	30.7(3.8)	29.5(3.3)
	1990	38.4(1.7)	42.1(2.2)	34.4(1.7)	42.6(2.0)	23.2(3.2)	32.2(3.4)
	1986	36.0(1.9)	39.5(2.9)	32.6(1.8)	38.0(2.3)	30.5(2.7)	27.0(4.5)
	1977	32.5(1.7)	35.1(2.0)	30.0(2.1)	34.2(1.8)	27.5(3.0)	20.3(4.9)
Mold growth experiment	1999	21.1(1.8)	21.5(2.6)	20.7(1.6)	24.5(2.2)	13.4(2.0)	9.8(2.5)
	1996	21.6(1.5)	22.8(1.7)	20.6(2.2)	24.8(1.9)	12.3(2.4)	14.5(2.3)
	1994	23.3(1.2)	24.4(1.4)	22.3(1.6)	24.9(1.3)	14.0(2.2)	19.7(2.6)
	1992	21.9(1.0)	24.6(1.5)	19.4(1.3)	25.6(1.2)	12.7(2.0)	9.7(1.8)
	1990	21.0(1.4)	23.8(1.8)	18.0(1.4)	22.8(1.7)	18.0(3.2)	10.1(2.1)
	1986	20.0(1.3)	20.9(1.6)	19.2(1.5)	21.7(1.5)	14.2(1.4)	15.2(3.4)
	1982	23.4(1.1)	23.8(1.5)	23.1(1.8)	24.7(1.3)	17.1(2.6)	18.7(3.5)
1977	28.9(1.2)	29.4(1.8)	28.4(1.3)	31.9(1.5)	15.2(2.2)	15.7(4.2)	
Invention of telephone	1999	56.1(1.4)	60.0(2.1)	52.1(1.8)	61.2(1.7)	46.6(3.3)	38.2(3.7)
	1996	55.0(1.4)	62.0(1.5)	48.6(2.4)	58.4(1.4)	44.0(3.2)	49.9(3.5)
	1994	54.9(1.4)	60.9(1.7)	48.8(1.7)	58.1(1.8)	42.3(4.3)	50.6(3.0)
	1992	55.0(1.6)	59.7(2.1)	50.6(2.3)	59.8(2.0)	41.5(2.5)	46.9(2.9)
	1990	52.9(1.7)	59.4(2.2)	46.0(2.0)	58.0(1.7)	36.4(5.3)	44.8(4.7)
	1986	49.6(1.5)	58.4(2.3)	40.9(1.7)	52.6(1.6)	38.6(2.9)	36.7(4.1)
	1977	49.0(1.4)	55.5(1.5)	42.7(1.8)	51.6(1.3)	37.1(4.1)	41.5(4.7)

(\*\*\*) Standard error estimate is greater than 9.9