

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Animals communicate	1999	84.6(1.1)	85.8(1.6)	83.6(1.5)	87.8(1.1)	77.1(2.6)	74.3(2.8)
	1996	81.1(1.6)	81.4(2.1)	80.7(1.8)	84.7(1.8)	67.2(3.8)	79.8(2.7)
	1994	84.3(1.3)	85.4(1.6)	83.2(1.5)	87.5(1.3)	74.3(2.3)	75.3(4.8)
	1992	82.3(1.3)	83.1(1.8)	81.5(1.4)	86.5(1.4)	68.4(2.4)	70.8(3.4)
	1990	83.4(1.1)	83.7(1.5)	83.2(1.5)	87.9(1.1)	67.4(3.4)	73.3(4.5)
	1986	77.8(1.7)	78.7(1.7)	76.9(2.1)	81.8(1.9)	61.4(3.1)	66.5(3.7)
	1977	73.5(1.4)	74.2(1.7)	72.8(1.8)	78.0(1.5)	49.3(2.8)	68.4(4.7)
Water evaporation: Put in sun	1999	44.4(1.6)	46.5(2.2)	42.5(1.6)	46.6(1.8)	36.1(2.2)	42.8(4.5)
	1996	44.3(1.4)	46.5(1.9)	42.3(2.0)	44.8(1.9)	43.0(3.6)	39.9(4.7)
	1994	44.8(1.5)	46.3(2.0)	43.3(2.1)	46.7(1.9)	40.7(2.2)	34.4(6.0)
	1992	46.4(1.3)	49.3(1.7)	43.8(1.7)	47.6(1.7)	42.2(2.3)	41.8(3.6)
	1990	45.6(1.2)	48.6(1.6)	42.7(1.9)	46.3(1.3)	40.3(3.5)	45.6(4.9)
	1986	42.4(1.4)	44.6(1.7)	40.4(2.2)	43.6(1.7)	37.0(3.0)	40.5(6.7)
	1977	53.7(1.5)	54.3(1.7)	53.1(2.1)	56.3(1.7)	40.7(2.5)	48.0(3.9)
Water evaporation: Cover jar	1999	42.6(1.6)	45.2(2.3)	40.4(1.7)	45.9(1.8)	35.2(2.3)	31.1(3.6)
	1996	42.0(1.7)	45.7(2.1)	38.4(2.0)	42.9(2.1)	39.4(3.5)	38.5(3.4)
	1994	43.6(1.4)	45.3(1.8)	42.0(1.6)	46.8(1.6)	34.0(2.5)	33.2(3.3)
	1992	41.5(1.2)	45.0(1.5)	38.3(1.7)	42.9(1.6)	36.2(2.0)	34.4(3.8)
	1990	43.3(1.2)	45.2(1.8)	41.4(2.1)	44.9(1.3)	38.6(2.6)	33.5(4.1)
	1986	40.7(1.4)	42.0(2.0)	39.4(1.7)	41.9(1.7)	36.6(3.3)	34.5(4.8)
	1977	49.9(1.4)	52.3(1.8)	47.6(1.5)	51.7(1.5)	41.1(2.5)	48.8(3.6)
Finding cause of a sore throat	1999	67.3(1.7)	63.8(2.0)	70.4(1.9)	72.8(1.8)	52.7(2.4)	61.2(3.1)
	1996	67.7(2.2)	64.9(2.9)	70.4(2.3)	69.8(2.8)	61.8(4.1)	65.0(3.4)
	1994	71.9(1.5)	68.8(1.8)	74.7(1.8)	73.2(1.9)	64.6(3.1)	68.3(3.1)
	1992	68.6(1.3)	64.8(1.7)	72.1(1.7)	70.1(1.5)	64.2(2.4)	63.6(6.4)
	1990	70.8(1.3)	66.1(2.0)	75.3(1.5)	73.4(1.4)	63.6(4.2)	66.4(3.6)
	1986	69.0(1.4)	64.3(1.9)	73.4(1.9)	71.9(1.4)	58.5(2.4)	59.6(6.6)
	1982	64.1(1.3)	61.2(1.6)	67.1(2.0)	66.2(1.6)	59.0(2.7)	50.0(3.1)
1977	53.9(1.3)	52.6(2.1)	55.2(1.8)	55.1(1.5)	47.1(2.2)	53.6(3.2)	
Predator prey: Deer/mt. lions	1999	68.4(1.3)	69.3(1.8)	67.5(1.5)	74.1(1.2)	53.2(3.1)	55.7(5.1)
	1996	66.6(1.7)	66.7(2.1)	66.4(1.8)	68.4(2.1)	58.6(3.2)	63.7(3.1)
	1994	69.4(1.8)	70.7(2.1)	68.1(2.2)	73.3(2.1)	59.5(2.5)	56.8(5.1)
	1992	67.3(1.4)	70.2(1.9)	64.7(1.7)	70.1(1.5)	56.6(3.1)	56.8(4.4)
	1990	69.4(1.1)	70.2(1.6)	68.8(1.6)	73.2(1.1)	54.6(2.8)	61.5(4.1)
	1986	62.3(1.4)	62.3(2.1)	62.4(2.3)	66.4(1.8)	47.9(2.8)	47.5(4.2)
	1977	65.4(1.6)	66.5(2.1)	64.3(2.1)	69.4(1.3)	42.5(5.2)	63.1(6.5)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
See a doctor: Hurt arm	1999	86.9(0.9)	85.2(1.6)	88.5(1.0)	89.5(1.0)	80.8(2.0)	76.9(3.4)
	1996	86.5(1.4)	84.2(1.9)	88.6(1.3)	89.0(1.6)	77.8(3.1)	84.6(2.6)
	1994	88.2(1.0)	86.4(1.6)	89.8(1.0)	90.3(1.1)	81.8(2.3)	81.1(4.0)
	1992	88.1(1.0)	86.3(1.3)	89.7(1.1)	91.2(1.2)	78.1(2.1)	78.1(3.7)
	1990	88.1(1.0)	86.0(1.4)	90.0(1.3)	91.5(1.1)	75.7(3.1)	80.2(3.4)
	1986	86.7(1.1)	85.1(1.3)	88.2(1.3)	89.9(1.2)	75.9(2.8)	76.3(3.4)
	1977	90.9(0.8)	89.2(1.0)	92.7(1.0)	92.3(0.7)	86.5(2.2)	81.2(3.3)
See a doctor: Exercise	1999	81.4(1.1)	80.0(1.6)	82.7(1.2)	86.3(1.3)	66.7(2.6)	69.1(2.2)
	1996	82.1(1.6)	80.1(2.3)	84.0(1.3)	85.6(2.0)	72.6(3.1)	71.6(2.4)
	1994	81.5(1.6)	80.7(1.6)	82.3(2.2)	85.9(1.7)	68.9(2.4)	61.4(4.6)
	1992	80.8(1.2)	81.3(1.8)	80.4(1.3)	85.3(1.3)	65.1(2.7)	70.1(3.7)
	1990	82.7(1.2)	80.0(1.7)	85.3(1.3)	87.2(1.2)	65.2(3.1)	74.6(5.6)
	1986	79.6(1.2)	78.6(1.5)	80.6(1.4)	85.2(1.3)	55.5(2.6)	68.9(6.2)
	1977	76.0(1.1)	75.1(1.6)	76.9(1.4)	80.5(1.1)	57.3(3.2)	62.5(5.0)
See a doctor: Headache	1999	88.2(0.9)	87.8(1.3)	88.5(1.3)	89.6(1.1)	84.5(2.2)	84.3(2.1)
	1996	87.3(1.2)	83.6(1.6)	90.8(1.1)	87.9(1.3)	85.1(2.3)	86.6(2.2)
	1994	89.8(0.7)	87.7(1.3)	91.6(0.9)	91.0(0.8)	85.8(1.5)	85.4(2.5)
	1992	87.3(1.0)	85.1(1.3)	89.3(1.2)	88.4(1.2)	84.6(2.1)	83.9(4.0)
	1990	89.0(0.6)	87.1(1.1)	90.7(1.1)	89.7(0.7)	87.8(1.8)	85.2(3.6)
	1986	89.1(0.8)	88.0(1.2)	90.2(0.9)	89.9(0.8)	87.1(3.1)	85.0(1.5)
	1977	90.6(0.6)	90.4(1.0)	90.7(0.9)	91.3(0.6)	86.8(1.3)	87.4(2.8)
See a doctor: Stomachache	1999	79.0(1.4)	77.0(1.6)	80.8(1.5)	85.6(1.2)	60.6(3.7)	66.2(3.7)
	1996	77.3(1.9)	76.0(2.5)	78.6(2.0)	79.6(2.5)	68.7(3.0)	73.4(3.8)
	1994	79.0(1.5)	77.3(1.8)	80.6(1.8)	84.3(1.5)	63.5(2.6)	60.9(4.8)
	1992	77.7(1.4)	77.7(1.8)	77.6(1.5)	81.8(1.4)	63.6(3.6)	63.6(4.2)
	1990	77.3(1.0)	75.5(1.6)	79.0(1.4)	82.9(1.0)	58.2(2.9)	68.0(5.3)
	1986	75.6(1.3)	74.0(1.6)	77.2(1.8)	79.6(1.6)	59.6(3.1)	63.9(5.9)
	1977	69.2(1.5)	67.8(1.8)	70.6(1.9)	73.8(1.4)	46.8(4.0)	60.2(5.1)
See a doctor: Pain in side	1999	77.5(1.4)	74.1(2.0)	80.5(1.7)	80.0(1.4)	70.2(2.6)	72.6(4.6)
	1996	75.6(1.4)	73.6(2.4)	77.7(1.4)	77.3(1.7)	70.2(2.5)	73.5(3.4)
	1994	79.4(0.9)	77.0(1.4)	81.9(1.0)	82.0(0.8)	74.4(2.8)	62.6(3.8)
	1992	77.4(1.0)	74.2(1.3)	80.2(1.4)	79.9(1.0)	69.2(2.8)	71.3(4.2)
	1990	80.1(1.1)	76.9(1.5)	83.2(1.4)	82.4(1.1)	72.4(4.0)	75.0(3.7)
	1986	77.5(1.3)	74.5(2.1)	80.4(1.3)	80.6(1.6)	66.7(2.8)	68.6(2.3)
	1977	80.4(1.1)	78.7(1.6)	82.0(1.4)	80.8(1.1)	78.1(2.8)	76.6(4.5)
Balloon shape and volume	1999	55.3(1.6)	54.3(1.9)	56.2(2.1)	60.8(1.5)	44.1(3.0)	37.3(3.9)
	1996	56.7(1.8)	57.9(2.5)	55.5(1.9)	60.6(2.0)	43.6(3.2)	50.9(4.3)
	1994	60.1(1.6)	60.9(1.6)	59.4(2.1)	63.1(1.8)	49.9(4.0)	54.8(4.8)
	1992	60.8(1.9)	61.8(2.5)	59.8(1.9)	65.3(2.0)	45.3(2.9)	48.9(5.2)
	1990	58.2(1.4)	58.8(1.9)	57.7(1.8)	62.3(1.5)	44.1(3.5)	40.8(5.1)
	1986	57.3(1.2)	59.4(1.9)	55.3(1.7)	60.2(1.5)	46.7(3.6)	46.3(5.9)
	1977	58.5(1.4)	58.7(2.0)	58.2(1.5)	63.7(1.3)	30.7(2.8)	49.4(4.7)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Determining the age of a tree	1999	61.7(1.7)	62.3(1.9)	61.2(2.1)	69.8(2.1)	40.5(2.8)	45.0(4.2)
	1996	62.4(1.8)	64.6(2.3)	60.4(2.0)	68.1(2.3)	48.4(2.6)	44.6(4.3)
	1994	65.4(2.2)	64.4(2.5)	66.4(2.3)	72.3(2.2)	46.1(3.9)	36.7(5.0)
	1992	60.0(1.6)	61.4(1.8)	58.7(1.8)	67.9(1.8)	31.1(3.4)	37.3(5.8)
	1990	64.0(1.9)	66.2(1.9)	62.0(2.5)	71.0(1.9)	42.2(4.8)	40.6(4.2)
	1986	55.7(1.8)	58.2(2.3)	53.3(2.0)	62.1(1.9)	34.8(3.3)	32.7(3.8)
	1982	55.7(1.8)	58.2(2.3)	53.3(2.0)	62.1(1.9)	34.8(3.3)	32.7(3.8)
	1977	61.6(1.9)	64.6(2.0)	58.6(2.1)	68.1(1.7)	34.1(3.0)	37.2(5.0)
Garden loses nutrients	1999	49.5(2.0)	45.9(3.1)	52.6(1.9)	57.8(2.3)	29.2(2.4)	33.5(4.8)
	1996	51.6(2.1)	51.6(2.6)	51.6(2.4)	57.6(2.3)	35.0(2.4)	39.7(4.0)
	1994	52.7(1.7)	51.9(2.3)	53.3(1.8)	60.2(1.6)	31.7(3.3)	31.1(4.2)
	1992	51.7(1.4)	52.0(1.8)	51.3(1.8)	58.4(1.7)	28.8(2.0)	30.1(3.6)
	1990	55.5(1.5)	54.7(1.9)	56.2(2.3)	63.4(1.7)	31.2(3.5)	33.1(4.3)
	1986	54.3(1.3)	56.2(1.9)	52.5(1.7)	61.3(1.4)	30.5(3.0)	27.9(3.7)
	1982	54.3(1.6)	55.1(2.2)	53.5(2.0)	59.6(1.6)	32.6(1.9)	34.0(3.3)
	1977	56.3(1.7)	57.4(1.9)	55.2(2.4)	62.9(1.5)	28.5(3.8)	31.4(3.9)
How to care for a bleeding cut	1999	51.8(1.8)	54.3(2.4)	49.6(2.0)	53.8(2.0)	49.2(2.5)	45.2(4.2)
	1996	51.5(0.9)	50.9(1.3)	52.1(1.8)	52.8(1.4)	49.8(2.7)	44.1(3.4)
	1994	53.4(1.5)	56.9(2.0)	50.1(1.9)	55.8(1.9)	46.1(3.6)	45.6(5.4)
	1992	51.5(1.3)	51.7(1.9)	51.3(1.5)	54.0(1.4)	43.9(3.0)	41.2(3.3)
	1990	48.2(1.4)	51.5(2.1)	45.1(1.8)	49.5(1.6)	40.9(3.5)	51.3(4.2)
	1986	39.9(1.4)	36.7(1.6)	42.9(1.8)	41.5(1.5)	35.3(3.3)	32.5(4.5)
	1982	46.2(1.8)	46.2(2.3)	46.1(2.0)	47.8(2.1)	38.7(2.3)	43.5(5.2)
	1977	34.9(1.8)	38.3(2.3)	31.3(2.0)	35.2(2.0)	31.0(4.3)	41.3(5.1)
Selecting a balanced diet	1999	43.8(1.7)	41.2(2.8)	46.1(2.2)	47.9(2.0)	28.4(3.5)	47.2(3.2)
	1996	47.4(2.1)	44.5(2.3)	50.2(2.2)	50.9(2.6)	38.5(3.6)	33.9(3.8)
	1994	53.9(1.7)	50.7(1.9)	57.3(2.3)	58.9(1.7)	36.0(3.1)	43.0(5.4)
	1992	53.3(1.7)	49.0(2.0)	57.3(2.0)	57.2(2.0)	40.9(4.1)	39.1(5.8)
	1990	55.0(1.5)	51.1(2.0)	58.6(2.0)	58.6(1.7)	42.8(3.3)	42.3(3.4)
	1986	51.3(1.4)	46.6(2.3)	55.8(1.9)	54.3(1.6)	38.9(3.2)	44.6(6.1)
	1982	51.5(1.5)	47.6(2.1)	55.5(1.9)	54.2(1.7)	38.5(3.4)	45.3(5.1)
	1977	46.2(1.5)	44.6(1.8)	47.9(2.2)	50.2(1.6)	28.4(2.9)	29.8(4.5)
Parental care by mammals	1999	53.0(1.1)	54.4(1.4)	51.8(1.5)	54.7(1.1)	46.2(2.5)	53.5(2.6)
	1996	53.4(1.7)	56.1(2.5)	50.9(1.6)	54.9(2.3)	46.2(4.1)	51.3(2.6)
	1994	53.1(1.1)	54.9(1.8)	51.4(1.7)	54.4(1.3)	48.6(3.3)	53.3(3.2)
	1992	51.4(1.6)	54.6(2.2)	48.4(1.9)	52.3(1.8)	47.1(3.2)	50.7(4.4)
	1990	48.3(1.5)	50.2(1.9)	46.5(1.9)	48.9(1.8)	43.3(3.0)	55.1(4.0)
	1986	43.1(1.4)	45.0(2.1)	41.2(1.7)	43.9(1.8)	38.2(3.7)	40.4(5.0)
	1982	43.1(1.4)	45.0(2.1)	41.2(1.7)	43.9(1.8)	38.2(3.7)	40.4(5.0)
	1977	42.9(1.4)	44.1(1.8)	41.6(2.0)	43.2(1.6)	44.0(2.8)	38.2(5.6)

(**) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Plants bend toward light	1999	29.2(1.3)	30.6(2.0)	27.9(1.4)	30.8(1.7)	24.7(1.8)	25.0(4.2)
	1996	29.5(1.4)	29.8(1.9)	29.1(1.8)	30.6(1.8)	24.6(3.4)	28.6(2.8)
	1994	31.3(1.5)	32.9(2.1)	30.0(1.8)	33.9(1.8)	23.0(3.3)	26.7(3.5)
	1992	28.3(0.9)	29.3(1.1)	27.3(1.3)	29.7(1.1)	23.2(2.1)	22.6(2.6)
	1990	27.5(1.3)	27.5(1.8)	27.6(1.7)	29.2(1.6)	20.3(2.7)	29.8(3.9)
	1986	25.6(1.5)	27.7(1.9)	23.7(1.9)	27.6(1.7)	17.2(2.4)	23.3(5.5)
	1977	29.8(1.3)	31.2(1.5)	28.4(1.7)	30.6(1.6)	27.9(3.1)	23.5(4.6)
Life cycle of a butterfly	1999	60.1(1.9)	60.7(2.7)	59.6(1.9)	65.5(2.0)	45.1(3.0)	51.3(4.3)
	1996	56.0(1.8)	58.6(2.4)	53.5(2.1)	59.0(2.1)	47.6(3.6)	49.4(4.7)
	1994	55.5(1.7)	56.4(2.1)	54.8(2.1)	59.7(1.8)	43.1(3.5)	42.5(3.2)
	1992	52.8(1.5)	54.2(2.1)	51.5(1.7)	56.8(1.6)	39.0(2.7)	34.5(4.3)
	1990	49.6(1.4)	51.4(2.1)	47.9(1.9)	53.3(1.5)	36.2(2.6)	43.5(4.4)
	1986	43.5(1.4)	46.8(1.9)	40.3(1.8)	46.3(1.6)	33.3(3.2)	39.4(5.6)
	1977	30.4(1.6)	33.2(1.9)	27.6(1.7)	32.3(1.8)	21.7(2.0)	25.2(4.2)
Position of fulcrum	1999	57.4(1.7)	62.2(2.2)	52.6(2.0)	57.8(2.0)	56.7(2.6)	55.5(4.1)
	1996	57.4(1.8)	60.9(2.6)	53.9(1.7)	61.0(2.3)	47.8(3.0)	51.4(3.2)
	1994	58.6(1.2)	62.6(1.6)	54.9(1.7)	59.9(1.3)	50.6(3.7)	65.6(3.9)
	1992	61.2(1.3)	67.4(1.6)	55.6(1.5)	63.4(1.4)	53.0(2.2)	57.2(3.6)
	1990	62.8(1.2)	67.3(1.6)	58.3(1.8)	63.5(1.3)	61.2(3.0)	61.2(4.7)
	1986	65.1(1.5)	68.9(1.7)	61.5(2.2)	65.6(1.7)	61.7(2.7)	68.3(3.8)
	1977	74.3(1.0)	78.6(1.2)	70.0(1.4)	74.9(1.1)	70.5(2.2)	74.7(3.8)
Use of a telescope	1999	78.8(1.3)	81.4(1.7)	76.3(1.8)	82.4(1.5)	66.1(2.9)	74.3(3.0)
	1996	78.8(1.8)	81.4(2.2)	76.0(1.9)	82.1(1.7)	70.7(3.7)	70.4(5.2)
	1994	81.1(1.0)	82.9(1.8)	79.3(1.1)	84.3(1.0)	71.3(4.0)	64.0(5.6)
	1992	81.5(1.2)	86.6(1.2)	76.9(1.7)	85.2(1.3)	68.6(2.8)	67.5(3.9)
	1990	83.1(1.5)	85.5(1.7)	80.6(1.8)	86.6(1.0)	72.1(4.8)	72.7(4.2)
	1986	82.2(1.4)	85.8(1.4)	78.7(1.8)	85.4(1.6)	71.5(2.1)	73.2(3.5)
	1977	70.5(1.6)	74.2(2.0)	66.8(1.9)	74.6(1.7)	46.7(3.2)	65.5(4.2)
Cycler's movement: Bike	1999	8.5(0.7)	7.6(0.9)	9.5(1.1)	9.0(0.9)	6.7(1.3)	10.3(2.9)
	1996	10.0(1.3)	10.0(1.5)	9.9(1.8)	10.6(1.7)	9.2(2.4)	7.7(1.8)
	1994	7.8(0.6)	9.6(1.1)	6.0(0.8)	8.7(0.8)	2.4(0.9)	7.2(1.7)
	1992	10.3(0.7)	11.1(1.1)	9.6(0.9)	11.3(0.9)	6.4(1.2)	10.6(2.8)
	1990	8.1(0.9)	8.9(1.1)	7.3(1.0)	8.0(1.1)	7.3(2.0)	7.3(1.5)
	1986	9.0(0.8)	10.6(1.1)	7.4(1.1)	9.4(1.1)	7.3(2.4)	9.7(2.3)
	1977	7.4(0.6)	7.2(0.7)	7.5(0.8)	6.9(0.6)	7.5(1.5)	10.7(2.4)
Cycler's movement: Tree	1999	64.9(0.9)	65.2(1.3)	64.6(1.3)	65.7(1.3)	61.6(3.5)	61.5(3.0)
	1996	62.1(1.6)	60.7(2.3)	63.6(2.1)	63.0(1.8)	56.0(3.9)	67.9(6.9)
	1994	62.4(1.2)	59.8(1.9)	65.1(1.6)	62.8(1.3)	63.7(3.4)	59.7(3.6)
	1992	61.7(1.3)	62.5(1.6)	61.0(1.6)	61.7(1.7)	61.0(2.3)	63.3(3.7)
	1990	61.9(1.3)	61.3(1.9)	62.6(1.9)	61.7(1.4)	60.8(3.4)	66.4(3.5)
	1986	62.2(1.3)	63.8(2.3)	60.5(1.8)	62.6(1.6)	60.5(3.0)	61.1(3.5)
	1977	64.7(1.2)	64.5(1.7)	65.0(1.5)	64.3(1.4)	61.4(2.9)	79.9(2.7)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Cyclor's movement: House	1999	61.9(1.5)	62.6(1.7)	61.2(1.8)	64.3(1.7)	56.3(2.5)	52.3(4.0)
	1996	59.4(1.4)	61.1(2.0)	57.8(1.7)	59.0(1.8)	61.2(2.5)	59.4(4.7)
	1994	60.4(1.6)	59.2(2.4)	61.6(2.0)	61.5(1.8)	57.6(4.0)	53.7(4.3)
	1992	60.1(1.1)	60.7(1.9)	59.6(1.3)	62.0(1.3)	54.6(2.7)	51.1(7.7)
	1990	58.8(1.3)	58.9(2.1)	58.6(1.6)	60.5(1.7)	50.3(3.6)	62.0(3.5)
	1986	60.7(1.1)	61.9(1.7)	59.6(1.6)	62.4(1.2)	55.4(3.5)	55.6(4.1)
	1977	63.0(1.2)	63.3(1.7)	62.6(1.6)	64.0(1.3)	59.0(4.0)	53.8(3.9)
Circuit: Positive	1999	72.2(1.5)	77.1(1.7)	67.3(2.1)	74.6(1.5)	62.8(3.0)	71.5(3.5)
	1996	71.6(1.8)	76.5(2.1)	66.4(2.3)	73.5(1.9)	64.0(4.3)	72.0(3.4)
	1994	69.5(1.6)	70.9(1.8)	68.3(2.0)	71.7(1.7)	58.8(5.0)	63.7(3.7)
	1992	67.9(1.4)	73.9(1.2)	62.5(1.9)	71.2(1.5)	55.8(3.2)	57.0(5.3)
	1990	66.7(1.6)	73.2(1.8)	60.1(2.2)	68.8(1.7)	56.2(3.6)	66.2(3.8)
	1986	64.5(1.5)	72.8(1.9)	56.4(1.9)	65.8(1.6)	58.2(2.7)	58.8(1.9)
	1977	66.2(1.3)	71.8(2.2)	60.6(1.6)	69.8(1.2)	50.5(2.7)	58.3(7.3)
Circuit: Positive/negative	1999	81.5(1.3)	85.9(1.6)	77.2(1.5)	82.8(1.5)	77.0(2.1)	79.5(1.8)
	1996	81.1(1.7)	86.2(1.9)	75.7(1.9)	82.0(2.0)	76.2(3.2)	79.2(2.1)
	1994	77.3(1.3)	79.7(1.7)	75.1(1.7)	78.4(1.4)	74.2(4.1)	68.9(4.5)
	1992	76.7(1.0)	81.9(1.1)	72.0(1.4)	78.7(1.2)	67.9(2.5)	77.0(2.8)
	1990	76.3(1.4)	80.6(1.8)	71.9(1.9)	77.7(1.6)	67.5(3.3)	77.1(3.1)
	1986	76.3(1.2)	80.1(1.5)	72.7(2.0)	77.6(1.2)	72.0(2.1)	69.7(3.4)
	1977	75.5(1.3)	78.5(1.8)	72.6(1.6)	77.8(1.4)	61.5(3.1)	76.2(5.3)
Circuit: Positive/positive	1999	73.4(1.1)	77.7(1.9)	69.2(1.5)	75.5(1.3)	65.6(2.6)	71.8(3.1)
	1996	74.1(1.6)	76.8(2.0)	71.4(2.0)	75.6(1.8)	68.6(3.4)	72.0(3.8)
	1994	68.9(1.3)	71.4(1.8)	66.5(1.8)	70.4(1.4)	61.8(3.6)	61.7(3.9)
	1992	67.0(1.5)	72.6(1.5)	61.9(2.0)	68.8(1.7)	59.8(2.7)	57.7(2.6)
	1990	67.1(1.5)	72.4(1.8)	61.8(1.8)	68.1(1.8)	61.4(2.6)	69.1(4.5)
	1986	67.9(1.3)	72.4(1.9)	63.6(1.9)	69.3(1.6)	61.1(3.0)	63.7(4.1)
	1977	63.3(1.4)	66.5(2.1)	60.2(1.8)	64.2(1.6)	59.0(3.0)	59.1(6.4)
Circuit: Closed	1999	53.4(1.4)	60.0(2.0)	46.8(1.7)	55.8(1.8)	44.5(2.9)	47.0(3.7)
	1996	53.8(2.5)	60.8(2.6)	46.6(3.1)	56.1(2.8)	44.2(4.5)	54.1(4.4)
	1994	52.2(1.1)	60.1(1.5)	44.6(1.8)	53.9(1.3)	47.6(3.4)	45.6(4.9)
	1992	48.5(0.9)	55.9(1.5)	41.9(1.2)	50.0(1.1)	42.6(2.2)	42.9(3.4)
	1990	50.7(1.7)	56.8(2.0)	44.6(2.2)	52.5(1.9)	42.7(3.6)	47.5(2.9)
	1986	51.0(1.0)	59.6(1.3)	42.7(1.5)	51.2(1.4)	50.2(3.2)	51.6(4.2)
	1977	56.7(1.3)	64.5(1.9)	49.0(1.5)	58.1(1.3)	47.3(2.9)	54.6(5.4)
Balloon: Volume & temperature	1999	37.1(1.6)	37.2(1.8)	37.0(2.3)	39.6(2.0)	28.4(2.7)	31.2(3.7)
	1996	40.6(1.9)	43.6(2.7)	37.5(1.8)	44.9(2.1)	30.3(3.3)	29.1(4.6)
	1994	44.2(1.6)	46.8(2.0)	41.5(2.2)	46.9(1.9)	35.7(4.0)	33.5(3.7)
	1992	45.1(1.1)	47.6(1.8)	42.9(1.6)	48.0(1.4)	33.9(2.3)	40.3(3.3)
	1990	41.7(1.5)	44.8(2.2)	38.5(1.9)	44.1(1.7)	27.5(3.0)	42.9(4.4)
	1986	40.4(1.4)	47.6(1.9)	33.4(1.9)	41.9(1.7)	35.5(1.8)	34.2(4.9)
	1977	52.3(1.5)	55.0(2.0)	49.7(2.0)	55.4(1.7)	39.7(3.8)	44.3(4.5)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Electrical conductor: Rubber	1999	81.5(1.3)	81.4(1.7)	81.6(1.4)	86.2(1.1)	68.8(2.7)	67.0(4.8)
	1996	79.5(1.3)	81.2(1.6)	77.8(1.6)	82.8(1.6)	73.4(3.3)	67.8(4.9)
	1994	79.8(0.9)	81.6(1.1)	78.3(1.6)	81.6(0.8)	75.0(3.7)	73.5(2.9)
	1992	80.1(1.0)	82.0(1.2)	78.3(1.4)	83.3(1.0)	67.1(2.2)	75.7(3.3)
	1990	78.8(1.5)	79.8(1.9)	77.7(1.9)	81.3(1.6)	66.6(3.7)	72.2(5.5)
	1986	80.1(1.2)	81.5(1.3)	78.7(1.7)	83.3(1.4)	69.0(2.7)	70.0(3.0)
	1977	78.4(1.0)	79.7(1.1)	77.1(1.6)	81.8(1.0)	61.4(2.3)	68.8(4.2)
Electrical conductor: Copper	1999	82.4(1.3)	83.6(1.4)	81.2(1.6)	85.3(1.4)	75.0(3.2)	73.5(3.1)
	1996	82.3(1.1)	85.3(1.4)	79.2(1.8)	84.5(1.2)	77.0(3.9)	72.6(4.6)
	1994	83.6(1.0)	86.8(1.1)	80.5(1.4)	84.5(1.0)	80.2(4.3)	79.2(3.3)
	1992	83.6(0.8)	85.8(0.9)	81.6(1.1)	85.6(0.9)	76.2(1.8)	78.1(3.1)
	1990	81.8(1.1)	84.7(1.3)	78.9(1.5)	83.9(1.2)	71.8(4.0)	77.1(2.9)
	1986	83.7(1.1)	84.8(1.5)	82.6(1.3)	85.6(1.2)	78.7(2.8)	73.6(3.5)
	1977	80.7(1.0)	83.0(1.2)	78.3(1.5)	83.8(1.2)	66.3(2.9)	68.0(3.3)
Electrical conductor: Foil	1999	49.9(1.5)	53.5(1.9)	46.3(2.1)	53.0(1.6)	40.6(4.4)	43.6(4.0)
	1996	50.0(1.5)	52.4(2.0)	47.6(2.5)	50.8(1.8)	47.6(2.6)	49.3(3.3)
	1994	48.6(1.7)	49.0(2.3)	48.3(2.0)	50.7(1.9)	38.6(3.6)	46.1(5.3)
	1992	46.1(1.2)	48.0(1.7)	44.4(1.4)	47.9(1.3)	39.8(3.5)	38.0(4.3)
	1990	38.1(1.7)	38.7(2.1)	37.5(2.2)	38.3(2.0)	33.7(3.4)	45.5(3.2)
	1986	37.0(1.6)	37.9(1.9)	36.0(2.0)	38.1(2.0)	32.7(3.1)	31.1(5.2)
	1977	36.0(1.4)	38.7(1.7)	33.3(1.8)	35.9(1.7)	38.7(2.5)	31.5(4.9)
Electrical conductor: Penny	1999	29.8(1.8)	31.2(2.4)	28.3(2.0)	31.1(2.1)	22.8(3.8)	28.2(3.3)
	1996	33.1(1.5)	34.6(2.2)	31.5(1.9)	35.4(1.8)	26.2(3.4)	28.1(4.8)
	1994	34.6(2.0)	34.2(2.6)	35.2(2.4)	36.7(2.5)	27.3(3.0)	27.1(3.4)
	1992	32.4(1.0)	33.5(1.4)	31.3(1.3)	33.6(1.2)	26.6(2.7)	27.0(3.6)
	1990	31.4(1.4)	32.5(1.9)	30.3(1.9)	33.7(1.7)	22.7(2.9)	31.3(4.0)
	1986	28.9(1.0)	30.8(1.5)	27.0(1.3)	31.2(1.1)	19.7(1.8)	22.2(4.6)
	1977	35.8(1.3)	38.8(1.6)	32.8(1.8)	36.0(1.4)	35.2(4.6)	30.8(4.1)
Electrical conductor: Cork	1999	67.1(1.4)	70.4(1.7)	63.8(1.7)	73.3(1.2)	51.4(2.3)	46.7(6.3)
	1996	67.5(1.6)	73.3(2.2)	61.6(1.8)	74.2(1.6)	52.5(3.0)	44.8(4.9)
	1994	68.6(1.2)	74.0(1.5)	63.3(2.2)	74.7(1.4)	47.7(3.8)	54.2(4.1)
	1992	67.1(1.4)	72.4(1.4)	62.4(2.0)	72.7(1.4)	47.7(3.2)	53.7(4.1)
	1990	65.7(1.5)	72.2(1.7)	59.2(1.9)	72.1(1.5)	43.7(2.5)	48.2(4.6)
	1986	69.8(1.6)	75.4(2.0)	64.4(1.8)	74.2(1.7)	54.0(2.8)	56.6(4.3)
	1977	72.5(1.1)	77.5(1.6)	67.6(1.4)	77.8(1.1)	50.5(3.0)	56.5(4.9)
Sun is a star	1999	71.9(1.9)	74.7(2.2)	69.0(2.0)	78.6(1.5)	48.0(4.6)	66.8(4.2)
	1996	69.0(2.1)	73.3(2.7)	64.5(2.1)	72.6(2.2)	58.4(4.9)	58.7(5.6)
	1994	68.5(1.7)	71.4(1.8)	65.8(2.0)	74.0(1.6)	51.5(3.5)	47.0(4.7)
	1992	69.7(1.6)	75.7(1.6)	64.3(1.9)	74.5(1.5)	53.4(3.9)	54.1(4.2)
	1990	64.3(1.7)	66.6(1.9)	62.0(2.1)	69.2(1.8)	41.3(3.6)	56.8(4.0)
	1986	61.6(1.7)	66.9(2.0)	56.5(2.2)	65.1(1.7)	47.5(4.3)	55.8(4.3)
	1982	52.3(1.7)	57.3(1.8)	47.3(2.5)	56.9(2.2)	33.5(3.3)	36.6(5.5)
1977	50.2(2.0)	53.2(2.4)	47.2(2.4)	53.8(2.2)	33.8(2.5)	34.3(7.7)	

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Objects that conduct heat	1999	59.4(1.6)	60.5(2.0)	58.4(2.3)	63.1(1.9)	53.1(2.9)	45.2(4.9)
	1996	65.1(1.3)	63.3(1.6)	67.1(1.9)	69.2(1.7)	56.4(3.0)	52.6(2.8)
	1994	62.2(1.1)	62.2(1.6)	62.7(1.6)	65.3(1.4)	52.0(4.0)	50.6(4.8)
	1992	62.2(1.3)	63.0(1.5)	61.5(1.8)	64.6(1.4)	54.4(3.2)	52.1(4.8)
	1990	55.8(1.9)	57.0(2.5)	54.5(2.0)	58.0(2.2)	45.3(2.9)	54.2(3.6)
	1986	59.2(1.4)	60.5(1.9)	58.1(1.8)	62.7(1.6)	48.4(3.3)	46.8(4.7)
	1977	46.7(1.5)	48.4(2.0)	44.9(2.2)	49.8(1.5)	35.2(2.9)	31.9(4.1)
Planting to avoid erosion	1999	31.1(1.8)	31.0(2.1)	31.1(2.0)	31.0(2.2)	33.0(2.2)	26.7(3.2)
	1996	37.1(1.6)	36.6(1.5)	37.7(2.3)	37.8(2.0)	37.3(3.4)	32.5(4.6)
	1994	35.9(1.5)	35.4(2.1)	36.0(1.8)	35.1(1.8)	40.7(4.1)	36.2(2.9)
	1992	37.5(1.6)	37.0(2.1)	37.9(1.9)	38.1(1.8)	32.1(2.8)	39.8(3.9)
	1990	36.4(1.9)	36.8(2.1)	36.0(2.8)	36.5(2.4)	31.5(3.5)	39.3(4.6)
	1986	36.6(1.7)	38.2(2.1)	35.0(2.1)	36.2(1.9)	35.4(2.9)	41.4(4.4)
	1982	38.0(1.2)	36.9(1.8)	39.3(1.9)	38.4(1.4)	37.4(2.9)	35.4(3.7)
1977	40.0(1.4)	38.8(1.8)	41.1(1.9)	41.2(1.5)	35.3(2.3)	32.3(4.9)	
Length of shadows at noon	1999	32.9(1.8)	35.3(2.1)	30.5(2.3)	36.6(2.3)	22.0(2.6)	25.2(4.4)
	1996	32.2(1.2)	36.1(1.8)	28.1(1.7)	35.1(1.4)	24.1(3.0)	24.1(2.2)
	1994	27.5(1.1)	32.2(1.8)	23.4(1.2)	29.2(1.4)	21.6(3.8)	19.5(3.4)
	1992	31.1(1.4)	38.5(1.8)	24.4(2.0)	33.0(1.3)	22.4(2.9)	28.3(6.8)
	1990	28.3(1.5)	32.2(2.0)	24.3(1.6)	30.6(1.7)	18.8(3.5)	27.5(2.8)
	1986	29.9(1.6)	35.8(2.5)	24.3(1.5)	32.0(1.8)	21.5(2.7)	28.7(5.6)
	1977	29.7(1.5)	34.1(1.9)	25.3(1.7)	31.5(1.7)	22.0(2.3)	19.8(2.5)
Detect magnet through water	1999	43.1(1.5)	41.1(2.1)	45.1(2.0)	39.4(1.7)	55.0(3.3)	44.7(4.6)
	1996	45.6(1.6)	44.4(1.7)	46.9(2.8)	42.5(1.9)	54.0(3.8)	53.6(5.8)
	1994	47.0(1.3)	44.7(1.7)	49.3(1.9)	46.1(1.5)	54.1(4.7)	48.7(4.3)
	1992	44.9(1.2)	42.0(1.7)	47.6(1.6)	43.1(1.4)	52.7(2.5)	50.1(4.4)
	1990	49.3(1.3)	46.4(2.0)	52.3(1.5)	48.1(1.7)	54.7(2.3)	52.1(3.6)
	1986	49.1(1.5)	46.1(2.0)	51.9(2.1)	47.4(1.5)	56.1(3.8)	51.3(3.6)
	1977	51.3(1.3)	53.8(1.5)	48.9(2.1)	48.7(1.5)	62.7(2.8)	61.1(5.6)
Detect magnet through paper	1999	76.2(1.0)	80.3(1.3)	72.2(1.6)	77.0(1.3)	73.1(2.2)	74.7(3.6)
	1996	73.1(1.4)	76.1(1.7)	70.0(1.9)	75.4(1.9)	68.3(3.4)	66.3(2.9)
	1994	76.0(1.3)	80.2(1.4)	72.4(2.0)	77.5(1.3)	71.9(2.4)	75.6(4.4)
	1992	80.6(1.1)	85.2(1.4)	76.5(1.3)	82.5(1.2)	72.9(3.2)	77.9(4.1)
	1990	78.7(1.3)	84.2(1.6)	73.1(1.8)	79.0(1.4)	76.4(3.0)	83.2(3.9)
	1986	76.1(1.2)	82.8(1.6)	69.7(1.3)	76.9(1.4)	67.1(2.5)	88.3(3.3)
	1977	82.2(0.9)	88.1(1.0)	76.3(1.6)	83.3(1.0)	77.6(2.4)	76.7(4.4)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Detect magnet through glass	1999	50.8(1.3)	51.3(1.6)	50.3(1.9)	49.7(1.6)	59.4(2.2)	46.3(5.4)
	1996	52.0(1.6)	53.4(1.9)	50.5(2.6)	51.0(1.7)	57.2(4.0)	47.3(4.0)
	1994	51.2(1.6)	51.8(1.7)	50.8(2.3)	51.7(1.7)	54.7(3.9)	49.1(4.1)
	1992	49.7(1.3)	52.0(2.1)	47.7(1.4)	47.1(1.4)	60.3(2.9)	53.8(3.5)
	1990	52.1(1.5)	52.8(2.3)	51.3(1.5)	51.1(1.5)	54.3(4.8)	56.8(3.2)
	1986	45.9(1.6)	44.7(2.1)	47.1(2.0)	44.1(2.1)	54.1(2.0)	50.7(4.5)
	1977	38.4(1.0)	41.4(1.6)	35.4(1.4)	35.9(1.2)	52.7(1.9)	39.3(4.1)
Separating salt, sand, & water	1999	35.8(1.4)	36.3(1.9)	35.2(1.9)	39.1(1.6)	25.6(2.8)	29.2(3.3)
	1996	34.9(1.9)	35.3(2.5)	34.6(2.1)	38.3(2.5)	26.1(3.0)	21.8(3.5)
	1994	34.4(1.1)	35.7(1.6)	33.1(1.7)	37.0(1.2)	23.2(4.5)	23.7(4.0)
	1992	35.3(1.0)	37.8(1.5)	33.1(1.2)	38.0(1.0)	23.8(2.9)	31.5(4.5)
	1990	34.4(1.5)	33.7(1.6)	35.2(2.3)	36.7(1.6)	20.6(3.2)	32.3(4.6)
	1986	33.8(1.3)	36.6(2.1)	31.2(1.5)	36.4(1.6)	23.4(2.5)	26.1(3.3)
	1977	29.7(1.0)	31.5(1.5)	27.9(1.5)	32.4(1.2)	19.7(1.7)	17.3(3.1)
Acceleration of a marble	1999	21.7(1.2)	29.9(1.8)	13.5(1.3)	22.3(1.4)	19.3(2.5)	19.3(2.8)
	1996	24.1(1.3)	30.9(2.4)	17.1(1.8)	27.6(1.5)	16.6(1.7)	15.2(4.5)
	1994	25.3(1.3)	34.2(1.6)	17.1(1.8)	28.7(1.3)	14.6(2.2)	17.2(3.0)
	1992	23.1(1.0)	32.6(1.6)	14.4(1.0)	24.5(1.1)	20.2(2.1)	11.4(2.0)
	1990	23.8(1.2)	33.0(1.8)	14.4(1.6)	26.1(1.5)	15.6(2.1)	15.8(2.6)
	1986	21.3(1.2)	29.5(1.5)	13.3(1.6)	22.0(1.3)	18.3(2.6)	19.9(4.9)
	1977	25.6(1.1)	34.2(1.6)	17.0(1.3)	26.3(1.3)	23.1(2.5)	22.9(3.8)
Using a balance	1999	23.8(1.0)	22.7(1.7)	25.0(1.3)	25.1(1.3)	20.0(2.1)	22.5(3.1)
	1996	23.1(1.5)	21.9(1.5)	24.3(2.1)	23.6(1.8)	19.6(2.6)	25.2(4.6)
	1994	24.5(1.2)	22.7(1.5)	26.2(1.9)	24.3(1.4)	28.7(3.8)	23.5(4.8)
	1992	23.0(1.0)	20.3(1.4)	25.4(1.2)	22.7(0.9)	22.6(2.5)	27.3(4.6)
	1990	20.7(1.1)	17.9(1.4)	23.6(1.7)	20.3(1.2)	21.0(2.9)	22.0(2.8)
	1986	20.7(0.9)	20.6(1.3)	20.9(1.2)	20.5(1.1)	21.6(2.5)	22.3(3.1)
	1977	17.4(1.0)	13.8(1.3)	21.1(1.4)	17.7(1.1)	17.5(2.4)	13.1(2.8)
Reading a histogram	1999	98.6(0.4)	98.7(0.4)	98.5(0.5)	98.9(0.5)	98.4(0.7)	97.1(1.4)
	1996	98.2(0.4)	97.6(0.6)	98.7(0.3)	98.4(0.4)	98.4(0.8)	96.3(1.8)
	1994	99.0(0.2)	99.4(0.3)	98.6(0.4)	99.3(0.2)	98.9(0.7)	97.1(1.5)
	1992	98.0(0.3)	97.8(0.4)	98.2(0.3)	98.1(0.3)	97.5(0.8)	98.0(0.6)
	1990	98.8(0.2)	98.9(0.4)	98.8(0.3)	98.9(0.2)	98.3(0.8)	99.0(0.6)
	1986	97.6(0.4)	97.6(0.5)	97.6(0.6)	97.9(0.4)	97.8(0.9)	94.9(3.5)
	1977	92.4(1.0)	92.8(0.9)	92.0(1.3)	93.7(1.0)	83.8(1.8)	93.2(2.0)
Using a grid to locate objects	1999	96.6(0.5)	96.4(0.6)	96.8(0.6)	97.3(0.6)	94.2(1.1)	93.1(1.8)
	1996	97.4(0.4)	96.9(0.6)	97.8(0.5)	98.0(0.4)	95.3(1.5)	96.7(1.5)
	1994	97.6(0.4)	97.7(0.4)	97.5(0.6)	98.4(0.3)	95.0(1.6)	96.6(1.4)
	1992	97.4(0.3)	97.1(0.5)	97.7(0.4)	97.8(0.3)	95.9(0.9)	95.8(1.4)
	1990	97.8(0.4)	97.5(0.6)	98.1(0.4)	98.2(0.4)	96.4(1.4)	95.6(1.5)
	1986	96.3(0.5)	96.2(0.6)	96.4(0.7)	97.0(0.5)	95.6(1.0)	91.2(3.4)
	1977	90.6(1.1)	91.1(1.2)	90.1(1.5)	94.0(0.6)	74.9(4.5)	80.4(4.3)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Water level in U tube	1999	89.1(0.6)	91.6(0.8)	86.5(1.0)	91.3(0.6)	82.5(2.3)	85.9(2.3)
	1996	89.4(0.8)	90.8(1.0)	88.0(1.3)	92.0(0.6)	77.7(2.7)	88.5(2.1)
	1994	88.1(1.0)	89.8(1.1)	86.8(1.4)	91.4(0.9)	76.4(1.9)	82.2(2.3)
	1992	89.7(0.7)	91.3(0.8)	88.1(1.0)	91.1(0.8)	84.1(2.1)	86.0(1.9)
	1990	88.3(0.8)	87.9(1.3)	88.6(1.0)	91.7(0.7)	75.8(2.5)	81.0(2.9)
	1986	90.3(0.9)	92.0(0.9)	88.4(1.4)	91.8(1.0)	83.2(1.8)	87.3(3.5)
	1977	87.8(1.1)	90.1(1.2)	85.3(1.5)	90.8(0.9)	71.0(4.0)	85.8(2.7)
	Water level in unequal U tube	1999	73.7(1.3)	74.0(1.4)	73.3(1.9)	76.7(1.3)	63.0(3.4)
1996		73.6(1.0)	76.3(1.3)	71.1(1.6)	76.7(0.9)	60.8(3.9)	71.8(2.9)
1994		73.9(1.0)	73.9(1.5)	74.0(1.6)	76.6(1.2)	62.7(2.4)	67.2(3.9)
1992		75.3(0.9)	76.3(1.3)	74.3(1.4)	77.1(1.1)	66.9(2.5)	72.4(2.0)
1990		73.9(1.1)	75.7(1.1)	72.0(1.7)	77.1(1.0)	62.6(3.9)	69.4(2.8)
1986		74.9(1.4)	77.7(1.5)	71.8(1.6)	77.9(1.5)	59.5(2.8)	73.4(3.4)
1977		72.6(1.5)	75.1(1.6)	69.9(2.1)	76.9(1.4)	49.5(3.1)	66.2(4.3)
Floating and sinking blocks		1999	78.4(1.1)	80.7(1.3)	76.1(1.4)	84.1(1.2)	60.4(3.0)
	1996	77.0(1.2)	78.7(1.2)	75.5(1.8)	83.8(1.2)	55.2(3.5)	62.9(2.3)
	1994	76.3(1.5)	78.2(1.6)	74.6(1.9)	81.9(1.5)	59.1(3.9)	62.5(4.1)
	1992	78.5(1.1)	81.2(1.2)	75.8(1.6)	82.4(1.1)	64.5(2.3)	67.6(2.2)
	1990	77.6(1.2)	77.9(1.8)	77.3(1.4)	82.7(1.1)	60.5(3.8)	61.6(4.1)
	1986	76.8(1.2)	79.5(1.5)	73.8(1.7)	80.8(1.4)	61.0(2.7)	64.9(5.9)
	1977	68.8(1.6)	68.9(1.8)	68.8(2.2)	73.2(1.5)	47.6(4.4)	58.0(4.5)
	Balancing a seesaw	1999	63.3(1.2)	63.9(1.8)	62.8(1.5)	67.4(1.4)	54.1(2.5)
1996		60.6(1.9)	62.8(2.0)	58.5(2.1)	64.1(2.1)	49.9(3.9)	47.9(3.9)
1994		59.9(1.9)	59.1(2.3)	61.0(2.2)	63.4(2.0)	48.9(3.9)	50.6(3.7)
1992		62.9(1.1)	64.2(1.4)	61.6(1.6)	66.5(1.3)	54.3(3.4)	45.3(7.0)
1990		65.3(1.4)	66.0(1.8)	64.6(1.8)	68.7(1.7)	53.3(3.8)	50.6(4.1)
1986		58.9(1.3)	59.3(1.7)	58.4(1.9)	61.1(1.3)	48.5(3.4)	59.0(6.2)
1977		58.5(1.5)	60.7(1.7)	56.0(2.0)	60.5(1.5)	46.5(3.4)	56.0(4.7)
Dog experiment: Any dog learns		1999	63.5(1.2)	64.2(1.9)	62.7(1.9)	69.0(1.5)	44.2(3.5)
	1996	63.9(1.9)	62.8(2.3)	64.8(2.5)	68.5(2.2)	51.6(3.8)	53.6(5.5)
	1994	62.8(1.1)	59.6(1.5)	66.1(1.5)	67.9(1.0)	47.0(3.1)	52.2(5.5)
	1992	67.3(1.1)	65.1(1.6)	69.5(1.6)	70.2(1.2)	58.9(3.4)	52.6(2.8)
	1990	66.1(1.5)	64.0(1.7)	68.2(1.9)	70.4(1.4)	51.6(4.4)	50.7(3.9)
	1986	61.0(1.4)	58.4(1.5)	63.9(2.3)	65.3(1.7)	45.9(3.2)	49.4(3.8)
	1977	62.9(1.5)	62.2(1.7)	63.5(2.0)	67.0(1.5)	43.3(3.5)	52.3(5.1)
	Dog experiment: Some learn	1999	89.0(0.8)	87.6(1.1)	90.4(1.0)	92.5(0.8)	79.6(1.6)
1996		89.7(0.8)	88.9(1.2)	90.4(1.1)	93.3(0.8)	77.1(2.1)	81.4(2.1)
1994		89.8(1.0)	89.9(1.1)	89.9(1.3)	93.3(0.7)	77.6(3.6)	82.7(2.9)
1992		90.4(0.7)	90.1(0.9)	90.7(1.1)	93.1(0.7)	82.4(3.4)	79.7(3.9)
1990		90.4(0.9)	89.4(1.2)	91.3(1.1)	93.9(0.6)	79.4(2.8)	80.8(4.5)
1986		89.0(1.0)	90.0(0.9)	87.9(1.5)	92.0(0.9)	82.2(2.5)	73.7(3.7)
1977		89.7(1.0)	89.5(1.2)	89.9(1.1)	92.8(0.6)	79.2(2.5)	72.1(5.3)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Dog experiment: Teach any dog	1999	60.4(1.2)	61.8(1.6)	58.9(1.8)	63.3(1.6)	55.1(2.8)	47.1(4.5)
	1996	62.7(1.6)	62.7(2.3)	62.8(1.8)	67.4(1.8)	49.9(3.9)	53.8(4.6)
	1994	61.4(1.2)	63.9(1.5)	58.9(1.8)	63.8(1.5)	57.8(4.4)	51.9(5.3)
	1992	63.1(1.3)	66.0(1.5)	60.0(2.1)	65.3(1.5)	59.0(3.5)	52.7(6.6)
	1990	63.1(1.5)	64.4(1.8)	61.7(1.8)	65.8(1.4)	59.3(3.8)	48.8(4.6)
	1986	62.9(1.5)	65.5(1.8)	60.1(2.4)	65.2(1.5)	59.3(3.5)	49.2(3.9)
	1977	60.5(1.6)	63.8(2.1)	57.4(2.0)	62.1(1.5)	54.4(3.0)	51.1(4.8)
Relating speed of car/train	1999	45.1(1.5)	50.9(1.8)	39.3(2.1)	51.7(1.8)	24.3(2.7)	25.0(4.2)
	1996	48.2(1.7)	55.0(2.2)	41.7(1.9)	55.1(2.1)	24.3(2.7)	35.9(3.6)
	1994	48.1(1.8)	52.2(2.4)	44.2(2.1)	53.7(2.1)	30.4(2.1)	28.0(2.6)
	1992	50.0(1.0)	57.6(1.5)	42.2(1.7)	55.0(1.2)	31.0(3.0)	40.5(4.5)
	1990	48.4(1.5)	53.1(2.1)	43.8(2.2)	54.5(1.5)	26.7(2.0)	29.9(4.4)
	1986	49.4(1.3)	57.2(2.0)	40.9(1.5)	53.5(1.5)	32.3(2.5)	38.7(4.0)
	1977	50.7(1.9)	55.1(2.4)	46.1(1.9)	54.5(1.9)	29.8(2.9)	41.1(6.5)
Classifying objects: Shape	1999	75.3(1.2)	72.2(1.5)	78.3(1.5)	79.5(1.3)	60.4(3.0)	66.5(3.7)
	1996	77.7(1.4)	73.9(1.7)	81.3(1.6)	83.1(1.4)	60.0(3.6)	64.9(3.4)
	1994	77.6(0.8)	75.6(1.3)	79.8(1.1)	82.8(1.0)	64.1(3.4)	57.4(3.4)
	1992	76.8(1.1)	74.9(1.1)	78.7(1.5)	80.1(1.2)	64.8(2.4)	66.0(3.2)
	1990	74.5(1.2)	71.7(1.6)	77.3(1.5)	78.2(1.4)	61.8(2.7)	64.8(3.1)
	1986	71.8(1.3)	69.8(1.6)	74.0(1.5)	75.5(1.5)	60.0(3.1)	57.1(2.6)
	1982	74.5(1.4)	71.8(2.0)	77.4(1.8)	76.7(1.6)	65.0(3.5)	65.9(4.6)
	1977	70.2(1.2)	70.1(1.6)	70.4(1.4)	73.6(1.4)	56.8(2.4)	55.3(3.7)
Classifying objects: Color	1999	82.0(1.1)	81.0(1.8)	83.1(1.0)	85.1(1.1)	72.6(3.4)	72.1(3.0)
	1996	82.2(1.1)	79.2(1.8)	85.1(1.2)	86.3(1.3)	71.8(2.8)	70.0(3.4)
	1994	82.2(1.0)	79.4(1.3)	85.1(1.3)	87.0(1.1)	69.4(3.0)	69.5(4.9)
	1992	83.3(0.7)	81.5(1.0)	85.1(1.1)	85.9(0.8)	76.3(2.4)	70.9(2.8)
	1990	81.1(1.1)	79.9(1.3)	82.2(1.4)	83.0(1.4)	74.6(2.8)	73.4(3.9)
	1986	77.6(1.4)	76.6(1.5)	78.7(1.7)	80.2(1.3)	71.1(3.2)	62.7(7.8)
	1982	74.8(1.5)	71.7(2.1)	78.0(1.5)	77.5(1.6)	64.8(2.3)	62.9(4.5)
	1977	71.6(1.3)	71.7(1.5)	71.5(1.7)	74.6(1.2)	60.3(3.1)	57.6(5.7)
Classifying objects: Size	1999	78.7(0.9)	78.0(1.2)	79.4(1.3)	82.5(0.9)	66.2(3.2)	68.7(3.3)
	1996	75.2(1.1)	70.8(1.6)	79.4(1.2)	79.6(1.3)	60.7(3.0)	65.8(3.6)
	1994	76.7(1.1)	74.7(1.6)	78.7(1.4)	82.1(1.1)	63.5(3.7)	58.9(3.5)
	1992	75.6(0.9)	73.5(1.2)	77.7(1.2)	78.5(1.0)	63.9(2.7)	70.2(3.9)
	1990	75.6(1.2)	73.1(1.8)	78.2(1.5)	79.4(1.4)	63.7(2.8)	61.2(4.2)
	1986	71.1(1.2)	70.3(1.5)	71.9(1.7)	74.9(1.3)	59.4(3.5)	53.7(3.6)
	1982	69.0(1.5)	66.4(1.9)	71.6(2.6)	71.9(1.7)	55.9(2.1)	59.1(4.1)
	1977	66.8(1.3)	66.9(1.7)	66.8(1.7)	70.6(1.4)	53.7(2.5)	47.7(4.4)

(**) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Magnetism: Copper	1999	46.7(1.8)	49.1(2.3)	44.4(2.1)	49.6(2.5)	34.7(1.7)	41.6(3.7)
	1996	48.8(1.2)	52.8(2.0)	45.0(1.1)	52.4(1.7)	39.1(3.6)	36.7(4.7)
	1994	48.5(1.2)	54.2(1.8)	42.6(1.7)	50.2(1.5)	41.1(3.7)	42.0(3.7)
	1992	51.0(1.4)	57.5(1.5)	44.4(2.0)	54.3(1.6)	38.1(3.8)	40.0(2.7)
	1990	51.0(1.3)	60.8(1.9)	41.5(2.0)	52.6(1.6)	46.1(3.8)	38.6(5.0)
	1986	54.8(1.5)	60.6(1.9)	48.4(2.1)	57.0(1.8)	44.2(3.8)	52.2(3.7)
	1977	46.5(1.6)	55.4(2.0)	37.7(2.0)	48.6(1.9)	37.2(2.8)	40.2(4.7)
Magnetism: Compass	1999	35.2(1.3)	40.8(1.9)	29.7(1.7)	34.4(1.6)	37.5(2.5)	35.6(3.0)
	1996	33.4(1.5)	37.2(1.9)	29.8(2.0)	34.0(1.8)	28.8(3.5)	31.7(3.1)
	1994	35.3(1.6)	41.1(2.5)	29.4(1.8)	36.4(2.0)	30.8(3.0)	28.6(3.0)
	1992	34.1(1.4)	39.9(2.0)	28.1(1.8)	34.0(1.6)	33.4(3.1)	33.1(5.5)
	1990	33.6(1.1)	40.8(1.8)	26.5(1.5)	33.9(1.2)	30.7(2.9)	29.4(2.5)
	1986	35.1(1.6)	40.6(2.2)	29.1(2.0)	35.8(2.0)	30.8(3.1)	36.0(3.4)
	1977	38.8(1.4)	49.1(1.9)	28.7(1.6)	40.0(1.5)	36.1(3.8)	29.6(4.3)
Magnetism: Iron	1999	74.1(1.3)	76.6(2.0)	71.6(1.4)	77.7(1.5)	64.3(2.1)	58.2(3.5)
	1996	77.9(1.4)	80.2(1.8)	75.7(1.4)	81.6(1.3)	68.2(3.6)	67.1(4.0)
	1994	75.4(1.5)	77.9(2.0)	72.8(2.0)	79.0(1.5)	66.3(2.7)	57.2(3.6)
	1992	78.8(1.0)	81.3(1.1)	76.2(1.3)	81.1(1.2)	73.4(2.3)	68.4(5.7)
	1990	78.0(1.5)	80.0(1.5)	76.0(1.8)	80.6(1.2)	70.1(5.0)	60.5(4.1)
	1986	78.4(0.9)	80.7(1.3)	75.8(1.1)	79.8(1.0)	78.1(2.2)	63.7(3.9)
	1977	73.6(1.1)	77.1(1.6)	70.1(1.5)	74.2(1.2)	71.3(3.0)	70.2(4.2)
Magnetism: Foil	1999	65.0(1.5)	66.9(2.1)	63.1(1.8)	68.3(1.8)	57.5(1.7)	44.6(3.8)
	1996	66.7(1.3)	69.4(1.8)	64.1(1.9)	72.2(1.5)	53.2(2.5)	50.8(2.1)
	1994	66.8(1.3)	68.3(2.0)	65.2(2.0)	70.0(1.6)	57.5(4.5)	55.5(3.6)
	1992	67.1(1.3)	70.8(1.4)	63.4(1.7)	70.9(1.3)	57.5(2.3)	50.8(5.4)
	1990	69.7(1.2)	71.1(1.6)	68.3(1.9)	73.5(1.2)	55.7(3.1)	57.4(3.7)
	1986	71.6(1.2)	73.2(1.6)	69.8(1.6)	74.1(1.4)	63.7(2.6)	60.7(7.0)
	1977	67.1(1.3)	68.7(1.7)	65.6(1.7)	70.5(1.3)	54.1(2.7)	58.6(3.6)
Interpret table of books read	1999	62.1(1.4)	60.8(2.2)	63.4(1.5)	67.9(1.6)	40.8(2.6)	45.8(4.3)
	1996	65.0(1.6)	65.4(1.7)	64.6(2.3)	70.9(1.6)	52.2(3.0)	44.9(4.0)
	1994	66.2(1.6)	66.3(2.2)	66.2(1.9)	72.2(1.6)	48.5(2.4)	41.9(6.3)
	1992	64.1(1.4)	63.7(1.5)	64.5(1.8)	68.9(1.5)	46.9(3.0)	46.4(3.7)
	1990	63.6(1.4)	62.3(1.9)	64.8(2.0)	68.8(1.3)	47.7(3.2)	41.4(3.6)
	1986	61.3(1.5)	59.2(1.9)	63.6(2.1)	66.5(1.7)	44.1(3.2)	42.3(5.1)
	1982	57.1(1.6)	54.2(1.8)	60.0(2.1)	62.3(2.0)	36.3(2.2)	27.5(4.5)
	1977	60.2(1.9)	58.9(2.1)	61.5(2.3)	65.9(1.7)	35.3(4.0)	33.9(3.8)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Survey height of boys/girls	1999	52.1(1.3)	52.5(1.6)	51.7(2.1)	54.3(1.6)	48.8(2.7)	40.7(3.6)
	1996	52.0(1.3)	56.2(2.1)	48.2(1.6)	54.3(1.6)	49.4(2.8)	43.2(3.5)
	1994	52.6(1.4)	53.5(1.9)	51.6(1.6)	54.1(1.7)	49.2(2.9)	44.4(4.8)
	1992	50.9(1.3)	54.9(1.7)	46.8(1.7)	51.4(1.6)	52.0(2.7)	45.5(3.5)
	1990	52.0(1.6)	54.5(1.9)	49.5(2.1)	52.8(1.4)	49.9(4.8)	47.2(4.1)
	1986	51.3(1.3)	52.8(1.8)	49.7(2.6)	52.7(1.5)	48.6(4.2)	42.0(6.1)
	1982	51.7(1.6)	54.8(2.0)	48.6(2.6)	53.0(1.9)	48.5(4.2)	44.2(3.0)
	1977	47.0(1.5)	48.8(1.8)	45.2(1.9)	48.6(1.7)	38.1(2.3)	44.7(2.7)
Add heat to dissolve sugar	1999	39.9(1.2)	41.2(1.6)	38.6(1.5)	43.6(1.7)	27.9(3.1)	27.5(3.3)
	1996	38.3(1.9)	42.5(2.7)	34.3(2.0)	42.4(2.2)	30.6(3.8)	19.6(3.1)
	1994	37.9(1.4)	41.8(1.9)	34.1(1.7)	42.2(1.4)	23.0(2.8)	22.3(3.4)
	1992	36.3(1.1)	37.3(1.5)	35.4(1.7)	40.4(1.2)	21.0(2.0)	23.8(3.7)
	1990	39.7(1.3)	38.9(1.5)	40.6(2.1)	43.5(1.5)	26.9(2.9)	25.7(2.9)
	1986	42.7(1.3)	42.3(1.8)	43.1(1.9)	46.1(1.8)	28.7(3.2)	33.5(5.1)
	1982	42.7(1.3)	42.3(1.8)	43.1(1.9)	46.1(1.8)	28.7(3.2)	33.5(5.1)
	1977	38.4(1.5)	38.4(2.0)	38.4(1.6)	42.1(1.6)	20.8(3.0)	27.3(2.7)

(***) Standard error estimate is greater than 9.9