

APPENDIX B REFERENCES

- Aasen, O. 1963. Length and growth of the porbeagle [*Lamna nasus* (Bonnaterre)] in the North West Atlantic. Rep. Norw. Fish. Invest. 13(6): 20-37.
- Allen, B.R. and S.P. Wintner. 2002. Age and growth of the spinner shark *Carcharhinus brevipinna* (Muller and Henle, 1839) off the Kwazulu-Natal Coast, South Africa. South African Journal of Marine Science 24: 1-8.
- Arocha, F. 1997. The reproductive dynamics of swordfish *Xiphias gladius* L. and management implications in the northwestern Atlantic. PhD Dissertation, University of Miami, Coral Gables, Florida.
- Backus, R.H., S. Springer, and E.L. Arnold. 1956. A contribution to the natural history of the whitetip shark, *Pterolamiops longimanus*. Deep-Sea Res. 3: 178-188.
- Barker, M.J., S.H. Gruber, S.P. Newman and V. Schluessel. 2005. Spatial and ontogenetic variation in growth of nursery-bound juvenile lemon sharks, *Negaprion brevirostris*: a comparison of two age-assigning techniques. Environ. Biol. Fishes 72: 343-355.
- Baremore, I.E. and J.K. Carlson. 2004. Preliminary reproductive parameters of the Atlantic Angel Shark with a potential example of reproductive senescence. Amer. Soc. Ich. Herp. Ann. Mtg., Norman, OK.
- Bass, A.J., J.D. D' Aubrey, and N. Kistnasamy. 1973. Sharks of the east coast of southern Africa. I. The genus *Carcharhinus* (Carcharhinidae). Invest. Rep. Oceanog. Res. Inst., Durban, S. Afr. 33: 1-168.
- Bayley, R. E. and E. D. Prince. 1993. A review of tag release and recapture files for Istiophoridae from the Southeast Fisheries Center's cooperative game fish tagging program, 1954 to present. Meet of the ICCAT standing committee on research and statistics, Madrid (Spain), Nov. 1992. Collect Vol. Sci. Pap. ICCAT SCRS/92/60.
- Beardsley, G. L., Jr., N. R. Merrett and W. J. Richards. 1975. Synopsis of the biology of the sailfish *Istiophorus platypterus* (Shaw and Nodder, 1791). Pages 95-120 in: Shomura, R. S. and F. Williams. eds. Proceedings of the International Billfish Symposium Kailua-Kona, Hawaii, 9-12 August 1972. Part 3. Species Synopses. NOAA Tech. Rep. NMFS SSRF-675. 159 p.
- Bedford, D.W. 1985. Pelagic shark/swordfish drift gill net fishery. Calif. Dept. Fish. Game, Management Information Document. 74pp.
- Bedford, D.W. 1987. Shark management: A case history- the California pelagic shark and swordfish fishery. In S. Cook (ed.): Sharks: an inquiry into biology, behavior, fisheries, and use. Oregon State Univ., Sea Grant Pub. Oregon: 161-171.

- Beerkircher, L.R., E. Cortbs, and M. Shivji. 2002. Characteristics of shark bycatch observed on pelagic longlines off the southeastern United States, 1992-2000. *Marine Fisheries Review* 64:40-49.
- Belcher, C. and T. Shierling. 2002. Preliminary findings for Georgia's shark nursery study, a part of the Cooperative Atlantic States Shark Pupping and Nursery (COASTSPAN) survey. In: McCandless *et al.* 2002. *Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview.* 286 pp.
- Berkeley, S. A. and E. D. Houde. 1981. Swordfish, *Xiphias gladius*, dynamics in the Straits of Florida. *Collect. Vol. Sci. Pap.* Vol. 15(2): 372 –380.
- Berkeley, S.A., and W.L. Campos. 1988. Relative abundance and fishery potential of pelagic sharks along Florida's east coast. *Mar. Fish. Rev.* 50(1): 9-16.
- Bethea, D.M., J.A. Buckel and J.K. Carlson. 2004. Foraging ecology of the early life stages of four sympatric shark species. *Marine Ecology Progress Series* 268: 245-264.
- Bigelow, H.B., and W.C. Schroeder. 1948. *Fishes of the western North Atlantic. Pt.1. Lancelets, cyclostomes and sharks.* New Haven: Mem. Sears Fdn. Mar. Res. 576pp.
- Blackburn, J.K., J.A. Neer, and B.A. Thompson. (In Press). Delineation of bull shark, *Carcharhinus leucas*, nursery areas in the inland and coastal waters of Louisiana. In C. T. McCandless, N. E. Kohier, and H. L. Pratt, Jr., editors. *Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States.* American Fisheries Society Symposium, Bethesda, Maryland.
- Block, B.A., S.L.H. Teo, A. Walli, A. Boustany, M.J.W. Stokesbury, C.J. Farwell, K.C. Weng, H. Dewar, T.D. Williams. 2005. Electronic tagging and population structure of Atlantic bluefin tuna. *Nature.* Vol. 434. 1121-1127.
- Bonfil, R., R. Mena, and D. de Anda. 1993. Biological parameters of commercially exploited silky sharks, *Carcharhinus falciformis*, from the Campeche Bank, Mexico. In S. Branstetter (ed.): *Conservation Biology of Sharks.* NOAA Technical Report NMFS 115. U.S. Dept. Comm., Miami: 14pp.
- Branstetter, S. 1987a. Age and growth validation of newborn sharks held in laboratory aquaria, with comments on the life history of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*. *Copeia* 1987(2): 219-300.
- Branstetter, S. 1987b. Age and growth estimates for blacktip, *Carcharhinus limbatus*, and spinner, *Carcharhinus brevipinna*, sharks from the Northwestern Gulf of Mexico. *Copeia* 1987(4): 964-974.
- Branstetter, S., and J.D. McEachran. 1986. Age and growth of four carcharhinid sharks common to the Gulf of Mexico: A summary paper. In T. Uyeno, R. Arai, T. Taniuchi, and K. Matsuura (eds.): *Indo-Pacific Fish Biology: Proceedings of the Second International Conference on Indo-Pacific Fishes.* Ichth. Soc. Jpn. 11pp.

- Branstetter, S., and R. Stiles. 1987. Age and growth estimates of the bull shark, *Carcharhinus leucas*, from the northern Gulf of Mexico. Environ. Biol. Fishes 20(3): 169-181.
- Branstetter, S., J.A. Musick, and J.A. Colvocoresses. 1987. A comparison of the age and growth of the tiger shark, *Galeocerdo cuvieri*, from off Virginia and from the northwestern Gulf of Mexico. Fish. Bull. 85: 269-279.
- Branstetter, S., and J.A. Musick. 1994. Age and growth estimates for the sand tiger in the northwestern Atlantic Ocean. Trans. Am. Fish. Soc. 123: 242-254.
- Branstetter, S., and G. Burgess. 1997. Commercial Shark Observer Program 1996. Final Report - MARFIN Award NA57FF0286. Gulf & South Atlantic Fisheries Development Foundation, Inc.
- Brown, C.A., and S.H. Gruber. 1988. Age assessment of the lemon shark, *Negaprion brevirostris*, using tetracycline validated vertebral centra. Copeia 1988(3): 747-753.
- Brown, C.A. 1996. Standardized catch rates of four shark species in the Virginia-Massachusetts (U.S.) rod and reel fishery 1986-1995. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 9pp.
- Bush, A. and K. Holland. 2002. Food limitation in a nursery area: estimates of daily ration in juvenile scalloped hammerheads, *Sphyraena lewini* (Griffith and Smith, 1834) in Kane'ohe Bay, O'ahu, Hawai'i. Journal of Experimental Marine Biology and Ecology 278: 157-178.
- Cailliet, G.M., and D.W. Bedford. 1983. The biology of three pelagic sharks from California waters, and their emerging fisheries: A review. Cal. Mar. Res. Comm., COFI Rep. 24: 57-69.
- Cailliet, G.M., L.K. Martin, J.T. Harvey, D. Kushner, and B.A. Welden. 1983. Preliminary studies on the age and growth of blue, *Prionace glauca*, common thresher, *Alopias vulpinus*, and shortfin mako, *Isurus oxyrinchus*, sharks from California waters. NOAA Technical Report NMFS 8. U.S. Dept. Comm., Washington DC: 179-188.
- Cailliet, G.M., L.J. Natanson, B.A. Welden, and D.A. Ebert. 1985. Preliminary studies on the age and growth of the white shark, *Carcharodon carcharias*, using vertebral bands. Mem. South. Calif. Acad. Sci. 9: 49-60.
- Cailliet, G.M., D.B. Holts, and D. Bedford. 1991. A review of the commercial fisheries for sharks on the west coast of the United States. In J. Pepperell, J. West, and P. Woon (eds): Shark conservation: Proceedings of an international workshop on the conservation of elasmobranchs, Taronga Zoo, Sydney: 13-29.
- Cailliet, G.M. and H. M. Mollet. 1997. Preliminary demographic analysis of the shortfin mako, *Isurus oxyrinchus*. Abstract. ASIH 77th Annual Meeting, June 26-July 2, 1997. University of Washington, Seattle.

- Caldwell, D.K. 1962. Postlarvae of blue marlin. Contrib. Sci. (Los Angeles) 53, 1-11.
- Campana, S.E., L.J. Natanson and S. Myklevoll. 2002. Bomb dating and age determination of large pelagic sharks. Can. J. Fish. Aquat. Sci. 59: 450-455.
- Campana, S.E. and W.N. Joyce. 2004. Temperature and depth associations of porbeagle shark (*Lamna nasus*) in the northwest Atlantic. Fisheries Oceanography 13: 52-64.
- Capape, C., F. Hemida, A.A. Seck, Y. Diatta, O. Guelorget and J. Zaouali. 2003. Distribution and reproductive biology of the spinner shark, *Carcharhinus brevipinna* (Muller and Henle, 1841) (Chondrichthyes: Carcharhinidae). Israel Journal of Zoology 49: 269-286.
- Carlson, J.K. 1999. Occurrence of neonate and juvenile sandbar sharks, *Carcharhinus plumbeus*, in the northeastern Gulf of Mexico. Fish. Bull. 97: 387-391.
- Carlson, J.K. and G.R. Parsons. 1997. Age and growth of the bonnethead shark, *Sphyrna tiburo*, from northwest Florida, with comments on clinal variation. Environ. Biol. Fishes 50: 331-341.
- Carlson, J.K., E. Cortés and A.G. Johnson. 1999. Age and growth of the blacknose shark, *Carcharhinus acronotus*, in the eastern Gulf of Mexico. Copeia: 684-691.
- Carlson, J.K. 2002. Shark nurseries in the northeastern Gulf of Mexico. In: McCandless, C.T. and H.L. Pratt, Jr. (eds.) Gulf of Mexico and- Atlantic States shark nursery overview. US Department of Commerce, NOAA National Marine Fisheries Service Highly Migratory Species Management Division, FIS/NMFS Office of Sustainable Fisheries, 1315 East-West Highway, Silver Spring MD.
- Carlson, J.K., and I.E. Baremore. 2003(a). Changes in biological parameters of Atlantic sharpnose shark *Rhizoprionodon terraenovae* in the Gulf of Mexico: evidence for density-dependent growth and maturity? Marine and Freshwater Research 54:227-234.
- Carlson, J.K., E. Cortés and D. Bethea. 2003(b). Life history and population dynamics of the finetooth shark, *Carcharhinus isodon*, in the northeast Gulf of Mexico. Fish. Bull. 101:281-292.
- Carlson, J.K., and I.E. Baremore. 2005. Growth dynamics of the spinner shark, *Carcharhinus brevipinna*, off the United States Southeast and Gulf of Mexico coasts: a comparison of methods. Fish. Bull.. 103: 280-291.
- Carlson, J.K. J.R. Sulikowski, and I.E. Baremore. In review. Do differences in life history exist for blacktip sharks, *Carcharhinus limbatus*, from the United States South Atlantic Bight and Eastern Gulf of Mexico? Environ. Biol. Fishes.
- Casey, J.G., and L.J. Natanson. 1992. Revised estimates of age and growth of the sandbar shark (*Carcharhinus plumbeus*) from the western North Atlantic. Can. J. Fish. Aquat. Sci. 49(7): 1474-1477.

- Casey, J.G., and N.E. Kohler. 1992. Tagging studies on the shortfin mako shark (*Isurus oxyrinchus*) in the western North Atlantic. Aust. J. Mar. Freshwater Res. 43: 45-60.
- Casey, J.G., and H.L. Pratt, Jr. 1985. Distribution of the white shark, *Carcharodon carcharias*, in the western North Atlantic. Memoirs of the Southern California Academy of Sciences 9:2-14.
- Castillo, G.J.L. 1992. Diagnostico de la pesqueria de tiburon en Mexico. Secretaria de Pesca, Mexico. 72pp.
- Castro, J.I. 1983. The sharks of North American waters. Tex. A&M Univ. Press, College Station: 180pp.
- Castro, J.I. 1993a. The biology of the finetooth shark, *Carcharhinus isodon*. Environ. Biol. Fishes 36: 219-232.
- Castro, J.I. 1993b. The shark nursery of Bulls Bay, South Carolina, with a review of the shark nurseries of the southeastern coast of the United States. Environ. Biol. Fishes 38(1): 37-48.
- Castro, J.I. 1996. The biology of the blacktip shark, *Carcharhinus limbatus*, off the southeastern United States. Bull. Mar. Sci. 59(3): 508-522.
- Castro, J.I., and J.P. Wourms. 1993. Reproduction, placentation, and embryonic development of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*. J. Morph. 218: 257-280.
- Chang, W.B., M.Y. Leu and L.S. Fang. 1997. Embryos of the whale shark, *Rhincodon typus*: early growth and size distribution. Copeia: 444-446.
- Chen, C.T., K.M. Liu and Y.C. Chang. 1997. Reproductive biology of the bigeye thresher shark, *Alopias superciliosus* (Lowe, 1839) (Chondrichthyes: Alopiidae), in the northwestern Pacific. Ichthyological Research 44: 227-235.
- Clark, E., and K. von Schmidt. 1965. Sharks of the central gulf coast of Florida. Bull. Mar. Sci. 15: 13-83.
- Clark, E. 1963. The maintenance of sharks in captivity, with a report of their instrumental conditioning. In P.Gilbert (ed.): Sharks and survival. D.C. Heath and Co., Boston: 115-149.
- Cliff, G., and S.F.J. Dudley. 1992. Sharks caught in the protective gill nets off Natal, South Africa. 6. The copper shark *Carcharhinus brachyurus* (Günther). S. Afr. J. Mar. Sci. 12: 663-674.
- Collette, B.B and C.E. Nauen. 1983. FAO species catalogue Vol. 2. Scombrids of the world. An annotated and illustrated catalogue of tunas, mackerels, bonitos and related species known to date. FAO Fish. Synop., (125) Vol. 2: 137 p.
- Colman, J.G. 1997. A review of the biology and ecology of the whale shark. Journal of Fish Biology 51: 1219-1234.

- Compagno, L.J.V. 1984. FAO Species Catalog Vol.4, Part 1 and 2: Sharks of the world: An annotated and illustrated catalogue of shark species known to date. FAO Fish. Synop. 125. FAO, Rome, Italy
- Cortés, E. 1995. Demographic analysis of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*, in the Gulf of Mexico. Fish. Bull. 93: 57-66.
- Cortés, E., C.A. Manire and R.E. Hueter. 1996. Diet, feeding habits, and diel feeding chronology of the bonnethead shark, *Sphyrna tiburo*, in southwest Florida. Bulletin of Marine Science 58: 353-367.
- Cortés, E. and G.R. Parsons. 1996. Comparative demography of two populations of the bonnethead shark (*Sphyrna tiburo*). Can. J. Fish. Aquat. Sci. 53: 709-718.
- Cramer, J. 1996a. Large pelagic logbook indices for sharks. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 7pp.
- Cramer, J. 1996b. Estimates of the numbers and metric tons of sharks discarded dead by pelagic longline vessels. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 21pp.
- Cramer, J. 1996c. Large pelagic logbook newsletter – 1995. NOAA Technical Memorandum NMFS – SEFC – 394, 28p.
- Cummings – Parrack, N. 1996. Updated ASPIC analyses for North Atlantic albacore through 1992. Collect. Vol. Pap. ICCAT, 43 : 325-329.
- Davies, J. H. and S. A. Bortone. 1976. Partial food list of 3 species of Istiophoridae Pisces from the northeastern Gulf of Mexico. Fla. Sci. 39(4)249-253. ICCAT –SCRS Vol. 45(3) : 67-85.
- de Sylva, D.P. and P.R. Breder. 1997. Reproduction, gonad histology, and spawning cycles of north Atlantic billfishes (Istiophoridae). Bull. Mar. Sci. 60(3): 668-697.
- Dodrill, J.W. 1977. A hook and line survey of the sharks found within five hundred meters of shore along Melbourne Beach, Brevard County, Florida. M.S. Thesis. Florida Inst. Techn., Melbourne, FL. 304pp.
- Dragovich, A. 1969. Review of studies of tuna food in the Atlantic Ocean. U. S> Fish wildl. Serv. Spec. Sci. Rep.-Fish. 593:21 p.
- Dragovich, A. 1970a. The food of skipjack and yellowfin tunas in the Atlantic Ocean. Fish. Bull. U. S. 68(3):445-460.
- Dragovich, A. 1970b. The food of bluefin tuna (*Thunnus thynnus*) in the western North Atlantic Ocean. Trans. Am. Fish. Soc. 99(4):726-731.
- Dragovich, A. and T. Potthoff. 1972. Comparative study of food of skipjack and yellowfin tunas off the west coast of West Africa. Fish. Bull. U. S. 70(4): 1087-1110.

- Driggers, W.B., J.K. Carlson, D. Oaldey, G. Ulrich, B.J. Cullum and J.M. Dean. 2004. Age and growth of the blacknose shark (*Carcharhinus acronotus*) in the western North Atlantic Ocean. *Environ. Biol. Fishes* 71: 171-178.
- Driggers, W.B., D. Oakley, G. Ulrich, J.K. Carlson, B.J. Cullum, and J.M. Dean. 2004. Reproductive biology of the blacknose shark (*Carcharhinus acronotus*) in the coastal waters of South Carolina. *Journal of Fish Biology* 64:1540-1551.
- Dudley, S.F.J., and G. Cliff. 1993. Sharks caught in the protective gills nets off Natal, South Africa. 7. The blacktip shark *Carcharhinus limbatus* (Valenciennes). *S. Afr. J. Mar. Sci.* 13: 237-254.
- Ebert, D.A. 1986. Observations on the elasmobranch assemblage of San Francisco Bay. *Calif. Dep. Fish. Game, Fish. Bull.* 72(4): 244-249.
- Ebert, D.A. 2002. Some observations on the reproductive biology of the sixgill shark *Hexanchus griseus* (Bonnaterre, 1788) from Southern African waters. *South African Journal of Marine Science* 24: 359-363.
- Estrada, J.A., A.N. Rice, L.J. Natanson, and G.B. Skomal. In Press. The use of isotopic analysis of vertebrae in reconstructing ontogenetic feeding ecology in white sharks. *Ecology*.
- Estrada, J.A., A.N. Rice, M.E. Lutcavage and G.B. Skomal. 2003. Predicting trophic position in sharks of the northwest Atlantic Ocean using stable isotope analysis. *Journal of the Marine Biological Association of the United Kingdom* 83: 1347-1350.
- FAO. 1994. FAO yearbook: Fishery statistics: Catches and landings. FAO Fisheries Series 46. Vol. 78. Italy: 700pp.
- Far Seas Fisheries Research Laboratory, Shimizu. March 1978. Distribution atlas of larval tunas, billfishes and related species. Results of larval surveys by R/V Shunyo Maru and Shoyu Maru (1956 –1975). *Far Seas Fish. Res. Lab. S Ser.* 9. 99p.
- Francis, M.P. and J.D. Stevens. 2000. Reproduction, embryonic development, and growth of the porbeagle shark, *Lamna nasus*, in the Southwest Pacific Ocean. *Fish. Bull.* 98: 41-63.
- Francis, M.P. and C. Duffy. 2005. Length at maturity in three pelagic sharks (*Lamna nasus*, *Isurus oxyrinchus*, and *Prionace glauca*) from New Zealand. *Fish. Bull.* 103: 489-500.
- Fourmanoir, P. 1961. Requins de la côte ouest de Madagascar. *Mémoires de l'Institut Scientifique de Madagascar*. Tome IV. 81pp.
- Fowler, H.W. 1906. Some cold blooded vertebrates of the Florida Keys. *Proc. Acad. Nat. Sci. Phila.* 58: 77-113.
- Francis, M.P. 1996. Observations on a pregnant white shark with a review of reproductive biology. In A.P. Klimley, and D.G. Ainley (eds): *Great white sharks: The biology of Carcharodon carcharias*. Acad. Press, New York: 157-172.

- Garrick, J.A.F. 1982. Sharks of the genus *Carcharhinus*. NOAA Technical Report NMFS Circ. 445. U.S. Dept. Comm., Washington DC: 194pp.
- Gauld, J.A. 1989. Records of porbeagles landed in Scotland, with observations on the biology, distribution and exploitation of the species. Scottish Fisheries Research Report 45. Dept. Ag., Edinburgh, Scotland: 1-15.
- Gelsleichter, J., J.A. Musick and S. Nichols. 1999. Food habits of the smooth dogfish, *Mustelus canis*, dusky shark, *Carcharhinus obscurus*, Atlantic sharpnose shark, *Rhizoprionodon terraenovae*, and the sand tiger, *Carcharias taurus*, from the northwest Atlantic Ocean. Environ. Biol. Fishes 54: 205-217.
- Gervelis, B. 2005. Age and growth of the thresher shark, *Alopias vulpinus*, in the northwest Atlantic Ocean. MS Thesis, University of Rhode Island, Kingston, RI.
- Gilmore, R. G. 1983. Reproduction and embryonic development of the sand tiger shark, *Odontaspis taurus* (Rafinesque). U.S. Wildl. Serv. Fish. Bull.: 192):201-225.
- Goodyear, C.P. 1997. An analysis of the possible utility of time-area closures to minimize billfish bycatch by U.S. pelagic longlines. In Review ICCAT SCRS/97/65.
- Govender, A., N. Kistnasamy, and R.P. Van Der Elst. 1991. Growth of spotted ragged-tooth sharks, *Carcharias taurus* (Rafinesque) in captivity. S. Afr. J. Mar. Sci. 11: 15-19.
- Govoni, J.J., E.H. Laban, and J.A. Hare. 2003. The early life history of swordfish (*Xiphias gladius*) in the western North Atlantic. Fish. Bull. 101(4) 778-789.
- Grall, C., D.P. de Sylva and E.D. Houde. 1983. Distribution, relative abundance, and seasonality of swordfish larvae. Trans. Am. Fish. Soc. 112:235-246.
- Grubbs, R.D. and J.A. Musick. 2002. Shark nurseries of Virginia: spatial and temporal delineation, migratory patters, and habitat selection; a case study. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Gubanov, Y.P., and V.N. Grigor'yev. 1975. Observations on the distribution and biology of the blue shark *Prionace glauca* (Carcharhinidae) of the Indian Ocean. J. Ichth. 15(1): 37-43.
- Gudger, E.W. 1912. Summary of work done on the fishes of Tortugas. Carnegie Inst. Washington. Year book No. 11:148-149.
- Guitart Manday, D. 1975. Las pesquerias pelagico- oceanicas de corto radio de accion en la region noroccidental de Cuba. Academia de Ciencias de Cuba, Instituto de Oceanologia. Serie Oceanologia 31. 26pp.
- Gurshin, C.W.D. 2002. Shark nursery grounds in Sapelo Island National Estuarine Reserve, Georgia and coastal Alabama. 2002. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.

- Hanan, D.A. 1984. Analysis of the common thresher shark, *Alopias vulpinus*, in the California Bight. NOAA/NMFS/SWFSC Admin. Rep. LJ-84-10C: 34pp.
- Hanan, D.A., D.B. Holts, and A.L. Coan, Jr. 1993. The California drift net fishery for sharks and swordfish, 1981-82 through 1990-91. Calif. Dept. Fish. Game, Fish Bull. 175: 95pp.
- Harvey-Clark, C. 1995. Protection of sixgill sharks. In N.L. Shackell, and J.H.M. Willison (eds): Marine protected areas and sustainable fisheries. Sci. Manag. Protected Areas Ass., Nova Scotia: 286-289.
- Hazin, F.H.V., F.M. Lucena, T. Souza, C.E. Boeckman, M.K. Broadhurst and R.C. Menni. 2000. Maturation of the night shark, *Carcharhinus signatus*, in the southwestern equatorial Atlantic Ocean. Bulletin of Marine Science 66: 173-185.
- Hazin, F., A. Fischer and M. Broadhurst. 2001. Aspects of reproductive biology of the scalloped hammerhead shark, *Sphyrna lewini*, off northeastern Brazil. Environ. Biol. Fishes 61: 151-159.
- Hazin, F.H.V., P.G. Oliveira and M.K. Broadhurst. 2002. Reproduction of the blacknose shark (*Carcharhinus acronotus*) in coastal waters off northeastern Brazil. Fish. Bull. 100: 143-148.
- Heist, E.J., J.A. Musick and J.E. Graves. 1996. Genetic population structure of the shortfin mako (*Isurus oxyrinchus*) inferred from restriction fragment length polymorphism analysis of mitochondrial DNA. Can. J. Fish. Aquat. Sci. 53: 583-588.
- Heupel, M.R. and R.E. Hueter. 2002. Importance of prey density in relation to the movement patterns of juvenile blacktip sharks (*Carcharhinus limbatus*) within a coastal nursery area. Marine and Freshwater Research 53: 543-550.
- Heupel, M.R. and C.A. Simpfendorfer. 2002. Estimation of mortality of juvenile blacktip sharks, *Carcharhinus limbatus*, within a nursery area using telemetry data. Can. J. Fish. Aquat. Sci. 59: 624-632.
- Heupel, M.R., C.A. Simpfendorfer and R.E. Hueter. 2004. Estimation of shark home ranges using passive monitoring techniques. Environ. Biol. Fishes 71: 135-142.
- Heupel, M.R. and C.A. Simpfendorfer. 2005a. Quantitative analysis of aggregation behavior in juvenile blacktip sharks. Marine Biology 147: 1239-1249.
- Heupel, M.R. and C.A. Simpfendorfer. 2005b. Using acoustic monitoring to evaluate MPAs for shark nursery areas: the importance of long-term data. Marine Technology Society Journal 39: 10-18.
- Hueter, R.E. 1991. Survey of the Florida recreational shark fishery utilizing shark tournament and selected longline data. Final report, FL Dept. Nat. Res. grant agreement 6627. 74 pp.

- Hueter, R.E. and J.P. Tyminski. 2002. Center for Shark Research (CSR) U.S. shark nursery research overview 1991-2001. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Hoff, T.B. 1990. Conservation and management of the western North Atlantic shark resource based on the life history strategy limitations of sandbar sharks. Ph.D. dissertation, Univ. of Delaware. 282pp.
- Hoffmayer, E.R. and G.R. Parsons. 2003. Food habits of three shark species from the Mississippi Sound in the northern Gulf of Mexico. *Southeastern Naturalist* 2: 271-280.
- Hoffmayer, E.R., J.S. Franks, and J.P. Shelley. 2005. Recent observations of the whale shark (*Rhincodon typus*) in the north central Gulf of Mexico. *Gulf and Caribbean Research* Vol 17, 117-120.
- Holts, D.B. 1988. Review of U.S. west coast commercial shark fisheries. *U.S. Nat. Mar. Fish. Serv. Mar. Fish. Rev.* 50(1): 1-8.
- Holts, D.B., A. Julian, O. Sosa-Nishizaki, and N.W. Bartoo. 1996. Pelagic shark fisheries along the west coast of the United States and Baja California, Mexico. *American Fisheries Society 1995 Proceedings*. 37pp.
- Hueter, R.E. 1991. Survey of the Florida recreational shark fishery utilizing shark tournament and selected longline data. Final report, Florida Dept. Nat. Res. grant agreement 6627. 74pp.
- ICCAT. 1994. Report of the working group to evaluate Atlantic yellowfin tuna. Collect. Vol. Pap. ICCAT 1994 Vol. 42(2) : 1-25.
- ICCAT. 1995. 1995 SCRS detailed report on skipjack.
- ICCAT. 1997. Report for biennial period 1996-97, 1(2).
- ICES. 1995. Report of the study group on elasmobranch fishes. ICES Headquarters, Copenhagen, Denmark. ICES CM 1995/g:3. 92pp.
- Idyll, C. P. and D. de Sylva. 1963. Synopsis of biological data on albacore *Thunnus alalunga* (Gmelin) 1788 (Western Atlantic). Pages 749-754 in: H. Rosa Jr. ed. *Proceedings of the World Scientific Meeting on the Biology of Tunas and Related Species*. FAO Fisheries Reports No. 6 (2)
- Idyll, C.P. and D. de Sylva. 1963. Synopsis of biological data on yellowfin tuna *Thunnus albacares* (Bonnaterre) 1788 (Western Atlantic). Pages 771-777 in: H. Rosa Jr. ed. *Proceedings of the World Scientific Meeting on the Biology of Tunas and Related Species*. FAO Fisheries Reports No. 6 (2)
- Jennings, S. and M.J. Kaiser. 1998. The effects of fishing on Marine Ecosystems. *Advances in Marine Biology*, 34.

- Jensen, C.F., L.J. Natanson, H.L. Pratt, N.E. Kohler and S.E. Campana. 2002. The reproductive biology of the porbeagle shark (*Lamna nasus*) in the western North Atlantic Ocean. Fish. Bull. 100: 727-738.
- Jensen, C.F., T.A. Thorpe, M.L. Moser, J.J. Francesconi, G.A. Hopkins, and D. Bersoff. 2002. Shark nursery areas in North Carolina state waters. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Joung, S.J., Y.Y. Liao, K.M. Liu, C.T. Chen and L.C. Leu. 2005. Age, growth, and reproduction of the spinner shark, *Carcharhinus brevipinna*, in the northeastern waters of Taiwan. Zoological Studies 44: 102-110.
- Joung, S.J., C-T Chen, E. Clark, S. Uchida, and W.Y.P. Huang. 1996. The whale shark, *Rhincodon typus*, is a livebearer: 300 embryos found in a one "Megamamma" supreme. Environ. Biol. Fishes 46: 219-223.
- Joyce, W.N., S.E. Campana, L.J. Natanson, N.E. Kohler, H.L. Pratt and C.F. Jensen. 2002. Analysis of stomach contents of the porbeagle shark (*Lamna nasus* Bonnaterre) in the northwest Atlantic. ICES Journal of Marine Science 59: 1263-1269.
- Kato, S., S. Springer, and M.H. Wagner. 1967. Field guide to eastern Pacific and Hawaiian sharks. U.S. Dept. Interior, Fish. Wildl. Ser., Bureau of Comm. Fish., Circular 271, Washington DC: 47pp.
- Kelley, S., J.V. Gartner, W.J. Richards and L. Ejsymont. 1993. SEAMAP 1984 & 1985 – ICHTHYOPLANKTON Larval Distribution and Abundance of Carangidae, Clupeidae, Coryphaenidae, Engraulidae, Gobiidae, Istiophoridae, Lutjanidae, Scombridae, Serranidae, and Xiphiidae in the Gulf of Mexico. NOAA Tech. Mem. NMFS –SEFSC – 317. 107 p.
- Kelley, S., T. Potthoff, W.J. Richards, L. Ejsymont and J.V. Gartner. 1986. SEAMAP 1983 – ICHTHYOPLANKTON Larval Distribution and Abundance of Engraulidae, Carangidae, Clupeidae, Lutjanidae, Serranidae, Sciaenidae, Coryphaenidae, Istiophoridae, Xiphiidae, and Scombridae in the Gulf of Mexico. NOAA Tech. Mem. NMFS –SEFC – 167.
- Kenney, R.D., R.E. Owen and H.E. Winn. 1985. Shark distributions off the northeast United States from marine mammal surveys. Copeia 1985: 220-223.
- Keeney, D.B., M. Heupel, R.E. Hueter and E.J. Heist. 2003. Genetic heterogeneity among blacktip shark, *Carcharhinus limbatus*, continental nurseries along the US Atlantic and Gulf of Mexico. Marine Biology 143: 1039-1046.
- Keeney, D.B., M.R. Heupel, R.E. Hueter and E.J. Heist. 2005. Microsatellite and mitochondrial DNA analyses of the genetic structure of blacktip shark (*Carcharhinus limbatus*) nurseries in the northwestern Atlantic, Gulf of Mexico, and Caribbean Sea. Molecular Ecology 14: 1911-1923.

- Kerstetter, D.W., B.E. Luckhurst, E.D. Prince and J.E. Graves. 2003. Use of pop-up satellite archival tags to demonstrate survival of blue marlin (*Makaira nigricans*) released from pelagic longline gear. Fish. Bull. 101: 939-948.
- Kleijn, L.J.K. 1974. Results of experimental and exploratory fishing off northeastern South America (MFR paper 1089). Mar. Fish. Rev. 36 (9): 67-77.
- Kunzlik, P.A. 1988. The basking shark. Dept. of Ag. and Fisheries for Scotland. Scottish Fisheries Information Pamphlet 14: 21pp.
- Laevastu, T. and H. Rosa, Jr. 1963. Distribution and relative abundance of tunas in relation to their environment. Pages 1835- 1851 in: H. Rosa Jr. ed. Proceedings of the World Scientific Meeting on the Biology of Tunas and Related Species. FAO Fisheries Reports No. 6 (3).
- Lessa, R. and F.M. Santana. 1998. Age determination and growth of the smalltail shark, *Carcharhinus porosus*, from northern Brazil. Marine and Freshwater Research 49: 705-711.
- Lessa, R.P. and Z. Almeida. 1998. Feeding habits of the bonnethead shark, *Sphyrna tiburo*, from northern Brazil. Cybium 22: 383-394.
- Lessa, R., R.C. Menni and F. Lucena. 1998. Biological observations on *Sphyrna lewini* and *S. tudes* (Chondrichthyes, Sphyrnidae) from northern Brazil. Life and Environment 48: 203-213.
- Lessa, R., R. Paglerani, and F.M. Santana. 1999a. Biology and morphometry of the oceanic whitetip shark, *Carcharhinus longimanus* (Carcharhinidae), off northeastern Brazil. Cybium 23: 353-368.
- Lessa, R., F. Santana, R. Menni, and Z. Almeida. 1999b. Population structure and reproductive biology of the smalltail shark (*Carcharhinus porosus*) off Maranhao (Brazil). Marine and Freshwater Research 50: 383-388.
- Lessa, R., F.M. Santana, and R. Paglerani. 1999c. Age, growth and stock structure of the oceanic whitetip shark, *Carcharhinus longimanus*, from the southwestern equatorial Atlantic. Fisheries Research 42: 21-30.
- Liu, K.M., P.J. Chiang, and C.T. Chen. 1998. Age and growth estimates of the bigeye thresher shark, *Alopias superciliosus*, in northeastern Taiwan waters. Fish. Bull. 96: 482-491.
- Loefer, J.K. and G.R. Sedberry. 2003. Life history of the Atlantic sharpnose shark (*Rhizoprionodon terraenovae*) (Richardson, 1836) off the southeastern United States. Fish. Bull. 101: 75-88.
- Loefer, J.K., G.R. Sedberry, and J.C. McGovern. 2005. Vertical movements of a shortfin mako in the western North Atlantic as determined by pop-up satellite tagging. Southeastern Naturalist 4: 237-246.

- Lombardi-Carlson, L.A., E. Cortes, G.R. Parsons and C.A. Manire. 2003. Latitudinal variation in life-history traits of bonnethead sharks, *Sphyrna tiburo*, (Carcharhiniformes: Sphyrnidae) from the eastern Gulf of Mexico. *Marine and Freshwater Research* 54: 875-883.
- Lucifora, L.O., R.C. Menni, and A.H. Escalante. 2002. Reproductive ecology and abundance of the sand tiger shark, *Carcharias taurus*, from the southwestern Atlantic. *ICES Journal of Marine Science* 59: 553-561.
- MacNeil, M.A., G.B. Skomal, and A.T. Fisk. 2005. Stable isotopes from multiple tissues reveal diet switching in sharks. *Marine Ecology Progress Series* 302: 199-206.
- Marquez-Farias, J.F. and J.L. Castillo-Geniz. 1998. Fishery biology and demography of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*, in the southern Gulf of Mexico. *Fisheries Research* 39: 183-198.
- Marquez-Farias, J.F., J.L. Castillo-Geniz, and M.C.R. de la Cruz. 1998. Demography of the bonnethead shark, *Sphyrna tiburo* (Linnaeus, 1758), in the southeastern Gulf of Mexico. *Ciencias Marinas* 24: 13-34.
- Martinez, J.L. 1947. The Cuban shark industry. US. Fish Widl. Serv. Fishery Leaflet 250. 18pp.
- Mather, F.J., III, H.L. Clark, and J.M. Mason, Jr. 1975. Synopsis of the biology of the white marlin *Tetrapturus albidus* Poey (1861). Pages 55-94 in: Shomura, R. S. and F. Williams. eds. Proceedings of the International Billfish Symposium Kailua-Kona, Hawaii, 9-12 August 1972. Part 3. Species Synopses. NOAA Tech. Rep. NMFS SSRF-675. 159 p.
- Mather, F.J., J.M. Mason, and A.C. Jones. 1995. Historical document: life history and fisheries of Atlantic bluefin tuna. NOAA Technical Memorandum NMFS-SEFSC – 370 : 165 p.
- Matthews, F.D., D.M. Damkaer, L.W. Knapp, and B.B. Collette. 1977. Food of wesatern North Atlantic tunas (*Thunnus*) and lancetfishes (*Alepisaurus*). NOAA Tech. Rep. NMFS-SSRF-706:19 p.
- McFarlane, G.A., J.R. King, and M.W. Saunders. 2002. Preliminary study on the use of neural arches in the age determination of bluntnose sixgill sharks (*Hexanchus griseus*). *Fish. Bull.* 100: 861-864.
- McGowan, M.F. and W.J. Richards. 1989. Bluefin tuna, *Thunnus thynnus*, larvae in the Gulf Stream off the southeastern United States: satellite and shipboard observations of their environment. *Fish. Bull.* 87: 615-631.
- Michel, M. and P. Steiner. 2002. Sharks of the Ten Thousand Islands Estuary in Florida. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Mid-Atlantic Fishery Management Council (MAFMC). 1998. Amendment 12 to the Summer Flounder, Scup, and Black sea Bass Fishery Management Plan, August 1998. Mid-Atlantic Fishery Management Council. Dover, DE.

- Mollet, H.F., G. Cliff, H.L. Pratt, and J.D. Stevens. 2000. Reproductive biology of the female shortfin mako, *Isurus oxyrinchus* Rafinesque, 1810, with comments on the embryonic development of lamnoids. Fish. Bull. 98: 299-318.
- Moreno, J.A., and J. Morón. 1992. Reproductive biology of the bigeye thresher shark, *Alopias superciliosus* (Lowe 1839). Aust. J. Mar. Freshwater Res. 43: 77-86.
- Morgan, S. G. , C. S. Manooch III, D. L. Mason and J. W. Goy. 1985. Pelagic fish predation on *Cerataspis*, a rare larval genus of oceanic penaeoid. Bull. Mar. Sci. 36(2): 249-259.
- Musick, J.A. and J.A. Colvocoresses. 1986. Seasonal recruitment of subtropical sharks in Chesapeake Bight, USA. IOC/FAO Workshop on recruitment in tropical demersal communities. Ciudad del Carmen, Mexico. Intergovernmental Oceanographic Commission Workshop Report No. 44-Supplement. pp301-311.
- Musick, J.A., S. Branstetter, and J.A. Colvocoresses. 1993. Trends in shark abundance from 1974 to 1991 for the Chesapeake Bight region of the U.S. Mid-Atlantic Coast. In S. Branstetter (ed.): Conservation biology of elasmobranchs. NOAA Technical Report NMFS 115: 1-18.
- Musyl, M.K., R.W. Brill, C.H. Boggs, D.S. Curran, T.K. Kazama, and M.P. Seki. 2003. Vertical movements of bigeye tuna (*Thunnus obesus*) associated with islands, buoys, and seamounts near the main Hawaiian Islands from archival tagging data. Fisheries Oceanography, Vol. 12(3): 152-169.
- Nakamura, I. 1985. FAO Species Catalogue Vol. 5. Billfishes of the world. An annotated and illustrated catalogue of marlins, sailfishes, spearfishes and swordfishes known to date. FAO Fish. Synop., (125) Vol. 5. 65 p.
- Nakamura, H. 1935. On the two species of the thresher shark from Formosan waters. Mem. Fac. Sci. Agric. Taihoku Imp. Univ. 14: 1-6.
- Nakano, H. 1994. Age, reproduction and migration of blue shark in the North Pacific Ocean. Bull. Nat. Inst. Far Seas Fish. 31: 141-144.
- Natanson, L.J. 1990. Relationship of vertebral band deposition to age and growth in the dusky shark, *Carcharhinus obscurus*, and the little skate, *Raja erinacea*. Ph.D.dissertation. University of Rhode Island:153 pp.
- Natanson, L.J. 2002. Preliminary investigations into the age and growth of the shortfin mako, *Isurus oxyrinchus*, white shark, *Carcharodon carcharias*, and thresher shark, *Alopias vulpinus*, in the western North Atlantic Ocean. Collective Volume of Scientific Papers ICCAT 54:1280-1293.
- Natanson, L.J., J.G. Casey, and N.E. Kohler. 1995. Age and growth estimates for the dusky shark, *Carcharhinus obscurus*, in the western North Atlantic Ocean. Fish. Bull. 93: 116-126.

- Natanson, L.J., J.G. Casey, N.E. Kohler, and T. Colket. 1999. Growth of the tiger shark, *Galeocerdo cuvier*, in the western North Atlantic based on tag returns and length frequencies; and a note on the effects of tagging. Fish. Bull. 97: 944-953.
- Natanson, L.J., J.J. Mello, and S.E. Campana. 2002. Validated age and growth of the porbeagle shark (*Lamna nasus*) in the western North Atlantic Ocean. Fish. Bull. 100: 266-278.
- Neer, J.A., B.A. Thompson, R.E. Condrey, J.A. De Silva, G.W. Peterson, K.P. Barry, J.K. Blackburn, and D.W. Parnell. 2002. Shark nursery areas of Louisiana's nearshore coastal waters: a preliminary review. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Neer, J.A., B.A. Thompson, and J.K. Carlson. 2005. Age and growth of the bull shark, *Carcharhinus leucas*, in the northern Gulf of Mexico: incorporating variability in size at birth. Journal of Fish Biology 67: 370-383.
- Owen, R.E. 1984. Distribution and ecology of the basking shark *Cetorhinus maximus* (Gunnerus 1765). MS thesis, University of Rhode Island, Kingston, RI.
- Palko, B.J., G.L. Beardsley, and W.J. Richards. 1981. Synopsis of the biology of the Swordfish, *Xiphias gladius* Linnaeus. FAO Fisheries Synopsis No. 127. NOAA Tech. Rep. NMFS Circular 441. 21p.
- Parker, H.W., and F.C. Stott. 1965. Age, size and vertebral calcification in the basking shark, *Cetorhinus maximus* (Gunnerus). Zool. Meded. 40(34): 305-319.
- Parsons, G.R. 1993. Age determination and growth of the bonnethead shark *Sphyrna tiburo*: a comparison of two populations. Mar. Biol. 117: 23-31.
- Parsons, G.R. 2002. Identification of shark nursery grounds along the Mississippi and Alabama Gulf coasts. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Pelligrin, G. 1996. Bycatch estimates and estimates of relative abundance for sharks. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 7pp.
- Pothoff, T. and W. J. Richards. 1970. Juvenile bluefin tuna and other scombrids taken by terns in the Dry Tortugas, Florida. Bull. Mar. Sci. 20(2): 389-413.
- Pratt, H.L. 1979. Reproduction in the blue shark, *Prionace glauca*. U.S. Fish Wildl. Serv. Fish. Bull. 77: 445-470.
- Pratt, H.L. and J.G. Casey. 1983. Age and growth of the shortfin mako, *Isurus oxyrinchus*. In E.D. Prince and L.M. Pulos (eds), Proceedings of the international workshop on age determination of oceanic pelagic fishes: Tunas, billfishes, and sharks. NOAA Tech. Rep. NMFS 8: 175-177.

- Pratt Jr., H.L. and J.G. Casey. 1983. Age and Growth of the shortfin mako, *Isurus oxyrinchus*, using four methods. Can. J. Fish. Aquat. Sci. 40: 1944-1957.
- Prince, E.D., D.W. Lee, C.A. Wilson, and J.M. Dean. 1986. Longevity and age validation of a tag-recaptured Atlantic sailfish, *Istiophorus platypterus*, using dorsal spines and otoliths. Fish. Bull. U.S. 84(3):493-502.
- Prince, E.D., D.W. Lee, and J.R. Zweifel. 1991. Estimating age and growth of young Atlantic blue marlin *Makaira nigricans* from otolith microstructure. Fish. Bull., U.S. 89:441-459.
- Report of the Standing Committee of Research and Statistics (SCRS). Madrid, 20-24 October, 1997
- Rey, J.C., and E. Alot. 1983. Contribucion al estudio de la pesqueria de palangre del pez espada (*Xiphias gladius*) en el Mediterraneo occidental. ICCAT. Collective Volume of Scientific Papers. Vol.XX (SCRS-1983), No. 2- Temperate Spp. Madrid: 428-434.
- Richards, W.J. 1969. Distribution and relative apparent abundance of larval tunas collected in the tropical Atlantic during Equalant I and II. Proc. Symp. Ocean. Fish. Res. Trop. Atl. – Review papers and contributions. pp. 289 – 315.
- Richards, W.J. and D.C. Simmons. 1971. Distribution of tuna larvae (Pisces, Scombridae) in the northwestern Gulf of Guinea and off Sierra Leone. Fish. Bull. U.S. 69(3):555-568.
- Richards, W.J., T. Potthoff, S. Kelley, M.F. McGowan, L. Ejsymont, J.H. Power, and R.M. Olvera. 1984. SEAMAP 1982 – ICHTHYOPLANKTON Larval Distribution and Abundance of Engraulidae, Carangidae, Clupeidae, Lutjanidae, Serranidae, Coryphaenidae, Istiophoridae, Xiphiidae and Scombridae in the Gulf of Mexico. NOAA Tech. Mem. NMFS –SEFC – 144. 51 p.
- Richards, W.J. 1991. Early life history of the Atlantic bluefin tuna from the western north Atlantic. IATTC Spec. Rep. 7. 357 p.
- Rivas, L.R. 1975. Synopsis of biological data on blue marlin, *Makaira nigricans* Lacepede, 1802. Pages 1-16 in: Shomura, R. S. and F. Williams. eds. Proceedings of the International Billfish Symposium Kailua-Kona, Hawaii, 9-12 August 1972. Part 3. Species Synopses. NOAA Tech. Rep. NMFS SSRF-675. 159 p.
- Robins, C.R. 1975. Synopsis of biological data on the longbill spearfish *Tetrapturus pfluegeri* Robins and de Sylva. Pages 28-38 in: Shomura, R. S. and F. Williams. eds. Proceedings of the International Billfish Symposium Kailua-Kona, Hawaii, 9-12 August 1972. Part 3. Species Synopses. NOAA Tech. Rep. NMFS SSRF-675. 159 p.
- Russell, S.J. 1993. Shark bycatch in the Northern Gulf of Mexico tuna longline fishery, 1988-91, with observations on the nearshore directed shark fishery. In S. Branstetter (ed.): Conservation Biology of Elasmobranchs. NOAA Technical Report NMFS 115: 19-29.

- Santana, F.M. and R. Lessa. 2004. Age determination and growth of the night shark (*Carcharhinus signatus*) off the northeastern Brazilian coast. Fish. Bull. 102: 156-167.
- Sauzo, L. 1956. Uova, larve e stadi giovanili di Teleostei. Fauna & Flora Golfo Napoli. Monogr. 38.
- Schwartz, F.J. 1984. Occurrence, abundance and biology of the blacknose shark, *Carcharhinus acronotus* in North Carolina. Northeast Gulf Sci. 7 (1): 29-47.
- Scoles, D.R. and J.E. Graves. 1993. Genetic analysis of the population structure of yellowfin tuna, *Thunnus albacares*, from the Pacific Ocean. Fish. Bull. U. S. 91:690-698.
- Scott, G.P. 1996. Updated analysis of recent trends in catch rates of some Atlantic sharks. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 32pp.
- Scott, G.P., P.J. Phares, and B. Slater. 1996. Recreational catch, average size and effort information for sharks in U.S. Atlantic and Gulf of Mexico waters. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 32pp.
- Shann, E.W. 1911. VIII- A description of the advanced embryonic stage of *Lamna cornubica*. In: The 28th Annual Report of the Fishery Board for Scotland: 73-79.
- Simpfendorfer, C. 1992. Biology of tiger sharks (*Galeocerdo cuvier*) caught by the Queensland shark meshing program off Townsville, Australia. Aust. J. Mar. Freshwater Res. 43: 33-43.
- Simpfendorfer, C.A., G.G. Freitas, T.R. Wiley, and M.R. Heupel. 2005. Distribution and habitat partitioning of immature bull sharks (*Carcharhinus leucas*) in a southwest Florida estuary. Estuaries 28: 78-85.
- Sims, D.W. 1999. Threshold foraging behaviour of basking sharks on zooplankton: life on an energetic knife-edge? Proceedings of the Royal Society of London, Series B-Biological Sciences 266: 1437-1443.
- Sims, D.W. and D.A. Merrett. 1997. Determination of zooplankton characteristics in the presence of surface feeding basking sharks *Cetorhinus maximus*. Marine Ecology Progress Series 158: 297-302.
- Sims, D.W. and V.A. Quayle. 1998. Selective foraging behaviour of basking sharks on zooplankton in a small-scale front. Nature 393: 460-464.
- Sims, D.W., C.D. Speedie and A.M. Fox. 2000. Movements and growth of a female basking shark re-sighted after a three year period. Journal of the Marine Biological Association of the United Kingdom 80: 1141-1142.
- Skomal, G.B. and L.J. Natanson. 2003. Age and growth of the blue shark (*Prionace glauca*) in the North Atlantic Ocean. Fish. Bull. 101: 627-639.

- Skomal, G., G. Wood, and N. Caloyianis. 2004. Archival tagging of a basking shark, *Cetorhinus maximus*, in the western North Atlantic. Journal of the Marine Biological Association of the United Kingdom 84: 795-799.
- Sminkey, T.R. and J.A. Musick. 1995. Age and growth of the sandbar shark, *Carcharhinus plumbeus*, before and after population depletion. Copeia 1995(4): 871-83.
- Smith, R.L. 1990. Ecology and Field Ecology. Harper Collins Publishers, USA. 922 pp.
- Snelson, F.F., Jr., T.J. Mulligan, and S.E. Williams. 1984. Food habits, occurrence, and population structure of the bull shark, *Carcharhinus leucas*, in Florida coastal lagoons. Bull. Mar. Sci. 34(1): 71-80.
- South Atlantic Fishery Management Council (SAFMC). 1998. Comprehensive Amendment Addressing Essential Fish Habitat in Fishery Management Plans of the South Atlantic Region, May 1998. South Atlantic Fishery Management Council. Charleston, SC.
- Springer, S. 1967. Social organizations of shark populations. In P. Gilbert (ed.): Sharks, skates, and rays. John Hopkins Press, Baltimore: 149-174.
- Springer, S. 1950a. An outline for a Trinidad shark fishery. Proceedings of the Gulf and Caribbean Fisheries Institute. Second Annual Session. Univ. of Miami. Coral Gables: 17-26.
- Springer, S. 1960. Natural history of the sandbar shark *Eulamia milberti*. U.S. Fish. Wildl. Serv. Fish. Bull. 61 (178): 1-38.
- Springer, S. 1950b. Natural history notes on the lemon shark, *Negaprion brevirostris*. Tex. J. Sci. 3: 349-359.
- Springer, S. 1950c. A revision of North American sharks allied to the genus *Carcharhinus*. Am. Mus. Novit. 1451: 13pp.
- Springer, S. 1979. Report on shark fishing in the western central Atlantic. WECAF report No. 3. UNDP. FAO. Panama: 39 pp.
- Springer, V. G. 1964. A revision of the carcharhinid shark genera *Scoliodon*, *Loxodon*, and *Rhizoprionodon*. Proc. U. S. Nat. Mus. 115 (no. 3493): 559-632.
- Springer, S. and R.A. Waller. 1969. *Hexanchus vitulus*, a new sixgill shark from the Bahamas. Bull. Mar. Sci. 19: 159-174.
- Springer, S. 1938. Notes on the sharks of Florida. Porch. Florida Acad. Sci. 3: 9-41.
- Springer, S. 1963. Field observations on large sharks of the Florida-Caribbean region. In: P.W. Gilbert (ed.): Sharks and Survival. D.C. Heath and Co., Boston: 95-113.
- Springer, S. 1948. Ovipagous embryos of the sand shark, *Carcharias taurus*. Copeia 1948(3): 153-157.

- Squire, J.L., Jr. 1963. Thermal relationships of tuna in the oceanic Northwest Atlantic. Pages 1639-1657 in: H. Rosa Jr. ed. Proceedings of the World Scientific Meeting on the Biology of Tunas and Related Species. FAO Fisheries Reports No. 6 (3)
- Squire, J.L., Jr. 1963. Distribution of tuna species in the oceanic Northeast Atlantic. Pages 1477-1514 in: H. Rosa Jr. ed. Proceedings of the World Scientific Meeting on the Biology of Tunas and Related Species. FAO Fisheries Reports No. 6 (2)
- Stevens, J.D. and K.J. McIoughlin. 1991. Distribution, size, and sex composition, reproductive biology and diet of sharks from northern Australia. Austr. J. Mar. Freshwater Res., 42: 151-99.
- Stevens, J.D. and J.M. Lyle. 1989. Biology of three hammerhead sharks (*Eusphyra blochii*, *Sphyrna mokarran*, and *S. lewini*) from northern Australia. Aust. J. Mar. Freshwater Res. 40: 129-46.
- Stillwell, C.E. and N. Kohler. 1982. Food, feeding habits, and estimates of daily ration of the shortfin mako (*Isurus oxyrinchus*) in the northwest Atlantic. Can. J. Fish. Aquat. Sci. 39: 407-414.
- Stillwell, C.E. and N. Kohler. 1985. Food and feeding ecology of the swordfish *Xiphias gladius* in the western north Atlantic Ocean with estimates of daily ration. Mar. Ecol. Prog. Ser. 22:239-247.
- Strasburg, D.W. 1958. Distribution, abundance, and habits of pelagic sharks in the central Pacific Ocean. U.S. Fish. Wildl. Serv. Fish. Bull. 138 (58): 335-361.
- Strong, W.R., Jr., R.C. Murphy, B.D. Bruce, and D.R. Nelson. 1992. Movements and associated observations of bait-attracted white sharks, *Carcharodon carcharias*: a preliminary report. Aust. J. Mar. Freshwater Res. 43: 13-20.
- Suda, A. 1953. Ecological study on the blue shark (*Prionace glauca* Linne). South Seas Area Fisheries Research Laboratory, Report 26, Supplement 1: 15pp.
- Suda, A. 1994. Some preliminary observations on the biological characteristics of the concentrations of bluefin tuna in the Northwestern and Central North Atlantic Ocean. Collect. Vol. Sci. Pap. ICCAT, 42(1) : 267-270.
- Sundstrom, L.F., S.H. Gruber, S.M. Clermont, J.P.S. Correia, J.R.C. de Marignac, J.F. Morrissey, C.R. Lowrance, L. Thomassen, and M.T. Oliveira. 2001. Review of elasmobranch behavioral studies using ultrasonic telemetry with special reference to the lemon shark, *Negaprion brevirostris*, around Bimini Islands, Bahamas. Environ. Biol. Fishes 60: 225-250.
- Tanaka, S. and K. Mizue. 1977. Studies on sharks- XI: Reproduction in female *Heptranchias perlo*. Bull. Fac. Fish. Nagasaki Univ. 42: 1-9.

- Templeman, W. 1963. Distribution of sharks in the Canadian Atlantic. Bulletin of the Fisheries Research Board of Canada 140.
- Thayer, G.W., J.P. Thomas, and K.V. Koski. 1996. The habitat research plan of the National Marine Fisheries Service. Fisheries. 21(5): 6-10.
- Thorson, T.B. 1976. The status of the Lake Nicaragua shark: An updated appraisal. In T.B. Thorson (ed.): Investigations of the ichthyofauna of Nicaraguan lakes. School of Life Sciences, University of Nebraska-Lincoln, Lincoln: 561-574.
- Thorson, T.B. and E.J. Lacy. 1982. Age, growth rate and longevity of *Carcharhinus leucas* estimated from tagging and vertebral rings. Copeia 1982(1): 110-116.
- Tiews, K. 1963. Synopsis of biological data on the bluefin tuna *Thunnus thynnus* (Linnaeus) 1758 (Atlantic and Mediterranean). Pages 422- 481 in: H. Rosa Jr. ed. Proceedings of the World Scientific Meeting on the Biology of Tunas and Related Species. FAO Fisheries Reports No. 6 (2)
- Toll, R.B. and S.C. Hess. 1981. Cephalopods in the diet of the swordfish, *Xiphias gladius*, from the Florida Straits. Fish. Bull. 79(4): 765 –774.
- Tremain, D.M., C.W. Harnden, and D.H. Adams. 2004. Multidirectional movements of sportfish species between an estuarine no-take zone and surrounding waters of the Indian River Lagoon, Florida. Fish. Bull. 102: 533-544.
- Turner and Boesch. 1987. Aquatic animal production and wetland relationships: Insights gleaned following wetland loss or gain, pp. 25-39, in: D. Hooks (ed.), Ecology and Management of Wetlands. croon Helms, LTD, Beckenham, Kent, UK.
- Uchida, S., M. Toda, K. Teshima, and K. Yano. 1996. Pregnant white sharks and full-term embryos from Japan. In 'Great white sharks: the biology of *Carcharodon carcharias*. Klimley, P., and Ainley, D.G. (Eds.) Acad. Press, New York: 139-155.
- Ulrich, G.F. 1996. Fishery independent monitoring of large coastal sharks in South Carolina. 1996 Shark Stock Assessment Workshop. NOAA/NMFS/SEFSC, Miami: 16pp.
- Ulrich, G.F. and C.P. Riley. 2002. Shark nursery areas in South Carolina estuarine and coastal waters. In: McCandless *et al.* 2002. Shark nursery grounds of the Gulf of Mexico and the East Coast waters of the United States: an overview. 286 pp.
- Vas, P. 1990. The abundance of the blue shark, *Prionace glauca*, in the western English channel. Environ. Biol. Fishes 29: 209-225.
- Vinnichenko, V.I. 1996. New data on the distribution of some species of tuna (Scombridae) in the North Atlantic. J. of Ichth. 36(8): 679-681.

Vodyanitsky, V.A., and I.I. Kazanova, 1954. Key to the pelagic fishes and larvae of the Black Sea. Tr. Vges. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr. 28:240-345 (In Russian).

Walter, J.P. and D.A. Ebert. 1991. Preliminary estimates of age of the bronze whaler, *Carcharhinus brachyurus*, (Chondrichthyes: Carcharhinidae) from southern Africa, with a review of some life history parameters. S. Afr. J. Mar. Sci. 10: 37-44.

Weng, K.C. and B.A. Block. 2004. Diel vertical migration of the bigeye thresher shark (*Alopias superciliosus*), a species possessing orbital retia mirabilia. Fish. Bull. 102: 221-229.

Wetherbee, B.M., G.L. Crow, and C.G. Lowe. 1996. Biology of the Galapagos shark, *Carcharhinus galapagensis*, in Hawaii. Environ. Biol. Fishes 45: 299-310.

Whitney, N.M., H.L. Pratt, and J.C. Carrier. 2004. Group courtship, mating behaviour and siphon sac function in the whitetip reef shark, *Triaenodon obesus*. Animal Behaviour 68: 1435-1442.

Wilson, S.G. 2004. Basking sharks (*Cetorhinus maximus*) schooling in the southern Gulf of Maine. Fisheries Oceanography 13: 283-286.

Wintner, S.P. 2000. Preliminary study of vertebral growth rings in the whale shark, *Rhincodon typus*, from the east coast of South Africa. Environ. Biol. Fishes 59: 441-451.

Wintner, S.P. and S.F.J. Dudley. 2000. Age and growth estimates for the tiger shark, *Galeocerdo cuvier*, from the east coast of South Africa. Marine and Freshwater Research 51: 43-53.

References for Shark Sizes in Tables B.1 and B.2

Bonfil, R., R. Mena and D. de Anda. 1993. Biological parameters of commercially exploited silky sharks, *Carcharhinus falciformis*, from the Campeche Bank, Mexico. In S. Branstetter (ed.): Conservation biology of sharks. NOAA Technical Report NMFS 115. U.S. Dept. Comm., Miami. pp. 72-86

Branstetter, S. 1987. Age and growth estimates for blacktip, *Carcharhinus limbatus*, and spinner, *C. brevipinna*, sharks from the northwestern Gulf of Mexico. Copeia 1997(4): 964-975.

Branstetter, S. 1987. Age, growth and reproductive biology of the silky shark, *Carcharhinus falciformis*, and the scalloped hammerhead, *Sphyrna lewini*, from the northwestern Gulf of Mexico. Environ. Biol. Fishes 19(3): 161-173.

Branstetter, S. and R. Stiles. 1987. Age and growth estimates of the bull shark, *Carcharhinus leucas*, from the northern Gulf of Mexico. Env. Biol. Fish. 20(3): 169-181.

Carlson, J.K. 2002. Shark nurseries in the northeastern Gulf of Mexico. In: McCandless, C. T. and H. L. Pratt, Jr. (eds.) Gulf of Mexico and- Atlantic States shark nursery overview. US Department of Commerce, NOAA National Marine Fisheries Service Highly Migratory Species Management Division, FIS/NMFS Office of Sustainable Fisheries, 1315 East-West Highway, Silver Spring, MD.

Carlson, J.K. J.R. Sulikowski, and L.E. Baremore. In review. Do differences in life history exist for blacktip sharks, *Carcharhinus limbatus*, from the United States South Atlantic Bight and Eastern Gulf of Mexico? Environ. Biol. Fishes .

Castro, J.A. and J. Mejuto. 1995. Reproductive parameters of blue shark *Prionace glauca* and other sharks in the Gulf of Guinea. Marine and Freshwater Research 46(6): 967-933.

Castro, J.I. 1983. The sharks of North American waters. Texas A. & M. University Press, College Station. 180pp.

Castro, J.I. 1993a. The biology of the finetooth shark, *Carcharhinus isodon*. Environ. Biol. Fishes 36: 219-232.

Castro, J.I. 1993b. The shark nursery of Bulls Bay, South Carolina, with a review of the shark nurseries of the southeastern coast of the United States. Environ. Biol. Fishes 38: 37-48.

Castro, J.I. 1996. Biology of the blacktip shark, *Carcharhinus limbatus*, off the southeastern United States. Bulletin of Marine Science 59(3): 508-522.

Castro, J.I. 2000. The biology of the nurse shark, *Ginglymostoma cirratum*, off the Florida east coast and the Bahama Islands. Environ. Biol. Fishes 58: 1-22.

Castro, J.I., C. M. Woodley, and R. L. Brudek. 1999. A preliminary evaluation of the status of shark species. FAO Fisheries Technical Paper 380. 72pp.

Clarke, E. and K. von Schmidt. 1965. Sharks of the central Gulf coast of Florida. Bulletin of Marine Science 15(1): 13-83.

Clarke, T.A. 1971. The ecology of the scalloped hammerhead shark, *Sphyrna lewini*, in Hawaii. Pacific Science 25: 133-144.

Compagno, L.J.V. 1984. FAO Species Catalog Vol. 4 Part 1: Sharks of the world: an annotated and illustrated catalogue of shark species known to date. FAO Fisheries Synopsis 125. FAO, Rome, Italy. 249pp.

Duffy, C. and M.P. Francis. 2001. Evidence of summer parturition in shortfin mako (*Isurus oxyrinchus*) sharks from New Zealand waters. New Zealand Journal of Marine and Freshwater Research 35(2): 319-324.

Ebert, D.A. 1986. Biological aspects of the sixgill shark, *Hexanchus griseus*. Copeia 1986(1):131-135.

- Fourmanoir, P. 1961. Requins de la cote ouest de Madagascar. Memoires de L'Institut Scientifique de Madagascar. Tome IV. 81pp.
- Gilmore, R.G. 1983. Observations on the embryos of the longfin mako, *Isurus paucus*, and the bigeye thresher, *Alopias superciliosus*. Copeia 1983(2): 375-382.
- Gilmore, R.G. 1993. Reproductive biology of lamnoid sharks. Env. Biol. Fish. 38: 95-114.
- Gilmore, R.G., J.W. Dodrill, and P.A. Linley. 1983. Reproduction and embryonic development of the sand tiger shark, *Odontaspis taurus* (Rafinesque) Fish. Bull. 81(2): 201-225.
- Guitart-Manday, D. 1966. Nuevo nombre para una especie de tiburon del genero *Isurus* (Elasmobranchii: Isuridae) de aguas Cubanias. Poeyana 15: 1-9.
- Hazin, F.H.V., P.G. Oliveira, and M.K. Broadhurst. 2002. Reproduction of the blacknose shark (*Carcharhinus acronotus*) in coastal waters off northeaster Brazil. Fish. Bull. 100: 143-148.
- Hoese, H.D. 1962. Sharks and rays of Virginia's seaside bays. Chesapeake Science 3(3): 166-172.
- Jensen, C.F., L.J. Natanson, H.L. Pratt, Jr., N.E. Kohler, and S.E. Campana. 2002. The reproductive biology of the porbeagle shark (*Lamna nasus*) in the western North Atlantic Ocean. Fish. Bull. 100: 727-738.
- Loefer, J.K. and G.R. Sedberry. 2003. Life history of the Atlantic sharpnose shark (*Rhizoprionodon terraenovae*) (Richardson, 1836) off the southeastern United States. Fish. Bull. 101(1): 75-88.
- Merson, R.R. 1998. Nursery grounds and maturation of the sandbar shark in the western North Atlantic. Ph.D. Dissertation, University of Rhode Island, Kingston, RI. 150pp.
- Mollet, H.F., G. Cliff, H.L. Pratt, Jr., J.D. Stevens. 2000. Reproductive biology of the female shortfin mako, *Isurus oxyrinchus* Rafinesque, 1810, with comments on the embryonic development of lamnoids. Fish. Bull. 98(2): 299-318.
- Moreno, J.A. and J. Moron. 1992. Reproductive biology of the bigeye thresher shark, *Alopias superciliosus* (Lowe, 1839). Aust. J. Mar. Freshwater Res. 43: 77-86.
- Moreno, J.A., J.I. Parajua, and J. Moron. 1989. Biología reproductiva y fenología de *Alopias vulpinus* (Bonnaterre, 1788) (Squaliformes: Alopiidae) en el Atlántico nor-oriental y Mediterráneo occidental. Scientia Marina (Barcelona) 53(1): 37-46.
- Parsons, G.R. 1983. The reproductive biology of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae* (Richardson). Fish. Bull. 81(1): 61-73.
- Parsons, G.R. 1993. Geographic variation in reproduction between two populations of the bonnethead shark, *Sphyrna tiburo*. Env. Biol. Fish. 38: 25-35.

- Pratt, Jr., H.L. 1979. Reproduction in the blue shark, *Prionace glauca*. Fish. Bull. 77(2): 445-470.
- Raschi, W., J.A. Musick, and L.J.V. Compagno. 1982. *Hypoprion bigelowi*, a synonym of *Carcharhinus signatus* (Pisces: Carcharhinidae), with a description of ontogenetic heterodonty in this species and notes on its natural history. Copeia 1982(1): 102-109.
- Seki, T., T. Taniuchi, H. Nakano, and M. Shimizu. 1998. Age, growth and reproduction of the oceanic whitetip shark from the Pacific Ocean. Fisheries Science 64(1): 14-20.
- Springer, S. Natural history of the sandbar shark, *Eulamia milberti*. Fish. Bull. 61(178): 1-38.
- Springer, S. and R.A. Waller. 1969. *Hexanchus vitulus*, a new sixgill shark from the Bahamas. Bulletin of Marine Science 19(1): 159-174.
- Stevens, J.D. and J.M. Lyle. 1989. Biology of three hammerhead sharks (*Eusphyra blochii*, *Sphyrna mokarran* and *S. lewini*) from northern Australia. Australian Journal of Marine and Freshwater Research 40: 129-146.
- Uchida, S., M. Toda, K. Teshima, and K. Yano. 1996. Pregnant white sharks and full-term embryos from Japan. In: A.P. Klimley and D.G. Ainley (eds.) Great white sharks: The biology of *Carcharodon carcharias*. Academic Press, New York: 139-155.
- Wetherbee, B.M., G.L. Crow, and C.G. Lowe. 1996. Biology of the Galapagos shark, *Carcharhinus galapagensis*, in Hawaii. Env. Biol. Fish. 45: 299-310.
- Williams, F. 1977. Notes on the biology and ecology of the blue shark (*Prionace glauca*) in the eastern Pacific Ocean and a review of data from the World Ocean (unpublished manuscript).