

WAUS42 KKCI 152045
WA2T
MIAT WA 152045
AIRMET TANGO UPDT 3 FOR TURB VALID UNTIL 160300

.
NO SGFNT TURB EXP OUTSIDE OF CNVTV ACT.

....

WAUS42 KKCI 152045
WA2Z
MIAZ WA 152045
AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 160300

.
AIRMET ICE...NC SC GA FL MA RI NY NJ PA WV MD DC DE VA AND CSTL
WTRS
FROM HTO TO 130ESE ACK TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO
140SSE ILM TO 30WNW CTY TO 50SW PZD TO ATL TO 20N EKN TO HAR TO
HTO
MOD ICE BTN FRZLVL AND FL240. FRZLVL 060-140. CONDS CONTG BYD 03Z
ENDG 06-09Z.

.
OTLK VALID 0300-0900Z...ICE SC GA
BOUNDED BY GQO-IRQ-AMG-50SW PZD-GQO
MOD ICE BTN 140 AND FL240. CONDS DVLPG 06-09Z. CONDS CONTG THRU
09Z.

.
FRZLVL...RANGING FROM 100-160 ACRS AREA
120 ALG 40SSE LGC-60ESE CHS-140ESE ILM

....

WAUS42 KKCI 152045
WA2S
MIAS WA 152045
AIRMET SIERRA UPDT 3 FOR IFR AND MTN OBSCN VALID UNTIL 160300

.
AIRMET IFR...GA FL AND CSTL WTRS
FROM 50SW PZD TO 60SW TLH TO 50SW CEW TO 40W CEW TO 50SW PZD
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 21-00Z.

.
AIRMET IFR...NC SC GA MA RI NY NJ PA OH WV MD DC DE VA AND CSTL
WTRS
FROM 20NW HAR TO 90SSE HTO TO 130SSE ACK TO 200SE ACK TO 160SE
SIE TO 190ESE ECG TO SAV TO 40WNW PZD TO 20N LGC TO GQO TO HMV
TO HNN TO AIR TO 30SSE JST TO 20NW HAR
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG BYD 03Z THRU 09Z.

.
AIRMET MTN OBSCN...NC SC GA PA WV MD VA
FROM PSB TO HAR TO LYH TO SPA TO ATL TO GQO TO HMV TO HNN TO AIR
TO PSB
MTNS OCNL OBSC BY CLDS/PCPN/BR/FG. CONDS CONTG BYD 03Z THRU 09Z.

.
OTLK VALID 0300-0900Z...IFR NC SC GA FL NJ PA OH WV MD DC DE VA
AND CSTL WTRS
BOUNDED BY 20NE APE-20NW AIR-20S CYN-190SE ACK-160SE SIE-190ESE
ECG-20ENE SAV-70SSW TLH-40W CEW-50SW PZD-GQO-HMV-HNN-20NE APE
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG THRU 09Z.

....

WAUS42 KKCI 160245

WA2Z

MIAZ WA 160245

AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 160900

.
AIRMET ICE...NC SC MA RI NY NJ MD DE VA AND CSTL WTRS
FROM CYN TO 200SE ACK TO 160SE SIE TO 190ESE ECG TO 130SSE ILM TO
CHS TO RIC TO CYN
MOD ICE BTN 100 AND FL180. CONDS ENDG 06-09Z.

.
OTLK VALID 0900-1500Z...ICE NC SC GA FL WV VA
BOUNDED BY 40W BKW-LYH-FLO-50SW PZD-GQO-HMV-40W BKW
MOD ICE BTN 110 AND FL220. CONDS DVLPG 09-12Z. CONDS CONTG THRU
15Z.

.
FRZLVL...RANGING FROM 100-165 ACRS AREA
120 ALG 20NNE LGC-20SW CLT-40NNE FLO-160ESE ILM
160 ALG 100WSW RSW-20NW MIA-150SE MIA
.....

WAUS42 KKCI 160245

WA2S

MIAS WA 160245

AIRMET SIERRA FOR IFR AND MTN OBSCN VALID UNTIL 160900

.
AIRMET IFR...GA FL AND CSTL WTRS
FROM 20NE TLH TO 30W CRG TO 30SW OMN TO 90WSW PIE TO 200S CEW TO
60SW TLH TO 20NE TLH
CIG BLW 010/VIS BLW 3SM BR. CONDS CONTG BYD 09Z ENDG 12-15Z.

.
AIRMET IFR...NC SC GA FL NJ OH WV MD DC DE VA AND CSTL WTRS
FROM EMI TO SIE TO 150SE SIE TO 100E ILM TO 60SE FLO TO 30N AMG
TO 70SW TLH TO 50SW CEW TO 40W CEW TO 50SW PZD TO GQO TO HMV TO
HNN TO EMI
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG BYD 09Z THRU 15Z.

.
AIRMET MTN OBSCN...NC SC GA PA WV MD VA
FROM 40SE EWC TO HAR TO CSN TO 20S SPA TO ATL TO GQO TO HMV TO
HNN TO 40SE EWC
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.
OTLK VALID 0900-1500Z
AREA 1...IFR GA FL AND CSTL WTRS
BOUNDED BY 60E TLH-20WNW CRG-20SW OMN-90WSW PIE-190S CEW-70SSW
TLH-60E TLH
CIG BLW 010/VIS BLW 3SM BR. CONDS ENDG 12-15Z.

.
AREA 2...IFR NC SC GA FL NJ OH WV MD DC DE VA AND CSTL WTRS
BOUNDED BY 50SW JST-EMI-SIE-150SE SIE-120SSE ECG-70SSW TLH-80SSE
CEW-50SW CEW-40W CEW-50SW PZD-GQO-HMV-HNN-50SW JST
CIG BLW 010/VIS BLW 3SM PCPN/BR/FG. CONDS CONTG THRU 15Z.
.....

WAUS42 KKCI 160245

WA2T

MIAT WA 160245

AIRMET TANGO FOR TURB VALID UNTIL 160900

.
NO SGFNT TURB EXP OUTSIDE OF CNVTV ACT.

.....