

WAUS46 KKCI 152045

WA6T

SFOT WA 152045

AIRMET TANGO UPDT 5 FOR TURB AND STG SFC WNDZ VALID UNTIL 160300

.  
AIRMET TURB...WA OR CA ID MT WY NV UT CO AZ NM AND CSTL WTRS  
FROM 50WSW YXC TO 50NNW ISN TO 30ESE CYS TO 40E SNY TO 50W LBL  
TO 30ESE TBE TO INK TO ELP TO 60S SSO TO 30SW JNC TO 130WSW PYE  
TO 140WSW FOT TO 140W TOU TO 50WSW YXC  
MOD TURB BTN FL220 AND FL400. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET TURB...CA  
FROM 50SSE BTY TO EED TO BZA TO 30ESE MZB TO 50WNW TRM TO 40E  
RZS TO 40E EHF TO 50SSE BTY  
MOD TURB BLW 120. CONDS ENDG 00-03Z.

.  
AIRMET TURB...WA OR CA NV AND CSTL WTRS  
FROM HUH TO 60SW YXC TO 50SE REO TO 20S BAM TO 50S FMG TO 50SSE  
FOT TO 150WSW FOT TO 110WNW ONP TO 140W TOU TO HUH  
MOD TURB BLW FL220. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET STG SFC WNDZ...WA OR AND CSTL WTRS  
FROM 20NNW TOU TO 30SSE HQM TO 30N ONP TO 100W ONP TO 140W HQM  
TO 150W TOU TO 20NNW TOU  
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS CONTG BYD 03Z  
ENDG 03-06Z.

.....  
WAUS46 KKCI 152045

WA6Z

SFOZ WA 152045

AIRMET ZULU UPDT 3 FOR ICE AND FRZLVL VALID UNTIL 160300

.  
AIRMET ICE...WA OR AND CSTL WTRS  
FROM 20WNW HUH TO 60SW YXC TO 70NNW DNJ TO 30WNW PDT TO 30NE DSD  
TO 40SSW ONP TO 110W ONP TO 130WSW HQM TO 150W TOU TO 60WNW TOU  
TO 20WNW HUH  
MOD ICE BTN FRZLVL AND 160. FRZLVL SFC-040. CONDS CONTG BYD 03Z  
THRU 09Z.

.  
AIRMET ICE...OR CA ID MT WY NV UT AND CSTL WTRS  
FROM 50SSE YXH TO 50SW OCS TO 50SSW BVL TO 90SSW REO TO 20S MOD  
TO 130SW PYE TO 140WSW FOT TO 70W OED TO 30WNW DSD TO 30NE DSD TO  
30WNW PDT TO 70NNW DNJ TO 60SW YXC TO 50SSE YXH  
MOD ICE BTN FRZLVL AND FL180. FRZLVL 060-080. CONDS CONTG BYD 03Z  
THRU 09Z.

.  
FRZLVL...RANGING FROM SFC-130 ACRS AREA  
SFC ALG 30W HUH-40NE SEA-40WNW EPH-20NNW GEG-30ENE GEG  
040 ALG 150WNW FOT-100NW FOT-40N OED-30SE GEG  
080 ALG 140SW FOT-ENI-20E SAC-50S FMG  
120 ALG 190SSW RZS-60W MZB-20S MZB

.....  
WAUS46 KKCI 152045

WA6S

SFOS WA 152045

AIRMET SIERRA UPDT 4 FOR IFR AND MTN OBSCN VALID UNTIL 160300

.  
AIRMET IFR...WA OR  
FROM 20SE YDC TO 50WNW LKV TO 40SW LKV TO 30S OED TO 30N OED TO  
30ENE HUH TO 20SE YDC  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z ENDG 06-09Z.

.  
AIRMET IFR...CA AND CSTL WTRS  
FROM 40SE LKV TO 60S FMG TO 20E SAC TO 20E RBL TO 30NNE ENI TO  
30WSW SAC TO 30W PYE TO 60WNW ENI TO 70WSW OED TO 40SE LKV  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET IFR...WA OR ID MT  
FROM 40SW YQL TO 40NNW DLN TO 30SSW LKT TO 50NW PIH TO 40NNW TWF  
TO 30SSE BOI TO 40SSW DNJ TO BKE TO 50NE BKE TO 90ESE YDC TO  
40SW YQL  
CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET MTN OBSCN...WA OR CA  
FROM 60WSW YXC TO 50SE REO TO 40SE LKV TO 20NW FMG TO 40SSW FMG  
TO 20SSW SNS TO 30WSW ENI TO 40SSW FOT TO 70WSW OED TO 40S HQM  
TO TOU TO HUH TO 60WSW YXC  
MTNS OCNL OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 03Z THRU 09Z.

.  
AIRMET MTN OBSCN...CA  
FROM 70ESE CZQ TO 60SE EHF TO 30NW TRM TO 60S TRM TO 20SW MZB TO  
40SE LAX TO 40SSE RZS TO 40SSE CZQ TO 70ESE CZQ  
MTNS OCNL OBSC BY CLDS. CONDS CONTG BYD 03Z THRU 09Z.

.....  
WAUS46 KKCI 160245  
WA6Z  
SFOZ WA 160245  
AIRMET ZULU FOR ICE AND FRZLVL VALID UNTIL 160900

.  
AIRMET ICE...WA OR AND CSTL WTRS  
FROM 20S YDC TO 50NNE DSD TO ONP TO HQM TO TOU TO HUH TO 20S YDC  
MOD ICE BTN 040 AND 160. CONDS CONTG BYD 09Z THRU 15Z.

.  
OTLK VALID 0900-1500Z...ICE WA OR AND CSTL WTRS  
BOUNDED BY 20S YDC-60NNE DSD-20SSW ONP-HQM-20WSW TOU-HUH-20S YDC  
MOD ICE BTN 040 AND 160. CONDS CONTG THRU 15Z.

.  
FRZLVL...RANGING FROM SFC-130 ACRS AREA  
SFC ALG 20WNW HUH-20NE SEA-20NE DSD-40ESE DSD-30W DNJ  
040 ALG 150WNW FOT-100NW FOT-30NE BKE  
080 ALG 150SW FOT-30SE RBL-70N FMG  
120 ALG 200SSW RZS-30SSW LAX-40SW HEC-30SSE HEC-20N BZA

.....  
WAUS46 KKCI 160245  
WA6S  
SFOS WA 160245  
AIRMET SIERRA FOR IFR AND MTN OBSCN VALID UNTIL 160900

.  
AIRMET IFR...OR CA AND CSTL WTRS  
FROM 30NNE OED TO 50ESE FOT TO 30SSW FOT TO 70WNW OED TO 30NNE

OED

CIG BLW 010/VIS BLW 3SM PCPN/BR. CONDS ENDG 06-09Z.

.  
AIRMET IFR...CA AND CSTL WTRS

FROM 60SSW CZQ TO 30N RZS TO 40SW RZS TO 50SSE SNS TO 60SSW CZQ  
VIS BLW 3SM BR. CONDS DVLPG 06-09Z. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET MTN OBSCN...WA OR ID MT WY UT

FROM 50SE YQL TO 50E JAC TO 60ESE MLD TO 90ESE DSD TO 50ESE YKM  
TO 50SE YQL  
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET MTN OBSCN...CA

FROM 60W HEC TO 60S TRM TO 20S MZB TO LAX TO 60W HEC  
MTNS OBSC BY CLDS/BR. CONDS DVLPG 03-06Z. CONDS CONTG BYD  
09Z THRU 15Z.

.  
AIRMET MTN OBSCN...CA

FROM ENI TO SAC TO 50SSW CZQ TO 40S EHF TO 40WSW RZS TO ENI  
MTNS OBSC BY CLDS/BR. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET MTN OBSCN...WA OR CA

FROM 20SE YDC TO SAC TO ENI TO FOT TO HQM TO TOU TO HUH TO 20SE  
YDC  
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG BYD 09Z THRU 15Z.

.  
OTLK VALID 0900-1500Z

AREA 1...IFR CA AND CSTL WTRS

BOUNDED BY 60SSW CZQ-30N RZS-40WSW RZS-50SSE SNS-60SSW CZQ  
VIS BLW 3SM BR. CONDS CONTG THRU 15Z.

.  
AREA 2...MTN OBSCN WA OR ID MT WY UT

BOUNDED BY 60ESE YDC-40SSE YQL-50E JAC-60ESE MLD-80ESE DSD-60ESE  
YDC  
MTNS OBSC BY CLDS/PCPN/BR. CONDS CONTG THRU 15Z.

....  
WAUS46 KKCI 160245

WA6T

SFOT WA 160245

AIRMET TANGO FOR TURB STG WNDS AND LLWS VALID UNTIL 160900

.  
AIRMET TURB...WA OR ID MT WY AND CSTL WTRS

FROM HUH TO 50NNW ISN TO 70NW RAP TO DNJ TO 130WSW ONP TO 140W  
TOU TO HUH  
MOD TURB BTN FL180 AND FL400. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET TURB...WA OR CA ID MT WY NV AND CSTL WTRS

FROM 40SE YQL TO 70E DLN TO TWF TO FOT TO 140W TOU TO TOU TO HUH  
TO 40SE YQL  
MOD TURB BLW FL180. CONDS CONTG BYD 09Z THRU 15Z.

.  
AIRMET STG SFC WNDS...WA OR CSTL WTRS

FROM 20WNW TOU TO 20WSW HQM TO 130WSW HQM TO 140W TOU TO 20WNW  
TOU  
SUSTAINED SURFACE WINDS GTR THAN 30KT EXP. CONDS ENDG 03-06Z.

LLWS POTENTIAL...WA  
BOUNDED BY 40E HUH-40W YKM-40SE HQM-40NE TOU-40E HUH  
LLWS EXP. CONDS ENDG 06-09Z.

.  
OTLK VALID 0900-1500Z  
AREA 1...TURB WA OR CA ID MT WY NV AND CSTL WTRS  
BOUNDED BY 50SE YQL-70E DLN-TWF-FOT-150W TOU-TOU-HUH-50SE YQL  
MOD TURB BLW FL180. CONDS CONTG THRU 15Z.

.  
AREA 2...TURB WA OR ID MT WY AND CSTL WTRS  
BOUNDED BY 30SSE YXC-50NNW ISN-70NW RAP-DNJ-130WSW ONP-140W TOU-  
HUH-30SSE YXC  
MOD TURB BTN FL180 AND FL400. CONDS CONTG THRU 15Z.

.....