

TABLE A3. NON-FOOD/NON-FEED USE PATTERNS SUMMARY FOR Potassium mefluidide (CASE 2370)

Current As Of: 11/28/2006

Printed On: 12/14/2006

SITE NAME	LIMITATIONS						
Application Timing (for any Reg.# at any rate) Application Type (for any Reg.# at any rate). Application Equipment (for any Reg.# at any rate).	Max. Single Appl. Rate to a Single Site	Form Code(s)	Max. Seasonal Rate	Max. # Apps/cc & yr	M R I	R E I	PHI/PGI/PSI Use Limitations (May not apply to all Reg. #s)
AIRPORTS/LANDING FIELDS	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
COMMERCIAL/INDUSTRIAL LAWNS	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
COMMERCIAL/INSTITUTIONAL/INDUSTRIAL PREMISES/EQUIPMENT	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						

TABLE A3. NON-FOOD/NON-FEED USE PATTERNS SUMMARY FOR Potassium mefluidide (CASE 2370)

Current As Of: 11/28/2006

Printed On: 12/14/2006

SITE NAME	LIMITATIONS						
Application Timing (for any Reg.# at any rate) Application Type (for any Reg.# at any rate). Application Equipment (for any Reg.# at any rate).	Max. Single Appl. Rate to a Single Site	Form Code(s)	Max. Seasonal Rate	Max. # Apps/cc & yr	M R I	R E I	PHI/PGI/PSI Use Limitations (May not apply to all Reg. #s)
(OUTDOOR)							
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
GOLF COURSE TURF	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
HOSPITALS/MEDICAL INSTITUTIONS PREMISES (HUMAN/VETERINARY)	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	

TABLE A3. NON-FOOD/NON-FEED USE PATTERNS SUMMARY FOR Potassium mefluidide (CASE 2370)

Current As Of: 11/28/2006

Printed On: 12/14/2006

SITE NAME	LIMITATIONS						
Application Timing (for any Reg.# at any rate) Application Type (for any Reg.# at any rate). Application Equipment (for any Reg.# at any rate).	Max. Single Appl. Rate to a Single Site	Form Code(s)	Max. Seasonal Rate	Max. # Apps/cc & yr	M R I	R E I	PHI/PGI/PSI Use Limitations (May not apply to all Reg. #s)
/Sprayer.							
INDUSTRIAL AREAS (OUTDOOR)	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NSNS	NS	NS	
NONAGRICULTURAL OUTDOOR BUILDINGS/STRUCTURES	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
NONAGRICULTURAL RIGHTS-OF-WAY/FENCER	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal.						

TABLE A3. NON-FOOD/NON-FEED USE PATTERNS SUMMARY FOR Potassium mefluidide (CASE 2370)

Current As Of: 11/28/2006

Printed On: 12/14/2006

SITE NAME	LIMITATIONS						
Application Timing (for any Reg.# at any rate) Application Type (for any Reg.# at any rate). Application Equipment (for any Reg.# at any rate).	Max. Single Appl. Rate to a Single Site	Form Code(s)	Max. Seasonal Rate	Max. # Apps/ cc & yr	M R I	R E I	PHI/PGI/PSI Use Limitations (May not apply to all Reg. #s)
OWS/HEDGER OWS	Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
PATHS/PATIOS	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	
PAVED AREAS (PRIVATE ROADS/SIDEWALKS)	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	

TABLE A3. NON-FOOD/NON-FEED USE PATTERNS SUMMARY FOR Potassium mefluidide (CASE 2370)

Current As Of: 11/28/2006

Printed On: 12/14/2006

SITE NAME	LIMITATIONS						
Application Timing (for any Reg.# at any rate) Application Type (for any Reg.# at any rate). Application Equipment (for any Reg.# at any rate).	Max. Single Appl. Rate to a Single Site	Form Code(s)	Max. Seasonal Rate	Max. # Apps/cc & yr	M R I	R E I	PHI/PGI/PSI Use Limitations (May not apply to all Reg.#s)
/Ground /Sprayer.							
RECREATIONAL AREAS	Do not apply directly to water. Do not apply when drift is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water, food, or feed by storage or disposal. Do not graze livestock in treated areas.						
When needed Broadcast. Backpack sprayer /Sprayer.	.025 lb 1K sq.ft 1 lb A	SC/L	NS	NS NS	NS	NS	

TABLE A3. NON-FOOD/NON-FEED USE PATTERNS SUMMARY FOR Potassium mefluidide (CASE 2370)

Current As Of: 11/28/2006

Printed On: 12/14/2006

HEADER ABBREVIATIONS

Site Name - The site name refers to the entity (crop, building, surface or article) where a pesticide is applied and/or which is being protected.

Limitations - Precautionary statements related to the use of the product(s).

Application Timing - The timing of pesticide application and is the primary application sort (not aggregated).

Application Type - The type of pesticide application (aggregated).

Application Equipment - The equipment used to apply pesticide (aggregated).

Max. Single Appl. Rate to a Single Site - Maximum Dose for a single application to a single site. System calculated.

Form - The physical form of the end use product found in the container.

Max Seasonal Rate - The maximum amount of pesticide that can be applied to a site in one growing season (/cc) and during the span of one year (/yr).

Max. # Apps/cc & yr - Maximum Number of Applications per crop cycle and per year.

M R I - Minimum Retreatment Interval (days) (at any rate). The minimum interval between pesticide application (days).

R E I - ReEntry Interval - The minimum amount of time that must elapse before workers can reenter a treated area.

PHI/PGI/PSI Use Limitations (May not apply to all Reg.#s) - Preharvest/Pregrazing/Preslaughter Interval use limitations pertinent to the application.

Current As Of: - The label data for the listed products in this report is current as of this date.

ABBREVIATIONS

AN - As needed

NA - Not Applicable

NS - Not Specified (on label)

(L) - The dosage information provided is from the label in terms of product (e.g., ounces, gallons, or pounds of the product) because there was insufficient information (e.g., missing density, area, or active ingredient percentages) to provide converted dosage information. This report provides active ingredient percentage in the product for the reported chemical for all unconverted label dosage information if this information is available. This active ingredient percentage information is displayed next to the form code abbreviations (e.g., 80% WP).

UC - Unconverted due to lack of data (on label).

APPLICATION RATE

W : PPM calculated by weight

V : PPM calculated by volume

U : Unknown whether PPM is given by weight or by volume

~ : The dosage information includes a contribution from one or more (TQ, CL, BR, I) active ingredients.

cwt : Hundred Weight

nnE-xx : nn times (10 power -xx), for instance, "1.234E-04" is equivalent to ".0001234"

FORMULATION CODES

SC/L : Soluble Concentrate/liquid

End of Report

For questions and comments, please contact the OPP Usage and Label Use Team through e-mail.