

Table 16 (a): Phage types other than DT104 within ACSSuT or ACSuT resistance patterns for diagnostic *Salmonella* isolates

	Typhimurium	Percent of		Typhimurium var 5 ^a	Percent of		Total	Percent of	
		Typh n=279	Total n=2431		Typh var 5- n=261	Total n=2431		Typh + var 5- n=540	Total n=2431
A C S Su T (penta-resistant)^b									
DT1	0	0.0	0.0	1	0.4	0.0	1	0.2	0.0
DT102	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT12	6	2.2	0.2	0	0.0	0.0	6	1.1	0.2
DT120	2	0.7	0.1	4	1.5	0.2	6	1.1	0.2
DT126	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT146	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT185	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT186	2	0.7	0.1	1	0.4	0.0	3	0.6	0.1
DT191	0	0.0	0.0	1	0.4	0.0	1	0.2	0.0
DT193	6	2.2	0.2	4	1.5	0.2	10	1.9	0.4
DT195	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT20	0	0.0	0.0	1	0.4	0.0	1	0.2	0.0
DT208	7	2.5	0.3	1	0.4	0.0	8	1.5	0.3
DT21	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT22	2	0.7	0.1	1	0.4	0.0	3	0.6	0.1
DT40	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
DT42	0	0.0	0.0	5	1.9	0.2	5	0.9	0.2
DT50	1	0.4	0.0	0	0.0	0.0	1	0.2	0.0
RDNC	1	0.4	0.0	1	0.4	0.0	2	0.4	0.1
U302	7	2.5	0.3	20	7.7	0.8	27	5.0	1.1
Untypable	15	5.4	0.6	28	10.7	1.2	43	8.0	1.8
Total	56	20.1	2.3	68	26.1	2.8	124	23.0	5.1

^avar 5- formerly referred to as var. copenhagen

^bACSuT: DT120 n=1, Untypable n=4, DT193 n=1