

Comments
"Flow Chart for Placarding"

August 1, 2007

Name: Eugene Secor

Organization: HB Fuller Company

Comments: I like this flowchart -- gives all the needed information for a shipper to offer placards. One correction needed -- change 2505 lbs to 2205 lbs (1000 Kg).

Also suggest that you indicate the 'Dangerous Placard' can be used with Table 2 materials only similar to the description given on DOT-Chart 12.

Name: Dennis Brasch

Organization: G&D Integrated

Comments: GOOD STUFF!
Would be very effective if the tables were attached.

Name: Gerry Kefalinos

Organization: Astar Air Cargo

Comments: In the diamond box talking about aggregate gross weight loaded at one facility, the quantity of greater than 1000 kg 2505 kgs should be 1000 kg and 2205 lbs not 2505 lbs.

I like it.

Name: Randall A. Rahn

Organization: ExxonMobil Downstream and Chemicals SHE Organization

Comments: You might want to specify 49CFR §172.504 as the controlling reference. Table 1 and 2 listed materials are found here, and the novice reader is not going to know where to find these tables otherwise. PS - I really like this flow chart!!!!

Name: Ed Chapman

Organization: BNSF Railway

Comments: The 2505 pound figure should be 2205 pounds in the bottom yellow diamond.
In the yellow diamond above it, a "s" is needed on "material".

Name: William Briner

Organization: Consultant

Comments: Very clear and complete. This should be an excellent training tool.