


IBM C1000-031 Dumps with Valid C1000-031 Exam Questions PDF [2018]

The IBM C1000-031 IBM Power Systems Scale-Up Technical Sales Exam exam is an ultimate source for professionals to retain their credentials dynamic. And to make your work easier, **TestsChamp** offers you the valid dumps, designed and verified by the IBM experts. **Click here for more info:** <https://www.testschamp.com/C1000-031.html>

[IBM C1000-031 Exam Questions and Answers \(PDF\)](#)



MONEY BACK GUARANTEE

A SHORTEST **WAY** TO SUCCESS

Get Real Exam Questions

100% Pass Guarantee In Real Exam

GET 20% DISCOUNT

FREE DEMO

INSTANT DOWNLOAD

LIVE SUPPORT

90 DAYS FREE UPDTAE

COUPON CODE: TC2018

VISIT WEBSITE [CLICK HERE](#)

TestsChamp

Version: 9.0

Question: 1

Which of the following is a benefit of the POWER9 processor with Power Enterprise Servers when compared to x86?

- A. DDR4 Memory
- B. More cores per socket
- C. More threads per core
- D. NVIDIA Tesla V100

Answer: B

Explanation:

Reference:

<https://www.ibm.com/it-infrastructure/power/power9>

Question: 2

An IBM Business Partner is designing a solution with two POWER9 processor-based servers, an IBM V7000 storage, and IBM SAN switches.

Which of the following will allow them to check the compatibility of software, device drivers, multipathing, and other technical specifications?

- A. IBM Facts and Features
- B. IBM System Storage Interoperation Center (SSIC)
- C. e-config
- D. Support web sites of the potential Original Equipment Manufacturers (OEM)

Answer: B

Question: 3

A customer has a significant investment in open source software for performing in-memory analytics. This

workload is currently deployed on Linux and recent x86 hardware.

What advantage would a POWER9 processor-based server provide this customer?



- A. Faster ChipKill correction rate
- B. More cache per core
- C. More cores per socket
- D. Faster PCIe bandwidth

Answer: C

Question: 4

Due to an emergency situation, a customer needs to activate all processor and memory resources in a Power System E980 for ten days.

Which of the following could be used to achieve this need with the least possible cost?

- A. Elastic CoD
- B. Trial CoD
- C. Utility CoD
- D. Static Activation

Answer: A

Explanation:

Reference:

https://www-01.ibm.com/common/ssi/ShowDoc.wss?docURL=/common/ssi/rep_ca/6/877/ENUSZG18-0086/index.html&request_locale=en

Question: 5

Which component of PowerSC monitors AIX systems, maintains security, and provides alerts when a change to the system violates a configuration policy?

- A. Trusted Logging
- B. Real Time Compliance
- C. Security and Compliance Automation
- D. Trusted Surveyor

Answer: C

Explanation:

Reference:

ftp://public.dhe.ibm.com/systems/power/community/aix/PowerVM_webinars/22_PowerSC_Overview.pdf

Question: 6

What is the advantage of NVMe U.2 flash drives on a Power System E980 SAP HANA BW implementation?

- A. They can provide internal boot capability for dual VIOS.
- B. They allow for Live Partition Mobility of HANA databases through CAPI 2.0.
- C. They can provide AIX Preferred Read storage to reduce SAN latency.
- D. They can act as an extension to memory for HANA databases.

Answer: C

Question: 7

A customer with a Power System E880C is considering a model conversion to a Power System E980. They currently have Elastic CoD enabled.

Which of the following steps will need to be completed to continue to use Elastic CoD on the Power System E980?

- A. Prepay for Elastic CoD usage when placing the upgrade MES order for the Power System E980.
- B. Reorder the Elastic CoD enablement features when placing the upgrade MES order for the Power System E980.
- C. Reorder the Utility CoD enablement features when placing the upgrade MES order for the Power System E980.
- D. Convert static activations to mobile activations when placing the upgrade MES order for the Power System E980.

Answer: A

Explanation:

Reference:

<https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?htmlfid=899/ENUSLG18-0083&infotype=AN&subtype=CA>

Question: 8

A customer requires that each client partition have access to two different VLANs. VLAN tagging will NOT be used in the environment.

There will be four client partitions, each of which will be connected to VLAN1 and VLAN2.

There will be two VIOS.

Redundant Ethernet connections will be accomplished using the Shared Ethernet Adapter (SEA) and dual VIOS.

What is the minimum number of Ethernet ports that will be required in each VIOS?

- A. 8
- B. 4
- C. 6
- D. 2



Answer: B

Explanation:

Reference:

<https://www.ibm.com/developerworks/aix/tutorials/au-sea-config/index.html>

Question: 9

A customer has four AIX VMs, each running a different application that needs simultaneous read/write access to the same files.

Which of the following products should be recommended?

- A. Power HA Enterprise Edition
- B. Spectrum Scale
- C. Spectrum Protect
- D. Power HA Standard Edition

Answer: A

Question: 10

A customer with an AIX in-house SMT2 application on POWER6 would like to upgrade to POWER9. The customer would like to know the relative performance of the servers.

Which resource provides the SMT2 performance of the two systems?

- A. IBM Performance Management for Power Systems
- B. IBM Power Systems Performance Report
- C. IBM Power Systems Facts and Features
- D. IBM Systems Workload Estimator

Answer: A



Thank You For Trying C1000-031 PDF Demo

To try our C1000-031 practice exam software visit link below

<http://www.testschamp.com/C1000-031.html>

Start Your C1000-031 Preparation

Use Coupon “**20OFF**” for extra 20% discount on the purchase of Practice Test Software. Test your C1000-031 preparation with actual exam questions.