REFERENCES

Abbott, J. T., and Williams, S. A., 1981, The Pine Grove molybdenum system, southern Wah Wah Mountains, Beaver County, Utah [abs.]: American Institute of Mining, Metallurgical and Petroleum Engineers, 10lst Meeting, February 22-26, 1981 Program, p. 21.

Adamides, N. G., 1980, The form and environment of formation of the Kalavos ore deposits, Cyprus, in Panayiotou, A., ed., Ophiolites, Proceedings International Ophiolite Symposium, Nicosia, Cyprus, 1979: Cyprus Geological Survey Department, p. 117-128.

Allcock, J. B., 1982, Skarn and porphyry mineralization at Mines Gaspe, Murdochville, Quebec: Economic Geology, v. 77, p. 971-999.

Armstrong, C. H., and Lawrence, W. F., 1983, Geology of U.S. Steel zinc mine, in Tennessee zinc deposits fieldtrip guidebook: Virginia Technical Institute, Department of Geological Sciences Guidebook, no. 9, p. 63-72.

Arndt, N. T., and Nisbet, E. G., 1982, Komatiites: London, George Allen and Unwin, 526 p.

Ashley, P. M., 1980, Geology of the Ban Ban Zinc deposit, a sulfide bearing skarn deposit, southeast Queensland, Australia: Economic Geology, v. 75, p. 15-29.

Ashley, R. P. 1982, Occurrence model for enargite-gold deposits, in Erickson, R. L., ed., Characteristics of mineral deposit occurrences: U.S. Geological Survey Open-File Report 82-795, p. 126-129.

Atkinson, W. J., Hughes, F. B., and Smith, C. B., 1984, A review of kimberlitic rocks of Western Australia, in Kornprobst, J., ed., Kimberlites and related rocks (Developments in Petrology Vol. 11A): Amsterdam, Elsevier, p. 195-224.

Atkinson, W. W., Jr., and Einaudi, M. T., 1978, Skarn formation and mineralization in the contact aureole at Carr Fork, Bingham, Utah: Economic Geology, v. 73, p. 1326-1365.

Atkinson, W. W., Jr., Kaczmarowski, J. H. and Erickson, A. J., Jr., 1982, Geology of the skarn breccia orebody Victoria Mine, Elko County Nevada: Economic Geology, v. 77, p. 899-918.

Averitt, P., 1945, Quicksilver deposits of the Knoxville district, Napa, Yolo, and Lake Counties, California: California Journal of Mines and Geology, v. 41, no. 2, p. 65-89.

Bailey, E. H., and Phoenix, D. A., 1944, Quicksilver deposits of Nevada: University of Nevada Bulletin, v. 38, no. 5, 206 p.

Bailey, Edgar, 1964, Geology and quicksilver deposits of the New Almaden district, California: U.S. Geological Survey Professional Paper 360, 206 p.

Baragwanath, W., 1953, Ballarat Goldfield, in Edwards, A. B., ed., Geology of Australian ore deposits: Empire Mining and Metallurgical Congress, 5th, Melbourne, Australia, Australasian Institute of Mining and Metallurgy, v. 1, p. 986-1002.

Bardossy, Gyorgy, 1982, Karst bauxites, bauxite deposits on carbonate rocks, in Developments in economic geology 14: Amsterdam, Elsevier, 441 p.

Barnett, E. S. Hutchinson, R. W., Adamcik, Anton, and Barnett, R., 1982, Geology of the Agnico-Eagle gold deposit, Quebec, in Hutchinson, R. W., Spence, C. D., and Franklin, J. M., eds., Precambrian sulfide deposits, H.S. Robinson memorial volume: Geological Association of Canada Special Paper 25, p. 403-426.

Bartholomew, P., Evrard, P., Katekesha, F., Lopez-Ruiz, J. and Ngongo, M. 1976, Diagenetic ore-forming processes at Kamoto, Katanga, Republic of Congo, in Amstutz G. C., and Bernard, A. J., eds., Ores in sediments: New York, Springer-Verlag, p. 21-42.

Barton, P. B., Jr., Bethke, P. M., and Roedder, E., 1977, Environment of ore deposition in the Creede mining district, San Juan Mountains, Colorado, Part III. Progress toward the interpretation of the chemistry of the ore-forming fluid for the OH vein: Economic Geology, v. 71, p. 1-24.

Bateman A. M., and McLaughlin D. H., 1920, Geology and ore deposits of Kennecott, Alaska: Economic Geology, v. 15, p. 1-80.

Becker, G., 1888, Quicksilver deposits of the Pacific slope: U.S. Geological Survey Monograph 13.

-----1882, Geology of the Comstock Lode and the Washoe District: U.S. Geological Survey Monograph 3, 422 p.

Bennett, E. H., 1977, Reconnaissance geology and geochemistry of the Blackbird Mountain-Panther Creek region, Lemhi County, Idaho: Idaho Bureau of Mines and Geology Pamphlet 167, 108 p.

Berger, B. R., 1985, Geologic-geochemical features of hot-spring precious metal deposits, in Tooker, E. W. ed., Geologic characteristics of sediment- and volcanic-hosted disseminated gold deposits--Search for an occurrence model: U.S. Geological Survey Bulletin 1646, p. 47-54.

Bernstein, Lawrence R., 1986, Geology and mineralogy of the Apex germanium-gallium mine, Washington County, Utah: U.S. Geological Survey Bulletin 1577, 9 p.

Berry, E. W., and Singewald, J. T., 1922, The geology and paleontology of the Huancavelica mercury district: Baltimore, Johns Hopkins University Studies in Geology, no. 2, 101 p.

Bichan, R., 1969, Chromite seams in the Hantley Complex of the Great Dike of Rhodesia, in Wilson, H. D. B., Magmatic ore deposits: Economic Geology Monograph 4, p. 95-113.

Binns, R. A., Ayers, D. E., Wilmshurst, J. R., and Ramsden, A. R., 1980, Petrology and geochemistry of alteration associated with uranium mineralization at Jabiluka, Northern Territory, Australia, in Ferguson, John, and Goleby, A. B., eds., Uranium in the Pine Creek geosyncline: Vienna, International Atomic Energy Agency, p. 417-438.

Bjørlykke, A., and Sangster, D. F., 1981, An overview of sandstone lead deposits and their relationship to red-bed copper and carbonate-hosted lead-zinc deposits, in Skinner, B. J., ed., Economic Geology Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 179-213.

Blake, D. H., 1972, Regional and economic geology of the Herberton-Mount Garnet area, Herberton Tinfield, North Queensland: Australia Bureau of Mineral Resources Bulletin 124, 265 p.

Blake, D. W., Theodore, T. G., Batchelder, J. N., and Kretschmer, E. L., 1979, Structural relations of igneous rocks and mineralization in the Battle Mountain mining district, Lander County, Nevada, in Ridge, J. D., ed., Papers on mineral deposits of western North America: Nevada Bureau of Mines Geological Report 33, p 87-99.

Blixt, J. E., 1933, Geology and gold deposits of the North Moccasin Mountains, Fergus County, Montana: Montana Bureau of Mines and Geology Memoir 8, 25 p.

Bonnichsen, B., 1972, Sulfide minerals in the Duluth Complex, in Sims, P. K., and Morey, G. B., eds., Geology of Minnesota: A centennial volume: St. Paul, Minn., Minnesota Geological Survey, p. 388-393.

Bookstrom, A. A., 1977, The magnetite deposits of El Romeral, Chile: Economic Geology, v. 72, p. 1101-1130.

Boyce, A. J., Anderson, R., and Russell, M. J., 1983, Rapid subsidence and early Carboniferous base-metal mineralization in Ireland: Institution of Mining and Metallurgy Transactions, Section B, v. 92, p. B55-B66.

Boyd, R., and Mathiesen, C. O., 1979, The nickel mineralization of the Rana Mafic Intrusion? Nordland, Norway: The Canadian Mineralogist, v. 17, p. 287-298.

Boyle, R. W., 1979, The geochemistry of gold and its deposits: Geological Survey Canada Bulletin 280, 384 p.

Bracho, F. V., 1960, Yacimientos de estano en la Sierra de Chapultepec, Zac., la Ochoa, Dgo. y Cosio, Ags.: Mexico Consejo de Recursos Naturales no Renovables, Bull. 48, 116 p.

-----1961, Yacimientos de estano en la Ochoa, Dgo. y Juan Aldama, Zac.: Mexico Consejo de Recursos Naturales no Renovables, Bull. 60, 87 p.

Briskey, J. A., 1982, Summary of the general geologic characteristics of sandstone-hosted lead-zinc deposits, in Erickson, R. L., ed., Characteristics of mineral deposit occurrences: U.S. Geological Survey Open-File Report 82-795, p. 183-185.

British Sulphur Corporation Ltd., 1980, World survey of phosphate deposits: London, 4th edition, 1980, 238 p.

Brown, A. C., 1971, Zoning in the White Pine copper deposit, Ontonagan County, Michigan: Economic Geology, v. 66, p. 543-573.

Buchanan, L. J., 1980, Ore controls of vertically stacked deposits, Guanajuato, Mexico: American Institute of Mining Engineers, Preprint 80-82, 26 p“

Burckhardt, C. E., and Falini, Filippo, 1956, Memoria suigiacimenti Italiani di Manganese, in Reyna, J. G., ed., Symposium sobre yacimientos de Manganese: International Geology Congress 20th, v. 5, p. 221-272.

Burger, P. A., 1979, The Greenvale nickel laterite orebody, in Evans and others, eds., International Laterites Symposium, New Orleans, 1979: Society of Mining Engineers, AIME, p. 24-37.

Burt, D. R. L., and Sheppy, N. R., 1975, Mount Keith nickel sulfide deposit, in Knight, C. L., ed., Economic geology of Australia and Papua New Guinea, I. Metals: Melbourne, Australasian Institute of Mining Metallurgy Monograph 5, p. 159-168.

Cabri, L. J., and Naldrett, A. J., 1984, The nature and distribution and concentration of platinum-group elements in various geological environments: Proceedings of the 27th International Geological Congress, v. 10, p. 17-46.

Caia, J., 1976, Paleogeographical and sedimentological controls of copper lead and zinc mineralizations in the Lower Cretaceous sandstones of Africa: Economic Geology, v. 71, p. 409-422.

Cairnes, C. E., 1934, Slocan Mining Camp, British Columbia: Geological Survey of Canada Memoir 173, 137 p.

Calkins, J. L., Keefer, E. K., Ofsharick, R. A., Mason, G. T., Tracy, Patricia, and Alkins, Mary, 1978, Description of CRIB, the GIPSY retrieval mechanism and the interface to the General Electric Mark III Service: U.S. Geological Survey Circular 755-AK, 49 p.

Cameron, E. N., and Desborough, G. A., 1969, Occurrence and characteristics of chromite deposits--Eastern Bushveld Complex, in Wilson, H. D. B., ed., Magmatic ore deposits: Economic Geology Monograph 4, p. 95-113.

Canada Department of Energy, Mines and Resources, 1980, Canadian mineral deposits not being mined in 1980: Mineral Policy Sector Internal Report MRI 80/7, 294 p.

Cannon, W. F., and Force, E. R., 1983, Potential for high-grade shallow-marine manganese deposits in North America: New York, American Institute of Mining Engineers, Cameron Volume on Unconventional Mineral Deposits, p. 175-190.

Carlson, C. A., Wilson, S. A., Carlson, R. R., Bradley, L., Cornell, J., Gent, C., Gass, W., Groeneboer, H., Haffty, J., Haubert, A., Love, A., McDade, J. M., Moore, R., Riley, L., Moring, B. C., Singer, D. A., and Page, N. J, 1985, Analyses for platinum-group elements in samples from podiform chromite deposits, California and Oregon: U.S. Geological Survey Open-File Report 85-442, 15 p.

Cathcart, J. B., and Gulbrandsen, R. A., 1973, Phosphate deposits, in Brobst, D. A., and Pratt, W. P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 820, p. 515-525.

Chace, F. M., Cumberlidge, J. T., Cameron, W. L., and Von Nort, S. D., 1969, Applied geology at the Nickel Mountain mine, Riddle Canyon: Economic Geology, v. 64, no. 1, p. 1-16.

Chrisofferson, H. C., Wallin, B., Selkman, S., and Richard, D. T., 1979, Mineralization controls in the sandstone lead-zinc deposits of Vassbo, Sweden: Economic Geology, v. 74, p 1239-1249.

Coney, Howard, 1976, Mineral deposits of Fiji (metallic deposits): Fiji Mineral Resources Division Memoir 1, 123 p.

Collins, P. L. F., 1981, The geology and genesis of the Cleveland tin deposit, western Tasmania: Economic Geology, v. 72, no. 2, p. 365-392.

Colvine, A. C., Andres, A. J., Cherry, M. E., Durocher, M. E., Fyon, A. J., Lavigue, M. J., Jr., MacDonald, A. J., Soussan, Marmont, Poulsen, K. H., and Troup, D. G., 1984, An integrated model for the origin of Archean lode gold deposits: Ontario Geological Survey Open File Report 5524, 85 p.

Constantinou,G., 1980, Metallogenesis associated with Troodos ophiolite, in Panayiotou, A., ed., Ophiolite, Proceedings International Ophiolite Symposium, Nicosia, Cyprus, 1979: Cyprus Geological Survey Department, p. 663-674.

Constantinou, George, and Govett, G. J. S., 1973, Geology, geochemistry, and genesis of Cyprus sulfide deposits: Economic Geology, v. 68, no. 6, p. 843-858.

Corbett, K. D., 1981, Stratigraphy and mineralization in the Mt. Read volcanics, Western Tasmania: Economic Geology, v. 76, p. 209-230.

Corry, A. V., 1933, Some gold deposits of Broadwater, Beaverhead, Phillips and Fergus Counties, Montana: Montana Bureau of Mines and Geology Memoir 10, 45 p.

Cox, D. P., 1967, Regional environment of the Jacobina auriferous conglomerate, Brazil: Economic Geology, v. 62, p. 773-780.

-----1985, Geology of the Tanama and Helecho porphyry copper deposits and their vicinity, Puerto Rico: U.S. Geological Survey Professional Paper 1327, 59 p.

Cox, D. P., ed., 1983a, U.S. Geological Survey-INGEOMINAS mineral resource assessment of Colombia; Ore deposit models: U.S. Geological Survey Open-File Report 83-423, 64 p.

-----1983b, U.S. Geological Survey-INGEOMINAS mineral resource assessment of Colombia; Additional ore deposit models: U.S. Geological Survey Open-file Report 83-901, 37 p.

Cox, D. P., and Singer, D. A., in press, Distribution of gold in porphyry copper deposits, in Shawe, D. R., ed., Gold in the United States: U.S. Geological Survey Professional Paper.

Crawford, Johnson, and Hoagland, A. D., 1968, The Mascott-Jefferson City zinc district, Tennessee, in Ridge, J. D., ed., Ore deposits of the United States 1933-1967: New York, American Institute of Mining Engineers, p. 242-256.

Creasey, S. C., 1950, Geology of the St. Anthony (Mammoth) area, Pinal County, Arizona, Chapter VI in Arizona zinc and lead deposits: Arizona Bureau of Mines Bulletin 156, p. 63-84.

Crerar, D. A., Namson, Jay, Chyi, M. S., Williams, Loretta, and Feigenson, M. D., 1982, Manganiferous cherts of the Franciscan Assemblage: I. General Geology, ancient and modern analogues, and implications for hydrothermal convection at oceanic spreading centers: Economic Geology, v. 77, p. 519-540.

Cyr, J. B., Pease, R. P., and Schroeter, T. G., 1984, Geology and mineralization at Equity Silver mine: Economic Geology, v. 79, p. 947-968.

Dahlkamp, Franz J., 1978, Geologic appraisal of the Key Lake U-Ni deposits, northern Saskatchewan: Economic Geology, v. 73, p. 1430-1449.

Dahlkamp, F. J., and Adams, S. S., 1981, Geology and recognition criteria for veinlike uranium deposits of the Lower to Middle Proterozoic unconformity and strata-related types: U.S. Department of Energy, National Resource Evaluation GJBX-5(81), 253 p.

Dawson, J. B., 1980, Kimberlites and their xenoliths: New York, Springer-Verlag, 252 p.

Dawson, K. R., 1974, Niobium (Columbium) and Tantalium in Canada: Geological Survey of Canada, Economic Geology Report No. 29, 157 p.

Derkman, K., and Klemm, D. D., 1977, Strata-bound kies-ore deposits in ophiolitic rocks of the "Tauernfenster" (eastern Alps, Austria/Italy), in Klemm, D. D., and Schneider, H. J., eds., Time and stratabound ore deposits: New York, Springer-Verlag, p. 305-313.

DeYoung, J. H., Jr., Sutphin, D. W., and Cannon, W. F., 1984, International strategic minerals inventory; Summary report--Manganese: U.S. Geological Survey Circular 930-A, 22 p.

Dick, L. A., and Hodgson, C. T., 1982, The MacTung W-CU (Zn) contact metasomatic and related deposits of the northeastern Canadian Cordillera: Economic Geology, v. 77, p. 845-867.

Dickey, J. S., Jr., 1975, A hypothesis of origin for podiform chromite deposits: Geochimica et Cosmochimica Acta, v. 39, p. 1061-1074.

Dobson, D. C., 1982, Geology and alteration of the Lost River tin-tungsten-fluorine deposit, Alaska: Economic Geology, v. 77, p. 1033-1052.

Duke, M. A., and Hutchinson, R. W., 1974, Geological relationships between massive sulfide bodies and ophiolitic volcanic rocks near York Harbour, Newfoundland: Canadian Journal of Earth Science, v. 11, p. 53-69.

Duparc, L., and Tikonovitch, M., 1920, Le platine et les gites platiniferes de l'Oural et du monde: Geneva, Sonor, 542 p.

Eargle, D. H., Dickinson, K. A., and Davis, B. O., 1975, South Texas uranium deposits: Bulletin of the American Association of Petroleum Geologists, v. 59, p. 766-779.

Eberle, M. C., and Atkinson, W. W., 1983, Results of mapping at Iron Mountain, Laramie anorthosite complex, Wyoming: Geological Society of America Abstract with Program, v. 15, no. 6, p. 565.

Eckel, E. B., 1949, Geology and ore deposits of the La Plata district, Colorado: U.S. Geological Survey Professional Paper 219, 179 p.

Eckstrand, O. R., ed., 1984, Canadian mineral deposit types, a geological synopsis: Geological Survey of Canada, Economic Geology Report 36, 86 p.

Economic Geology, 1977, An issue devoted to the Viburnum trend, southeast Missouri: Economic Geology, v. 72, p. 337-490.

Einaudi, M. T., 1981, Skarns associated with porphyry plutons. I. Description of deposits, southwestern North America, II. General features and origin, in Titley, S. R., ed., Advances in geology of the porphyry copper deposits of southwestern North America: Tucson, University of Arizona Press, p. 139-183.

Einaudi, M. T., and Burt, D. M., 1982, Introduction--terminology, classification, and composition of

skarn deposits: Economic Geology, v. 77, p. 745-754.

Einaudi, M. T., Meinert, L. D., and Newberry, R. S., 1981, Skarn deposits: in Skinner, B. J., ed., Economic Geology, Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 317-391.

Ensign, C. O., Jr., White, W. S., Wright, J. C., Patrick, J. L., Leone, J. L., Hathaway D. J., Trammell, J. W., Fritts, J. J., and Wright, T. L., 1968, Copper deposits in the Nonesuch Shale, White Pine, Michigan, in Ore deposits of the United States (Graton Sales Volume), v. 1: American Institute of Mining, Metallurgical and Petroleum Engineers, p. 460-488.

Erickson, R. L., compiler, 1982, Characteristics of mineral deposit occurrences: U.S. Geological Survey Open-File Report 82-795, 248 p.

Escovar, Ricardo, 1979, Geologia y geoquimica de las minas de esmeraldas de Gachala, Cundimarca: Ingeominas, Boletin Geologia, v. 22, p. 119-153.

Eupene, G. S., 1980, Stratigraphic, structural and temporal control of mineralization in the Alligator Rivers uranium province, Northern Territory, in Ridge, J. D., ed., Proceedings of the Fifth Quadrennial IAGOD Symposium: Stuttgart, E. Schweizerbartsche Verlagsbuchhandlung, p. 348-376.

Evans, D. J. I., Shoemaker, R. S., and Veltman, H., eds., 1979, International Laterite Symposium, New Orleans, 1979: Society of Mining Engineers, AIME, 688 p.

Evans, L. L., 1977, Geology of the Brushy Creek mine, Viburnum trend, southeast Missouri: Economic Geology, v. 77, p. 381-390.

Fahrni, K. C., McCauley, T. N., and Preto, V. A., 1976, Copper Mountain and Ingerbelle, in Sutherland Brown, A., ed., Porphyry deposits of the Canadian Cordillera: Canadian Institute Mining and Metallurgy Special Paper 15, p. 368-375.

Fairbairn, W. C., 1971, Diamonds in Venezuela: Mining Magazine, v. 125, p. 349-353.

Farnham, L. L., 1961, Manganese deposits of New Mexico: U.S. Bureau of Mines Information Circular 8030, 176 p.

Feather, C. E., 1976, Mineralogy of platinum-group minerals in the Witwatersrand, South Africa: Economic Geology, v. 71, p. 1399-1428.

Ferguson, H. G., 1921, The Round Mountain district, Nevada: U.S. Geological Survey Bulletin 725, p. 383-406.

Fischer, R. P., 1974, Exploration guides to new uranium districts and belts: Economic Geology, v. 69, p. 362-376.

Fisher, N. H., 1952, The Coimadai antimony mine, in Edwards, A. B., ed., Geology of Australian ore deposits: Melbourne, Australian Institute of Mining and Metallurgy, p. 1101-1103.

Fleischer, Ronald, and Routhier, Pierre, 1973, The "consanguineous" origin of a tourmaline-bearing gold deposit: Passagem de Mariana (Brazil): Economic Geology, v. 68, p. 11-22.

Foose, M. P., Slack, J. F., and Casadevall, Tom, 1980, Textural and structural evidence for a predeformation hydrothermal origin of the Tungsten Queen deposit, Hamme district, North Carolina: Economic Geology, v. 75, p. 515-522.

Force, E. R., 1976, Metamorphic source rocks of titanium placer deposits--A geochemical cycle: U.S. Geological Survey Professional Paper 959B, 16 p.

Foshag, W., and Fries, C., 1942, Tin deposits of the Republic of Mexico: U.S. Geological Survey Bulletin 935-C, p. 99-176.

Fox, J. S., 1984, Besshi-type volcanogenic sulfide deposits--A review: Canadian Institute Mining and Metallurgy Bulletin, v. 77, no. 864, p. 57-68.

Frakes, L. A., and Bolton, B. R., 1984, Origin of manganese giants: Sea level change and anoxic-oxic history: Geology, v. 12, p. 83-86.

Franklin, J. M., Sangster, D. M., and Lydon, J. W., 1981, Volcanic-associated massive sulfide deposits, in Skinner, B. J., ed., Economic Geology Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 485-627.

Fries, C., 1940, Tin deposits of the Black Range, Catron and Sierra Counties, New Mexico--A preliminary report: U.S. Geological Survey Bulletin 931-L, p. 279-294.

Frietsch, Rudyard, 1978, On the magmatic origin of iron ores of the Kiruna type: Economic Geology, v. 73, p. 478-485.

-----1982, On the chemical composition of the ore breccia at Luossavaara, Northern Sweden: Mineralium Deposita, v. 17, p. 239-243.

Fripp, R. E. P., 1976, Stratabound gold deposits in Archean banded iron-formation, Rhodesia: Economic Geology, v. 71, p. 58-75.

Fryer, B. J., Kerrich, R., Hutchinson, R. W., Pierce, M. G., and Rogers, D. S., 1979: Archean precious-metal hydrothermal systems, Dome Mine, Abitibi greenstone belt. I. Patterns of alteration and metal distribution: Canadian Journal of Earth Science, v. 16, p. 421-439.

Fulweiler, R. E., and McDougal, S. E., 1971, Bedded-ore structures, Jefferson City mine, Jefferson City, Tennessee: Economic Geology, v. 66, p. 763-769.

Gardner, L. S., 1967, Antimony deposits of Thailand: Thailand Department of Mineral Resources Report of Investigation No. 14, 46 p.

Geyne, A. R., Fries, C., Jr., Segerstrom, K., Black, R. F., and Wilson, I. F., 1963, Geology and mineral deposits of the Pachuca-Real del Monte district, state of Hidalgo, Mexico: Consejo de Recursos Naturales No Renovables Pubicacion 5E, 203 p.

Gilluly, J., 1932, Geology and ore deposits of the Stockton and Fairfield quadrangles, Utah: U.S. Geological Survey Professional Paper 173, 171 p.

Gold, D. P., 1984, A diamond exploration philosophy for the 1980's: Earth and Mineral Science, v. 53, p. 37-42.

Gold, D. P., Valee, M., and Charetti, J. P., 1966, Economic geology and geophysics of the Oka alkaline complex, Quebec: Canadian Institute Mining and Metallurgy Transactions, v. 70, p. 245-258.

Gomez, R., Ogryzlo, C. T., and Dor, A. A., 1979, The Cerro Matosa Nickel Project, in Evans and others, eds., International Laterite Symposium: New Orleans, 1979: Society of Mining Engineers, AIME, p. 412-458.

Gonzales, A., 1956, Geology of the Lepanto Copper mine, Mankayan, Mountain Province, in Kinkel, A. R., Jr., and others, eds., Copper deposits of the Philippines: Philippines Bureau of Mines Special Projects Series, Publication 16, p. 17-50.

Goodwin, A. M., 1973, Archean iron-formations and tectonic basins in the Canadian Shield: Economic Geology, v. 68, p. 915-933.

Granger, H. C., and Warren, C. G., 1969, Unstable sulfur compounds and the origin of roll-type uranium deposits: Economic Geology, v. 64, p. 160-171.

Grant, J. N., Halls, C., Avila, W., and Avila, G., 1977, Igneous systems and the evolution of hydrothermal systems in some sub-volcanic tin deposits of Bolivia, in Volcanic process in orogenesis: Geological Society of London, Special Paper Publication 7, p. 117-126.

Grant, J. N., Halls, C., Sheppard, F. M. S., and Avila, W., 1980, Evaluation of the porphyry tin deposits of Bolivia, in Ishihara, S., and Takenouchi, S., eds., Granitic magmatism and related mineralization: Mining Geology Special Issue, no. 8, The Society of Mining Geologists of Japan, 247 p.

Grauch, R. I., 1984, Mineralogy and petrology of gold occurrences within the Jabiluka deposit, Northern Territory, Australia: 27th International Geological Congress, Abstracts v. 9, pt. 1, p. 27-28.

Gray, F., and Page, N. J, 1985, Geologic map of the Lower Coon Mountain Pluton, Del Norte County, California: U.S. Geological Survey Open-File Report 83-148.

Graybeal, F. T., 1982, Geology of the El Tiro area, Silver Bell mining district, Pima County, Arizona, in Titley, S. R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 487-506.

Green, A. H., and Naldrett, A. J., 1981, The Langmuir volcanic peridotite-associated nickel deposits: Canadian equivalents of the western Australia occurrences: Economic Geology, v. 76, p. 1503-1523.

Gresham, J. J., and Loftus-Hills, G. D., 1981, The Geology of the Rambalda Nickel Field, Western Australia: Economic Geology, v. 76, p. 1373-1417.

Gross, S. O., 1968, Titaniferous ores of the Sanford Lake district, New York, in Ore deposits of the United States v. 1: New York, American Institute of Mining Engineers, p. 140-153.

Gross, W., 1968, Evidence for a modified placer origin for auriferous conglomerate, Canavieras mine, Jacobina, Brazil: Economic Geology, v. 63, p. 271-276.

Groves, D. I., Martin, E. L., Murchie, H., and Wellington, H. K., 1972, A century of tin mining at Mount Bischoff, 1871-1971: Tasmania Geological Survey Bulletin 54, 310 p.

Groves, D. I., and Taylor, R. G., 1973, Greisenization and mineralization at Anchor tin mine, northeast Tasmania: Institute of Mining and Metallurgy Transactions, v. 82, sec. B, p. B135-146.

Giulliani, G., 1985, Le gisement de tungstene de Xihuashan (Sud Jiangxi, Chine): Relations granites, alterations deuteriques-hydrothermales, mineralisations: Mineralium Deposita, v. 20, p. 107-115.

Gulbrandsen, R. A., and Krier, D. J., 1980, Large and rich phosphorus resources in the Phosphoria Formation in the Soda Springs area, southeastern Idaho: U.S. Geological Survey Bulletin 1496, 25 p.

Gustafson, L. B., and Hunt, J. P., 1975, The porphyry copper deposit at El Salvador, Chile: Economic Geology, v. 70, p. 857-912.

Gustafson, L. B., and Williams, Neil, 1981, Sediment-hosted stratiform deposits of copper, lead and zinc, in Skinner, B. J., ed., Economic Geology Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 139-178.

Hamilton, J. M., Bishop, D. T., Morris, H. C., and Owens, O. E., 1982, Geology of the Sullivan orebody, Kimberly, B. C., Canada, in Hutchinson, R. W., Spence, C. D., and Franklin, J. M., eds., Precambrian sulfide deposits, H. S. Robinson Memorial Volume: Geological Association of Canada Special Paper 25, p. 597-666.

Harper, G., 1977, Geology of the Sustut copper deposit in B. C.: Canadian Institute of Mining and Metallurgy Bulletin, v. 97, no. 777, p. 97-104.

Harris, N. B., and Einaudi, M. T., 1982, Skarn deposits in the Yerington district, Nevada: Metasomatic skarn evolution near Ludwig: Economic Geology, v. 77, p. 877-898.

Harrison, J. E., 1972, Precambrian Belt basin of northwestern United States: Its geometry, sedimentation, and copper occurrences: Geological Society of America Bulletin, v. 83, p. 1215-1240.

-----1982, Belt stratabound copper, in Erickson, R. L., ed. Characteristics of mineral deposit occurrences: U. S. Geological Survey Open-File Report 82-795, p. 102-103.

Hernon, R. M., and Jones, W. R., 1968, Ore deposits of the central mining district, New Mexico, in Ridge, J. D., ed., Ore deposits of the United States, 1933-1967 (Graton-Sales volume): New York, American Institute of Mining, Metallurgy and Petroleum Engineering, p. 1212-1237.

Herz, N., and Force, E. R., 1984, Rock suites in Grenvillian terrane of the Roseland district, Virginia: Geological Society of America Special Paper 194, p. 187-214.

Heyl, A. V., 1982, Mineral deposit occurrence model for the Viburnum trend subregion of the southeast Missouri base metal and barite district, in Erickson, R. L., ed., Characteristics of mineral deposit occurrences: U.S. Geological Survey Open-File Report 82-795, p. 158-171.

Hill, W. T., Morris, R. G., and Hagegeorge, C. G., 1971, Ore controls and related sedimentary features at the Flat Gap mine, Treadway, Tennessee: Economic Geology, v. 66, p. 748-757.

Hilpert, L. S., 1969, Uranium resources of northwestern New Mexico: U.S. Geological Survey Professional Paper 603, 166 p.

Hoagland, A. D., 1976, Appalachian zinc-lead deposits, in Wolf, K. H., ed., Handbook of stratabound and

stratiform ore deposits, vol. 6: Amsterdam, Elsevier, p. 495-534.

Hodges, C. A., Cox, D. P., Singer, D. A., Case, J. E., Berger, B. R., and Albers, J. P., 1984, U.S. Geological Survey-Ingeominas mineral resource assessment of Colombia: U.S. Geological Survey Open-File Report 84-345, 193 p.

Hoeve, Jan, and Sibbald, Thomas I. I., 1978, On the genesis of the Rabbit Lake and other unconformity-type uranium deposits in northern Saskatchewan, Canada: Economic Geology, v. 73, p. 1450-1473.

Hornbrook, E. H. W., 1967, A pilot project at the Silvermine lead deposit, Cape Breton Island, Nova Scotia, in Progress report on biogeochemical research at the Geological Survey of Canada, 1963-1966: Geological Survey of Canada Paper 67-73, pt. 1, p. 65-94.

Hosking, K. F. G., 1969, The nature of primary tin ores of the south-west of England, in A Second Technical Conference on Tin: Bangkok, International Tin Council, v. 3, p. 1157-1243.

-----1974, The search for deposits from which tin can be profitably recovered now and in the foreseeable future: Fourth World Tin Conference, Kuala Lumpur; London, International Tin Council, v. 1, p. 21-83.

Hughes, G. J., Jr., 1983, Basinal setting of the Blackbird district cobalt deposits, Lemhi County, Idaho, in The genesis of Rocky Mountain ore deposits: Changes with time and tectonics: Denver Region Exploration Geologists Society Proceedings, p. 21-28.

Huspeni, J. R., Kesler, S. E., Ruiz, Joaquin, Zane, Tuta, Sutter, J. F., and Jones, L. M., 1984, Petrology and geochemistry of rhyolites associated with tin mineralization in northern Mexico: Economic Geology, v. 79, p. 87-105.

Hutchinson, R. W., 1976, Lode gold deposits: The case for volcanogenic derivation, in Pacific Northwest Minerals and Metals Conference, Portland, Oregon, 1975, Proceedings: Salem, Oregon Department of Geology and Mineral Industries, p. 64-105.

-----1979, Evidence of exhalative origin for Tasmanian tin deposits: Canadian Institute of Mining Metallurgy Bulletin, v. 72, no. 808, p. 90-104.

-----1982, Geologic setting and genesis of cassiterite-sulphide mineralization at Renison Bell, western Tasmania--A discussion: Economic Geology, v. 77, p. 199-206.

Hutchinson, R. W., Spence, C. D., and Franklin, J. M., eds., 1982, Precambrian sulfide deposits, H.S. Robinson Memorial Volume: Geological Association of Canada Special Paper 25, 791 p.

Hsu, K. C., 1943, Tungsten deposits of southern Kiangsi, China: Economic Geology, v. 38, p. 431-474.

Imai, Hideki, Lee, M. S., Takenouchi, S., Fujiki, Y., Iida, K., Sakimoto, T., and Tsukagoshi, S., 1978, Geologic structure and mineralization of polymetallic xenothermal vein-type deposits in Japan, in Imai, Hideki, ed., Geological studies of mineral deposits in Japan and East Asia: Tokyo University Press, p. 86-122.

Intiomale, M. M., and Oosterbosch, R., 1974, Geologie et geochimie du gisement de Kipushi, Zaire, in Bartholomew, Paul, ed., Gisements stratiformes et provinces cupriferes: Liege, Societe Geologique de Belgique, p. 123-164.

Isachsen, Y. W., and Evensen, C. G., 1956, Geology of uranium deposits of the Shinarump and Chinle Formations on the Colorado Plateau: U.S. Geological Survey Professional Paper 300, p. 263-280.

Ishihara, S., ed., 1974, Geology of the kuroko deposits: Society of Mining Geologists of Japan, Special Issue 6, 473 p.

Irvine, T. N., 1974, Petrology of the Duke Island ultramafic complex, southeastern Alaska: Geological Society of America Memoir 138, 240 p.

Jackson, E. D., 1969, Chemical variation in coexisting chromite and olivine in chromite zones of the Stillwater Complex, in Wilson, H. D. B., ed., Magmatic ore deposits: Economic Geology Monograph 4, p. 41-71.

James, H. L., 1954, Sedimentary facies of iron formation: Economic Geology, v. 49, p. 235-293.

-----1983, Distribution of banded iron-formation in space and time, in Trendall, A. F., and Morris, R. C., eds., Iron formation; Facts and problems: Amsterdam, Elsevier, p. 471-490.

Janecka, J., and Stemprok, M., 1967, Endogenous tin mineralization in the Bohemian massif, in A technical conference on tin: London, International Tin Council, v. 1, p. 245-266.

Jensen, M. L., and Bateman, A. M., 1981, Economic mineral deposits, 3rd ed.: New York, John Wiley & Sons, 593 p.

Joralemon, P., 1951, The occurrence of gold at the Getchell mine, Nevada: Economic Geology, v. 46, p. 267-310.

Joubin, F., and James, D. G., 1956, Rexspar uranium deposits: Canadian Mining Journal, v. 77, p. 50-60.

Kanehira, K., and Tatsumi, T., 1970, Bedded cupriferous iron sulfide deposits in Japan, A review, in Tatsumi T., ed., Volcanism and ore genesis: Tokyo, University of Tokyo Press, p. 51-76.

Karup-Moller, S., and Brummer, J. J., 1970, The George Lake zinc deposits, Wollaston Lake area, northeastern Saskatchewan: Economic Geology, V. 65, p. 862-874.

Kelly, W. C., and Goddard, E. N., 1969, Telluride ores of Boulder County, Colorado: Geological Society of America Memoir 109, 237 p.

Kelly, W. C., and Rye, R. O., 1979, Geologic, fluid inclusion and stable isotope studies of the tin-tungsten deposits of Panasqueira, Portugal: Economic Geology, v. 74, p. 1721-1822.

Kerr, P. F., Brophy, G. P., Dahl, H. M., Green, J., and Woolard, L. E., 1957, Marysvale, Utah, uranium area; geology, volcanic relations, and hydrothermal alteration: Geological Society of America Special Paper 64, 212 p.

Kirkham, R. V., 1984, Volcanic redbed copper, in Eckstrand, O. R., ed., Canadian mineral deposit types: A geological synopsis: Geological Survey of Canada Report 36, p. 37.

Klau, W., and Large, D. E., 1980, Submarine exhalative Cu-Pb-Zn deposits: A discussion of their classification and metallogenesis: Geologisches Jahrbuch, sec. D, no. 40, p. 13-58.

Knight, C. L., ed., 1975, Economic geology of Australia and Papua New Guinea: The Australasian Institute of Mining and Metallurgy, 1126 p.

Knopf, Adolf, 1913, Ore deposits of the Helena mining region, Montana, U.S. Geological Survey Bulletin 527, 143 p.

-----1929, The Mother Lode system of California: U.S. Geological Survey Professional Paper 73, 226 p.

Koski, R. A., and Cook, D. S., 1982, Geology of the Christmas porphyry copper deposit, in Titley, S. R., ed. Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 353-374.

Koski, R. A., and Derkey, R. E., 1981, Massive sulfide deposits in ocean-crust and island-arc terranes in southwestern Oregon: Oregon Geology, v. 43, no. 9, p. 119-125.

Krauss, V., and Schmidt, H., 1979, Rohstoffwirtshaftliche Landerberichte XXII. USSR. Nickel Kobalt Platin Metalle: Hannover, Bundesanstalt fur Geowissenschaften und Rohstoff, 184 p.

Krauss, U. H., Saam, H. G., and Schmidt, H. W., 1984, International strategic minerals inventory: Summary report--Phosphate: U.S. Geological Survey Circular 930-C, 41 p.

Krebs, Wolfgang, 1981, The geology of the Meggen ore deposit, in Wolf, K. H., ed., Handbook of strata-bound and stratiform ore deposits, Part III: Amsterdam, Elsevier, 509-549.

Kwak, T. A. P., and Askins, P. W., 1981, Geology and genesis of the F-Sn-W-(Be-Zn) skarn (wrigglite) at Moina, Tasmania: Economic Geology, v. 76, p. 439-467.

Kuypers, E. P., and Denyer, P., 1979, Volcanic exhalative manganese deposits of the Nicoya ophiolite complex, Costa Rica: Economic Geology, v. 74, p. 672-678.

Laine, R., ed., 1985, Carswell structure uranium deposits: Geologic Society of Canada Special Paper 29.

Lampietti, F. M. J., and Sutherland, D. G., 1978, Prospecting for diamonds, some current aspects: Mining Magazine, v. 132, p. 117-123.

Landis, Gary P., and Rye, R. O., 1974, Geologic fluid inclusion and stable isotope studies of the Pasto Bueno tungsten-base metal ore deposit, northern Peru: Economic Geology, v. 69, p. 1025-1059.

Langton, J. M., and Williams, S. A., 1982, Structural, petrological, and mineralogical controls for the Dos Pobres ore body, in Titley, S. R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 335-352.

Lanier, George, John, E. C., Swensen, A. J., Reid, Julia, Bard, C. E., Caddy, S. W., and Wilson J. C., 1978, General geology of the Bingham mine, Bingham Canyon, Utah: Economic Geology, v. 73, p. 1228-1241.

Lapham, D. M., 1968, Triassic magnetite and diabase of Cornwall, Pennsylvania, in Ridge, J. D., ed., Ore deposits of the United States, 1933-1967 (Graton-Sales volume): New York, American Institute of Mining, Metallurgical and Petroleum Engineers, p. 1212-1237.

Large, D. E., 1980, Geologic parameters associated with sediment-hosted, submarine exhalative Pb-Zn deposits: An empirical model for mineral exploration, in Stratiform Cu-Pb-Zn deposits: Geologisches Jahrbuch, series D, vol. 40, p. 59-129.

----- 1981, Sediment-hosted submarine exhalative lead-zinc deposits--A review of their geological characteristics and genesis, in Wolf, K. H., ed., Handbook of strata-bound and stratiform ore deposits: Amsterdam, Elsevier, v. 9, p. 469-508.

----- 1983, Sediment-hosted massive sulfide lead-zinc deposits: An empirical model, in Sangster, D. F., ed., Sediment-hosted stratiform lead-zinc deposits: Mineralogical Association of Canada Short Course Handbook, v. 8, p. 1-30.

Laughlin, W. H., 1984, Canadian reserves as of January 1, 1983: Gold, silver, lead, zinc, copper, nickel, molybdenum: Energy, Mines and Resources Canada, Mineral Bulletin MR201, 33 p.

Lawrence, E. F., 1963, Antimony deposits of Nevada: Nevada Bureau of Mines and Geology Bulletin 61, 248 p.

Leblanc, M., 1981, Ophiolite Precambriennes et gites arsenides de cobalt (Bou Azzer, Maroc): Notes et Memoires, v. 280, 306 pp.

Leblanc, M., and Bilaud, P., 1982, Cobalt arsenide ore bodies related to an Upper Proterozoic ophiolite: Bou Azzer (Morocco): Economic Geology, v. 77, p 162-175.

Leblanc, Marc, and Violette, J. F., 1983, Distribution of aluminum-rich chromite pods in ophiolite peridotite: Economic Geology, v. 78, p. 293-301.

Lechner, K., and Plochinger, B., 1956, Die manganerzlagerstatten Osterreichs, in Reyna, J. G., ed., Symposium sobre yacimiento de manganese: International Geological Congress, 20th, Mexico, v. 5, p. 299-313.

Lee-Moreno, J. L., 1980, The metallogenic tin province in Mexico, in Metallogenesis in Latin America: International Union of Geological Sciences Publication No. 5, p. 37-54.

Liang Zhenting, Chen Shanyou, and Liu Youxi, eds., 1984, Excursion guide: Geology of the Dachang tin field: Nanning, China, Organizing Committee of the International Symposium on Geology of Tin Deposits, 26 p.

Lincoln, J. B., 1983, Schaffer-Aultman kimberlites complexes, Albany County, Wyoming, in Genesis of Rocky Mountain ore deposits: Changes with time and tectonics: Denver Region Exploration Geologists Society Proceedings p. 71-78.

Lindgren, W., 1896, The gold-quartz veins of Nevada City and Grass Valley districts, California: U.S. Geological Survey 17th Annual Report, pt. 2, p. 1-262.

-----1900, The gold and silver veins of Silver City, DeLamar and other mining districts in Idaho: U.S. Geological Survey 20th Annual Report, pt. 3, p. 67-255.

-----1911, The Tertiary gravels of the Sierra Nevada of California: U.S. Geological Survey Professional Paper 73, 226 p.

Lindgren, W., and Ransome, F. L., 1906, Geology and gold deposits of the Cripple Creek district, Colorado, U.S. Geological Survey Professional Paper 54, 516p.

Lindgren, W., and Ross, C. P., 1916, The iron deposits of Daiquiri Cuba: American Institute of Mining Engineers Transactions, v. 53, p. 40-46.

Lindsey, D. A., 1982, Copper shales, in Erickson, R.L., ed., Characteristics of mineral deposit occurrences: U.S. Geological Survey Open File Report 82-795, p. 196-199.

Lissiman, J. C., and Oxenford, R.J., 1973, The Allied Minerals, N. L., heavy mineral sand deposit at Eneabba, Western Australia: Australasian Inst. Mining and Metallurgy Conference Proceedings, p. 153-161.

Loughlin, G. F., and Koschman, A. H., 1935, Geology and ore deposits of the Cripple Creek district, Colorado: Colorado Scientific Society Proceedings, v. 13, no. 6, 435p.

Lowell, J. D., and Guilbert, J. M., 1970, Lateral and vertical alteration-mineralization zoning in porphyry copper deposits: Economic Geology, v. 65, p. 373-408.

Lozano, H., Perez, H., and Vesga, C. J., 1977, Prospeccion geoquimica y genesis del mercurio en el flanco occidental de la Cordillera Central Municipios de Aranzazu, Salamina y Pacora Departamento de Caldas (Colombia): INGEOMINAS unpublished report.

Lufkin, J. L., 1972, Tin mineralization within rhyolite flow-domes, Black Range, New Mexico: Stanford, Calif., Stanford University, Ph.D. thesis, 148 p.

McCormick, J. E., Evans, L. L., Palmer, R. A., and Rasnick, F. D., 1971, Environment of the zinc deposits of the Mascot-Jefferson City district, Tennessee: Economic Geology, v. 66, p. 757-762.

Mackin, J. H., 1968, Iron ore deposits of the Iron Springs deposit, southwestern Utah, in Ridge, J. D., ed., Ore deposits of the United States 1933-1967 (Graton-Sales volume), New York, American Institute of Mining, Metallurgical and Petroleum Engineers, v. 2, p. 992-1019.

Malcolm, W., 1929, Goldfields of Nova Scotia: Canadian Geological Survey Memoir 156, 253 p.

Markiewicz, F. E., 1969, Ilmenite deposits of the New Jersey coastal plain, in Geology of selected areas in New Jersey and eastern Pennsylvania: New Brunswick, N. J., Rutgers University Press, p. 363-382.

Marston, R. J., Groves, D. I., Hudson, D. R., and Ross, J. R., 1981, Nickel sulfide deposits in western Australia: A review: Economic Geology, v. 76, p. 1330-1336.

Martin, J. E., and Allchurch, P. D., 1975, Perseverance nickel deposit, Agnew, in Knights, C. L., ed., Economic geology of Australia and Papua New Guinea, I. Metals: Melbourne, The Australasian Institute of Mining and Metallurgy Proceedings Monograph 5, p. 149-155.

Menzie, W. D., and Mosier, D. L., 1985, Grade, tonnage and lithologic data for sediment-hosted submarine exhalative Zn-Pb and sandstone-hosted Pb-Zn deposits; U.S. Geological Survey Open-File Report 85-206, 17 p.

Mertie, J. B., Jr., 1969, Economic geology of the platinum metals: U.S. Geological Survey Professional Paper 630, 120 p.

Meyer, A., 1941, In the Choco Colombia: Engineering and Mining Journal, v. 142, p. 35-39.

Michaud, J. G., 1980, Les Malines and Largentiere lead-zinc deposits in the Mesozoic carbonate and detrital formations on the southern edge of the French Central Massif: Chronique de la Recherche Miniere 454, p. 36-64 (in French).

Miller, M. H., 1973, Antimony, in Brobst, D. A., and Pratt, W. P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 820, p. 45-50.

Minter, W. E. L., 1982, The golden Proterozoic, in Tankard and others, eds., Crustal evolution of southern Africa: New York, Springer-Verlag, p. 801-829.

Molyneux, T. G., 1969, The geology of the area in the vicinity of Magnet Heights, Eastern Transvaal, with special reference to magnetic iron ore, Symposium ore, Bushveld igneous complex and other intrusions: Geological Society of South Africa Special Publication no. 1, p. 228-241.

Morris, H. T., 1968, The main Tintic mining district, Utah, in Ridge, J. D., Ore deposits of the United States, 1933-1967 (Graton-Sales Volume): New York, American Institute of Mining and Metallurgical Engineers, p. 1043-1073.

Morris, H. T., and Lovering, T. S., 1979, General geology and mines of the East Tintic mining district, Utah and Juab Counties, Utah: U.S. Geological Survey Professional Paper 1024, 203 p.

Mosier, D. L., Menzie, W. D., and Kleinhampl, F. J., 1986, Geologic and grade-tonnage information on Tertiary epithermal precious- and base-metal vein districts associated with volcanic rocks: U.S. Geological Survey Bulletin 1666, 39 p.

Mosier, D. L., Singer, D. A., and Salem, B. B., 1983, Geologic and grade-tonnage information on volcanic-hosted copper-zinc-lead massive sulfide deposits: U.S. Geological Survey Open-File Report 83-89, 78 p.

Mutschler, F. E., Wright, E. G., Ludington, Steve, and Abbott, J. T., 1981, Granitic molybdenite systems: Economic Geology, v. 76, p. 874-897.

Nakamura, T., 1970, Mineral zoning and characteristic minerals in the polymetallic veins of the Ashio copper mine, in Tatsumi, T., ed., Volcanism and ore genesis: Tokyo, University of Tokyo Press, p. 231-246.

Nakamura, T., and Hunahashi, M., 1970, Ore veins of Neogene volcanic affinity in Japan, in Tatsumi, T. ed., Volcanism and ore genesis: Tokyo, University of Tokyo Press, p. 215-230.

Nash, J. T., 1981, Geology and genesis of major world hardrock uranium deposits--An overview: U.S. Geological Survey Open-File Report 81-166, 123 p.

Nash, J. T., Granger, H. C., and Adams, S. S., 1981, Geology and concepts of genesis of important types of uranium deposits, in Skinner, B. J., ed.,

Economic Geology, Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 63-116.

Newberry, R. J., 1982, Tungsten-bearing skarns in the Sierra Nevada. L The Pine Creek mine, California: Economic Geology, v. 77, p. 823-844.

Newell, R. A., 1971, Characteristics of the stanniferous alluvium in the Southern Kint Valley, West Malaysia: Geological Society of Malaysia Bulletin 4, p. 15-37.

Nokleberg, W. J., 1981, Geologic setting, petrology, and geochemistry of zoned tungsten-bearing skarns at the Strawberry mine, central Sierra Nevada, California: Economic Geology, v. 26, p. 111-133.

Nolan, T. B., 1962, The Eureka mining district Nevada: U.S. Geological Survey Professional Paper 406, 78 p.

Ohmoto, H., and Skinner, B. J., eds., 1983, The Kuroko and related volcanogenic massive sulfide deposits: Economic Geology, Monograph 5, 604 p.

Olsen, J. C., Shawe, D. R., Prey, L. C., Sharp, W. N., and Hewlett, D. F., 1954, Rare earth mineral deposits of the Mountain Pass district, San Bernardino County, California: U.S. Geological Survey Professional Paper 261.

O'Neill, J. J., and Gunning, H. C., 1934, Platinum and allied metal deposits of Canada: Canada Geological Survey, Economic Geology Series no. 13, 165 p.

Orlov, Y. L., 1973, The mineralogy of the diamond: New York, John Wiley & Sons, [translation from Izdatel'stva Nauka], 235 p.

Orris, G. J., and Bliss, J. D., 1985, Geologic and grade-volume data on 330 gold placer deposits: U.S. Geological Survey Open-File Report 85-213, 172 p.

Page, L. R., and McAllister, J. F., 1944, Tungsten deposits, Isla de Pines, Cuba: U.S. Geological Survey Bulletin 935-D, 246 p.

Page, N. J., 1977, Stillwater complex, Montana: Rock succession, metamorphism and structure of the complex and adjacent rocks: U.S. Geological Survey Professional Paper 999, 79 p.

Page, N. J, Carlson, R. R., Miller, Michael, Carlson, C. A., and Gray, Floyd, 1982a, Map showing geochemical characteristics of platinum-group elements and gold in rock samples from the Kalmiopsis Wilderness, southwestern Oregon: U.S. Geological Survey Miscellaneous Field Studies Map MF-1240-F, scale 1:62,500.

Page, N. J., Cassard, Daniel, and Haffty, Joseph, 1982b, Palladium, platinum, rhodium, ruthenium, and iridium in chromitites from the Massif du Sud and Tiebaghi Massif, New Caledonia, Economic Geology, v. 77, p. 1571-1577.

Page, N. J., Engin, Tandogan, and Haffty, Joseph, 1979, Palladium, platinum, and rhodium concentrations in mafic and ultramafic rocks from the Kizildag and Guleman areas, Turkey, and the Faryab and Esfandagheh-Abdasht areas, Iran: U.S. Geological Survey Open-File Report 79-340, 15 p.

Page, N. J., Engin, Tandogan, and Singer, D. A., and Haffty,. Joseph, 1984, Distribution of platinum-group elements in the Bati Kef chromite deposit, Guleman-Elagig area, eastern Turkey: Economic Geology, v. 79, p. 177-184.

Page, N. J., Foose, M. P., and Lipin, B. R., 1982C, Characteristics of metallic deposits associated with ultramafic and mafic rocks, in Erickson, R. L., ed., Characteristics of mineral deposit occurrences: U.S. Geological Survey Open-File Report 82-795, p. 1-12.

Pan, Yuh-Shyi, 1974, The genesis of the Mexican type tin deposits in acid volcanics: New York, Columbia University, Ph.D. thesis , 286 p.

Panayiotou, A., 1980, Cu-Ni-Co-Fe sulfide mineralization, Limmasol Forest, Cyprus, in Panayiotou, A., ed., Ophiolite, Proceedings International Ophiolite Symposium, Nicosia, Cyprus 1979: Cyprus Geological Survey Department, p. 102-116.

Park, C. F., 1942, Manganese resources of the Olympic Peninsula, Washington: U.S. Geological Survey Bulletin 931-R, p. 435-457.

-----1946, The spilite and manganese problems of the Olympic Peninsula, Washington: American Journal of Science, v. 244, no. 5, p. 305-323.

Parker, R. L., and Sharp, W. N., 1970, Mafic-ultramafic igneous rocks and associated carbonatites of the Gem Park complex, Custer and Fremont Counties, Colorado: U.S. Geological Survey Professional Paper 649, 24 p.

Patterson, D. J., Ohmoato, H., and Solomon, M., 1981, Geologic setting and genesis of cassiterite-sulfide mineralization at Renison Bell, western Tasmania: Economic Geology, v. 76, p. 393-438.

Patterson, S. H., 1967, Bauxite reserves and potential aluminum resources of the world: U.S. Geological Survey Bulletin 1228, 176 p.

-----1984, Bauxite and nonbauxite aluminum resources and production--An update, in Jacob, Leonard, Jr., ed., Bauxite--Proceedings of the 1984 Bauxite Symposium, Los Angeles, California: New York, American Institute of Mining, Metallurgical, and Petroleum Engineers, p. 3-30.

Paulson, E. G., 1964, Mineralogy and origin of the titaniferous deposit at Plums Hidalgo, Oaxaca, Mexico: Economic Geology, v. 59, p. 753-767.

Pavlova, I. G., and Rundquist, D. V., 1980, Zoning of ores and hydrothermal rocks of molybdenum-copper-porphyry deposits under different conditions of formation, in Ridge, J. D., ed., Proceedings of the Fifth Quadrennial IAGOD Symposium, Stuttgart, E. Schweizer bart'sche, p. 113-124.

Payne, J. G., Bratt, J. A., and Stone, B. G., 1980, Deformed Mesozoic Cu-Zn sulfide deposits in the Britannia district, British Columbia: Economic Geology, v. 75, p. 700-721.

Peredery, W. V., 1979, Relationship of ultramafic amphibolites to metavolcanic rocks and serpentinites in the Thompson belt, Manitoba: Canadian Mineralogist, v. 17, p. 187-200.

Perkins, Mike, and Nieman, Bill, 1983, Epithermal gold mineralization in the South Mountain volcanic dome, Summitville, Colorado, in Genesis of Rocky Mountain ore deposits: Changes with time and tectonics: Denver Region Exploration Geologists Society Proceedings, p. 71-78.

Perkle, E. C., Perkle, W. A., and Yoho, W. H., 1974, The Green Cove Springs and Boulougne heavy-mineral sand deposits of Florida: Economic Geology, v. 69, p. 1129-1137.

Perkle, E. C., and Yoho, W. H., 1970, The heavy mineral body of Trail Ridge, Florida: Economic Geology, v. 65, p. 17-30.

Peterson, E. U., and Zantop, Half, 1980, The Oxec deposit, Guatemala: An ophiolite copper occurrence: Economic Geology, v. 75, p. 1053-1065.

Philips, G. N., Groves, D. I., and Martyn, J. E., 1984, An epigenetic origin for Archean banded iron-formation-hosted gold deposits: Economic Geology, v. 79, p. 162-171.

Plimer, I. R., 1980, Exhalative Sn and W deposits associated with mafic volcanism as precursors to Sn and W deposits associated with granites: Mineralium Deposita, v. 15, p. 275-289.

Prescott, Basil, 1926, The underlying principles of the limestone replacement deposits of the Mexican province: Engineering and Mining Journal, v. 122, p. 246-253, 289-296.

Pretorius, D. A., 1981, Gold and uranium in quartz-pebble conglomerate: in Skinner, B. J., ed., Economic Geology Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 117-138.

Prinz, W. C., 1963, Manganese, in Mineral and water resources of Montana: Washington, U.S. Government Printing Office, p. 83-86.

Radtke, A. S., Rye, R. O., and Dickson, F. W., 1980, Geology and stable isotope studies of the Carlin gold deposit, Nevada: Economic Geology, v. 75, p. 641-672.

Ransome, F. L., 1909, Geology and ore deposits of Goldfield, Nevada: U.S. Geological Survey Professional Paper 66, 258 p.

Razin, L. V., 1976, Geologic and genetic features of forsterite dunites and their platinum-group mineralization: Economic Geology, v. 71, p. 1371-1376.

Reed, B. L., 1982, Tin greisen model, in Erickson, R. L., ed., Characteristics of mineral deposit occurrences: U.S. Geological Survey Open-File Report 82-795, p. 55-61.

Reid, A. R., and Bisque, R. E., 1975, Stratigraphy of the diamond-bearing Roraima Group, Estado Bolivar, Venezuela: Quarterly of the Colorado School of Mines, v. 70, no. l, p. 61-82.

Research Group of Porphyrite Iron Ore of the Middle-Lower Yangtze Valley, 1977, Porphyrite iron ore--A genetic model of a group of iron ore deposits in andesitic volcanic area: Acta Geologica Sinica, v. 51, no. l, p. 1-18.

Reynolds, R. L., and Goldhaber, M. B., 1983, Iron disulfide minerals and the genesis of roll-type uranium deposits: Economic Geology, v. 78, p. 105-120.

Rickard, D. T., Willden, M. Y., Marinder, N. E., and Donnelly, T. H., 1979, Studies on the genesis of the Laisvall sandstone lead-zinc deposits, Sweden: Economic Geology, v. 74, p. 1255-1285.

Ridler, R. H., 1970, Relationship of mineralization to volcanic stratigraphy in the Kirkland-Larder Lakes Area, Ontario: Geological Association of Canada Proceedings, v. 21, p. 33-42.

Riordan, P. H., 1957, The structural environment of the Thetford-Black Lake asbestos deposit: Geological Association of Canada Proceedings, v. 9, p. 83-93.

Ripley, E. M., 1981, Sulfur isotopic studies of Dunka Road Cu-Ni deposit, Duluth Complex, Minnesota: Economic Geology, v. 76, p. 610-620.

Ripley, E. M., and Ohmoto, Hiroshi, 1977, Mineralogic, sulfuric isotope and fluid inclusion studies of the stratabound copper deposits at the Raul mine, Peru: Economic Geology, v. 72, p. 1017-1041.

Roberts, D. E., and Hudson, G. R. T., 1983, The Olympic Dam copper-uranium-gold deposit, Roxby Downs, South Australia: Economic Geology, v. 78, p. 799-822.

Rocha, V. S., and Wilson, I. F., 1948, Los yacimientos de manganeso de Talamantes, Municipio de Allende, estado de Chihuahua: Mexico Comite Directivo Para la Investigation de Los Recursos Minerales de Mexico, Bulletin 18, 39 p.

Roper, M. W., and Wallace, A. B., 1981, Geology of the Aurora uranium prospect, Malheur County, Oregon, in Goodell, P. C., and Waters, A. C., eds., Uranium in volcanic and volcaniclastic rocks: American Association of Petroleum Geologists Studies in Geology no. 13, p. 81-88.

Roscoe, S. M., 1969, Huronian rocks and uraniferous conglomerates in the Canadian Shield: Geological Survey of Canada Paper 68-90, 205 p.

Ross, J. R., and Travis, G. L., 1981, The nickel sulfide deposits of Western Australia in global perspective: Economic Geology, v. 76, p. 1291-1329.

Roy, Supriya, 1981, Manganese deposits: New York, Academic Press, 458 p.

Ruelle, J. C. L., 1982, Depositional environments and genesis of stratiform copper deposits of the Redstone copper belt, MacKenzie Mountains, N. W. T., in Hutchinson, R. W., Spence, C. D., and Franklin, J. M., eds. Precambrian sulfide deposits, H. S. Robinson Memorial Volume: Geological Association of Canada Special Paper 25, p. 701-738.

Ruiz F., Carlos, 1965, Geologia y yacimientos metaliferos de Chile: Santiago, Chile, Instituto de Investigaciones Geologicas, 305 p.

Runnels, D. D., 1969, The mineralogy and sulfur isotopes of the Ruby Creek copper prospect, Bornite, Alaska: Economic Geology v. 64, p. 75-90.

Rye, D. M., and Rye, R. O., 1974, Homestake gold mine, South Dakota: I. Stable isotope studies: Economic Geology, v. 69, p. 293-317.

Sainsbury, C. L., 1964, Geology of the Lost River Mine area, Alaska: U.S. Geological Survey Bulletin 1287, 101 p.

Sainsbury, C. L., and Reed, B. L., 1973, Tin, in Brobst, D. B., and Pratt, W. P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 820, p. 637-651.

Saito, Massao, and Sato, Eitaro, 1978, On the recent exploration at the Iwato gold mine: Mining Geology, v. 28, p. 191-202.

Samama, J. Co, 1976, Comparative review of the genesis of the copper-lead sandstone-type

deposits, in Wolf, H. K., ed., Handbook of stratabound and stratiform ore deposits: Amsterdam, Elsevier, v. 6, p. 1-20.
Sangster, D. F., 1984, Felsic intrusion-associated silver-lead-zinc veins, in Eckstrand, R. O., ed., Canadian mineral deposit types, a geological synopsis: Geological Survey of Canada Report no. 36, p. 66.
Sangster, D. F., and Kirkham, R. V., 1974, Disseminated base metal mineralization along the Wollaston Lake fold belt, Saskatchewan: Geological Survey of Canada Paper 74-I, pt. A, p. 143-144.
Sapozhnikov, P. G., 1970, Manganese deposits of the Soviet Union: Jerusalem, Israel Program for Scientific Translations, 522 p.
Saupe, Francis, 1973, La Geologie du gisements de mercure d'Almaden: Science de la Terre, Memoir 29, p. 7-341.
Scherba, G. N., 1970, Greisens: International Geology Review, v. 12, p. 114-150,230-255.
Schmitt, J. M., and Thiry, M., 1977, Mineralisation en plomb par evolution pedogenetiques d'une serie arkosique des trais (Zeida, Haute Moulouya, Maroc): Bureau Recherches Geologie et Minieres Bulletin, 2nd ser., sec. 2, no. 2, p. 113-133.
Scott, Philip, 1980a, Salmon River lead deposit, in McMillian, K. A., ed., Mineral Resources Division report of activities 1979: Nova Scotia Department of Mines and Energy Report 80-1, p. 91-94.
-----1980b, Geochemistry and petrography of the Salmon River lead deposit, Cape Breton Island, Nova Scotia: Wolfville, Nova Scotia, Acadia University M.S. thesis , 111 p.
Scratch, R. B., Watson, G. P., Kerrich, R., and Hutchinson, R. W., 1984, Fracture-controlled antimony-quartz mineralization, Lake George deposit, New Brunswick: Mineralogy, geochemistry, alteration, and hydrothermal regimes: Economic Geology, v. 79, no. 5, p. 1159-1186.
Scull, B. J., 1958, Origin and occurrence of barite in Arkansas:. Arkansas Geological and Conservation Commission Information Circular 18, 101 p.
Seraphim, R. H., 1975, Denali--A nonmetamorphosed stratiform sulfide deposit: Economic Geology, v. 70, p. 949-959.
Sestini, G., 1973, Sedimentology of a paleoplacer: The gold-bearing Tarkwaian of Ghana, in Amstutz, G. C., and Bernard, A. J., eds., Ores in sediments: Heidelberg, Springer-Verlag, p. 275-305.
Shawe, D. R., Foord, E. E., and Conklin, N. M., 1984, Huebnerite veins near Round Mountain, Nye County, Nevada: U.S. Geological Survey Professional Paper 1287, 42 p.
Shawe, D. R., Poole, F. G., and Brobst, D. A., 1969, Newly discovered bedded barite deposits in East Northumberland Canyon, Nye County, Nevada: Economic Geology, v. 64, p. 245-254.
Sheldon, R. P., 1964, Paleolatitudinal and paleogeographic distribution of phosphorite: U.S. Geological Survey Professional Paper 50 l-C, p. C106-C113.
Shride, A. F., 1969, Asbestos, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 303-311.
-----1973, Asbestos, in Brobst, D. A., and Pratt, W. P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 820, p. 63-73.
Sillitoe, R. H., 1979, Some thoughts on gold-rich porphyry copper deposits: Mineralium Deposita, v. 14, p. 161-174.
-----1983, Enargite-bearing massive sulfide deposits, high in porphyry copper systems: Economic Geology, v. 78, p. 348-352.
Sillitoe, R. H., Halls, C., and Grant, J. N., 1975, Porphyry tin deposits in Bolivia: Economic Geology, v. 70, p. 913-927.
Simatupang, M., Rubini, S., Sutedjo, M., and Noerdin, A., 1974, Indonesian tin resources and potential: Fourth World Tin Conference, Kuala Lumpur; London, International Tin Council, v. 1, p. 101-120.
Sinclair, W. E., 1955, Asbestos, its origin, production, and utilization: London, Mining Publications, 365 p.
Singer, D. A., Menzie, W. D., DeYoung, J. H., Jr., Sander, M., and Lott, A., 1980, Grade and tonnage data used to construct models for the regional Alaskan Mineral Resource Assessment Program: U.S. Geological Survey Open-File Report 80-799, 58 p.
Singer, D. A., and DeYoung, J. H., Jr., 1980, What can grade-tonnage relations really tell us?: International Geological Congress, 26th Colloquia C1, Mineral Resources, Paris, France, p. 91-101.
Singer, D. A., and Mosier, D. L., eds., 1983a, Mineral deposit grade-tonnage models: U.S. Geological Survey Open-File Report 83-623, 100 p.
-----1983b, Mineral deposit grade-tonnage models II: U.S. Geological Survey Open-File Report 83-902, 101 p.
Sinkankas, John, 1981, Emeralds and other beryls: Radnor, Penn., Nelson, 665 p.
Slansky, Maurice, 1980, Ancient upwelling models--Upper Cretaceous and Eocene phosphorite deposits around west Africa, in Sheldon, R. P., and Burnett, W. C., eds., Fertilizer mineral potential in Asia and the Pacific: Honolulu, East-West Resource Systems Institute, Proceedings of the Fertilizer Raw Materials Resources Workshop, August 20-24, 1979, p. 145-158.
Smirnov, V. I., Ginzburg, A. L, Grigoriev, V. M., and Yakovlev, G. F., 1983, Studies of mineral deposits: Moscow, Miv, 288 p.
Smith, W. C., Segerstrom, K., and Guiza, R., 1950, Tin deposits of Durango, Mexico: U.S. Geological Survey Bulletin 962-D, p. 155-203.
Snyder, F. G., and Gerdemann, P. E., 1968, Geology of the southeast Missouri lead district, in Ridge, J. D., ed., Ore deposits of the United States, 1933-1967: New York, American Institute of Mining Engineers, p. 326-358.
Snyder, W. S., 1978, Manganese deposited by submarine hot springs in chert-greenstone complexes, western United States: Geology, v. 6, p. 741-744.

Soeda, Akira, and Watanabe, Makoto, 1981, Electrum-silver telluride ores of the Takeno mine, Hyogo Prefecture, SW Japan, and their genetic significance: Mining Geology Special Issue 10, p. 43-52.

Sohnge, P. G., 1964, The geology of the Tsumeb Mine: Proceedings of the Geological Society of South Africa, v. 65, no. 2, p. 367-382.

Soregaroli, A. E., and Whitford, D. F., 1976, Brenda, in Sutherland Brown, A., ed., Porphyry deposits of the Canadian Cordillera: Canadian Institute of Mining and Metallurgy Special volume 15, p. 186-194.

Sorem, R. K., and Gunn, D. W., 1967, Mineralogy of manganese deposits, Olympic Peninsula, Washington: Economic Geology, v. 62, p. 22-56.

Steven, T. A., and Eaton, G. P., 1975, Environment of ore deposition in the Creede Mining District, San Juan Mountains, Colorado: Part I. Geologic hydrologic, and geophysical setting: Economic Geology, v. 70,p. 1023-1037.

Sutherland, D. G., 1982, The transport and sorting of diamonds by fluvial and marine processes: Economic Geology, v. 77,p. 1613-1620.

Swanson, S. A., Strong, D. F., and Thurlow, J. G., eds., 1981, The Buchans orebodies: Fifty years of geology and mining: Geological Association of Canada Special Paper no. 22, 350 p.

Taliaferro, N. L., and Hudson, F. S., 1943, Genesis of the manganese deposits of the Coast Ranges of California, in Manganese in California: California Division of Mines Bulletin 125, p. 217-275.

Taneda, S., and Mukaiyama, H., 1970, Gold deposits and Quaternary volcanoes in the southern Kyushu: Guidebook II, Excursion B8, International Association on the Genesis of Ore Deposits, Tokyo-Kyoto Meeting, 1970.

Tavera, I. E., and Alexandri, Rafael, 1972, Molango manganese deposits, Hidalgo, Mexico [abs.]: Acta Mineralogica Petrographica, v. 20, p. 387-388.

Taylor, H. P., Jr., 1967, The zoned ultramafic complexes of southeastern Alaska, in Wyllie, P. J., ed., Ultramafic and related rocks: New York, John Wiley & Sons, p. 96-118.

Taylor, R. G., 1979, Geology of tin deposits: Amsterdam, Elsevier, 543 p.

Taylor, Stewart, 1984, Structural and paleotopographic controls of lead-zinc mineralization in the Silvermines orebodies, Republic of Ireland: Economic Geology, v. 79,529-548.

Temple, A. K., and Grogan, R. M., 1965, Carbonatite and related alkalic rocks at Powderhorn, Colorado: Economic Geology, v. 60, p. 672-692.

Thacker, J. L., and Anderson, K. H., 1977, The geologic setting of the Southeast Missouri lead district--Regional geologic history, structure, and stratigraphy: Economic Geology, v. 72, p. 339-348.

Thayer, T. P., 1964, Principal features and origin of podiform chromite deposits and some observations on the Guliman-Soridag district, Turkey: Economic Geology, v. 59, p. 1497-1524.

Theodore, T. G., and Menzie, W. D., 1983, Fluorine-deficient porphyry molybdenum deposits in the western North American Cordillera: Proceedings of IAGOD Symposium, Tbikis, USSR, September 1982.

Thomas, B. E., 1949, Ore deposits of the Wallapai District, Arizona: Economic Geology, v. 44, p. 663-705.

Thompson, J. F. H., and Naldrett, A. J., 1984, Sulfide-silicate reactions as a guide to Ni-Cu-Co mineralization in central Maine, USA, in Buchanon, D. L., and Jones, M. J., eds., Sulfide deposits in mafic and ultramafic rocks: London, Institution of Mining and Metallurgy, p. 103-113.

Thornett, J. R., 1981, The Sally Malay deposit: Gabbroid associated nickel copper sulfide mineralization in the Halls Creek mobile zone, Western Australia: Economic Geology, v. 76, p. 1565-1580.

Tingley, J. V., and Berger, B. R., 1985, Lode gold deposits of Round Mountain, Nevada: Nevada Bureau of Mines and Geology, Bulletin 100, 62 p.

Tischendorf, G., 1977, Geochemical and petrographic characteristics of silicic magmatic rocks associated with rare element mineralization, in Stemprok, M., Burnol, L., and Tischendorf, G., eds., Symposium, Metallization Associated with Acid Magmatism (MAWAM): Prague Geological Survey, v. 2, p. 41-96.

Titley, S. R., 1982, The style and progress of mineralization and alteration in porphyry copper systems, in Titley, S. R., ed., Advances in geology of the porphyry copper deposits: Tucson, University of Arizona Press, p. 93-116.

Todd, S. G., Keith, D. W., Lekoy, L. W., Schissel, D. J., Mauri, E. L., and Irvine, T. N., 1982, The JM platinum-palladium reef of the Stillwater Complex, Montana: Stratigraphy and petrology: Economic Geology, v. 77, p. 1454-1480.

Tooker, E. W., 1985, Discussion of the disseminated-gold-ore occurrence model, in Tooker, E. W., ed., Geologic characteristics of sediment-and volcanic-hosted disseminated gold deposits--Search for an occurrence model: U.S. Geological Survey Bulletin 1646, p. 107-150.

Tourtelot, E. B., and Vine, J. D., 1976, Copper deposits in sedimentary and volcanogenic rocks: U.S. Geological Survey Professional Paper 907-C, 34 p.

Troly, G., Esterle, M., Pelletier, B. G., and Reibell, W., 1979, Nickel deposits in New Caledonia--Some factors influencing their formation, in Evans, D. J., Shoemaker, R. J., and Veltman H., eds., International Laterite Symposium, New Orleans, 1979: New York, Society of Mining Engineers, AIME, p. 85-120.

Turneaure, F. S., 1971, The Bolivian tin-silver province: Economic Geology, v. 66, p. 215-225.

Turner-Peterson, C. E., and Fishman, N. S., 1986, Geologic synthesis and genetic models for uranium mineralization, Grants uranium region, New Mexico, in Turner-Peterson, C. E., and Santos, E. S., eds., A basin analysis case study -- The Morrison Formation, Grants uranium region, New Mexico: American Association of Petroleum Geologists Studies in Geology no. 22.

Tuttle, O. F., and Gittins, J., eds., 1966, Carbonatites: New York, John Wiley & Sons, 591 p.

Uchida, Etsuo, and Iiyana, J. T., 1982, Physicochemical study of skarn formation at the Shinyama iron-copper ore deposits of the Kamaishi mine, northeastern Japan: Economic Geology, v. 77, p. 809-822.

Van Nort, S. D., and Harris, Michael, 1984, Geology and mineralization of the Picacho gold prospect, Imperial County, California, in Wilkins, Joe, Jr., ed., Gold and silver deposits of the Basin and Range Province, Western U. S. A.: Arizona Geological Society Digest, v. 15, p. 1-27.

Vermaak, C. F., and Hendriks, L. P., 1976, A review of the mineralogy of the Merensky Reef, with specific reference to new data on the precious metal mineralogy: Economic Geology, v. 71, p. 1244-1269.

Walker, R. R., Matulich, A., Amos, A. C., Watkins, J. J., and Mannard, G. W., 1975, The geology of the Kidd Creek mine: Economic Geology, v. 70, p. 80-89.

Walthier, T. N., Araneda G., Ramon, and Crawford, J. W., 1982, The El Indio gold, silver, and copper deposit region of Coquimbo, Chile, in Watson, S. T., ed., Transactions of the Third Circum-Pacific Energy and Mineral Resources Conference: Honolulu, The Circum-Pacific Council for Energy and Mineral Resources, p. 349-355.

Wandke, A., and Martinez, J., 1928, The Guanajuato mining district, Guanajuato, Mexico: Economic Geology, v. 23, p. 1-44.

Wedepohl, K. H., 1971, "Kupferschiefer" as a prototype of syngenetic sedimentary ore deposits: International Association on Genesis of Ore Deposits, Tokyo-Kyoto, 1970, Proceedings, Special Issue 3, p. 268-273.

Weiblen, P. W., and Morey, G. B., 1980, A summary of the stratigraphy, petrology and structure of the Duluth Complex: American Journal of Science, v. 280-A, p. 88-133.

Wells, F. G., Cater, F. W., Jr., and Rynearson, G. A., 1946, Chromite deposits of Del Norte County, California: California Division of Mines and Geology Bulletin 134, p. 1-76.

Wells, J. H., 1973, Placer examination--Principles and practice: U.S. Department of Interior, Bureau of Land Management Bulletin 4, 204 p.

West, R. J., and Aiken, D. M., 1982, Geology of the Sierrita-Esperanza deposit, in Titley, S. R., ed., Advances in the geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 433-466.

Westerveld, J., 1937, The tin ores of Banca, Billeton, and Singkep, Malay Archipelago--A discussion: Economic Geology, v. 32, p. 1019-1041.

Westra, Gerhard, 1982a, Alteration and mineralization in the Ruth porphyry copper deposit near Ely, Nevada: Economic Geology, v. 77, p. 950-970.

-----1982b, The Mount Hope stockwork molybdenum deposit: Geological Society of America Abstracts with Programs, v. 14, p. 646.

Westra, Gerhard, and Keith, S. B., 1981, Classification and genesis of stockwork molybdenum deposits: Economic Geology, v. 76, p. 844-873.

White, D. E., 1962, Antimony in the United States: U.S. Geological Survey Mineral Investigation Resource Map MR-20, scale 1:3,168,000.

-----1981, Active geothermal systems and hydrothermal ore deposits, in Skinner, B. J., ed., Economic Geology, Seventy-fifth Anniversary Volume: Economic Geology Publishing Company, p. 392-423.

White, D. E., and Roberson, C. E., 1962, Sulfur Bank, California, a major hot spring quicksilver deposit: Geological Society of America, Buddington volume, p. 397-428.

White, W. H., Bookstrom, A. A., Kamilli, R. J., Ganster, M. W., Smith, R. P., Ranta, D. E., and Steininger, R. C., 1981, Character and origin of Climax type molybdenum deposits, in Skinner, B. J., ed., Economic Geology, 75th Anniversary Volume: Economic Geology Publishing Company, p. 270-316.

White, W. S., 1968, The native copper deposits of northern Michigan, in Ridge, J., ed., Ore deposits of the United States (Graton-Sales Volume), v. 1: New York, American Institute of Mining, Metallurgical and Petroleum Engineers, p. 303-325.

Wilkins, Joe, Jr., 1984, The distribution of gold- and silver-bearing deposits in the Basin and Range province, Western United States, in Wilkins, Joe, Jr., ed., Gold and silver deposits of the Basin and Range Province, Western U. S. A.: Arizona Geological Society Digest, v. 15, p. 1-27.

Wilkins, Joe, Jr., and Heidrick, T. L., 1982; Base and precious metal mineralization related to low-angle tectonic features in the Whipple Mountains, California, and Buckskin Mountains, Arizona, in Mesozoic-Cenozoic tectonic evolution of the Colorado River region, California, Arizona and Nevada, Anderson-Hamilton Volume: San Diego State University, p. 182-204.

Williams, D. A. C., 1979, The association of some nickel sulfide deposits with komatiitic volcanism in Rhodesia: Canadian Mineralogist, v. 17, p. 337-349.

Williams, J., 1969, The vanadiferous magnetic iron ore of the Bushveld igneous complex, in Wilson, H. D. B., ed., Magmatic ore deposits: Economic Geology Monograph 4, p. 187-208.

Williamson, Anthony, and Rogerson, R. J., 1983, Geology and mineralization of Misima Island: Geological Survey of Papua New Guinea Report 83/12, 137 p.

Wilson, I. F., 1955, Geology and mineral deposits of the Boleo copper district, Baja California, Mexico: U.S. Geological Survey Professional Paper 273, 134 p.

Wilson, W. E., ed., 1977, Tsumeb! The world's greatest mineral locality: The Mineralogical Record, v. 8, no. 3, 111p.

Witkind, I. J., 1973, Igneous rocks and related mineral deposits of the Barker quadrangle, Little Belt Mountains, Montana: U.S. Geological Survey Professional Paper 752, 58 p.

Yajima, Junkichi, and Ohta, E., 1979, Two-stage mineralization and formation process of the Toyoha deposits, Hokkaido, Japan: Mining Geology, v. 29, p 291-306.

Yamada, K., Sudo, S., Sato, T., Fujii, N., Sawa, T., Hatori, H., Satoh, H., and Aikawa, T., 1980,

Mineral resources inventory and evaluation system (MINES): Geological Survey of Japan Report no. 260, 35 p. and two appendixes.

Yeend, W. E., 1974, Gold-bearing gravels of the ancestral Yuba River, Sierra Nevada, California: U.S. Geological Survey Professional Paper 772, 44p.

Ypma, P. J. M., and Simons, J. H., 1969, Genetic aspects of tin mineralization in Durango, Mexico: Proceedings of the Second Technical Conference on Tin, Bangkok; London, International Tin Council, v. l, p. 177-192.

Yui, Shunzo, 1983, Textures of some Japanese Besshi-type ores and their implications for kuroko genesis, in Ohmoto, Hiroshi, and Skinner, B. J., eds., The kuroko and related volcanogenic massive sulfide deposits: Economic Geology Monograph 5, p. 231-240.

Zellars-Williams, Inc., 1978, Evaluation of the phosphate deposits of Florida using the minerals availability system--Final report: Prepared for the Department of the Interior, Bureau of Mines Contract No. J0377000, 196 p.