

$N(1900)$ P_{13} $I(J^P) = \frac{1}{2}(\frac{3}{2}^+)$ Status: $\ast\ast$

OMITTED FROM SUMMARY TABLE

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

 $N(1900)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
≈ 1900 OUR ESTIMATE			
1915 \pm 60	NIKONOV	08	DPWA Multichannel
1879 \pm 17	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1951 \pm 53	PENNER	02C	DPWA Multichannel

 $N(1900)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
180 \pm 40	NIKONOV	08	DPWA Multichannel
498 \pm 78	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
622 \pm 42	PENNER	02C	DPWA Multichannel

 $N(1900)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	
$\Gamma_2 N\pi\pi$	
$\Gamma_3 N\rho, S=1/2, P\text{-wave}$	
$\Gamma_4 N\eta$	(14 \pm 5) %
$\Gamma_5 N\omega$	(39 \pm 9) %
$\Gamma_6 \Lambda K$	(2.40 \pm 0.30) %
$\Gamma_7 \Sigma K$	

 $N(1900)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
0.26 \pm 0.06	MANLEY 92 IPWA $\pi N \rightarrow \pi N & N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.02 - 0.09	NIKONOV 08 DPWA Multichannel
0.16 \pm 0.02	PENNER 02C DPWA Multichannel

$\Gamma(N\eta)/\Gamma_{\text{total}}$	Γ_4/Γ
0.14 \pm 0.05	PENNER 02C DPWA Multichannel

$\Gamma(N\omega)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.39±0.09	PENNER	02C	DPWA Multichannel

 Γ_5/Γ

$(\Gamma_f/\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1900) \rightarrow N\rho, S=1/2, P\text{-wave}$	$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.34±0.03	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

 $\Gamma(\Lambda K)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.024±0.003	SHKLYAR	05	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.05 - 0.15	NIKONOV	08	DPWA Multichannel
0.001±0.001	PENNER	02C	DPWA Multichannel

 Γ_6/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.01±0.01	PENNER	02C	DPWA Multichannel

 Γ_7/Γ **$N(1900)$ PHOTON DECAY AMPLITUDES**

Papers on γN amplitudes predating 1981 may be found in our 2006 edition,
Journal of Physics, G **33** 1 (2006).

 $N(1900) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.017	PENNER	02D	DPWA Multichannel

 $N(1900) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.031	PENNER	02D	DPWA Multichannel

 $N(1900) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.016	PENNER	02D	DPWA Multichannel

 $N(1900) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.002	PENNER	02D	DPWA Multichannel

N(1900) REFERENCES

NIKONOV	08	PL B662 245	V.A. Nikonov <i>et al.</i>	(Bonn, Gatchina)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
SHKLYAR	05	PR C72 015210	V. Shklyar, H. Lenske, U. Mosel	(GIES)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT)
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)